

3

QL
506
B36
V.2
ENT

A SYNONYMIC CATALOGUE

OF

ORTHOPTERA.

BY

W. F. KIRBY.

VOL. II.

ORTHOPTERA SALTATORIA.

PART I.

(ACHETIDÆ ET PHASGONURIDÆ.)

LONDON:

PRINTED BY ORDER OF THE
TRUSTEES OF THE BRITISH MUSEUM.

SOLD BY

LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 15 PICCADILLY; DULAU & CO., 37 SOHO SQUARE, W.;
KEGAN PAUL & Co., 43 GERRARD STREET, W.;


AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.


1906.

All rights reserved.

ALERE FLAMMAM.



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.



P R E F A C E.

VOL. I. of Mr. Kirby's "Synonymic Catalogue of Orthoptera" was issued in November 1904. Vol. II. now issued has occupied just two years in its completion. The collection of Orthoptera in the Museum is now in excellent order, although all the specimens in every family are not yet fully worked out.

E. RAY LANKESTER,
Director.

BRITISH MUSEUM (NATURAL HISTORY),
London, S.W.
November 12th, 1906.



INTRODUCTION TO VOL. II.

THERE is little to add to the Introduction issued with the first volume of this work.

Since that time various small, but interesting collections of Orthoptera have been received for the Museum, of which that formed by the Tibet Expedition (few in number, but of considerable scientific interest) and a series collected by Mr. W. Foster in Sapucay, Paraguay, deserve special mention. The collection now fills 774 drawers (40 Cabinets), exclusive of the British Collection and Dr. F. D. Godman's Central-American Collection, which occupy 5 and 15 additional drawers respectively.

The present volume includes the *Achetidæ* or Crickets and the *Phasgonuridæ* or Long-horned Grasshoppers, often improperly called *Locustidæ*. The true *Locustidæ*, or Short-horned Grasshoppers (often called *Acridiidæ*), will form the third and concluding volume of this work.

The *Achetidæ* have hitherto been somewhat neglected, but our classification is based on that employed by H. de Saussure in his monograph, "Mélanges Orthoptérologiques, 5^{me} et 6^{me} Fascicules," published in the 'Mémoires de la Société de Physique et d'Histoire Naturelle de Genève,' tome xxv. (1876-1878), the most comprehensive work on this family which has yet appeared.

The *Phasgonuridæ* have been classified in accordance with

Brunner von Wattenwyl's "Révision du Système des Orthoptères" published in the 'Annali del Museo Civico di Storia Naturale di Genova,' series 2, vol. xiii. (1893), supplemented by monographs of various subfamilies published elsewhere by Brunner himself, de Saussure, Redtenbacher, and others.

The Museum collections of *Achetidae* and *Phasgonuridae* were arranged by Adam White in 1850, and rearranged by F. Walker in 1869 and 1870, and have again been rearranged by myself before and during the progress of the present Catalogue.

W. F. KIRBY.

NATURAL HISTORY MUSEUM,
SOUTH KENSINGTON.
November, 1906.

CONTENTS.

	Page
PREFACE	iii
INTRODUCTION	v
CONTENTS	vii
ACHETIDÆ	1
Curtillinae. A	1
Curtillinae. B	7
Curtillinae. C	7
Gryllinae. A	13
Gryllinae. B	20
Gryllinae. C	27
Gryllinae. D	50
Myrmecophilinae. A	53
Myrmecophilinae. B	55
Myrmecophilinae. C	60
Myrmecophilinae. D	61
Ecanthinae. A	62
Ecanthinae. B	63
Ecanthinae. C	72
Trigonidiinae	77
Eneopterinae. A	87
Eneopterinae. B	91
Eneopterinae. C	92
Eneopterinae. D	109
PHASGONURIDÆ	111
Stenopelmatinae	111
Rhaphidophorinae	123
Gryllacrinae	139
Hetrodinae	153
Pycnogastrinae = <i>aphippigerinae</i>	161
Bradyporinae	175
Deracanthinae	177

PHASGONURIDÆ (<i>continued</i>).	Page
Decticinae	179
Phasgonurinae	216
Saginae	222
Tympanophorinae	229
Conocephalinae	229
Agroeciinae	255
Salomoninae	263
Xiphidiinae	271
Listrosceolinae	284
Eumegalodontinae	289
Prophalangopsinae	290
Pseudophyllinae	290
Prochilinae	355
Mecopodinae	355
Phyllophorinae	367
Meconeminae	370
Phaneropterinae	374
INDEX	407

CATALOGUE

OF

ORTHOPTERA.

VOL. II.

FAM. VI. ACHETIDÆ.

SUBFAM. I. CURTILLINÆ A.

Genus 1. **Scapteriscus.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xi. p. 385 (1868); Mem. Peabody Acad. i. p. 6 (1869); Sauss. Miss. Mex., Orth. p. 336 (1874); Mém. Soc. Genève, xxv. p. 36 (1877); Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 43 (1894).

- | | |
|---|-----------|
| *1. S. Oxydactyla, Perty, (<i>Gryllotalpa</i> O.) | Brazil. |
| Del. Anim. Art. p. 118, pl. 23. f. 9 (1832); | |
| Burm. Handb. Ent. ii. p. 740. n. 8 (1838); | |
| Serv. Ins. Orth. p. 307 (1839). | |
| <i>S. Oxydactylus</i> , Scudd. Mem. Peabody | |
| Acad. i. p. 7, pl. 1. ff. 2, 21 (1869). | |
| <i>S. Oxydactyla</i> , Sauss. Miss. Mex., Orth. | |
| p. 337 (1874). | |
| 2. S. Tenuis, Scudd. l. c. p. 8, pl. 1. f. 7 | id. |
| (1869); Sauss. l. c. p. 338 (1874). | |
| 3. S. Borellii, Giglio-Tos, l. c. p. 45 (1894). | Paraguay. |
| *4. S. Mexicanus, Burm. (<i>Gryllotalpa Mexi-</i> | Mexico, |
| <i>cana</i>) l. c. p. 740. n. 9 (1838). | Colombia, |
| <i>S. Mexicanus</i> , Scudd. l. c. p. 9, pl. 1. ff. 6, | Brazil. |
| 18 (1869); Sauss. l. c. p. 337 (1874). | |

- *5. **S. Didactylus, Latr.** (*Gryllotalpa Didactyla*) Gen. Crust. Ins. xii. p. 122 (1804); Burm. l. c. p. 740. n. 10 (1838); Serv. l. c. p. 309 (1839).
Gryllotalpa Didactylus, Guér. Icon. R. Anim., Ins. p. 335, pl. 34. f. 3 (1829–1844); Gray, Griffith's Anim. Kingd. xv. p. 788, pl. 113. f. 3 (1832).
S. Didactylus, Scudd. l. c. p. 10, pl. 1. ff. 1, 14 (1869); Sauss. l. c. p. 338, pl. 8. f. 20 (1874).
Gryllotalpa Tetradactyla, Perty, l. c. p. 118, pl. 23. f. 8 (1832).
6. **S. Vicinus, Scudd.** l. c. p. 12, pl. 1. ff. 4, 23 (1869).
- *7. **S. Camerani, Giglio-Tos,** l. c. p. 45 (1894).
8. **S. Agassizii, Scudd.** l. c. p. 13, pl. 1. ff. 3, 19 (1869); Sauss. l. c. p. 337 (1874).
- *9. **S. Variegatus, Burm.** (*Gryllotalpa Variegata*) l. c. p. 740. n. 11 (1838).
S. Variegatus, pt., Scudd. l. c. p. 14 (1869); Sauss. l. c. p. 339 (1874).
10. **S. Parvipennis, Serv.** l. c. p. 309 (1839).
- *11. **S. Abbreviatus, Scudd.** l. c. p. 14, pl. 1. ff. 8, 20 (1869); Sauss. l. c. p. 339 (1874).

Mexico,
S. & Central
America,
W. Indies.

S. & Central
America.
Paraguay.

Brazil.
W. Indies.
Colombia,
Trinidad,
Brit.
Honduras,
Fernando
Noronha.
Colombia.
Pernam-
buco.

Genus 2. **Neocurtilla, Kirb.** (n. n.). (*Type* no. 4.)

|| *Curtilla*, Sauss. (*nec Oken*) Miss. Mex., Orth. p. 341 (1874);
 Mém. Soc. Genève, xxv. p. 24, 25 (1877).

1. **N. Devia, Sauss.** (*Gryllotalpa D.*) Mém. Soc. Genève, xxv. p. 25, pl. 11 (i.) f. 10 (1877).
2. **N. Macilenta, Sauss.** (*Gryllotalpa M.*) Miss. Mex., Orth. p. 343, pl. viii. ff. 23, 23 a (1874).
3. **N. Major, Sauss.** (*Gryllotalpa M.*) l. c. p. 343 (1874).
- *4. **N. Hexadactyla, Perty,** (*Gryllotalpa H.*) Del. Anim. Art. p. 119, pl. 23. f. 9 (1832); Burm. Handb. Ent. ii. p. 740. n. 7 (1838);

Cape.

Surinam.

Illinois.

Brazil,
Mexico.
W. Indies,

- Serv. Ins. Orth. p. 307 (1839); Ramon de la Sagra, Hist. Cuba, Ins. p. 352, pl. 12. f. 8 (1857); Scudd. Mem. Peabody Acad. Sci. i. p. 27, pl. 1. ff. 17, 37, 38 (1869); Sauss. l. c. p. 344, pl. 8. f. 22 (1874); Biol. Centr.-Amer., Orth. i. p. 199 (1894).
 Var. *Gryllotalpa Azteca*, Sauss. Rev. Zool. (2) xi. p. 316 (1859).
Gryllotalpa Heradactyla, var. *Azteca*, Sauss. Miss. Mex., Orth. p. 345 (1874); Biol. Centr.-Amer., Orth. i. p. 200 (1894).
- *5. **N. Columbia**, Scudd. (*Gryllotalpa C.*) l. c. p. 26, pl. 1. ff. 15, 36 (1869); Bent. Bull. Amer. Mus. Nat. Hist. vi. p. 269, pl. 5. f. 5 (1891).
Gryllotalpa Columbiana, Blatchl. Proc. Indiana Acad. Sci. 1891, p. 131. n. 3.
Gryllotalpa Columbiae, Sauss. Miss. Mex., Orth. p. 345 (1874).
 || *Gryllotalpa Longipennis*, Scudd. Boston Journ. Nat. Hist. vii. p. 426, n. 2 (1863).
 [Catesby, Nat. Hist. Carolina, i. pl. 8.]
- *6. **N. Intermedia**, Sauss. (*Gryllotalpa I.*) l. c. p. 345 (1874); Biol. Centr.-Amer., Orth. i. p. 200 (1894).
- *7. **N. Borealis**, Burm. (*Gryllotalpa B.*) l. c. p. 740. n. 6 (1838); Uhler, Harris, Ins. Injur. Veget. (ed. 3) p. 149, note (1862); Scudd. Mem. Peabody Acad. i. p. 25, pl. 1. ff. 9, 34, 35 (1862); Sauss. Miss. Mex., Orth. p. 346 (1874); Blatchl. l. c. p. 130. n. 2 (1891); Rep. Indiana Dept. Geol. xxvii. p. 411. n. 120, f. 104 (1903); Bent. l. c. p. 294 (1894); E. M. Walker, Can. Ent. xxxvi. p. 143. n. 1 (1904).
Gryllotalpa Brevipennis, Serr. l. c. p. 308 (1839); Harris, Rep. Ins. Mass. p. 120 (1841); Ins. Injur. Veget. (ed. 3) p. 149, f. 68 (1862).
8. **N. Ponderosa**, Bruner, (*Gryllotalpa P.*) Bull. Washburn Coll. i. p. 126 (1885).
9. **N. Claraziana**, Sauss. (*Gryllotalpa C.*) l. c. p. 346, pl. 8. f. 21 (1874).
- Colombia,
 Guiana,
 Peru.
- Massachu-
 setts,
 Maryland.
- Mexico.
 Guatemala.
- United
 States,
 Cuba.
- Kansas.
- Argentine
 Republic.

Genus 3. **Curtilla.** (*Type* no. 1.)

Oken, Lehrb. Nat. iii. p. 445 (1815).

Acheta, pt., *Linn. Syst. Nat.* (ed. x.) i. p. 428 (1758).

Gryllotalpa, *Latr. Hist. Nat. Crust. Ins.* iii. p. 275 (1802), xii. p. 121 (1804); *Zett. Orth. Suec.* p. 60 (1821); *Phil. Orth. Berol.* p. 11 (1830); *Curt. Brit. Ent.* x. pl. 456 (1833); *Steph. Ill. Brit. Ent., Mand.* vi. p. 37 (1835); *Burm. Handb. Ent.* ii. p. 737 (1838); *Wesm. Bull. Acad. Brux.* v. p. 590 (1838); *Serv. Ins. Orth.* p. 300 (1839); *Fisch. Waldh. Orth. Ross.* p. 109 (1846); *Borck, Skand. Rätv. Ins.* p. 46 (1848); *Fisch. Orth. Eur.* p. 156 (1853); *Fieb. Lotos*, iii. p. 237 (1853); *Syn. Eur. Orth.* p. 68 (1851); *Friv. Érték. Termész. Kör.* i. (12) pp. 67, 69 (1867); *Sauss. Miss. Mex., Orth.* p. 340 (1874); *Mém. Soc. Genève*, xxv. p. 23 (1877); *Bol. Ortopt. Españ.* p. 288 (1876); *An. Soc. Españ.* vii. p. 84 (1878); *Ann. Sci. Nat. Porto*, v. p. 38 (1898); *Brunn. Prodr. Orth. Eur.* p. 450 (1882); *Finot, Orth. France*, p. 131 (1883); *Faune France, Orth.* pp. 231, 246 (1889); *Blatchl. Proc. Indiana Acad. Sci.* 1891, pp. 128, 129; *Rep. Ind. Dept. Geol.* xxvii. p. 410 (1903); *Bent. Bull. Amer. Mus. Nat. Hist.* vi. p. 264 (1894); *Burr, Brit. Orth.* p. 66 (1897); *Auriv. Ent. Tidskr.* xxi. p. 254 (1900); *Tümp. Geradfl. Mitteleurop.* pp. 228, 276 (1900); *Jacobs. & Bianchi, Prem. i Lozln. Ross. Imp.* pp. 444, 462 (1904). *Type* no. 1 (*nom. spec.*).

- *1. **C. Gryllotalpa, Linn.** (*Gryllus* (*Acheta*) *G.*) l. c. p. 428. n. 19 (1758); *Mus. Ludov. Ulr.* p. 123 (1764); *Schrank, Enum. Ins. Austr.* p. 243. n. 463 (1781); *Stoll, Spectres, Grill.* p. 3, pl. 2 c. ff. 6, 7 (1813).

Gryllus Gryllotalpa, *Linn. Faun. Suec.* (ed. ii.) p. 236. n. 866 (1762).

Acheta Gryllotalpa, *Fabr. Syst. Ent.* p. 276. n. 1 (1775); *Panz. Faun. Germ. fasc.* 88. pl. 5 (1805); *Schrank, Fauna Boica*, ii. p. 33 (1801).

Gryllus Talpa, *Oliv. Enc. Méth. Ins.* vi. p. 633. n. 1 (1791).

Gryllotalpa Vulgaris, *Latr.* l. c. xii. p. 122 (1804); *Zett. l. c.* p. 61 (1821); *Charp. Hor. Ent.* p. 83 (1825); *Guér. Icon. R. Anim., Ins.* p. 335, pl. 54. f. 4 (1829–1844); *Gray, Griffith, Anim. Kingd.* xv. p. 788, pl. 130. f. 2 (1832); *Phil. l. c.* p. 12

Europe,
N. Africa,
W. Asia.

- (1830); Curt. l. c. pl. 456 (1833); Steph. l. c. p. 38 (1835); Burm. l. c. p. 738. n. 2 (1838); Wesm. l. c. p. 590. n. 1 (1838); Serv. l. c. p. 306 (1839); Fisch. Waldh. l. c. p. 112, pl. 3. ff. 1, 2 (1846); Borek. l. c. p. 40, pl. 2. f. 1 (1848); Fisch. l. c. p. 157, pl. 9. ff. 1, 1 *a-i* (1853); Fieb. ll. cc. p. 238. n. 1 (1853); p. 68. n. 1 (1854); Friv. l. c. p. 70. n. 1 (1867); Scudd. Mem. Peabody Acad. Sci. i. p. 19 (1869); Bol. ll. cc. p. 289 (1876); p. 85. n. 1 (1878); p. 40. n. 1 (1898); Sauss. Mém. Soc. Genève, xxv. pp. 25, 27, pl. 11 (i.) ff. 1-8 (1877); Brunn. l. c. p. 451, pl. 11. ff. 107 A-C (1882); Finot, ll. cc. p. 140 (1883); p. 246, pl. 12. f. 159 (1889); Auriv. l. c. p. 297 (1900); Tümp. l. c. p. 276, pl. 22 (1900).
- Gryllotalpa Gryllotalpa*, Burr. l. c. p. 67, pl. 5. f. 7 (1897); Jacobs. & Bianchi, l. c. p. 462, pl. 9 (1904).
- *2. **C. Cophta, Haan**, (*Gryllus* (*Gryllotalpa*) *Cophthus*) Temminck, Verhandel., Orth. p. 237 (1842).
Gryllotalpa Cophta, Scudd. l. c. p. 18 (1869).
 [Sav. Descr. Égypte, Orth. pl. 3. f. 3 (1809)].
- *3. **C. Hirsuta, Burm.** (*Gryllotalpa H.*) l. c. p. 739. n. 4 (1838).
Gryllus (*Gryllotalpa*) *Longipennis*, Haan, l. c. p. 237 (1842); Scudd. l. c. p. 21 (1869); Sauss. l. c. p. 29 (1877).
- ** *Gryllotalpa Grandis*, Walk. Cat. Derm. Salt. B. M. i. p. 5. n. 15 (1869).
- *4. **C. Siamensis, Gieb.** (*Gryllotalpa S.*) Zeitsch. Ges. Naturw. xxxv. p. 48 (1870); Sauss. l. c. p. 35 (1877).
 || *Gryllotalpa Hirsuta*, Sauss. l. c. p. 34, pl. 11 (i.) ff. 12, 13 (1877), *nec* Burm.
- *5. **C. Fulvipes, Sauss.** (*Gryllotalpa F.*) l. c. p. 35 (1877).
6. **C. Unispina, Sauss.** (*Gryllotalpa U.*) Fedchenko, Reise Turk., Orth. p. 24, pl. 1. f. 9 (1874); Mém. Soc. Genève, xxv. p. 29 (1877); Jacobs. & Bianchi, l. c. p. 462 (1904).
- **7. **C. Ornata, Walk.** (*Gryllotalpa O.*) l. c. p. 5. n. 16 (1869).

S. Europe,
N. Africa.

= *gryllotalpa*

Java,
Borneo.

Siam,
China,
Malacca.

Singapore.

Turkestan.

India.

- *8. **C. Africana**, **Beauv.** (*Gryllotalpa A.*) Africa,
 Ins. Afr. Amér. p. 229, pl. 2 c. f. 6 (1805); Asia,
 Serv. l. c. p. 307 (1839); Scudd. l. c. Australia,
 p. 20, pl. 1. ff. 10, 26, 27 (1869); Sauss. N. Zealand
 Mém. Soc. Genève, xxv. p. 31 (1877); (introd.?).
 Jacobs. & Bianchi, l. c. p. 462 (1904).
Gryllotalpa Orientalis, **Burm.** l. c. p. 739.
 n. 3 (1839).
9. **C. Colini**, **Rochebr.** (*Gryllotalpa C.*) Senegambia
 Bull. Soc. Philom. (7) viii. p. 30 (1884). -961
10. **C. Fossor**, **Scudd.** (*Gryllotalpa F.*) l. c. S. & W.
 p. 21, pl. 1. ff. 11, 28, 29 (1869). Africa.
11. **C. Oryctes**, **Scudd.** (*Gryllotalpa O.*) l. c. China.
 p. 22, pl. 1. ff. 12, 30, 31 (1869).
- *12. **C. Minuta**, **Burm.** (*Gryllotalpa M.*) l. c. Africa,
 p. 740. n. 5 (1839); Scudd. l. c. p. 24 Asia.
 (1869); Sauss. l. c. p. 30 (1877).
- *13. **C. Debilis**, **Gerst.** (*Gryllotalpa D.*) Arch. Africa.
 f. Naturg. xxxv. p. 211. n. 29 (1869);
 Von der Decken, Reisen in Ost-Afrika,
 Ins. p. 19, pl. 1. f. 13 (1873); Sauss.
 l. c. p. 31 (1877).
- **14. **C. Coarctata**, **Walk.** (*Gryllotalpa C.*) l. c. Australia.
 p. 6. n. 19 (1869); Sauss. l. c. p. 32
 (1877); Froggatt, Agric. Gaz. N. S.
 Wales, xvi. p. 479, f. 2 (1905).
- *15. **C. Australis**, **Erichs.** (*Gryllotalpa A.*) id.,
 Arch. f. Naturg. viii. p. 249 (1842); Tasmania.
 Scudd. l. c. p. 16, pl. 1. ff. 5, 16, 24, 25 N. Zealand
 (1869); Sauss. l. c. p. 33 (1877). (introd.?).
- *16. **C. Nitidula**, **Serv.** (*Gryllotalpa N.*) l. c. Australia.
 p. 307 (1839); D'Orbigny, Dict. d'Hist.
 Nat. iv. p. 307, Atl. ii. Orth. pl. 3. f. 4
 (1849-1861); Scudd. l. c. p. 17 (1869);
 Sauss. l. c. p. 35 (1877).
- *17. **C. Cultriger**, **Uhl.** (*Gryllotalpa C.*) Proc. California.
 Ent. Soc. Philad. ii. p. 343 (1864);
 Scudd. l. c. p. 23, pl. 1. ff. 13, 32, 33
 (1869); Sauss. Miss. Mex., Orth. p. 342
 (1874).
18. **C. Chiliensis**, **Sauss.** (*Gryllotalpa C.*) Chile.
 Rev. Zool. (2) xiii. p. 130 (1861); Miss.
 Mex., Orth. p. 341 (1874); Scudd. l. c.
 p. 24 (1877).

CURTILLINÆ B.

Genus 4. **Cylindracheta**, Kirb. (n. n.). (*Type* no. 1.)

|| *Cylindrodes*, Gray (*nec* Hübn.), Griffith, Anim. Kingd. xv. p. 785 (1832); Mag. Nat. Hist. (2) i. p. 141 (1837); Brullé, Hist. Nat. Ins. ix. p. 191 (1835); Serv. Ins. Orth. p. 310 (1839); Blanch. Hist. Nat. Ins. iii. p. 34 (1840); Sauss. Mém. Soc. Genève, xxv. p. 38 (1877); Sauss. & Zehntn. Rev. Suisse Zool. ii. pp. 421, 422 (1895).

1. **C. Campbellii**, Gray, (*Cylindrodes* C.) Melville
 ll. cc. p. 785, pl. 131 (1832); p. 142, f. 15 Island.
 (1837); Brullé, l. c. p. 191 (1835); Serv.
 l. c. p. 311 (1839); Blanch. l. c. p. 34
 (1840); Sauss. l. c. p. 40 (1877); Sauss.
 & Zehntn. l. c. p. 429, nn. 2 (?) 3, pl. 16.
 ff. 17-19 (?) (1895).

- *2. **C. Kochii**, Sauss. (*Cylindrodes* K.) l. c. Adelaide,
 p. 40, pl. 11, f. 3 (1877); Sauss. & Zehntn. Swan River.
 l. c. p. 428 (1895).

CURTILLINÆ C.

Genus 5. **Tridactylus**. (*Type* no. 6.)

Oliv. Enc. Méth., Ins. iv. p. 26 (1789)*; Latr. Hist. Nat. Crust. Ins. iii. p. 276 (1802), xii. p. 119 (1804); Gen. Crust. Ins. iii. p. 96 (1807); Serv. Ins. Orth. p. 311 (1839); Sauss. Miss. Mex., Orth. p. 349 (1874); Mém. Soc. Genève, xxv. p. 44 (1877); Biol. Centr.-Amer., Orth. i. p. 202 (1896); Bol. Ortópt. Españ. pp. 288, 289 (1876); An. Soc. Españ. vii. pp. 84, 85 (1878); Ann. Sci. Nat. Porto, v. p. 38 (1898); Brunn. Prodr. Eur. Orth. p. 453 (1882); Finot, Orth. France, p. 131 (1883); Faune France, Orth. pp. 231, 247 (1890); Blatchl. Proc. Indiana Acad. Sci. 1891, p. 128; Rep. Indiana Dept. Geol. xxvii. pp. 410, 413 (1903); Sauss. & Zehntn. Rev. Suisse Zool. ii. p. 411 (1895); iv. p. 407 (1896); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 263 (1894); Tümp. Geradfl. Mitteleurop. pp. 228, 276 (1900); Jacobs. & Bianchi, Prem. i Lohzu. Ross. Imp. p. 463 (1904).

Nya, Latr. Gen. Crust. Ins. iv. p. 383 (1809); Règne Anim. iii. p. 378 (1817); Burm. Handb. Ent. ii. p. 741 (1838); Fisch. Walddh. Orth. Ross. iv. pp. 109, 115 (1846); Fisch. Orth. Eur. p. 152 (1853); Fieb. Lotos. iii. pl. 238 (1853); Syn. Eur. Orth. p. 69 (1854); Friv. Értek. Termész. Kör. i. (12) pp. 67, 68 (1867). (*Type* no. 11.)

Heteropus, Beauv. Ins. Afr. Amér. p. 231 (1805). (*Type* no. 6.)

1. **T. Thoracicus**, Guér. Leon. R. Anim. iii. p. 336 (1844). Neilgherries.
2. **T. Inflata**, Brunn. (*Nya* l.) Ann. Mus. Genova, xxxiii. p. 195. pl. 6. f. 65 (1893). Burma.
T. Thoracicus, Sauss. (nec Guér.) Mem. Soc. Genève, xxv. p. 50 (1877); Rev. Suisse Zool. iv. p. 412 (1896). Java.
- *3. **T. Major**, Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 139 (1868); Sauss. Mem. Soc. Genève, xxv. p. 50 (1877). India.
Malacca.
4. **T. Brunneri**, Sauss. Rev. Suisse Zool. iv. p. 413 (1896). Burma.
Nya Apicalis, Brunn. (nec Say) l. c. p. 195. pl. 6. f. 64 (1895).
5. **T. Fossor**, Fabr. (*Acheta* F.) Suppl. Ent. Syst. p. 191 (1798). S. Africa.
- *6. **T. Digitatus**, Coq. (*Acheta* *Digitata*) Ill. Leon. Ins. iii. p. 91. pl. 21. f. 3 (1804). W. Africa.
T. Digitatus, Sauss. Mem. Soc. Genève, xxv. p. 52 (1877).
Heteropus Africinus, Beauv. l. c. p. 230, pl. 2 c. f. 7 (1805).
T. Paradorus, Latr. ll. cc. p. 276 (1802); p. 120 (1804); p. 97 (1807); Nouv. Dict. d'Hist. Nat. xxxiv. p. 434 (1819); Serv. l. c. p. 314 (1839); Gray, Griffith. Anim. Kingd. xv. p. 795. pl. 130. f. 5 (1832).
Nya Fossor, Burm. l. c. p. 742. n. 2 (1838).
7. **T. Galla**, Sauss. Ann. Mus. Genova, xxxv. p. 92 (1895). Galla Land.
8. **T. Tartarus**, Sauss. Fedchenko. Reise Turk., Orth. p. 27. pl. 1. f. 4 (1874); Mem. Soc. Genève, xxv. p. 53. pl. 11 (iv.) ff. 1-8 (1877); Rev. Suisse Zool. iv. p. 415 (1896); Brunn. Prodr. Eur. Orth. p. 455. n. 2. pl. 11. f. 108 c (1882); Jacobs. & Bianchi, l. c. p. 463. pl. 10 (1904). Sarepta. Kirghis Steppes. Turkestan.

- [*Xya Variegata*, Kitt. Bull. Mosc. xxii. (2) p. 450, n. 17, pl. 7, ff. 10, 11, 14-16 (1849); Eversm. Bull. Mosc. xxxii. (1) p. 126 (1859).]
9. **T. Madecassus**, Sauss. Rev. Suisse Zool. Madagascar iv. p. 415 (1896).
10. **T. Castetsi**, Bol. Ann. Soc. Ent. France. Trichi- lviii. p. 792 (1900). nopoly.
- *11. **T. Variegatus**, Latr. (*Xya Variegata*) S. Europe, Gen. Crust. Ins. iv. p. 383 (1809); Règne N. Africa. Anim. iii. p. 378 (1817); Charp. Hor. Ent. W. Asia. p. 84, pl. 2, ff. 2, 5 (1825); Burm. l. c. Java p. 742, n. 3 (1838); Fisch. Walldb. l. c. (eadem?). p. 117, pl. 3, f. 3 (1846); Fisch. l. c. p. 154, pl. 9, ff. 2, 2 a-l (1853); Kitt. l. c. p. 450, pl. 7, ff. 12-13 (1849); Costa. Faun. Nap., Orth. Grill. p. 30, pl. 9, f. 1 (1852); Fieb. ll. cc. p. 238, n. 1 (1853); p. 69, n. 1 (1854); Friiv. l. c. p. 67 (1867).
- T. Variegatus*, Brullé. Hist. Nat. Ins. ix. p. 197, pl. 18, f. 6 (1835); Serv. l. c. p. 315 (1839); Sauss. Fedchenko, Reise Turk., Orth. p. 28 (1874); Mém. Soc. Genève, xxv. p. 47, pl. 11 (iv.) f. 9 (1877); Rev. Suisse Zool. iv. p. 416 (1896); Bol. ll. cc. p. 290, pl. 7, ff. 9, 9 a (1876); p. 86, n. 1, pl. 3, ff. 9, 9 a (1878); p. 40, n. 1 (1898); Brunn. Prodr. Eur. Orth. p. 454, pl. 11, f. 108 A, B (1882); Finot. ll. cc. p. 141 (1883); p. 248, pl. 12, f. 160 (1900); Tümp. l. c. p. 277 (1900); Jacobs. & Bianchi, l. c. p. 463 (1904).
- *12. **T. Riparius**, Sauss. Mém. Soc. Genève, Sunda Isl., xxv. p. 48, pl. 11 (iv.) f. 11 (1877). Banka.
- **13. **T. Nigroæneus**, Walk. (*T. Nigræneus*) Ceylon. Cat. Derm. Salt. B. M. v. Suppl. p. 1 (1871).
- **14. **T. Opacus**, Walk. l. c. (1871). id.
15. **T. Japonicus**, Haan, (*Gryllus (Xya) J.*) Japan. Temminck, Verhandel., Orth. p. 238 (1842).
- T. Japonicus*, Sauss. l. c. p. 49 (1877).
- Xya Obscura*, Motsch. Bull. Mosc. xxxix. p. 182 (1866).
16. **T. Capensis**, Sauss. l. c. p. 50 (1877); S. Africa. Ann. Mus. Genov. xxxv. p. 93 (1895); Rev. Suisse Zool. iv. p. 417 (1896).

17. **T. Fasciatus, Guér.** Leon. R. Anim., Ins. Egypt.
p. 335, pl. 54, ff. 5, 5a-e (1829-1844);
Gray, l. c. p. 795, pl. 113, f. 5 (1832).
[*Savigny*, Deser. Égypte, Orth. pl. 3, f. 2
(1809).]
18. **T. Savignyi, Guér.** l. c. p. 336 (1844); id.,
Sauss. Mém. Soc. Genève, xxv. p. 53 S. Russia,
(1877); Rev. Suisse Zool. iv. p. 418 W. Asia.
(1896); Jacobs. & Bianchi, l. c. p. 462
(1904).
[*Savigny*, l. c. pl. 3, f. 1 (1809).]
T. Savignyi, var. *Obscura*, Sauss. Rev. Suisse
Zool. iv. p. 419 (1896).
T. Savignyi, Brunn. Ann. Mus. Genova,
xxxiii. pp. 195, 196 (1893).
19. **T. Pulex, Sauss.** l. c. p. 419 (1896). Java.
- *20. **T. Apicalis, Say**, Journ. Acad. Nat. Sci. N. America,
Philad. iv. p. 310, f. 1 (1825); Scudd. Guatemala.
Bost. Journ. Nat. Hist. vii. pp. 424, 425,
f. 1 (1862); Psyche, ix. p. 309 (1902);
Sauss. Miss. Mex., Orth. p. 351 (1874);
Rev. Suisse Zool. iv. p. 418 (1896); Biol.
Centr.-Amer., Orth. i. p. 204, pl. 11, f. 7
(1896); Morse, Psyche, iv. pp. 198, 199,
ff. 1-5 (1901); Blatchl. ll. cc. p. 129.
n. 1 (1891); p. 414, n. 121, f. 105 (1903);
E. M. Walker, Canad. Ent. xxxvi. p. 143.
n. 2 (1904).
Xya Apicalis, Burm. l. c. p. 741, n. 1 (1838).
21. **T. Tibialis, Guér.** l. c. p. 336 (1844). New
Orleans.
22. **T. Illinoiensis, Thom.** Proc. Ent. Soc. Illinois.
Philad. i. p. 104 (1863).
23. **T. Mixtus, Hald.** (*Xya Mixta*) Proc. Southern
Acad. Nat. Sci. Philad. vi. p. 364 (1853). States,
T. Mixtus, Sauss. ll. cc. p. 353 (1874); Mexico.
p. 415 (1896).
24. **T. Terminalis, Scudd.** ll. cc. p. 425 N. America,
(1862); p. 309 (1901); Sauss. Miss. Mexico.
Mex., Orth. p. 352 (1874); Bent. l. c.
p. 263, pl. 5, f. 15 (1894); Morse, l. c.
p. 198, ff. 1-5 (1901).
25. **T. Fissipes, Sauss.** ll. cc. p. 352, pl. 8. S. States,
ff. 25, 25a (1874); p. 418 (1896); Mexico.
p. 205 (1896).
26. **T. Incertus, Sauss.** Rev. Suisse Zool. Texas,
iv. p. 418 (1896); Biol. Centr.-Amer. Mexico.
Orth. i. p. 206, pl. 11, f. 6 (1896).

Genus 6. **Ellipes.** (Type no. 1.)

Scudd. Psyche, ix. p. 309 (1902); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 410, 415 (1903).

|| *Heteropus*, Sauss. (nec Beauv.) Miss. Mex., Orth. p. 351 (1874); Mém. Soc. Genève, xxv. p. 47 (1877); Rev. Suisse Zool. iv. p. 419 (1896); Biol. Centr.-Amer., Orth. i. pp. 204, 207 (1896). 7881 DE 4,

- *1. **E. Minutus**, Scudd. (*Tridactylus M.*) Southern Bost. Journ. Nat. Hist. vii. p. 425 (1862); States. Sauss. Miss. Mex., Orth. p. 353 (1874).
Ellipes Minuta, Scudd. Psyche, ix. pp. 309, 310 (1902); Blatchl. l. c. p. 415. n. 122 (1903).

- **2. **E. Histrionicus**, Sauss. (*Tridactylus H.*) Texas, Rev. Suisse Zool. iv. p. 419 (1896). Mexico.
Tridactylus (Heteropus) Histrionicus, Sauss. Biol. Centr.-Amer., Orth. i. p. 207, pl. 7. ff. 1-5 (1896).

3. **E. Histrion**, Sauss. (*Tridactylus (Heteropus) H.*) l. c. p. 207 (1896). Texas, Cuba.

4. **E. Denticulatus**, Sauss. (*Tridactylus D.*) Para. Miss. Mex., Orth. p. 353, pl. 8. ff. 26, 26 a (1874); Mém. Soc. Genève, xxv. p. 54 (1877); Rev. Suisse Zool. iv. p. 419 (1896).

Tridactylus (Heteropus) Denticulatus, Sauss. Biol. Centr.-Amer., Orth. i. p. 208 (1896).

Genus 7. **Rhipipteryx.** (Type no. 9.)

Ripipteryx, Newm. Ent. Mag. ii. p. 204 (1834); Brullé, Hist. Nat. Ins. ix. p. 198 (1835); Burm. Handb. Ent. ii. p. 742 (1838); Blanch. Hist. Ins. iii. p. 35 (1840).

Rhipipteryx, Serv. Ins. Orth. p. 316 (1839); Sauss. Miss. Mex., Orth. p. 354 (1874); Mém. Soc. Genève, xxv. p. 55 (1877); Biol. Centr.-Amer., Orth. i. p. 208 (1896); Sauss. & Zehntn. Rev. Suisse Zool. ii. p. 413 (1894).

1. **R. Forceps**, Sauss. Biol. Centr.-Amer., Colombia. Orth. i. p. 210. n. 1. pl. 11. f. 23 (1896).

|| *Rhipipteryx Atra*, Sauss., Miss. Mex., Orth. p. 361 (1871).

2. **R. Atra**, Serv. l. c. p. 318 (1839); Guér. Bogota. Icon. R. Anim., Ins. p. 338 (1844).

- **3. **R. Carbonaria**, Sauss. Biol. Centr.-Panama. Amer., Orth. i. p. 211. n. 2 (1896).

4. **R. Brullei**, Serv. l. c. p. 318 (1839); Brazil.
 Sauss. Miss. Mex., Orth. p. 357 (1874);
 Biol. Centr.-Amer., Orth. i. p. 211. n. 3,
 pl. 11. f. 21 (1896).
 || *R. Marginatus*, Brullé, l. c. p. 198 (1835),
nee Newm.
 || *Tridactylus Marginatus*, Perch. Gen. Ins.,
 Orth. pl. 1 (1834).
Xya Notata, Burm. l. c. p. 742. n. 6 (1838).
- *5. **R. Cyanipennis**, Sauss. Miss. Mex., Guiana,
 Orth. p. 358 (1874); Biol. Centr.-Amer., Venezuela.
 Orth. i. p. 211. n. 4, pl. 11. f. 22 (1896).
6. **R. Rivularia**, Sauss. Biol. Centr.-Amer., Colombia.
 Orth. i. p. 212. n. 5, pl. 11. f. 20 (1896).
- *7. **R. Trilobata**, Sauss. Miss. Mex., Orth. Guiana.
 p. 357 (1874).
- *8. **R. Limbata**, Burm. (*Xya L.*) l. c. p. 742. Cayenne,
 n. 5 (1838). Brazil,
R. Limbata, Sauss. l. c. p. 356 (1874); Nicaragua.
 Biol. Centr.-Amer., Orth. i. p. 212. n. 6
 (1896).
 || *R. Marginatus*, Serv. l. c. p. 317 (1839);
 Blanch. l. c. p. 35 (1840), *nee Newm.*
9. **R. Marginata**, Newm. l. c. p. 205, pl. 7. Para.
 f. 1 (1834); Sauss. Miss. Mex., Orth.
 p. 359 (1874).
Xya Marginata, Burm. l. c. p. 742. n. 4 (1839).
- *10. **R. Circumcincta**, Sauss. l. c. p. 358 S. America.
 (1874).
- *11. **R. Hydrodroma**, Sauss. Biol. Centr.- id.,
 Amer., Orth. i. p. 213. n. 7 (1896). Nicaragua.
- *12. **R. Mexicana**, Sauss. Rev. Zool. (2) xi. Mexico.
 p. 316 (1859); Miss. Mex., Orth. p. 359
 (1874); Biol. Centr.-Amer., Orth. i.
 p. 213. n. 8, pl. 11. ff. 8-19 (1896).
13. **R. Fraterna**, Sauss. Biol. Centr.-Amer., id.,
 Orth. i. p. 214. n. 8 a (1896). Guatemala.
 Var. *R. Fraterna*, var. *Rufescens*, Sauss. l. c.
 p. 214 (1896).
14. **R. Tricolor**, Sauss. l. c. p. 214. n. 8 b Mexico,
 (1896). Costa
 Var. *R. Tricolor*, var. *Saltator*, Sauss. l. c. Rica.
 p. 214 (1896).
- *15. **R. Biolleyi**, Sauss. l. c. p. 215. n. 9 Costa
 (1896). Rica.
 Var. *R. Biolleyi*, var. *Intermedia*, Sauss. l. c.
 p. 215 (1896).

- **16. **R. Scrofulosa**, Sauss. l. c. p. 215. n. 10 | Mexico.
(1896).
- **17. **R. Pulicaria**, Sauss. l. c. p. 215. n. 11, | id.
pl. 11. f. 24 (1896).
Var. *R. Pulicaria*, var. *Peruriana*, Sauss. | Peru.
l. c. p. 216 (1896).

SUBFAM. II.

GRYLLINÆ A.

Genus 8. **Caconemobius**, Kirb. (n. n.).

|| *Paranemobius*, Alf. (nec Sauss.) Abhandl. Nat. Ver. Bremen,
xvii. p. 145 (1901). 0-645

1. **C. Schauinslandi**, Alf. l. c. p. 146 | Molokai.
(1901); Zool. Jahrb. Syst. xix. p. 567,
pl. 32. ff. 1-4 (1904). 0-1205

Genus 9. **Paranemobius**.

Sauss. Mém. Soc. Genève, xxv. pp. 63, 66 (1877).

Pseudonemobius, Sauss. l. c. pp. 66, 336, 370 (1877-1878).

1. **P. Pictus**, Sauss. (*Pseudonemobius P.*) | Cashmir,
l. c. p. 67, pl. 11 (vi.) ff. 1-3 (1877); S. India.
Bol. Ann. Soc. Ent. France, lxxviii. p. 793
(1900).

Genus 10. **Nemobius**. (Type no. 1.)

Serv. Ins. Orth. p. 345 (1839); Fisch. Orth. Eur. p. 183
(1853); Fieb. Abhandl. Böhm. Ges. (5) iii. p. 404 (1845);
Friv. Érték. Termész. Kör. i. (12) pp. 67, 77 (1867); Sauss.
Miss. Mex., Orth. p. 380 (1872); Mém. Soc. Genève, xxv.
p. 68 (1877); Biol. Centr.-Amer., Orth. i. p. 221 (1897);
Seudd. Psyche, vii. p. 431 (1876); Bol. Ortópt. Españ.
pp. 275, 276 (1876); An. Soc. Españ. viii. pp. 71, 72 (1878);
Ann. Sci. Porto, v. pp. 38, 40 (1898); Brunn. Prodr. Eur.
Orth. p. 424 (1882); Finot, Orth. France, pp. 130, 132
(1883); Faune France, Orth. pp. 231, 233 (1889);
Blatchley, Proc. Indiana Acad. Sci. 1891, pp. 128, 134;
Rep. Indiana Dept. Geol. xxvii. p. 419 (1903); Beut.
Bull. Amer. Mus. Nat. Hist. vi. p. 266 (1894); Burr, Brit.
Orth. p. 63 (1897); Tümp. Geradfl. Mitteleurop. p. 274
(1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 449
(1904); E. M. Walker, Canad. Ent. xxxvi. p. 181 (1904).

Pronemobius, *Bol. Ann. Sci. Nat. Porto*, v. p. 41 (1898). (*Type* no. 1.)

Argizala, *Walk. Cat. Derm. Salt. B. M.* i. p. 60 (1869). (*Type* no. 80.)

Pteronemobius, *Jacobs. & Bianchi*, l. c. p. 450 (1904). (*Type* no. 4.)

- *1. **N. Sylvestris, Bosc**, (*Acheta S.*) *Actes Soc. d'Hist. Nat. Paris*, i. p. 44, pl. 10. ff. 4 A, B, b (1792); *Fabr. Ent. Syst.* ii. p. 33. n. 18 (1793); *Coqueb. Icon. Ins.* p. 5, pl. 1. ff. 2 A, B (1799); *Charp. Hor. Ent.* p. 82 (1825); *Curt. Brit. Ent.* vii. pl. 293 (1830); *Steph. Ill. Brit. Ent.* Mand. vi. p. 40 (1835). Europe, Algeria.

Gryllus Sylvestris, *Latr. Hist. Nat. Crust. Ins.* xii. p. 124 (1804); *Brullé, Hist. Nat. Ins.* ix. p. 178. n. 3. pl. 18. f. 4 (1835); *Wesm. Bull. Acad. Brux.* v. p. 590. n. 3 (1838); *Burm. Handb. Ent.* ii. p. 734. n. 9 (1838); *Blanch. Hist. Nat. Ins.* iii. p. 53. n. 5 (1840); *Fieb. Abhandl. Böhm. Ges.* (5) iii. p. 404. n. 1, pl. 10. f. 10 (1845); *Lotos*, iii. p. 235. n. 9 (1853); *Syn. Eur. Orth.* p. 65. n. 9 (1854); *Fisch. Waldh. Orth. Ross.* p. 131 (1846); *Fisch. l. c.* p. 183, pl. 9. ff. 6, 6 a-h (1853).

N. Sylvestris, *Serv.* l. c. p. 348. n. 1 (1839); *Friv. l. c.* p. 77. n. 1 (1867); *Bol. ll. cc.* pp. 276, 277. n. 1. pl. 7. f. 10 (1876); pp. 72, 73. n. 1, pl. 3. f. 10 (1878); p. 41. n. 1 (1898); *Sauss. Mém. Soc. Genève*, xxv. p. 77, pl. 11 (vii.) ff. 1, 1 a, e, r (1877); *Brumm. l. c.* p. 424. n. 1. pl. 11. f. 98 A, B (1882); *Finot, ll. cc.* p. 133 (1883); p. 234, pl. 12. f. 151 (1889); *Burr, l. c.* p. 64, pl. 5. f. 4 (1897); *Tümp. l. c.* p. 275 (1900); *Jacobs. & Bianchi, l. c.* p. 449 (1904).

- *2. **N. Heydenii, Fisch.** (*Gryllus H.*) l. c. p. 185 (1853); *Yersin, Ann. Soc. Ent. France*, (3) v. p. 761, pl. 15 (i.) ff. 1-9 (1857). S. Europe, Algeria, W. Asia.

N. Heydenii, *Friv. l. c.* p. 78. n. 2 (1867); *Bol. ll. cc.* p. 277. n. 2 (1876); p. 73. n. 2 (1878); p. 41. n. 2 (1898); *Sauss. l. c.* p. 90. n. 21 (1877); *Brumm. l. c.* pp. 424, 425. n. 2 (1882); *Finot, Faune France, Orth.* pp. 234, 235 (1889); *Tümp.*

- l. c. p. 274 (1900); Jacobs. & Bianchi, l. c. p. 449 (1904).
- N. Lateralis*, Costa. Faun. Nap., Ort. Grill. p. 37, pl. 8. f. 4 (1855); Sauss. l. c. p. 81, pl. 11 (vii.) f. 11 (1877).
- *3. **N. Lineolatus**, Brullé, (*Gryllus* L.) l. c. S. Europe.
p. 179. n. 4. pl. 18. f. 5 (1835); Fieb. Abhandl. Böhm. Ges. (5) iii. p. 405. n. 2 (1845); Fisch. l. c. p. 184 (1853).
- N. Lineolatus*, Serv. l. c. p. 349 (1839); Sauss. Fedchenko. Reise Turk. Orth. p. 37 (1874); Mém. Soc. Genève. xxv. p. 78 (1877); Brunn. l. c. p. 426 (1882); Finot, Orth. France, p. 133 (1883); Faune France, Orth. pp. 234, 235 (1889); Jacobs. & Bianchi, l. c. p. 450 (1904); Dominique, Bull. Soc. Ouest de France, 1894, p. 31; 1897, p. 265.
- Gryllus Hirticollis*, Duf. Rech. Anat. Orthop. p. 327 (1841).
4. **N. Tartarus**, Sauss. ll. cc. p. 36. pl. 1. Caucasus,
f. 15 (1874); p. 80, pl. 11 (vii.) ff. 7, 9 Turkestan.
(1877); Jac. & Bi. l. c. p. 450 (1904).
5. **N. Tomentosus**, Eversm. (*Gryllus* T.) Kirghis
Bull. Mosc. 1859, p. 127. Steppes.
6. **N. Gracilis**, Jacobs. & Bianchi, l. c. Astrachan.
p. 450 (1904). O. 1742.
7. **N. Saussurei**, Burr, Trans. Ent. Soc. Roumania.
Lond. 1898, p. 52; Jac. & Bi. l. c. p. 450 (1904).
8. **N. Mayeti**, Fin. Bull. Soc. Ent. France, Algeria.
1893, p. cclii.
9. **N. Obscurus**, Afzel. & Brann. (*Acheta* Guinea.
Obscura) Achet. Guin. p. 25, f. 7 (1804).
N. Obscurus, Sauss. Mém. Soc. Genève, xxv. p. 93 (1877).
10. **N. Varius**, Afzel. & Brann. (*Acheta* id.
Varia) l. c. p. 25, f. 6 a, b (1804).
N. Varius, Sauss. l. c. p. 97 (1877).
11. **N. Dumosus**, Karsch, Berlin. Ent. W. Africa.
Zeitschr. xxxviii. p. 147 (1893).
12. **N. Acrobatus**, Sauss. l. c. p. 98 (1877). Sierra Leone
13. **N. Camarensis**, Sjöst. Bihang Svenska Cameroons.
Akad. xxv. (4 : 6) p. 27 (1900).
14. **N. Æthiops**, Sauss. l. c. p. 82 (1877). Congo.
15. **N. Malgachus**, Sauss. l. c. p. 94 (1877). Madagascar.
16. **N. Grandidieri**, Sauss. l. c. p. 82 (1877). id.

17. **N. Maculosus**, **Sauss.** Abhandl. Senckenb. Ges. xxi. p. 600 (1899). Nossi Bé.
- **18. **N. Luteolus**, **Butl.** Ann. Nat. Hist. (4) xvii. p. 409 (1878); Phil. Trans. clxviii. p. 547, pl. 54. ff. 2. 2 a (1879). Rodriguez.
19. **N. Nitidus**, **Bol.** Zichy, Zool. Ergebn. ii. p. 242 (1901); Jacobs. & Bianchi, l. c. p. 449 (1904). China : Pekin.
20. **N. Csikii**, **Bol.** l. c. p. 243 (1901); Jacobs. & Bianchi, l. c. p. 450 (1904). id.: Daba.
21. **N. Bicolor**, **Sauss.** Mém. Soc. Genève, xxv. p. 98, pl. 11 (vii.) ff. 5, 6 (1877). India.
- **22. **N. Indicus**, **Walk.** l. c. i. p. 58. n. 12 id. (1869); Sauss. l. c. p. 76 (1877).
- **23. **N. Vagus**, **Walk.** l. c. v. Suppl. p. 10 (1871). Bombay.
24. **N. Monomorphus**, **Bol.** Ann. Soc. Ent. S. India. France, lxviii. p. 794 (1900).
- **25. **N. Ceylonicus**, **Sauss.** l. c. p. 86 (1877). Ceylon.
- **26. **N. Taprobanensis**, **Walk.** (*Trigonidium Taprobanense*) l. c. i. p. 102. n. 6 (1869). id.
N. Taprobanensis, **Sauss.** l. c. p. 87 (1877).
27. **N. Nigrosignatus**, **Brunn.** Ann. Mus. Genova, xxxiii. p. 196, pl. 6. f. 67 (1893). Burma.
28. **N. Tagalicus**, **Bol.** An. Soc. Esp. xviii. p. 417 (1889). Philippines.
29. **N. Luzonicus**, **Bol.** l. c. p. 418 (1889). Luzon.
30. **N. Nigritus**, **Sauss.** l. c. p. 94 (1877). Java.
- *31. **N. Histrio**, **Sauss.** l. c. p. 95 (1877). id., Ceylon, Singapore.
32. **N. Infernalis**, **Sauss.** l. c. p. 83 (1877). Java.
33. **N. Novaræ**, **Sauss.** l. c. pl. 11 (vii.) f. 10 id. (1877).
34. **N. Javanus**, **Sauss.** l. c. p. 85 (1877); Brunn. l. c. p. 196, pl. 6. f. 66 (1893). id., Burma.
35. **N. Annulipes**, **Sauss.** l. c. p. 77 (1877). Australia.
- **36. **N. Australis**, **Walk.** l. c. i. p. 59. n. 14 id. (1869); Sauss. l. c. p. 78 (1877).
37. **N. Regulus**, **Sauss.** l. c. p. 87 (1877). Adelaide.
38. **N. Truncatus**, **Sauss.** l. c. p. 91 (1877). Australia.
39. **N. Femoratus**, **Sauss.** l. c. p. 92. pl. 11 (vii.) ff. 2-4 (1877). Sydney.
- **40. **N. Heteropus**, **Walk.** l. c. i. p. 60. n. 15 Australia. (1869); Sauss. l. c. p. 93 (1877).
41. **N. Pulex**, **Sauss.** l. c. p. 96 (1877). N. Australia.
- **42. **N. Bivittatus**, **Walk.** l. c. i. p. 59. n. 13 Swan River. (1877); Sauss. l. c. p. 97 (1877).
43. **N. Larapintæ**, **Tepp.** Horn Exped. Centr. Central Austr. ii. p. 378 (1896). 5-673. Australia.

44. **N. Dentatus**, **Sauss.** l. c. p. 91 (1877). Samoa.
45. **N. Tigrinus**, **Sauss.** l. c. p. 96 (1877). Tahiti.
- *46. **N. Hastatus**, **Sauss.** Biol. Centr.-Amer., Mexico.
Orth. i. p. 222. n. 2 (1897).
47. **N. Distinguendus**, **Scudd.** Journ. N. York Ent. Soc. iv. p. 101 (1896); **Sauss.** id.,
l. c. p. 222. n. 3 (1897). Orizaba.
48. **N. Delicatus**, **Scudd.** Psyche, vii. p. 433 Mexico.
(1896).
49. **N. Ensifer**, **Scudd.** Journ. N. York Ent. Soc. iv. p. 101 (1896); **Sauss.** l. c. p. 224. Central
n. 9 (1897). America.
50. **N. Pictus**, **Scudd.** Psyche, vii. p. 433 New
(1896). Mexico.
- *51. **N. Fasciatus**, **De Geer**, (*Gryllus F.*) N. America.
Mém. Ins. iii. p. 522, pl. 43. f. 5
(1773).
N. Fasciatus, **Scudd.** Bost. Journ. Nat. Hist.
vii. p. 430 (1862); Journ. N. York Ent.
Soc. iv. p. 102 (1896); **Sauss.** Miss. Mex.,
Orth. p. 389 (1874); Mém. Soc. Genève.
xxv. p. 75 (1877); Biol. Centr.-Amer.,
Orth. i. p. 221. n. 1 (1897); **Bent.** l. c.
p. 266. pl. 5. f. 9 (1896); **Blatchl.** ll. cc.
p. 136. n. 9 (1891); pp. 420-423, f. 107
(1903); **E. M. Walker**, l. c. pp. 182,
183, pl. 4. f. 3 (1904).
Acheta Hospes, **Fabr.** Syst. Ent. p. 281.
n. 8 (1775).
*Var. *Acheta Vittata*, **Harr.** Ins. Injur.
Veget. p. 123 (1841); (ed. 3) p. 153.
f. 70 (1862); **Ruthv.** Rep. U.S. Dep.
Agric. 1862, p. 380, f. 16 (1862).
N. Vittatus, **Scudd.** Bost. Journ. Nat. Hist.
vii. p. 430 (1862); **Sauss.** Miss. Mex.,
Orth. p. 389 (1874); **Blatchl.** Proc.
Indiana Acad. Sci. 1891, p. 135. n. 7.
N. Fasciatus, form *Vittatus*, **Bent.** l. c.
p. 267, pl. 5. f. 10 (1894).
(?) *N. Marginata*, **Murtf.** Ins. Life, v.
p. 155 (1893).
|| Var. *N. Erignus*, **Sauss.** (nec Say) l. c.
p. 391 (1874).
52. **N. Griseus**, **E. M. Walker**, l. c. pp. 181, Ontario.
182, pl. 4. ff. 1. 2 (1904).
53. **N. Maculatus**, **Blatchl.** Psyche, ix. p. 52 Indiana,
(1900); Rep. Indiana Dept. Geol. xxvii. Ontario,

- pp. 420-424. n. 126 (1903); (?) E. M. Walker, l. c. pp. 182, 185, pl. 4. f. 4 (1904). (eadem?)
54. **N. Palustris, Blatchl.** ll. cc. p. 53 (1900); pp. 421, 427. n. 130, f. 108 (1903); E. M. Walker, l. c. pp. 182, 185, pl. 4. ff. 11, 12 (1904). Indiana, Ontario.
55. **N. Angusticollis, E. M. Walker,** l. c. pp. 182, 186, pl. 4. ff. 9, 10 (1904). Ontario.
56. **N. Canus, Scudd.** Journ. N. York Ent. Soc. iv. p. 103 (1896); Blatchl. Rep. Ind. Dept. Geol. xxvii. p. 423. n. 125 (1903); E. M. Walker, l. c. pp. 182, 184 (1904). Texas.
57. **N. Abortivus, Caud.** (*N. Fasciatus*, var. *Abortivus*) Canad. Ent. xxxvi. p. 248 (1904). Assiniboia.
58. **N. Melleus, Scudd.** Psyche, vii. p. 434 (1896). Mexico.
59. **N. Socius, Scudd.** Proc. Bost. Soc. Nat. Hist. xix. p. 37 (1877); Journ. N. York Ent. Soc. iv. p. 103 (1896). Georgia, Florida, Texas, &c.
60. **N. Utahensis, Scudd.** Journ. N. York Ent. Soc. iv. p. 103 (1896). Utah.
61. **N. Ambitosus, Scudd.** Proc. Bost. Soc. N. H. xix. p. 81 (1877); Journ. N. York Ent. Soc. iv. p. 104 (1896). Florida.
- *62. **N. Neomexicanus, Scudd.** Journ. N. York Ent. Soc. iv. p. 105 (1896); Sauss. Biol. Centr.-Amer., Orth. i. p. 223. n. 6 (1897). Southern States, Mexico.
N. Denticulatus, Sauss. l. c. pl. 11. f. 25 (1897).
63. **N. Trinitatis, Scudd.** l. c. p. 104 (1896). Trinidad.
64. **N. Aterrimus, Scudd.** l. c. p. 105 (1896). Florida.
- *65. **N. Cubensis, Sauss.** Miss. Mex., Orth. p. 384, pl. 7. f. 5 (1874); Biol. Centr.-Amer., Orth. i. p. 222. n. 4 (1897); Scudd. l. c. p. 105 (1896); Blatchl. l. c. pp. 420, 425. n. 127 (1903). Cuba, Mexico.
N. Volaticus, Scudd. Proc. Bost. Soc. Nat. Hist. xix. p. 37 (1877).
- **66. **N. Comanchus, Sauss.** Biol. Centr.-Amer., Orth. i. p. 222. n. 5 (1897). Mexico.
67. **N. Mormonus, Scudd.** Journ. N. York Ent. Soc. iv. p. 106 (1896). Utah.
- *68. **N. Toltecus, Sauss.** Rev. Zool. (2) xi. p. 316 (1859); Miss. Mex., Orth. p. 386, Mexico.

- (1874); Biol. Centr.-Amer., Orth. i. p. 223. n. 7 (1897); Scudd. l. c. p. 106 (1896).
- **69. N. Mexicanus, Walk.** l. c. i. p. 57. n. 8 (1869); Scudd. l. c. p. 106 (1896); Sauss. Biol. Centr.-Amer., Orth. i. p. 224. n. 8 (1897). Mexico.
- 70. N. Carolinus, Scudd.** Proc. Bost. Soc. N. H. xix. p. 36 (1877); Journ. N. York Ent. Soc. iv. p. 107 (1896); Blatchl. l. c. pp. 421, 427. n. 129 (1903). North Carolina, Connecticut, New York.
- N. Affinis, Beut.* l. c. pp. 249, 267, pl. 5. f. 11 (1894).
- 71. N. Brevicaudus, Brun.** Bull. Agric. Exper. Stat. Colorado, xxiv. p. 57 (1904). Colorado.
- 72. N. Janus, Kirb.** (n. n.). Indiana.
- || *N. Exiguus, Blatchl. (nec Say)* Psyche. ix. p. 53 (1900); Proc. Indiana Acad. Sci. 1891. p. 136. n. 8; Rep. Indiana Dept. Geol. xxvii. pp. 420, 426. n. 128 (1903); E. M. Walker, l. c. p. 187, pl. 4. ff. 5, 6 (1904).
- 73. N. Confusus, Blatchl.** Rep. Indiana Dept. Geol. xxvii. pp. 421, 428. n. 131 (1903); E. M. Walker, l. c. p. 187, pl. 4. ff. 7, 8 (1904). id.
- 74. N. Exiguus, Say** (*Acheta Exigua*) Proc. Acad. Nat. Sci. Philad. iv. p. 309 (1825). Missouri.
- 75. N. Basalis, Walk.** l. c. i. p. 58. n. 10 (1869); Sauss. Miss. Mex., Orth. p. 385 (1874). Para.
- 76. N. Picinus, Walk.** l. c. i. p. 58. n. 11 (1869); Sauss. l. c. p. 385 (1874). Amazons.
- 77. N. Ortonii, Scudd.** Proc. Bost. Soc. Nat. Hist. xii. p. 330. n. 1 (1868); Sauss. l. c. p. 390 (1874). Napo.
- 78. N. Nemoralis, Sauss.** l. c. (1874). S. America.
- 79. N. Dissimilis, Sauss.** l. c. p. 387 (1874). Brazil.
- **80. N. Brasiliensis, Walk.** (*Argizala B.*) l. c. i. p. 61. n. 1 (1869). id.
- N. Brasiliensis, Sauss.* Mém. Soc. Genève. xxv. p. 87 (1877).
- 81. N. Rufus, Sauss.** l. c. p. 88 (1877). id.
- 82. N. Albipalpus, Sauss.** l. c. p. 89 (1877). id.
- 83. N. Major, Sauss.** l. c. p. 75 (1877). id.

- | | | |
|-----------------------------------|---|------------|
| 84. N. Longipennis, Sauss. | Miss. Mex., | Buenos |
| | Orth. p. 383 (1874). | Aires. |
| 85. N. Paranæ, Sauss. | l. c. p. 386 (1874). | Argentina. |
| 86. N. Araucanus, Sauss. | l. c. p. 388 (1874). | Chili. |
| **87. N. Hirsutulus, Walk. | (<i>Gryllus H.</i>) l. c. | Hab. —? |
| | i. p. 50. n. 99 (1869). | |
| 88. N. Speculi, McNeill, | Proc. Washington | Galapagos. |
| | Acad. Sci. iii. pp. 503-505, ff. 43, 44 | |
| | (1901). | |

Genus 11. **Clearidas.**

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 64 (1876).

- 1.
- C. Nigriceps, Stål,**
- l. c. p. 65 (1876). | Damara L.

Genus 12. **Hemigryllus.**

Sauss. Mém. Soc. Genève, xxv. p. 100 (1877).

- *1.
- H. Kriechbaumeri, Sauss.**
- l. c. p. 101, | Brazil.
-
- pl. 12 (viii.) ff. 1-6 (1877). |

GRYLLINÆ B.

Genus 13. **Apiotarsus.**Brunn. Mitth. Schweiz. ent. Ges. iv. p. 168 (1873);
Sauss. Mém. Soc. Genève, xxv. p. 105 (1877).

- 1.
- A. Gryllacroides, Sauss.**
- l. c. p. 107, | Viti. ind)
-
- pl. 14 (xxiii.) ff. 1-7 (1877). |

Genus 14. **Apterogryllus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 109 (1877).

- | | | |
|---------------------------------|---|----------|
| **1. A. Pedestris, Walk. | (<i>Brachytrypes P.</i>) | N. Aus- |
| | Cat. Derm. Salt. B. M. i. p. 13. n. 8 | tralia. |
| | (1869). | |
| | <i>A. Brunnerianus, Sauss.</i> l. c. p. 109, pl. 14 | |
| | (xxi.) ff. 1-4 (1877). | |
| 2. A. Deplanatus, Brunn. | Ann. Mus. | Rangoon. |
| | Genova, xxxiii. p. 197 (1893). | |

Genus 15. **Macrogyllus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 113 (1877).

1. **M. Ehippium, Sauss.** (*Brachytrypus* E.) Java (?).
l. c. p. 113. pl. 14 (xix.) ff. 5, 5 a, e Africa (?).
(1877).

- **2. **M. Consocius, Walk.** (*Gryllus* C.) Cat. S. Africa.
Derm. Salt. B. M. i. p. 31. n. 52 (1869).
Brachytrypus Consocius, Sauss. l. c. p. 115
(1877).

Genus 16. **Brachytrypes.** (*Type* no. 2.)

Brachytrupes, Serr. Ins. Orth. p. 323 (1839); Bol. Ortópt.
Españ. p. 276 (1876); An. Soc. Españ. viii. p. 72 (1898).
Brachytrypes, Agass. Nom. Zool. Ind. Univ. p. 52 (1846);
Fisch. Orth. Eur. p. 186 (1853); Brunn. Prodr. Eur. Orth.
p. 438 (1882); Fieb. Syn. Eur. Orth. p. 64 (1854); Lotos,
v. p. 66 (1855).
Brachytrypus, Sauss. Mém. Soc. Genève, xxv. p. 115 (1877).

- *1. **B. Megacephalus, Lef.** (*Gryllus* M.) Sicily,
Ann. Soc. Linn. Paris, vi. p. 10, pl. 5. N. Africa.
f. 4 (1827).

Brachytrupes Megacephalus, Serr. l. c. p. 326
(1839).

Brachytrypes Megacephalus, Fisch. l. c.
p. 186, pl. 9. f. 10 (1853); Fieb. ll. cc.
p. 64 (1854); p. 66 (1855); Costa, Faun.
Nap., Ort. Grill. p. 44 (1855); Brunn.
l. c. p. 438, pl. 11. f. 101 A, B (1882).

Brachytrypus Megacephalus, Sauss. l. c.
p. 117 (1877).

- *2. **B. Membranaceus, Dru.** (*Gryllus* M.) E. & W.
Ill. Exot. Ent. ii. pl. 43. f. 2 (1773). Africa.

Gryllus Acheta Membranacea, Stoll. Spec-
tres. Gryll. Achet. p. 4, pl. 2 c. f. 9 (1813).

Brachytrypus Membranaceus, Sauss. l. c.
p. 118, pl. 14 (xix.) ff. 1-3 (1877).

|| *Acheta Campestris, Müll. (nec Linn.)* Syst.
Nat., Ins. i. p. 426, pl. 10. f. 3 (1774).

Acheta Prodigiosa, Licht. Cat. Mns. Zool.
Hamburg, iii. p. 86, n. 107 (1796).

Gryllus Acuminipennis, Fairm. Arch. Ent.
ii. p. 257 (1858).

- *Var. *Acheta Gigas*, Sulz. Gesch. Ins. p. 83, pl. 8. f. 8 (1776).
- *Var. *Acheta Vastatrix*, Afzel. Achet. Guin. p. 15. n. 1, f. 2 a, b (1804).
Gryllus Vastator, Burn. Handb. Ent. ii. p. 735. n. 118 (1838).
- Var. *Brachytrypus Membranaceus*, var. *Collossea*, Sauss. Abh. Senckenb. Ges. xxi. p. 601 (1899). Madagascar
3. **B. Politus**, Bol. An. Soc. Españ. xix. p. 328 (1890). E. Africa.
4. **B. Caviceps**, Karsch, Berlin. Ent. Zeitschr. xxviii. p. 148 (1893). W. Africa, Adeli.
5. **B. Grandidieri**, Sauss. l. c. p. 119 (1877). Madagascar
- * * 6. **B. Madagascariensis**, Walk. (*Gryllus M.*) Cat. Derm. Salt. B. M. i. p. 32. n. 55 (1869). id.
- * 7. **B. Portentosus**, Licht. (*Acheta Portentosa*) l. c. p. 85. n. 106 (1796). Coromandel, Malay Peninsula, Formosa, Java.
Gryllus Acheta Achatina, Stoll, l. c. p. 4, pl. 2 c. f. 8 (1813).
Brachytrypus Achatinus, Sauss. l. c. p. 121, pl. 14 (xix.) ff. 4, 4 e (1877).
Brachytrupes Ustulatus, Serv. l. c. p. 326 (1839).
Gryllus Acheta Fuliginosa, Stoll, l. c. p. 5, pl. 3 c. f. 10 (1813).
- **Var. *B. Terrificus*, Walk. Cat. Derm. Salt. B. M. i. p. 10. n. 3 (1869). Madras.
- **Var. *B. Truculentus*, Walk. l. c. i. p. 12. n. 5 (1869). India.
- **Var. *B. Signatipes*, Walk. l. c. v. Suppl. p. 2 (1871). Bombay.
- **Var. *B. Ferreus*, Walk. l. c. i. p. 11. n. 4 (1869). Madras.
- **Var. *B. Fulvus*, Walk. l. c. i. p. 12. n. 7 (1869). Hab. — ?
- * * 8. **B. Bisignatus**, Walk. l. c. i. p. 11. n. 5 (1869). India.
9. **B. Orientalis**, Burm. (*Gryllus O.*) l. c. p. 735. n. 16 (1838). id.
Brachytrypus Orientalis, Sauss. Mém. Soc. Genève, xxv. p. 122 (1877).
- * * 10. **B. Robustus**, Walk. l. c. i. p. 12. n. 6 (1869). Philippines.

Genus 17. **Gymnogryllus.** (*Type no. 3.*)

Sauss. Mém. Soc. Genève, xxv. p. 123 (1877).

- | | |
|--|------------|
| 1. G. Pulvillatus, Sauss. (<i>Brachytrypus P.</i>) | Madras. |
| l. c. p. 124 (1877). | |
| 2. G. Angustus, Sauss. (<i>Brachytrypus A.</i>) | Java. |
| l. c. p. 126, pl. 14 (xx.) ff. 1, 1 i (1877). | |
| *3. G. Elegans, Guér. (<i>Gryllus E.</i>) Bélanger, | id., |
| Voy. Ind. Orient., Zool. p. 495, pl. 9. f. 1 | Sumatra. |
| (1834) ; Serv. Ins. Orth. p. 340 (1839). | |
| <i>Brachytrypus Elegans, Sauss.</i> l. c. p. 127, | |
| pl. 14 (xx.) ff. 1, 1 e (1877). | |
| <i>Gryllus Leucostictus, Charp.</i> Orth. pl. 18. | |
| (1842). | |
| **4. G. Humeralis, Walk. (<i>Gryllus H.</i>) Cat. | Bombay, |
| Derm. Salt. B. M. v. Suppl. p. 5 (1871). | Nilghiris, |
| <i>Brachytrypus Humeralis, Sauss.</i> l. c. p. 129, | Ceylon. |
| pl. 14 (xx.) f. 2 (1877). | |
| **5. G. Facialis, Walk. (<i>Gryllus F.</i>) l. c. | Bombay. |
| p. 5 (1871). | |
| **6. G. Erythrospilus, Walk. (<i>Gryllus E.</i>) | Hab. — ? |
| l. c. i. p. 49. n. 97 (1869). | |
| *7. G. Erythrocephalus, Serv. (<i>Gryllus E.</i>) | India, |
| l. c. p. 339 (1839). | Ceylon, |
| <i>Brachytrypus Erythrocephalus, Sauss.</i> l. c. | Sunda Isl. |
| p. 130, pl. 14 (xx.) f. 3 (1877). | |
| 8. G. Miurus, Sauss. (<i>Brachytrypus M.</i>) | Gaboon. |
| l. c. p. 131 (1877). | |

Genus 18. **Acanthogryllus.**

Sauss. Mém. Soc. Genève, xxv. p. 132 (1877).

- | | |
|---|------------|
| 1. A. Fortipes, Walk. (<i>Gryllus F.</i>) Cat. | S. Africa. |
| Derm. Salt. B. M. i. p. 26. n. 42 (1869). | |
| <i>A. Fortipes, Sauss.</i> l. c. p. 133, pl. 14 | |
| (xxii.) ff. 1-5 (1877). | |

Genus 19. **Anurogryllus.** (*Type no. 1.*)

Sauss. Mém. Soc. Genève, xxv. p. 283 (1877).

- | | |
|---|------------|
| 1. A. Muticus, De Geer, (<i>Gryllus M.</i>) Mém. | Mexico, |
| Ins. iii. p. 520. n. 2, pl. 43. f. 2 (1773). | W. Indies, |
| <i>Gryllodes Muticus, Sauss.</i> Miss. Mex., Orth. | Colombia, |
| p. 411, pl. 7. f. 9 (1874). | Guiana. |

- A. Muticus*, Sauss. Mém. Soc. Genève, xxv. p. 284 (1877).
Acheta Guadeloupensis, Fabr. Ent. Syst. ii. p. 32. n. 15 (1793).
Gryllodes Guadelupensis, Sauss. Miss. Mex., Orth. p. 413 (1872).
 ** *Gryllus Angustulus*, Walk. Cat. Derm. Salt. B. M. i. p. 21. n. 27 (1869).
 Var. *Gryllodes Caraibens*, Sauss. l. c. p. 413 (1874).
 *2. **A. Clarazianus**, Sauss. (*Gryllodes C.*) Argentine Republic.
 l. c. p. 412, pl. 8. f. 31 (1874).
A. Clarazianus, Sauss. Mém. Soc. Genève, xxv. p. 285 (1877).
 3. **A. Australis**, Sauss. l. c. (1877). Australia.
 4. **A. Antillarum**, Sauss. (*Gryllodes A.*) Cuba.
 Miss. Mex., Orth. p. 414, pl. 7. ff. 10, 13 (1874).
A. Antillarum, Sauss. Mém. Soc. Genève, xxv. p. 285 (1877).
 5. **A. Abortivus**, Sauss. (*Gryllodes A.*) Cuba.
 Miss. Mex., Orth. p. 415, pl. 7. f. 11 (1874).
A. Abortivus, Sauss. Mém. Soc. Genève, xxv. p. 286 (1877).
 6. **A. Brevicaudatus**, Sauss. l. c. (1877). Bahía.

Genus 20. **Acheta**. (Type no. 3.)

- Gryllus Acheta*, Linn. Syst. Nat. (ed. x.) i. p. 428 (1758).
Acheta, Fabr. Syst. Ent. p. 279 (1775); Leach, Edinb. Encycl. ix. p. 119 (1815); Phil. Orth. Berol. p. 13 (1835); Steph. Ill. Brit. Ent., Mand. vi. p. 39 (1835).
Gryllus, Latr. Hist. Nat. Crust. Ins. iii. p. 276 (1802), xii. p. 122 (1804).
Liogryllus, Sauss. Mém. Soc. Genève, xxv. p. 134 (1877); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 451 (1904).
 (Type no. 3.)

1. **A. Ritsemæ**, Sauss. (*Liogryllus R.*) l. c. Japan.
 p. 136 (1877).
Liogryllus Ritsemæi, Jacobs. & Bianchi, l. c. p. 451 (1904).
 2. **A. Morio, Fabr. Spec. Ins. i. p. 354. n. 9 W. & E.
 (1781). Africa.

Gryllus Morio, *Oliv.* Enc. Méth., Ins. vi. p. 636. n. 11 (1791).

Liogryllus Morio, *Sauss.* l. c. p. 136, pl. 12 (ix.) f. 9 bis (1877).

A. Maurus, *Afz. & Braum.* Achet. Guin. p. 22. n. 3. f. 4 (1804).

* *Gryllus Atratus*, *Walk.* Cat. Derm. Salt. B. M. i. p. 30. n. 49 (1869).

*3. **A. Campestris, Linn.** (*Gryllus Acheta* C.) l. c. p. 428. n. 21 (1758); *Stoll*, Spectres, Gryll. Ach. p. 2, pl. 1 c. ff. 4, 5 (1813).

Europe,
W. Asia,
N. Africa.

A. Campestris, *Fabr.* Syst. Ent. p. 281. n. 7 (1775); *Steph.* l. c. p. 39 (1835); *Schrank*, Fauna Boica, ii. p. 34. n. 1027 (1801); *Charp.* Hor. Ent. p. 81 (1825); *Phil.* l. c. p. 14. n. 1 (1830).

Gryllus Campestris, *Schrank*, Enum. Ins. Austr. p. 244. n. 465 (1784); *Oliv.* l. c. p. 636. n. 12 (1791); *Latr.* l. c. xii. p. 124. n. 4 (1804); *Brullé*, Hist. Nat. Ins. ix. p. 178. n. 2, pl. 18. f. 2 (1835); *Wesm.* Bull. Acad. Brux. v. p. 590. n. 2 (1838); *Burm.* Handb. Ent. ii. p. 734. n. 13 (1838); *Serv.* Ins. Orth. p. 336 (1839); *Blanch.* Hist. Nat. Ins. iii. p. 32. n. 2 (1840); *Fisch.* Waldb. Orth. Ross. p. 127, pl. 24. ff. 4, 5 (1846); *Costa*, Ent. Nap., Orth. Grill. p. 8, pl. 6. f. 1 (1852); *Fisch.* Orth. Eur. p. 178 (1853); *Fieb.* Lotos, iii. p. 234. n. 2 (1853); *Syn.* Eur. Orth. p. 65. n. 2 (1854); *Friv.* Érték. Termész. Kör. p. 73. n. 6 (1867); *Bol.* Ortópt. Españ. pp. 281, 282, pl. 7. f. 1 (1876); *An. Soc.* Españ. viii. pp. 77, 78, pl. 3. f. 1 (1878); *Brunn.* Prodr. Eur. Orth. p. 428 (1882); *Finot.* Orth. France, pp. 134, 135 (1883); Faune France, Orth. p. 237, pl. 12. f. 152 (1889); *Burr.* Brit. Orth. p. 65. pl. 5. f. 5 (1897); *Tümp.* Geradfl. Mitteleurop. p. 274, pl. 22 (1900).

Liogryllus Campestris, *Sauss.* l. c. p. 137, pl. 12 (ix.) ff. 1-3, 5-9 (1877); *Bol.* Ann. Sci. Nat. Porto, v. p. 42. n. 1 (1867); *Jacobs. & Bianchi*, l. c. p. 451, pl. 9 (1904).

- Gryllus Campestris*, var. *Caudata*, Krauss, Verh. zool.-bot. Ges. Wien, xxxvi. p. 147. pl. 5. f. 6 (1886); Pant. An. Soc. Españ. xv. p. 284 (1886).
- *4. **A. Bimaculata, De Geer**, (*Gryllus Bimaculatus*) Mém. Ins. iii. p. 521. n. 4, pl. 43. f. 4 (1773); Bol. Ortópt. Españ. pp. 281, 283. n. 2, pl. 7. f. 2 (1876); An. Soc. Españ. viii. pp. 77, 79, pl. 3. f. 2 (1878); Brunn. l. c. pp. 427, 429. n. 2 (1882); Finot, ll. cc. pp. 134, 135 (1883); pp. 237, 238, pl. 12. ff. 153, 154 (1889).
- A. Bimaculata*, Herbst, Fuessly, Archiv, p. 192, pl. 53. f. 1 (1788); Afzel. & Brann. Achet. Guin. p. 18. n. 2, f. 3 (1804).
- Liogryllus Bimaculatus*, Sauss. l. c. p. 139 (1877); Bol. Ann. Sci. Nat. Porto, v. p. 42 (1898); Jacobs. & Bianchi, l. c. p. 451 (1904).
- A. Capensis*, Fabr. l. c. p. 281. n. 6 (1775); Cyr. Ent. Neap. pl. 5. f. 5 (1791); Ramb. Faune Andal. ii. p. 28, pl. 2. ff. 4, 5 (1839).
- Gryllus Capensis*, Oliv. l. c. p. 635. n. 10 (1791); Burm. l. c. p. 734. n. 14 (1838); Serv. l. c. p. 337 (1839); Costa, l. c. pp. 10, 45, pl. 6. f. 2 A, B, pl. 8. f. 1 A, B (1852-5); Fisch. l. c. p. 182 (1853); Walk. Cat. Derm. Salt. B. M. i. p. 16. n. 14 (1869).
- Gryllus Acheta Rubricollis*, Stoll, l. c. p. 6, pl. 3 c. f. 15 (1813).
- || *Gryllus Campestris*, Blanch. Cuv. Règne Anim., Ins. xiii. p. 18; xiv. pl. 81. f. 3 (1836?).
- ** *Gryllus Interruptus*, Walk. Cat. Derm. Salt. B. M. i. p. 35. n. 63 (1869).
- **Var. *Gryllus Ater*, Walk. l. c. p. 33. n. 56 (1869).
5. **A. Lugubris, Stål**, (*Gryllus L.*) (Efv. Vet.-Akad. Förh. xii. p. 351 (1855); Sauss. l. c. p. 159 (1877).

S. Europe,
Africa.

Syria.

Sennaar.

GRYLLINÆ C.

Genus 21. **Gryllus.** (*Type* no. 3.)

- Linn. Syst. Nat. (ed. x.) p. 425 (1758); Faun. Suec. (ed. 2) p. 235 (1761); Schrank, Enum. Ins. Austr. p. 242 (1781); Latr. Hist. Nat. Crust. Ins. iii. p. 122 (1802); Burm. Handb. Ent. ii. p. 730 (1838); Wesm. Bull. Acad. Brux. v. p. 590 (1838); Serv. Ins. Orth. p. 327 (1839); Fisch. Waldh. Orth. Ross. p. 123 (1846); Borek, Skand. Rätv. Ins. p. 45 (1848); Costa, Faun. Nap., Grill. p. 8 (1852); Fisch. Orth. Eur. p. 170 (1853); Fieb. Lotos, iii. p. 234 (1853); Syn. Eur. Orth. p. 64 (1854); Friv. Érték. Termész. Kőr. i. (12) pp. 67, 72 (1867); Sauss. Miss. Mex., Orth. p. 391 (1874); Mém. Soc. Genève, xxv. p. 144 (1877); Bol. Ortópt. Españ. pp. 276, 280 (1876); An. Soc. Españ. viii. pp. 72, 76 (1878); Ann. Sci. Nat. Porto, v. pp. 39, 43 (1898); Brunn. Prodr. Eur. Orth. pp. 419, 426 (1882); Finot, Orth. France, pp. 131, 134 (1883); Faune France, Orth. pp. 231, 236 (1889); McNeill, Ent. Amer. v. p. 101 (1889); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 264 (1894); Burr. Brit. Orth. pp. 63, 64 (1897); Auriv. Ent. Tidskr. xxi. p. 254 (1900); Tümp. Geradfl. Mitteleurop. pp. 228, 274 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 452 (1904).
- Acheta*, pt., Fabr. Syst. Ent. p. 279 (1775); Schrank, Faun. Boica, ii. p. 30 (1801); Thunb. Mém. Acad. Pétersb. v. p. 214 (1815); Zett. Orth. Suec. p. 53 (1821); Curt. Brit. Ent. vii. pl. 293 (1830); Phil. Orthopt. Berol. p. 13 (1830); Steph. Ill. Brit. Ent., Mand. vi. p. 39 (1835); Westw. Mod. Classif. Ins., ii. Synopsis Gen. p. 44 (1840).

- *1. **G. Desertus, Pall.** Reis. Russ. Reichs, i. p. 468. n. 33 (1771); Fisch. Waldh. l. c. p. 130, pl. 24. ff. 6, 7 (1846); Fieb. Lotos, v. p. 66. n. 3 (1855); Sauss. Fedchenko, Reise Turk., Orth. p. 32, pl. 1. f. 12 (1874); Mém. Soc. Genève, xx. p. 162 (1877); Brunn. l. c. p. 430 (1882); Finot, ll. cc. pp. 134, 136 (1883); pp. 237, 238 (1889); Bol. Ann. Sci. Nat. Porto, v. p. 43 (1898); Jacobs. & Bianchi, l. c. p. 452, pl. 10 (1904).

*Var. *Acheta Melas*, Charp. Hor. Ent. p. 81 (1825).

S. Europe,
N. Africa,
W. Asia.

- Gryllus Melas*, *Burm.* l. c. p. 734. n. 11 (1838); *Serv.* l. c. p. 338 (1839); *Fisch. Waldh.* l. c. p. 132 (1846); *Lucas, Expl. Alg.* iii. p. 22, pl. 1. f. 7 (1849); *Fisch.* l. c. p. 177 (1853); *Costa, Faun. Nap.*, *Grill.* p. 33, pl. 9. f. 2 (1855); *Fieb.* l. c. p. 66. n. 33 (1855); *Friv.* l. c. p. 74, pl. 1. f. 1 (1867); *Sauss. Fedchenko, Reise Turk., Orth.* p. 34 (1874); *Bol. Ortópt. Españ.* pp. 282, 283. n. 3 (1876); *An. Soc. Españ.* viii. pp. 78, 79. n. 3 (1878).
- Acheta Agrícola*, *Ramb.* *Faune Andal.* p. 32, pl. 2. f. 6 (1839). *O-2409*
- Var. *Gryllus Tristis*, *Serv.* l. c. p. 338 (1839); *Fisch.* l. c. p. 178 (1853); *Fieb.* l. c. p. 67. n. 5 (1855); *Costa*, l. c. p. 44 (1855).
- *2. **G. Hispanicus**, **Ramb.** (*Acheta Hispanica*) l. c. p. 33, pl. 2. f. 3 (1839). Spain, Madeira, Tenerife, S. Africa.
- G. Hispanicus*, *Fisch.* l. c. p. 180 (1853); *Fieb.* l. c. p. 67. n. 6 (1855); *Sauss. Mém. Soc. Genève*, xxv. p. 175 (1877); *Bol. Ortópt. Españ.* pp. 281, 285. n. 5 (1876); *An. Soc. Españ.* viii. pp. 77, 81. n. 5 (1878); *Ann. Sci. Nat. Porto*, v. p. 43 (1898); *Brunn.* l. c. p. 431 (1882).
- **Var. *G. Marginalis*, *Walk.* *Cat. Derm. Salt.* B. M. i. p. 25. n. 38 (1869). Madeira.
- Var. *G. Guanchicus*, *Krauss.* *Zool. Anz.* xv. p. 171 (1892). Tenerife.
- *3. **G. Domesticus**, **Linn.** (*Gryllus Acheta D.*) *Syst. Nat.* (ed. x.) i. p. 428. n. 20 (1758). Europe, N. Africa.
- Gryllus Domesticus*, *Linn.* *Faun. Suec.* (ed. 2) p. 236. n. 867 (1761); *De Geer. Mém. Ins.* iii. p. 509, pl. 24. ff. 1, 2 (1773); *Schrank, Enum. Ins. Austr.* p. 244. n. 464 (1781); *Oliv. Enc. Méth., Ins.* vi. p. 634. n. 3 (1791); *Latr.* l. c. xii. p. 123. n. 1 (1804); *Burm.* l. c. p. 733. n. 7 (1838); *Wesm.* l. c. p. 590. n. 1 (1838); *Serv.* l. c. p. 340 (1839); *Fisch. Waldh.* l. c. p. 129, pl. 24. ff. 8, 9 (1846); *Borek*, l. c. p. 46. n. 1, pl. 1. ff. 8, 9 (1848); *Fieb.* l. c. iii. p. 236. n. 13 (1853); *Syn. Eur. Orth.* p. 66. n. 13 (1854); *Fisch. Orth. Eur.* p. 180, pl. 9. f. 9 *a-c* (1853); *Friv.* l. c. p. 76.

n. 5 (1867); Glover, Ill. N. Amer. Orth. pl. 6. f. 14 (1872); Sauss. Miss. Mex., Orth. p. 400 (1874); Mém. Soc. Genève, xxv. p. 173 (1877); Bol. ll. cc. pp. 281, 285. n. 6 (1876); pp. 71, 81. n. 6 (1878); p. 43 (1898); Brunn. Prodr. Eur. Orth. p. 432, pl. 11. f. 99 (1882); Finot, ll. cc. pp. 135, 136 (1883); pp. 237, 239 (1889); Benth. l. c. p. 266, pl. 5. f. 8 (1894); Burr, l. c. p. 66, pl. 5. f. 6 (1897); Auriv. l. c. p. 254. n. 1 (1900); Tümp. l. c. p. 274, pl. 22 (1900); Blatchl. Rep. Ind. Dept. Geol. xxvii. pp. 431, 439. n. 137, f. 111 (1903); Jacobs. & Bianchi, l. c. p. 452, pl. 9 (1904); E. M. Walker, Canad. Ent. xxxvi. pp. 249, 252. n. 11 (1904).

Gryllus Acheta Domestica, Stoll, Spectres, Gryll. Achet. p. 5, pl. 3 c. ff. 12, 13 (1813).

Acheta Domestica, Fabr. Syst. Ent. p. 280. n. 2 (1775); Schrank. Fauna Boica, ii. p. 34. n. 1026 (1801); Panz. Faun. Germ. fasc. 88. pls. 6, 7 (1805); Thunb. l. c. p. 271 (1815); Zett. l. c. p. 55 (1821); Phil. l. c. p. 18. n. 2 (1830); Ramb. l. c. p. 33 (1839); Charp. l. c. p. 80 (1825).

Acheta Domestica, Steph. l. c. p. 40 (1835).

** *Gryllus Transversalis*, Walk. l. c. v. Suppl. p. 6 (1871). Bombay.

4. **G. Gossypii, Costa**, l. c. p. 46, pl. 9. f. 6 (1855); Sauss. Mém. Soc. Genève, xxv. p. 180 (1877). Otranto.

5. **G. Tartarus, Sauss.** Fedchenko, Reise Turk., Orth. p. 34. n. 8, pl. 1. f. 14 (1874); Mém. Soc. Genève, xxv. p. 181. n. 39 (1877); Jacobs. & Bianchi, l. c. p. 455 (1904). Turkestan,
Caucasus.

*6. **G. Chinensis, Weber**, (*Acheta C.*) Obs. Ent. p. 97 (1801). China,
India,

** *G. Minusculus*, Walk. l. c. i. p. 36. n. 66 (1869). S. Europe,
Africa.

** *G. Aspersus*, Walk. l. c. i. p. 39. n. 72 (1869). Madagascar

*Var. *G. Cerisyi*, Serv. l. c. p. 342 (1839); Fisch. l. c. p. 176 (1853); Sauss. Fedchenko, Reise Turk. p. 33, pl. 1. f. 13 (1874). S. Europe.

- G. Burdigalensis*, var. *Cerisyi*, Sauss. Mém. Soc. Genève, xxv. p. 185, pl. 12 (xi.) f. 3 (1877); Bol. ll. cc. p. 284. n. 4 (1876); p. 80. n. 4 (1878); p. 44 (1898); Brunn. l. c. p. 434 (1882); Finot, Faune France, Orth. p. 240 (1889); Jacobs. & Bianchi, l. c. p. 455 (1904).
- G. Cinereus*, Costa, l. c. p. 32, pl. 8. f. 3 A-C (1855).
- ** *G. Pygmæus*, Walk. l. c. i. p. 25. n. 40 (1869). Egypt.
- G. Marginatus*, Erersm. Bull. Mosc. xxxii. (1) p. 127 (1859).
- G. Erersmanni*, Jakorl. Trud. Russk. Ent. Obsch. vi. p. 19, pl. 1. ff. 2, 2 a (1871).
- Var. *Acheta Arrensis*, Ramb. l. c. p. 30, pl. 2. ff. 7, 8 (1839). S. Europe.
- Gryllus Arrensis*, Fisch. l. c. p. 176 (1853); Fieb. Lotos, v. p. 67. n. 7 (1855); Friv. l. c. p. 75, pl. 1. f. 2 (1868).
- G. Burdigalensis*, var. *Arrensis*, Sauss. l. c. p. 186 (1877); Bol. ll. cc. p. 284. n. 4 (1876); p. 80. n. 4 (1878); p. 44 (1898); Brunn. l. c. p. 434 (1882); Jacobs. & Bianchi, l. c. p. 455 (1904).
- G. Geminus*, Serv. l. c. p. 343 (1839).
- Var. *G. Bordigalensis*, Latr. l. c. xii. p. 124. n. 3 (1804); Burm. l. c. p. 734. n. 10 (1838); Fieb. l. c. v. p. 67. n. 14 (1855). id., Africa, Madagascar
- Acheta Bordigalensis*, Charp. l. c. p. 82 (1825); Herr.-Schäff. Faun. Ins. Germ. fasc. 157. taf. 13 (1838). Asia.
- Gryllus Burdigalensis*, Serv. l. c. p. 341 (1839); Costa, l. c. p. 44 (1852); Fisch. l. c. p. 135. n. 4 (1853); Bol. ll. cc. pp. 282, 284. n. 4 (1876); pp. 78, 80. n. 4 (1878); pp. 43, 44. n. 5 (1898); Sauss. Mém. Soc. Genève, xxv. p. 185 (1877); Brunn. l. c. p. 433 (1882); Finot, ll. cc. pp. 135, 137 (1883); pp. 237, 240 (1889); Jacobs. & Bianchi, l. c. p. 455 (1904).
7. **G. Ægyptiacus**, Haan, Temminck, Verhandel., Orth. p. 229. n. 14, b (1842); Sauss. l. c. p. 196 (1877). Egypt.
8. **G. Cyprius**, Sauss. l. c. p. 190 (1877). Cyprus.

9. **G. Algirius**, **Sauss.** l. c. p. 191, pl. 12. (xi.) f. 5 (1877). Algeria,
Asia
G. Algericus, **Brunn.** l. c. p. 435 (1882). Minor.
10. **G. Syriacus**, **Bol.** Rev. Biol. Nord Mt. of
France, v. p. 488 (1893). Olives.
- *11. **G. Frontalis**, **Fieb.** Abhandl. Böhm. Ges. Germany,
(5) iii. p. 405. n. 3, pl. 10. f. 11 (1845); E. Europe.
Lotos, iii. p. 235. n. 8 (1853); Syn. Eur.
Orth. p. 65. n. 8 (1854); Fisch. l. c.
p. 176, pl. 9. f. 7 (1853); Friv. l. c. p. 75
(1867); Sauss. Fedchenko, Reise Turk.,
Orth. p. 35 (1874); Mém. Soc. Genève,
xxv. p. 177 (1877); Brunn. l. c. p. 435
(1882); Arnold, Hor. Soc. Ent. Ross.
xvi. p. 38, pl. 9 (1882); Tümp. l. c. p. 274
(1900); Jacobs. & Bianchi, l. c. p. 454,
pl. 10 (1904).
Gryllus Pubescens, **Eversm.** l. c. p. 127
(1859).
G. Hermsdorfensis, **Zell.** Stett. Ent. Zeit.
xvii. p. 23 (1856).
Nemobius Fasciatus, **Walk.** Cat. Derm.
Salt. v. Suppl. p. 9 (1871).
G. Frontalis, var. *Alata*, **Jacobs. & Bianchi**,
l. c. p. 454 (1904).
12. **G. Tomentosus**, **Eversm.** l. c. p. 127 Kirghis
(1859); Sauss. Fedchenko, Reise Turk., Steppes.
Orth. p. 35 (1874); Mém. Soc. Genève,
xxv. p. 197 (1877).
13. **G. Palmetorum**, **Krauss**, Verh. zool.-bot. Algeria.
Ges. Wien, lii. pp. 250, 251, f. 11 (1902).
14. **G. Hygrophilus**, **Krauss**, l. c. p. 251 id.
(1902).
15. **G. Afer**, **Sauss.** Mém. Soc. Genève, xxv. Mozam-
p. 159 (1877). bique,
Madagascar
16. **G. Lineaticeps**, **Walk.** l. c. i. p. 28. S. Leone.
n. 45 (1869).
(?) *G. Consobrinus*, var., **Sauss.** l. c. pp. 188,
189 (1877).
- *17. **G. Quadristrigatus**, **Sauss.** l. c. p. 166 W. & E.
(1877). Africa,
Coromandel
18. **G. Longecaudatus**, **Schulth.** Zool. Jahrb. Somali.
Syst. viii. p. 82 (1894).
- **19. **G. Notabilis**, **Walk.** l. c. i. p. 28. n. 46 S. Leone.
(1869).

20. **G. Latifrons, Karsch**, Berlin. Ent. W. Africa,
Zeitschr. xxxviii. p. 150 (1896). Togo.
- *21. **G. Leucostomus, Serv.** l. c. p. 342 (1839); E. & W.
Sauss. l. c. p. 167 (1877). Africa.
- ** *G. Guttatus, Walk.* l. c. i. p. 27. n. 43
(1869).
22. **G. Adustus, Karsch**, l. c. p. 151 (1893). Togo.
23. **G. Ambiguus, Karsch**, l. c. (1893). id.
- **24. **G. Ignobilis, Walk.** l. c. i. p. 29. n. 47 Natal.
(1869).
25. **G. Typographicus, Sauss.** l. c. p. 168 Zanzibar.
(1877).
26. **G. Xanthoneurus, Gerst.** Arch. f. Nat. E. Africa
xxxv. (1) p. 212. n. 34 (1869); Decken's (Wanga).
Reise Ost-Afrika, Ins. p. 22, pl. 1. ff. 10,
10 a (1873); Sauss. l. c. p. 169 (1877).
27. **G. Æquipennis, Sauss.** Abh. Senckenb. Zanzibar.
Ges. xxi. p. 602 (1899).
- *28. **G. Brunneri, Selys**, Ann. Soc. Ent. Belge, Africa,
xi. p. 27 (1867); Sauss. Mém. Soc. India,
Genève, xxv. p. 170 (1877). Australia.
- G. Contaminatus, Gerst.* ll. cc. p. 213.
n. 38 (1869); p. 26. n. 38 (1873), *larva*.
- **29. **G. Macrurus, Walk.** l. c. i. p. 29. n. 48 Fantee.
(1869).
- **30. **G. Posticus, Walk.** l. c. i. p. 30. n. 50 S. Leone.
(1869).
- *31. **G. Gracilipes, Sauss.** l. c. p. 160, pl. 12 Africa,
(x.) f. 4 (1877). India, &c.
- **32. **G. Plagiceps, Walk.** l. c. i. p. 27. n. 44 W. Africa.
(1869) (♀ *nec* ♂!).
- 32 a. **G. Ornaticeps, Sauss.** l. c. p. 178 Gold Coast.
(1877).
33. **G. Conspersus, Schaum**, Ber. Akad. E. Africa;
Berl. 1853, p. 776. n. 6; Peters' Reise India (?).
Mossamb. v. p. 117 (1862); Sauss. l. c.
p. 183 (1877).
- ♂. *G. Laqueatus, Gerst.* ll. cc. p. 212.
n. 36 (1869); p. 24, pl. 1. f. 12 (1873).
34. **G. Consobrinus, Sauss.** l. c. p. 188, Senegal, p. 2.
pl. 12 (xi.) f. 4 (1877); Brunn. Ann. E. Africa,
Mus. Genova, xxxiii. p. 198 (1893). E. Indies.
35. **G. Pachycephalus, Karsch**, Ent. Nachr. Camerboons.
xix. p. 200 (1893).
- *36. **G. Viator, Kirb.** (n. n.). Abyssinia,
|| *G. Melanocephalus, Sauss. (nec Serv.)* l. c. Nyassa,
p. 174, pl. 12 (x.) ff. 1, 2 (1877). India.

37. **G. Pulchriceps**, Gerst. ll. cc. p. 212 Zanzibar.
(1869); p. 22, pl. 1. f. 9 (1873); Sauss.
l. c. p. 179 (1877).
- **38. **G. Lucens**, Walk. l. c. i. p. 32. n. 54 Sierra
(1869). Leone.
- **39. **G. Compactus**, Walk. l. c. p. 31. n. 51 Natal.
(1869).
- **40. **G. Testaceus**, Walk. l. c. p. 38. n. 70 China.
(1869). Japan,
|| *G. Chinensis*, Sauss. (*nec* Weber) l. c. India,
p. 153, pl. 12 (ix.) f. 4 (1877). Ceylon,
|| *G. Membranaceus*, Serv. (*nec* Dru.) l. c. Malacca &c.
p. 334 (1839).
- ** *G. Consimilis*, Walk. l. c. p. 41. n. 78 Philippines.
(1869).
41. **G. Infernalis**, Sauss. l. c. p. 156 China.
(1877).
- *42. **G. Mitratus**, Burm. l. c. p. 734. n. 12 Java,
(1838); Sauss. l. c. p. 154 (1877). Nepal,
G. Occipitalis, Serv. l. c. p. 339 (1839). Malacca.
Var. *G. Mitratus*, var. *Albifrons*, Sauss.
l. c. p. 155 (1877).
- *43. **G. Perspicillatus**, Serv. l. c. p. 338 India,
(1839). Java.
- G. Mitratus*, var., Sauss. l. c. p. 165 (1877).
- **44. **G. Supplicans**, Walk. (*Acheta* S.) Ann. Ceylon.
Nat. Hist. (3) iv. p. 221 (1859).
G. Supplicans, Walk. Cat. Derm. Salt.
B. M. i. p. 36. n. 65 (1869).
- *45. **G. Orientalis**, Fabr. (*Acheta* O.) Syst. Tranquebar,
Ent. p. 281. n. 5 (1775). Tonkin.
Gryllus Orientalis, Oliv. l. c. p. 635. n. 8
(1791); Sauss. l. c. p. 196. n. 3 (1877).
- *46. **G. Oceanicus**, Le Guill. Rev. Zool. 1841, Penang,
p. 293. n. 10. Java, Tahiti,
G. Innotabilis, Walk. l. c. i. p. 47. n. 92 Fiji,
(1869); Sauss. Mém. Soc. Genève, xxv. Hawaiian
p. 158 (1877). Is.
- **47. **G. Configuratus**, Walk. l. c. v. Suppl. Bombay.
p. 8 (1871).
48. **G. Longipennis**, Sauss. l. c. p. 161, E. Indies.
pl. 12 (x.) f. 3 (1877).
- **49. **G. Conscitus**, Walk. l. c. i. p. 35. n. 64 Nepal.
(1869).
- 49 a. **G. Niger**, Sauss. l. c. p. 164 (1877). Ind., Java.
- **50. **G. Tenellus**, Walk. l. c. i. p. 37. n. 67 Ceylon.
(1869).

- *51. **G. Melanocephalus**, Serv. l. c. p. 342 (1839). Bengal.
- **52. **G. Spurcatus**, Walk. l. c. i. p. 35. n. 62 (1869). HongKong, Macao.
- **53. **G. Guttiventris**, Walk. l. c. v. Suppl. p. 6 (1871). Bombay.
- **54. **G. Signipes**, Walk. l. c. p. 8 (1871). id.
- **55. **G. Concisus**, Walk. l. c. i. p. 34. n. 61 (1869). Burma.
- **56. **G. Miser**, Walk. l. c. i. p. 41. n. 79 (1869). Borneo.
- **57. **G. Lineiceps**, Walk. l. c. v. Suppl. p. 7 (1871). Bombay.
- **58. **G. Confirmatus**, Walk. (*Acheta Confirmata*) Ann. Nat. Hist. (3) iv. p. 221 (1859). Ceylon.
G. Confirmatus, Walk. Cat. Derm. Salt. B. M. i. p. 37. n. 68 (1869).
- **59. **G. Angustulus**, Walk. l. c. v. Suppl. p. 7 (1871). id.
- **60. **G. Ferricollis**, Walk. l. c. p. 6 (1871). Bombay.
- **61. **G. Signifrons**, Walk. l. c. i. p. 38. n. 70 (1869). N. India.
62. **G. Plebejus**, Sauss. l. c. p. 165 (1877). Burm., Phil. *Silv.*
- *63. **G. Quadrimaculatus**, Sauss. l. c. p. 172 (1877). Philippines.
64. **G. Dorsalis**, Burm. Handb. Ent. ii. p. 733. n. 5 (1838); Sauss. l. c. p. 196. n. 1 (1877). Java.
- **65. **G. Atratus**, Walk. l. c. i. p. 40. n. 77 (1869). Philippines.
- *66. **G. Nefandus**, Kirb. (n. n.). Java,
 || *G. Ignobilis*, Sauss. (*nec* Walk.) l. c. p. 165 (1877). Amboina.
67. **G. Vaginalis**, Sauss. l. c. p. 188 (1877). Java.
68. **G. Clarellus**, Sauss. l. c. p. 192 (1877). Java, Burm.
69. **G. Conjunctus**, Stål, Eugenie's Resa, Orth. p. 315 (1858); Sauss. l. c. p. 175. n. 33 (1877). Java.
70. **G. Carbonarius**, Serv. l. c. p. 335 (1839). Hab. —?
- *71. **G. Commodus**, Walk. l. c. i. p. 45. n. 87 (1869). Australia,
 || *G. Fuliginosus*, Serv. (*nec* Stoll) l. c. p. 334 (1839). New Caledonia, New Zealand.
G. Servillei, Sauss. l. c. p. 156 (1877).
- **72. **G. Comparatus**, Walk. l. c. i. p. 44. n. 85 (1869). Australia.

- (?) *G. Diminuens*, var. (?) & ♀ (?), Walk.
l. c. p. 43, n. 83 (1869).
73. **G. Regulus**, Macl. King, Surv. Coasts Australia.
Austral. ii. p. 456, n. 116 (1827).
- **74. **G. Lepidus**, Walk. l. c. p. 40, n. 89 id.
(1869); Sauss. l. c. p. 182 (1877).
- **75. **G. Diminuens**, Walk. (♂) l. c. p. 43. Tasmania.
n. 83 (1869).
76. **G. Luctuosus**, Serv. l. c. p. 335 (1839); N. America,
Scudd. Bost. Journ. Nat. Hist. vii. p. 427 Mexico.
(1862); Glover, Ill. N. Amer. Orth. pl. 9. Guatemala.
ff. 10, 11 (1872); Sauss. Miss. Mex.,
Orth. p. 396 (1874); Mém. Soc. Genève,
xxv. p. 149 (1877); Biol. Centr.-Amer.,
Orth. i. p. 226, n. 4 (1897); Blatchl.
Proc. Indiana Acad. Sci. 1891. p. 133.
n. 5.
- *77. **G. Abbreviatus**, Serv. l. c. p. 336 (1839); N. America,
Scudd. l. c. p. 427 (1862); Psyche, ix. Mexico.
p. 291 (1902); Glov. l. c. pl. 7, f. 17
(1872); Sauss. ll. cc. p. 400 (1874);
p. 149 (1877); p. 225 (1897); Blatchl.
l. c. p. 132, n. 4 (1891); Rep. Indiana
Dept. Geol. pp. 431, 435, n. 135 (1903);
Bent. l. c. p. 265 (1894); E. M. Walker,
l. c. xxxvi. p. 248, n. 9 (1904).
Acheta Abbreviata, Harr. Ins. Injur. Veget.
p. 122 (1841); (ed. 3) p. 152, f. 69
(1862).
|| *G. Pennsylvanicus*, Sauss. (nec Burm.) Miss.
Mex., Orth. p. 401 (1874).
Var. *G. Scudderianus*, Sauss. l. c. p. 402
(1874).
Var. *G. Angustus*, Scudd. Bost. Journ. Nat.
Hist. vii. p. 427 (1862).
- *78. **G. Niger**, Harr. (*Acheta Nigra*) ll. cc. Northern
p. 123 (1841); p. 152 (1862). U. States,
G. Neglectus, Scudd. l. c. p. 428 (1862). Canada.
(?) *G. Niger*, Scudd. l. c. (1862).
- ***G. Nigerrimus*, Walk. l. c. i. p. 49, n. 96
(1869).
G. Pennsylvanicus, var. *Neglectus*, Caud.
Proc. U.S. Nat. Mus. xxviii. p. 477
(1905).
- *79. **G. Pennsylvanicus**, Burm. l. c. p. 734 United
(1838); Glov. l. c. pl. 1, ff. 13, 14 (1872); States,
Blatchl. ll. cc. p. 134, n. 6 (1891); pp. 432, Mexico.

437. n. 136, f. 110 (1903); Beut. l. c. p. 265, pl. 5. ff. 6, 7 (1894); E. M. Walker, l. c. pp. 249, 251. n. 10 (1904); Rehn, Entom. News, xv. p. 269 (1904).
G. Neglectus, var., Sauss. Biol. Centr.-Amer., Orth. i. p. 225. n. 2 (1897).
80. **G. Americanus, Blatchl.** Rep. Indiana Dept. Geol. xxvii. pp. 431, 433. n. 133 (1903). Indiana.
81. **G. Arenaceus, Blatchl.** l. c. pp. 431, 434. n. 134 (1903). id.
82. **G. Armatus, Scudd.** Psyche, ix. p. 293 (1902). Utah, Arizona.
83. **G. Alogus, Rehn**, Proc. Acad. Nat. Sci. Philad. liv. p. 725 (1902). New Mexico.
- *84. **G. Integer, Scudd.** l. c. p. 268 (1901). S.W. States.
85. **G. Vocalis, Scudd.** l. c. (1901). California.
86. **G. Firmus, Scudd.** l. c. p. 295 (1902); Blatchl. l. c. pp. 431, 432. n. 132 (1903). S.E. States.
87. **G. Personatus, Uhler**, Proc. Ent. Soc. Philad. ii. p. 547 (1864); Sauss. Miss. Mex., Orth. p. 400 (1874); Scudd. l. c. p. 293 (1902). Kansas, Colorado, Texas.
88. **G. Bermudensis, Caud.** Proc. Ent. Soc. Washington, v. p. 330 (1903). Bermuda.
89. **G. Rubens, Scudd.** l. c. p. 295 (1902). Alabama.
90. **G. Insularis, Scudd.** Proc. Boston Soc. Nat. Hist. xviii. p. 268 (1876); Sauss. Biol. Centr.-Amer., Orth. i. p. 225 (1897). Lower California; Guadalupe I.
91. **G. Lineaticeps, Stål**, Eugenie's Resa, Orth. p. 314 (1858). San Francisco.
- **92. **G. Similaris, Walk.** l. c. i. p. 20. n. 26 (1869). Haiti.
- *93. **G. Capitatus, Sauss.** Miss. Mex., Orth. p. 405 (1874); Mém. Soc. Genève, xxv. p. 150 (1877). Peru, Chili, Ecuador; W. Indies (ead.?).
- *94. **G. Verticalis, Serv.** l. c. p. 343 (1839). Cayenne, Colombia.
- **95. **G. Debilis, Walk.** l. c. v. Suppl. p. 4 (1871). Chontales.
- *96. **G. Fulvipennis, Blanch.** Hist. Chile, Zool. vi. p. 32, pl. 1. ff. 8, 9 (1854); Sauss. ll. cc. p. 404 (1874); p. 152 (1877). Chile, Argentina, Fernando Noronha, Venezuela, Demerara.
- G. Signatus*, ♀, Walk. l. c. p. 24. n. 36 (1869).

- *97. **G. Argentinus, Sauss.** Il. cc. p. 399 (1874); p. 152 (1877). Argentina, Brazil.
- *98. **G. Assimilis, Fabr.** Syst. Ent. p. 280. n. 3 (1775); Oliv. Enc. Méth. vi. p. 634. n. 4 (1791); Burm. l. c. p. 733. n. 8 (1838); Sauss. Il. cc. p. 396, pl. 8. ff. 27-29 (1874); p. 150 (1877); Biol. Centr.-Amer., Orth. i. p. 226, pl. 11. f. 20 (1897).
G. Aztecus, Sauss. Rev. Zool. (2) xi. p. 316 (1859).
G. Cubensis, Sauss. l. c. (1859).
 ** *G. Septentrionalis, Walk.* l. c. i. p. 18. n. 22 (1869).
G. Oajacanus, Walk. l. c. p. 19 (1869).
 ** *G. Determinatus, Walk.* l. c. n. 24 (1869).
 ** *G. Parilis, Walk.* l. c. p. 20. n. 25 (1869).
 ** *G. Contingens, Walk.* l. c. p. 21. n. 28 (1869); Sauss. Miss. Mex., Orth. p. 404 (1874).
 ** *G. Signatipes, Walk.* l. c. p. 22. n. 29 (1869).
 ** *G. Mundus, Walk.* l. c. p. 23. n. 35 (1869).
 ** *G. Vicarius, Walk.* l. c. p. 24. n. 37 (1869).
 ** *G. Collocatus, Walk.* l. c. p. 49. n. 98 (1869).
G. Assimilis, var. Pallida, Sauss. Biol. Centr.-Amer., Orth. i. p. 226 (1897).
- *99. **G. Mexicanus, Sauss.** Rev. Zool. (2) xi. p. 316 (1859); Miss. Mex., Orth. p. 402, pl. 8. ff. 30, 30 a (1874); Mém. Soc. Genève, xxv. p. 151 (1877); Biol. Centr.-Amer., Orth. i. p. 227 (1897). Mexico, Centr. America.
100. **G. Luridus, Walk.** l. c. i. p. 18. n. 23 (1869). Vera Cruz.
101. **G. Barretti, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 221 (1901). Mexico (Morelos).
- *102. **G. Chichimecus, Sauss.** Biol. Centr.-Amer., Orth. i. p. 226 (1897). Mexico.
- *103. **G. Signatus, Walk.** (♂ nec ♀) l. c. i. p. 24. n. 36 (1869). Venezuela.
104. **G. Bicolor, Sauss.** Miss. Mex., Orth. p. 405 (1874); Mém. Soc. Genève, xxv. p. 151 (1877). Guiana.

- | | |
|---|----------------------|
| **105. G. Comptus , Walk. l. c. i. p. 23. n. 34
(1869). | Brazil,
Demerara. |
| *106. G. Forticeps , Sauss. ll. cc. p. 407
(1874) ; p. 151 (1877). | id. |
| 107. G. Peruvienis , Sauss. ll. cc. p. 406
(1874) ; p. 153 (1877). | Peru. |
| 108. G. Miopteryx , Sauss. Mém. Soc.
Genève, xxv. p. 152, pl. 12 (x.) f. 5
(1877). | id. |
| 109. G. Galapageius , Scudd. Bull. Mus.
Harvard, xxxv. p. 22, pl. 3. f. 8 (1893) ;
McNeill, Proc. Washington Acad. Sci.
iii. p. 502 (1901). | Galapagos. |
| **110. G. Simplex , Walk. l. c. i. p. 48. n. 95
(1869). | Hab. — ? |

Genus 22. **Miogryllus**. (*Type* no. 7.)

Sauss. Mém. Soc. Genève, xxv. p. 194 (1877) ; Biol. Centr.-
Amer., Orth. i. p. 227 (1897) ; Scudd. Psyche, ix. p. 256
(1901) ; Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 419,
442 (1903).

- | | |
|--|--|
| 1. M. Capitatus , Scudd. l. c. p. 257
(1901). | Texas. |
| 2. M. Lineatus , Scudd. (<i>Gryllodes</i> L.)
Wheeler, Ann. Rep. Geogr. Surv. W.
100th Merid. 1876, p. 279.
<i>Gryllus Lineatus</i> , Sauss. Mém. Soc.
Genève, xxv. p. 195, pl. 12 (xi.) f. 3
(1877). | Arizona. |
| 3. M. Saussurei , Scudd. (<i>Gryllus</i> S.) Proc.
Boston Soc. Nat. Hist. xix. p. 35 (1877) ;
Blatchl. l. c. p. 442. n. 138, f. 112
(1903). | Georgia,
Florida. |
| 4. M. Transversalis , Scudd. Psyche, ix.
p. 257 (1901). | Florida. |
| 5. M. Sicarius , Scudd. l. c. p. 258 (1901). | San Diego. |
| 6. M. Oklahomæ , Caud. Trans. Amer. Ent.
Soc. xxviii. p. 90 (1902). | Oklahoma. |
| *7. M. Pusillus , Burm. (<i>Gryllus</i> P.) Handb.
Ent. ii. p. 733. n. 6 (1838).
<i>Gryllodes Pusillus</i> , Sauss. Miss. Mex.,
Orth. p. 416, pl. 7. f. 6 (1874). | Mexico,
Guiana,
Brazil,
Peru. |

- Gryllus Pusillus*, Sauss. Mém. Soc. Genève, xxv. p. 194, pl. 12 (xi.) ff. 7, 7 e, f (1877).
M. Pusillus, Sauss. Biol. Centr.-Amer., Orth. i. p. 227 (1897).
- *8. **M. Micromegas**, Sauss. (*Gryllodes M.*) Mexico, Nicaragua.
 Miss. Mex., Orth. p. 418 (1874).
Gryllus Micromegas, Sauss. Mém. Soc. Genève, xxv. p. 196 (1877).
M. Micromegas, Sauss. Biol. Centr.-Amer., Orth. i. p. 227 (1897).
- *9. **M. Brevipennis**, Sauss. (*Gryllodes B.*) Mexico, Peru.
 Miss. Mex., Orth. p. 418 (1874).
Gryllus Brevipennis, Sauss. Mém. Soc. Genève, xxv. p. 195 (1877).
M. Brevipennis, Sauss. Biol. Centr.-Amer., Orth. i. p. 227 (1897).
10. **M. Ater**, De Geer, (*Gryllus A.*) Mém. Surinam.
 Ins. iii. p. 520. n. 3, pl. 43. f. 3 (1773).
 || *Gryllus Convolutus*, pt., Oliv. Enc. Méth. vi. p. 638. n. 20 (1791).
Gryllodes (?) Convolutus, Sauss. Miss. Mex., Orth. p. 413 (1874).
11. **M. (?) Convolutus**, Joh. (*Gryllus C.*) id.
 Amén. Acad. vi. p. 399. n. 38 (1763).
12. **M. Nitidulus**, Stål, (*Gryllus N.*) Buenos Aires.
 Eugenie's Resa, Orth. p. 315 (1858); Sauss. Mém. Soc. Genève, xxv. p. 196 (1877).
Gryllodes Nitidulus, Sauss. Miss. Mex., Orth. p. 417 (1874).
13. **M. Tucumanensis**, Giglio-Tos, (*Gryllus (Miogryllus) T.*) Tucuman.
 Boll. Mus. Torino, ix. (184) p. 41 (1894).
14. **M. (?) Argyropterus**, Rochebr. Bull. Senegambia
 Soc. Philom. (7) vii. p. 176 (1883).

Genus 23. **Grylloderes.**

Bol. Actas Soc. Españ. xxiii. p. 46 (1894).

1. **G. Brunneri**, Riggio, (*Gryllodes B.*) Sicily.
 Nat. Sicil. vii. p. 110, pl. 1. ff. 1, 2 (1888); Atti Accad. Palermo, (2) x. p. 33, pl. 1. ff. 15, 15 a, a (1889).

Genus 24. **Gryllodes.** (Type no. 28.)

Sauss. Miss. Mex., Orth. p. 409 (1874); Mém. Soc. Genève, xxv. p. 197 (1877); Biol. Centr.-Amer., Orth. i. p. 228 (1897); Brunn. Prodr. Eur. Orth. pp. 419, 436 (1882); Riggio, Nat. Sicil. vii. p. 112 (1888); Finot, Faune France, Orth. pp. 231, 241 (1889); Bol. Actas Soc. Españ. xxiii. p. 44 (1894); Ann. Sci. Nat. Porto, v. p. 39 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 455 (1904).

1. **G. Macropterus, Fuente,** Act. Soc. Españ. xxii. p. 137 (1894); Bol. Il. cc. p. 48 (1894); p. 45 (1898). Spain.
2. **G. Ferdinandi, Bol.** Ann. Soc. Ent. Belg. xliii. p. 606 (1899); Jacobs. & Bianchi, l. c. p. 456 (1904). Alexandria.
3. **G. Kerkennensis, Finot,** (♀), Bull. Soc. Ent. France, lxii. p. cclii (1893); Ann. Soc. Ent. France, lxv. p. 596 (1897); Bol. Actas Soc. Españ. xxiii. p. 49 (1894); Krauss, Verh. zool.-bot. Ges. Wien, lii. p. 252 (1902). Tunis.
4. **G. Finoti, Krauss,** l. c. p. 253 (1902). *Gryllodes Kerkennensis*, ♂, Finot, ll. cc. p. cclii (1893); p. 596, pl. 14. f. 18 (1897); Bol. l. c. p. 49 (1894). Algeria (Biskra).
5. **G. Niloticus, Sauss.** Mém. Soc. Genève, xxv. p. 221 (1897). Egypt.
6. **G. Lateralis, Fieb.** (*Gryllus L.*) Lotos, iii. p. 235. n. 12 (1853); Syn. Eur. Orth. p. 66. n. 12 (1854). *G. Lateralis*, Sauss. l. c. p. 222 (1877); Brunn. l. c. p. 437 (1882); Riggio, l. c. p. 113 (1888); Bol. l. c. pp. 49, 51 (1894); Jacobs. & Bianchi, l. c. p. 456 (1904). Caspian, Turkestan, Tunis.
- || *Gryllus Pipiens*, Sauss. (nec Duf.) Fedchenko, Reise Turk., Orth. p. 31, pl. 1. f. 11 (1874).
7. **G. Ibericus, Brunn.** l. c. p. 438, pl. 11. f. 100 A-B (1882); Riggio, l. c. p. 113 (1888); Bol. l. c. p. 52 (1894); Ann. Sci. Nat. Porto, v. p. 45 (1898). Spain.
8. **G. Pipiens, Duf.** (*Gryllus P.*) Ann. Sci. Phys. Brux. vi. p. 315 (1820); Serv. Ins. Orth. p. 344 (1839); Fisch. Orth. Eur. p. 175 (1853); Fieb. Lotos, v. p. 67. n. 10 (1855); Bol. Ortópt. Españ. id., S. France.

- p. 286, pl. 7. ff. 6, 6 a (1876) : An. Soc. Españ. pp. 78, 82. n. 7, pl. 3. ff. 6, 6 a (1878).
- G. Pipiens*, *Sauss.* Mém. Soc. Genève, xxv. p. 223 (1877); Cazurro, An. Soc. Españ. xvii. p. 462 (1888) ; Riggio, l. c. p. 113 (1888) ; Bol. Actas Soc. Españ. xxiii. p. 52 (1894) ; Ann. Sci. Nat. Porto, v. p. 45 (1898) ; Finot, Faune France, Orth. p. 241 (1889).
- G. Pipiens*, var. *Castellanus*, *Bol.* Actas Soc. Españ. xxiii. p. 53 (1894).
- G. Pipiens*, var. *Lusitanus*, *Bol.* l. c. (1894).
- G. Pipiens*, var. *Valentinus*, *Bol.* l. c. p. 54 (1894).
9. **G. Panteli**, **Cazurro**, l. c. p. 461 (1888) ; Spain.
Bol. l. c. p. 54 (1894) ; Ann. Sci. Nat. Porto, v. p. 45 (1898) ; Pant. An. Soc. Españ. xix. p. 416 (1890).
- || *G. Pipiens*, *Brunn.* l. c. p. 437 (1882).
10. **G. Boscai**, **Bol.** Ann. Sci. Nat. Porto, v. Valencia.
p. 47 (1898).
11. **G. Escalerae**, **Bol.** Actas Soc. Españ. xxiii. Spain.
p. 55 (1894) ; Ann. Sci. Nat. Porto, v. p. 46 (1898).
12. **G. Littoreus**, **Bol.** Le Nat. vii. p. 174 Spain ;
(1885) ; An. Soc. Españ. xvi. p. 109, Toledo.
pl. 4. f. 13 (1887) ; Actas Soc. Españ. xxiii. p. 57 (1894) ; Ann. Sci. Nat. Porto, v. p. 46 (1898) ; Riggio, l. c. p. 113 (1888).
- *13. **G. Apricus**, **Sauss.** l. c. p. 203 (1877). Egypt,
Somali.
14. **G. Terrestris**, **Sauss.** l. c. p. 224 (1877) ; Turkestan.
Jacobs. & Bianchi, l. c. p. 457 (1904).
15. **G. Saltator**, **Sauss.** l. c. p. 226 (1877). Bahr El
Abiad.
16. **G. Hebraeus**, **Sauss.** l. c. p. 206, pl. 13 Palestine.
(xii.) f. 3 (1877) ; Jacobs. & Bianchi, l. c. p. 456 (1904).
17. **G. Hofmanni**, **Sauss.** l. c. p. 211 (1877). Bahr El
Ghazal.
- *18. **G. Scenicus**, **Gerst.** (*Gryllus* S.) Arch. f. E. Africa.
Nat. xxxv. p. 212. n. 35 (1869) ; Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 23, pl. 1. f. 11 (1873).
G. Scenicus, *Sauss.* l. c. p. 204 (1877).

- *19. **G. Teres, Schaum**, (*Gryllus T.*) Ber. Akad. Berlin, 1853. p. 777. n. 7 : Peters' Reise Mossamb., Ins. p. 118, pl. 7. f. 6 (1862).
G. Teres, Sauss. l. c. p. 230 (1877). E. Africa.
20. **G. Episcopus, Sauss.** l. c. p. 201, pl. 13 (xii.) f. 1 (1877). Gold Coast.
21. **G. Viridis, Sjöst.** Bihang Svenska Akad. xxv. (4 : 6) p. 29 (1900). W. Africa.
22. **G. Microcephalus, Bol.** Ann. Soc. Ent. France, lxii. p. 181 (1893). W. Africa (Assinie).
23. **G. Hiulcus, Karsch**, Berlin. Ent. Zeitschr. xxxviii. p. 152 (1896). W. Africa (Adeli).
24. **G. Cantans, Sauss.** l. c. p. 221 (1877). India (?).
- *25. **G. Falconneti, Sauss.** l. c. p. 230 (1877). India, Ceylon.
26. **G. Subopacus, Bol.** l. c. lxviii. p. 798 (1900). S. India.
- *27. **G. Berthellus, Sauss.** l. c. p. 205 (1877) ; Bol. An. Soc. Españ. xviii. p. 420 (1889) ; Brunn. Ann. Mus. Genova, xxxiii. p. 199 (1893) ; Jacobs. & Bianchi, l. c. p. 456 (1904). China, Ind., Burma, Ceylon, Java, Amboina.
- **28. **G. Sigillatus, Walk.** (*Gryllus S.*) Cat. Derm. Salt. B. M. i. p. 46. n. 90 (1869). India, Mauritius, Hawaiian Islands, Australia, Mexico, S. America, W. Indies.
G. Sigillatus, Sauss. l. c. p. 210 (1877).
 ***Gryllus Pustulipes, Walk.* l. c. p. 51. n. 102 (1869).
G. Pustulipes, Sauss. l. c. p. 210 (1877).
G. Poeyi, Sauss. Miss. Mex., Orth. p. 420. pl. 7. f. 8 (1874) ; Mém. Soc. Genève, xxv. p. 219 (1877).
- **29. **G. Parviceps, Walk.** (*Gryllus P.*) l. c. v. Suppl. p. 8 (1871). Bombay, Bengal.
G. Parviceps, Sauss. Mém. Soc. Genève, xxv. p. 227 (1877).
 || *G. Parvipennis, Sauss.* l. c. pl. 13 (xii.) ff. 2, 2 a (1877).
30. **G. Histrio, Sauss.** l. c. p. 229 (1877). India (?).
- 30 bis. **G. Virgulatus, Bol.** Ann. Soc. Ent. France, lxviii. p. 797 (1900). 0 - 337. S. India.
- *31. **G. Furcatus, Sauss.** l. c. p. 231, pl. 13 (xii.) f. 4 (1877). India.
32. **G. Blennus, Sauss.** l. c. p. 215 (1877) ; Bol. l. c. p. 797 (1900). 0 - 337. S. India, Java.
33. **G. Nigrifrons, Brunn.** l. c. xxxiii. p. 199. pl. 6. f. 68 (1893). Tenasserim.

34. **G. Mandibularis**, Brunn. l. c. p. 200 pl. 6. f. 69 (1893). Burma.
- *35. **G. Hemelytrus**, Sauss. l. c. p. 208 (1877). Java.
36. **G. Kirschii**, Sauss. l. c. p. 209 (1877). id.
37. **G. Debilis**, Sauss. l. c. p. 217 (1877). Borneo.
38. **G. Imbecillus**, Sauss. l. c. p. 218 (1877). id.
39. **G. Extraneus**, Sauss. l. c. p. 214 (1877). Flores.
- **40. **G. Lineiceps**, Walk. l. c. i. p. 44. n. 86 (1869). Australia.
- **41. **G. Parvulus**, Walk. (*Gryllus P.*) l. c. i. p. 43. n. 84 (1869). id.
- *42. **G. Fistulator**, Sauss. l. c. p. 212 (1877). Melbourne.
43. **G. Flavispina**, Sauss. l. c. p. 213 (1877). W. Australia.
- **44. **G. Nanus**, Walk. (*Gryllus N.*) l. c. i. p. 214 (1869). Australia.
Piestodactylus Nanus, Sauss. l. c. p. 531 (1878).
 || *Gryllus Minusculus*, Walk. l. c. p. 47. n. 91 (1869).
45. **G. Maorius**, Sauss. l. c. p. 209 (1877). N. Zealand.
46. **G. Toltecus**, Sauss. Miss. Mex., Orth. p. 446, pl. 7. ff. 7, 7 E (1874); Mém. Soc. Genève, xxv. p. 228 (1877); Biol. Centr.-Amer., Orth. i. p. 229, pl. 11. ff. 27, 28 (1897). Mexico.
- **47. **G. Forcipatus**, Sauss. Biol. Centr.-Amer., Orth. i. p. 229, pl. 11. ff. 29-34 (1897). id.
- *48. **G. Rufipes**, Redt. Proc. Zool. Soc. Lond. 1892, p. 217, pl. 17. f. 15. St. Vincent.
- *49. **G. Guyennensis**, Sauss. Mém. Soc. Genève, xxv. p. 216 (1877). Surinam.
- *50. **G. Parvipennis**, Sauss. Miss. Mex., Orth. p. 419 (1874); Mém. Soc. Genève, xxv. p. 216 (1877). Brazil.
51. **G. Patagonus**, Sauss. ll. cc. p. 421, pl. 7. f. 12 (1874); p. 218 (1877). Argentina, Patagonia.
- *52. **G. Laplatæ**, Sauss. (*Gryllus L.*) Miss. Mex., Orth. p. 408 (1874). Argentina.
G. Laplatæ, Sauss. Mém. Soc. Genève, xxv. p. 215 (1877).
53. **G. Carrascoi**, Bol. Bol. Soc. Españ. Hist. Nat. i. p. 87 (1902). Santiago de la Espada.

- | | |
|--|-----------|
| 54. G. Incertus, Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 42 (1894). | Paraguay. |
| 55. G. Bohlsii, Giglio-Tos, Zool. Jahrb. Syst. viii. p. 817 (1895). | id. |
| 56. G. Ambulator, Sauss. (<i>Gryllus</i> A.) l. c. p. 193, pl. 12 (xi.) f. 6 (1877). | Hab. — ? |

Genus 25. **Cophogryllus.** (*Type* no. 4.)

Sauss. Mém. Soc. Genève, xxv. p. 232 (1877).

- | | |
|---|------------------------|
| *1. C. Physomerus, Gerst. (<i>Gryllus</i> P.) Arch. f. Naturg. xxxv. p. 211. n. 31 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 21 (1873). <i>C. Physomerus, Sauss.</i> l. c. p. 233 (1877). | E. Africa (Lake Jipe). |
| *2. C. Boromensis, Brancs. Jahresh. Ver. Trencsin. Com. xvii. p. 260, pl. 9. f. 6 (1897). | Zambesi, Cape. |
| **3. C. Walkeri, Sauss. l. c. p. 233 (1877). <i>Gryllus Pustulipes</i> , ♀ (?), Walk. Cat. Derm. Salt. B. M. i. p. 51. n. 102 (1869). | Natal. |
| 4. C. Delalandi, Sauss. l. c. p. 234, pl. 13 (xiii.) f. 2 (1877). | S. Africa. |
| **5. C. Fasciatus, Walk. l. c. i. p. 50. n. 101 (1869). | Natal. |
| 6. C. Martini, Bol. Ann. Soc. Ent. France, lxxviii. p. 798 (1900). | Trichinopoly. |
| 7. C. (?) Albipalpus, Sauss. l. c. p. 236, pl. 13 (xiii.) f. 3 (1877). | India (?). |
| 8. C. Euzonus, Sauss. l. c. p. 235, pl. 13 (xiii.) ff. 1, 1 a (1877). | Java. |

Genus 26. **Podogryllus.**

Karsch, Berl. Ent. Zeitschr. xxxviii. p. 153 (1893).

- | | |
|--|-------------------|
| 1. P. Desultorius, Karsch, l. c. p. 154 (1893). | W. Africa (Togo). |
|--|-------------------|

Genus 27. **Scapsipedus.** (*Type* no. 4.)

Sauss. Mém. Soc. Genève, xxv. p. 239 (1877); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 457 (1904).

1. **S. Fuscoirroratus**, Bol. Ann. Soc. Ent. Réunion.
France, 1895, p. 386.
2. **S. Limbatus**, Sauss. l. c. p. 241, pl. 13 Madagascar
(xiv.) ff. 2, 2 a (1877).
3. **S. Felderi**, Sauss. l. c. p. 242 (1877). id., Sennaar
(eadem?).
W. & E.
Africa.
- *4. **S. Marginatus**, Afzel. & Brann. (*Acheta*
Marginata) Achet. Guin. p. 23. n. 4,
ff. 1 a-hh, 5 a (1804).
♀ *Acheta Vittata*, Afzel. & Brann. l. c.
p. 28, ff. 5 b, 10 a, b (1804).
- ** *Gryllus Parallelus*, Walk. Cat. Derm. Salt.
B. M. i. p. 31. n. 53 (1869).
Gryllus Diadematus, Gerst. Arch. f. Nat.
xxxv. p. 213. n. 37 (1869); Von der
Decken, Reisen in Ost-Afrika, iii. (2)
p. 25 (1873).
S. Marginatus, Sauss. l. c. p. 243, pl. 13
(xiv.) ff. 1, 1 a (1877).
5. **S. Africanus**, Sauss. l. c. p. 244, pl. 13 S. Africa.
(xvi.) f. 7 (1877).
6. **S. Orientalis**, Bol. l. c. lxviii. p. 799 S. India.
(1900).
S. Orientalis, var. *Bilineatus*, Bol. l. c. (1900).
7. **S. Hastatus**, Sauss. l. c. p. 245 (1877). Himalaya.
- *8. **S. Mandibularis**, Sauss. l. c. p. 246 Ind., Ceylon,
(1877). Japan.
9. **S. Micado**, Sauss. l. c. p. 247 (1877); id.,
Jacobs. & Bianchi, l. c. p. 457 (1904). Celebes.

Genus 28. **Homaloblemmus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 247 (1877).

1. **H. Zambesi**, Sauss. l. c. p. 248, pl. 13 Zambesi.
(xv.) ff. 1-3 (1877).
2. **H. Maroccanus**, Sauss. Rev. Suisse Zool. Morocco.
v. p. 217 (1898). 6-425
3. **H. Vaucheri**, Sauss. l. c. (1898). id.
4. **H. Mauretanicus**, Sauss. l. c. p. 218 id.
(1898).
5. **H. Indicus**, Bol. Ann. Soc. Ent. France, S. India.
lxviii. p. 800 (1900).

Genus 29. **Ædiblemmus.**

Sauss. Rev. Suisse Zool. v. p. 795 (1898).

- | | |
|--|-----------|
| 1. Æ. Olcesii, Bol. (<i>Homaloblemmus O.</i>)
Le Nat. vii. p. 117 (1885); An. Soc.
Españ. xvi. p. 112, pl. 4. f. 14 (1887);
Sauss. l. c. p. 216 (1898).
<i>Æ. Olceseii, Sauss.</i> l. c. p. 796 (1898). | Tangiers. |
|--|-----------|

Genus 30. **Loxoblemmus.** (*Type no. 3.*)

Sauss. Mém. Soc. Genève, xxv. p. 249 (1877); Jacobs. & Bianchi, Prem. i Lozhn. Imp. Ross. p. 457 (1904).

- | | |
|---|-----------------------------|
| 1. L. Lativertex, Sauss. Abhandl. Senckenb.
Ges. xxi. p. 603, pl. 27. ff. 5, 6 (1899). | Nossi Bé. |
| 2. L. Obtusus, Sauss. l. c. p. 604, pl. 27.
f. 7 (1899). | id. |
| 3. L. Equestris, Sauss. Mém. Soc. Genève,
xxv. p. 252, pl. 13 (xvi.) ff. 4, 4 a-c
(1877). | Burma,
Java,
Celebes. |
| 4. L. Truncatus, Brunn. Ann. Mus. Genova,
xxxiii. p. 200 (1893). | Burma. |
| 5. L. Arietulus, Sauss. l. c. p. 253 (1877);
Jacobs. & Bianchi, l. c. p. 458 (1904). | Jap., Java,
Sumatra. |
| 6. L. Pallens, Serv. (<i>Gryllus P.</i>) Ins. Orth.
p. 344 (1839).
<i>L. Pallens, Sauss.</i> l. c. p. 254, pl. 13 (xvi.)
ff. 2, 2 a (1877). | Australia. |
| 7. L. Detectus, Serv. (<i>Platyblemmus D.</i>)
l. c. p. 774 (1839).
<i>L. Detectus, Sauss.</i> l. c. p. 255, pl. 13 (xvi.)
ff. 2, 2 a (1877).
<i>Platyblemmus Delectus, Serv.</i> (err. impr.)
l. c. p. 356 (1839). | Bengal. |
| 8. L. Taicoun, Sauss. l. c. p. 256 (1877);
Jacobs. & Bianchi, l. c. p. 458 (1904). | Japan,
Java. |
| (?) <i>L. Taicoun, Brunn.</i> l. c. p. 200 (1893). | |
| 9. L. Haanii, Sauss. l. c. p. 257, pl. 13
(xvi.) ff. 5, 5 e (1877).
 <i>Gryllus (Platyblemmus) Delectus, ♂, Haan,</i>
Temminck, Verhandel. Orth. p. 228 (1848). | Java :
Japan (?). |
| *10. L. Parabolicus, Sauss. l. c. p. 258,
pl. 13 (xvi.) ff. 6, 6 a, b, e, l (1877). | Java. |
| 11. L. Histrionicus, Stål, (Effv. Vet.-Akad.
Förh. xxxiv. (10) p. 48 (1877). | Philippines. |

- | | |
|--|--------------|
| 12. L. Satellitius , Stål, l. c. (1877). | Philippines. |
| 13. L. Monstrosus , Stål, l. c. (1877). | id. |
| 14. L. (?) Dœnitzii , Stein, (<i>L. Dönitzii</i>) Berl.
Ent. Zeitschr. xxv. pp. 95, 96, figs. (1881).
<i>L. Dœnitzii</i> , Jacobs. & Bianchi, l. c. p. 457
(1904). | Japan. |

Genus 31. **Lissoblemmus**. (*Type* no. 1.)

Bol. An. Soc. Españ. x. p. 351 (1881).

- | | |
|---|----------|
| 1. L. Mazarredoi , Bol. l. c. p. 352 (1881). | Oran. |
| 2. L. Praticola , Bol. G.R. Soc. Ent. Belg.
xxviii. p. cvi (1884); An. Soc. Españ.
xvi. p. 111 (1887). | Tangier. |

Genus 32. **Alluaudiella**.

Bol. Bull. Soc. Ent. France, lxii. p. ccex (1893).

|| *Alluaudia*, Bol. (*nee Lameere*) Ann. Soc. Ent. France, lxii.
p. 181 (1893).

- | | |
|--|-------------------------|
| 1. A. Flavopicta , Bol. (<i>Alluaudia F.</i>) l. c.
p. 183 (1893). | W. Africa
(Assinie). |
|--|-------------------------|

Genus 33. **Thliptoblemmus**.

Sauss. Rev. Suisse Zool. v. pp. 218, 797 (1898).

- | | |
|---|----------|
| 1. T. Foreli , Sauss. l. c. pp. 218, 798
(1898). | Algeria. |
| <i>Platyblemmus Umbraculatus</i> , ♀, Gogorza, An.
Soc. Españ. x. p. 520 (1881). | |

Genus 34. **Stephoblemmus**.

Sauss. Mém. Soc. Genève, xxv. p. 259 (1877).

- | | |
|---|---------|
| 1. S. Humbertiellus , Sauss. l. c. p. 260.
pl. 13 (xvii.) ff. 1-3 (1877). | Ceylon. |
|---|---------|

Genus 35. **Ganoblemmus**. (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 154 (1893).

- | | |
|---|-----------------------|
| 1. G. Rasilis , Karsch, l. c. p. 155, figs.
(1893). | W. Africa
(Adeli). |
| 2. G. Flavipes , Sjöst. Bihang Svenska Akad.
xxv. (6 : 4) p. 32 (1900). | Cameroons. |

Genus 36. **Sciobia.** (*Type* no. 6.)

Burm. Handb. Ent. ii. p. 735 (1838).

Platyblemmus Serv. Ins. Orth. p. 352 (1839); Ramb. Faune Andal. ii. p. 36 (1839); Fieb. Lotos, iii. p. 232 (1853); v. p. 65 (1855); Syn. Eur. Orth. p. 63 (1854); Bol. Ortópt. Españ. pp. 275, 278 (1876); An. Soc. Españ. vii. pp. 71, 74 (1878); Ann. Sci. Nat. Porto, v. pp. 39, 121 (1898); Sauss. Mém. Soc. Genève, xxv. p. 261 (1877); Rev. Suisse Zool. v. pp. 219, 799 (1898); Gogorza, An. Soc. Españ. x. p. 511 (1881); Brunn. Prodr. Eur. Orth. pp. 419, 439 (1882). (*Type* no. 6.)

Platyblemma, Erichs. Arch. Nat. vi. (2) p. 263 (1840); Fisch. Orth. Eur. p. 166 (1853).

1. **S. Umbraculata**, Linn. (*Gryllus Acheta Umbraculatus*) Syst. Nat. (ed. x.) i. p. 428. n. 22 (1758); (ed. xii.) i. (2) p. 695. n. 14 (1865).

Gryllus Umbraculatus, Oliv. Enc. Méth., Ins. vi. p. 636. n. 14 (1791); Gray, Griffith, Anim. Kingd. xv. p. 788, pl. 63. f. 2 (1832).

Acheta Umbraculata, Fabr. Ent. Syst. ii. p. 31. n. 12 (1793); Coqueb. Ill. Icon. Ins. iii. p. 91, pl. 21. f. 2 A, B (1804).

Platyblemmus Umbraculatus, Serv. l. c. p. 355 (1839); Sauss. ll. cc. p. 265, pl. 13 (xviii.) f. 4 (1877); p. 802 (1898); Gogorza, l. c. p. 519 (1881); Brunn. l. c. p. 442 (1882); Finot, Ann. Soc. Ent. France, lxxv. p. 602 (1897).

- *2. **S. Batnensis**, Finot, (*Platyblemmus B.*) Bull. Soc. Ent. France, lxii. p. ccliii (1893); Ann. Soc. Ent. France, lxxv. p. 604 (1897); Sauss. Rev. Suisse Zool. v. p. 221 (1898).

3. **S. Velata**, Serv. (*Platyblemmus Velatus*) l. c. p. 354 (1839).

Platyblemmus Umbraculatus, var. *Velatus*, Gogorza, l. c. p. 520 (1881).

- *4. **S. Caliendrum**, Fisch. (*Platyblemma C.*) l. c. p. 168, pl. 9. f. 13 (1853).

Platyblemmus Caliendrum, Sauss. Mém. Soc. Genève, xxv. p. 266, pl. 13 (xviii.) ff. 2, 3 (1877); Brunn. l. c. p. 441 (1882).

Morocco,
Algeria.

Algeria
(Batna).

Hab. —?

Spain,
Portugal,
Tangier,
Algeria.

- Platyblemmus Caliendrus*. Bol. ll. cc. p. 280, pl. 7. f. 4 (1876); p. 76, pl. 3. f. 4 (1878); p. 121 (1898); Gogorza, l. c. p. 516 (1881).
- Platyblemmus Kollarii*, Fieb. Lotos, iii. p. 233 (1853); Syn. Eur. Orth. p. 63 (1854).
5. **S. Mitrata**, Sauss. (*Platyblemmus Mitratus*) Rev. Suisse Zool. v. p. 221 (1898). Tangier.
- || *Platyblemmus Barbarus*, Sauss. Mém. Soc. Genève, xxv. pl. 13 (xviii.) f. 3 (1877).
- *6. **S. Lusitanica**, Serv. (*Platyblemmus Lusitanicus*) l. c. p. 354 (1839); Ramb. l. c. p. 36, pl. 2. ff. 1, 2 (1839); Sauss. l. c. p. 264, pl. 13 (xviii.) ff. 1, 1 a, b, e (1877); Bol. ll. cc. p. 279, pl. 7. ff. 5, 5 a, b (1876); p. 75, pl. 5. f. 5 a, b (1878); p. 121 (1898); Brunn. l. c. p. 441, pl. 11. f. 102 (1882); Gogorza, l. c. p. 514 (1881); Finot, Ann. Soc. Ent. France, lxv. p. 601 (1897). Spain, Portugal, Morocco.
- Platyblemma Lusitanicum*. Fisch. l. c. p. 167, pl. 9. ff. 11, 12 (1853).
- || *Acheta Umbraculata*. Latr. (nec Linn.) Hist. Nat. Crust. Ins. xii. p. 125. n. 6 (1804).
- || *Gryllus Umbraculatus*, Duf. Ann. gén. Sci. phys. Brux. vi. p. 313, pl. 96. f. 6 (1820); Börm. Handb. Ent. ii. p. 735. n. 19 (1838).
- || *Platyblemmus Delectus*, ♀, Haun, Temminck. Verhandel. Orth. p. 228 (1848).
- Platyblemmus Maculatus*, Fieb. ll. cc. p. 233. n. 4 (1853); p. 63 (1854).
- Var. *Platyblemmus Ramburi*, Serv. l. c. p. 355 (1839).
7. **S. Finoti**, Brunn. (*Platyblemmus F.*) l. c. Algeria. p. 442 (1882); Finot, l. c. p. 606 (1897); Sauss. Rev. Suisse Zool. v. p. 802 (1898). — 60-425
- || *Platyblemmus Barbarus*, Gogorza, l. c. p. 516 (1881).
8. **S. Luctuosa**, Gogorza, (*Platyblemmus L.*, ♂) l. c. p. 518 (1881); Sauss. l. c. pp. 803, 804 (1898). id.
- || *Platyblemmus Umbraculatus*, Lucas (nec Linn.), Expl. Alg. iii. p. 22. n. 37; iv. Orth. pl. 1. f. 8 (1849).
9. **S. Finotiana**, Sauss. (*Platyblemmus Finotianus*). l. c. p. 804 (1898). id.

- || *Platyblemmus Luctuosus*, *Finot* (*nec Gog.*),
Bull. Soc. Ent. France, lviii. p. ccliii
(1893); Ann. Soc. Ent. France, lxx.
p. 607 (1897); Sauss. l. c. pp. 222, 804
(1898).
10. **S. Hybrida**, **Sauss.** (*Platyblemmus Hy-* Morocco.
brida) l. c. p. 224, pl. 9. f. 7 (1898).
11. **S. Barbara**, **Sauss.** (*Platyblemmus Bar-* id.
barus) Mém. Soc. Genève, xxv. p. 267,
pl. 13 (xviii.) ff. 3 a, 3 v (1877); Rev.
Suisse Zool. v. p. 222 (1898).
12. **S. Algirica**, **Gogorza**, (*Platyblemmus* Algeria.
Umbraculatus, var. *Algiricus*) l. c. p. 521
(1881).
Platyblemmus Algiricus, *Sauss.* Rev. Suisse
Zool. v. p. 804 (1898).

GRYLLINÆ D.

Genus 37. **Duolandrevus**, **Kirb.** (n. n.). (*Type* no. 1.)

|| *Landrevus*, *Sauss.* (*nec Walk.*) Mém. Soc. Genève, xxv. p. 271
(1877).

- *1. **D. Brachypterus**, **Haan**, (*Gryllus B.*) | Java,
Temminck, Verhandel., Orth. p. 230 (1842). | Tsu Shima
Landrevus Brachypterus, *Sauss.* l. c. p. 271, | (eadem?).
pl. 14 (xxv.) f. 3 (1877).
- **2. **D. Diminutus**, **Walk.** (*Gryllus D.*) Cat. | S. Australia.
Derm. Salt. B. M. i. p. 45. n. 88 (1869).

Genus 38. **Paralandrevus**. (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 271 (1877).

1. **P. Hector**, **Sauss.** (*Landrevus H.*) l. c. | Bourbon.
p. 272, pl. 14 (xxv.) f. 5 (1877).
2. **P. Coulonianus**, **Sauss.** (*Landrevus C.*) | Java.
l. c. p. 273, pl. 14 (xxv.) f. 1 (1877).

Genus 39. **Endolandrevus**. (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 271 (1877).

1. **E. Rostratus**, **Sauss.** (*Landrevus R.*) l. c. | Amboina,
p. 274, pl. 14 (xxv.) f. 2 (1877). | N. Guinea.
2. **E. Ritsemæ**, **Sauss.** (*Landrevus R.*) l. c. | Java.
p. 276, pl. 14 (xxv.) f. 4 (1877).

Genus 40. **Landreva.** (*Type no. 2.*)

Walk. Cat. Derm. Salt. B. M. i. p. 55 (1869).

Ectolandreus, Sauss. Mém. Soc. Genève, xxv. p. 271 (1877).
(*Type no. 2.*)

- | | |
|---|----------------------------------|
| 1. L. Hemipterus, Bol. (<i>Landreus H.</i>)
Ann. Soc. Ent. France, lxxviii. p. 800,
pl. 12. f. 24 (1900). <i>♂ 3371</i>
**2. L. Clarus, Walk. (<i>Gryllus C.</i>) l. c. p. 39.
n. 71 (1869).
<i>Landreus Clarus</i> , Sauss. l. c. p. 278 (1877).
<i>♂. Landreva Insignis</i> , Walk. l. c. p. 55.
n. 1 (1869).
<i>Landreus Insignis</i> , Sauss. l. c. p. 278
(1877).
<i>Landreus Pictus</i> , Sauss. l. c. p. 277 (1877). | S. India ;
Madura.
Ceylon. |
|---|----------------------------------|

Genus 41. **Odontogryllus.** (*Type no. 1.*,

Sauss. Mém. Soc. Genève, xxv. p. 278 (1877).

- | | |
|---|-------------------|
| 1. O. Setosus, Sauss. l. c. p. 279, pl. 14
(xxv.) ff. 6, 6 i, e (1877).
2. O. Niger, Giglio-Tos, Boll. Mus. Torino,
xiii. (311) p. 104 (1898). | Peru.
Ecuador. |
|---|-------------------|

Genus 42. **Petaloptila.** (*Type no. 1.*)Pant. An. Soc. Españ. xix. p. 344 (1890) ;
Bol. Ann. Sci. Nat. Porto, v. p. 122 (1898).

- | | |
|--|---------------|
| 1. P. Aliena, Brunn. (<i>Gryllomorphus Alienus</i>)
Prodr. Eur. Orth. p. 444 (1882) ; Caz.
An. Soc. Españ. xvii. pp. 464, 506
(1888).
<i>Gryllomorphus Aliena</i> , Pant. l. c. xix. p. 353,
pl. 3. f. 1 A-D (1890) ; Bol. l. c. p. 123
(1898).
2. P. Bolivari, Caz. (<i>Gryllomorphus B.</i>) l. c.
xvii. p. 463 (1888).
<i>Gryllomorphus Bolivari</i> , Pant. l. c. xix.
p. 358, pl. 3. f. 2 (1890) ; Bol. l. c. p. 123
(1898). | Spain.
id. |
|--|---------------|

Genus 43. **Discoptila.** (*Type* no. 1.)

Pant. An. Soc. Españ. xix. p. 345 (1890) ;
 Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp. p. 458 (1904).

1. **D. Fragosoi, Bol.** (*Gryllomorphus F.*) Le Spain,
 Nat. vii. p. 117 (1885) ; An. Soc. Españ. Greece,
 xvi. p. 113, pl. 4. f. 15 (1887) ; Ret. Bull. Crimea,
 Mosc. 1888, p. 414. Morocco.
- Gryllomorpha Fragosoi, Pant.* l. c. xix.
 p. 360, pl. 3. f. 3 A, B (1890) ; Jacobs. &
 Bianchi, l. c. p. 458 (1904).
2. **D. Krueperi, Pant.** (*Gryllomorpha Krü-* Greece.
peri) l. c. p. 362, pl. 3. f. 4 (1890).

Genus 44. **Gryllomorpha.** (*Type* no. 2.)

Fieb. Lotos, iii. p. 236 (1853) ; Syn. Eur. Orth. p. 66 (1854) ;
 Sauss. Miss. Mex., Orth. p. 430 (1874) ; Bol. Ortópt.
 Españ. pp. 270, 271 (1876) ; An. Soc. Españ. viii. pp. 66,
 67 (1878) ; Ann. Sci. Nat. Porto, v. pp. 39, 122 (1898) ;
 Finot, Orth. France, p. 130 (1883) ; Faune France, Orth.
 pp. 231, 242 (1889) ; Pant. An. Soc. Españ. xix. pp. 335-
 370 (1890) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp.
 p. 458 (1904).

Gryllomorphus, Sauss. Mém. Soc. Genève, xxv. pp. 280, 371
(1877-1878) ; Brunn. Prodr. Eur. Orth. pp. 420, 443
(1882) ; Tümp. Geradfl. Mitteleurop. pp. 228, 275 (1900).

1. **G. Uclensis, Pant.** l. c. xix. p. 364, pl. 5. Spain,
 f. 5 A, B (1890) ; Bol. Ann. Sci. Nat. Portugal.
 Porto, v. p. 124 (1898).
- *2. **G. Dalmatina, Ocsk.** (*Acheta D.*) Nova S. Europe.
 Acta Acad. Leop.-Carol. xvi. (2) p. 959
 (1832).
- G. Dalmatina, Fieb. Lotos, iii. p. 236. n. 2* -575
(1853) ; v. p. 68. n. 2 (1855) ; Syn. Eur.
Orth. p. 67. n. 2 (1854) ; Finot, ll. cc.
p. 137 (1883) ; p. 242 (1889) ; Pant. l. c.
p. 365, pl. 3. ff. 6 A, B, 8 d (1890) ; Bol.
Ann. Sci. Nat. Porto, v. p. 124 (1898) ;
Jacobs. & Bianchi, l. c. p. 458 (1904).
- Gryllomorphus Dalmatinus, Sauss. l. c.*
p. 281 (1877) ; Brunn. l. c. p. 444,
pl. 11. f. 103 (1882).
- Acheta Aptera, Herr.-Schüff. Faun. Germ.*
fasc. 156, pl. 19 (1838).

G. Aptera, *Bol.* Ortópt. Españ. p. 272 (1876); *An. Soc. Españ.* viii. p. 68. n. 1 (1878).

Gryllus Apteris, *Fisch.* Orth. Eur. p. 173 (1853); *Costa, Faun. Nap., Grill.* p. 34, pl. 9. f. 3 (1855).

G. Fasciata, *Fieb.* Lotos, iii. p. 236. n. 3 (1853); *Syn. Eur. Orth.* p. 67. n. 3 (1854).

3. **G. Longicauda, Ramb.** (*Acheta L.*) Faune S Spain,
Andal., Orth. p. 34, pl. 2. f. 9 (1839). Algeria.

G. Longicauda, *Fieb.* ll. ce. iii. p. 236. n. 1 (1853); v. p. 68. n. 6 (1855); *Syn. Eur. Orth.* p. 67. n. 1 (1854); *Pant.* l. c. p. 368, pl. 3. ff. 7, 81 (1890); *Bol. Ann. Sci. Nat. Porto*, v. p. 124 (1898).

Genus 45. **Zaora.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 89 (1869);
Pant. An. Soc. Españ. xix. p. 339 (1890).

- **1. **Z. Morbillosa, Walk.** l. c. p. 90. n. 2 S. Africa.
(1869).

Gryllomorphus Morbillosus, *Sauss.* Mém.
Soc. Genève, xxv. p. 232 (1877).

2. **Z. Sacalava, Brancs.** (*Gryllomorphus S.*) Nossi Bé.
Jahresh. Ver. Trenes. Com. xvii.—xviii.
p. 260, pl. 9. f. 5 (1896).

- **3. **Z. Pardalis, Walk.** l. c. p. 90. n. 3 N. Aus-
(1869). tralia.

- **4. **Z. Cinctipes, Walk.** l. c. p. 89. n. 1 Jamaica.
(1869).

SUBFAM. III.

MYRMECOPHILINÆ A.

Genus 46. **Myrmecophila.** (*Type* no. 1.)

Latr. Règne Anim. (ed. 2) v. p. 183 (1829); *Phil. Orth. Berol.* p. 16 (1830); *Serv. Ins. Orth.* p. 318 (1839); *Fisch. Walldh. Orth. Ross.* p. 356 (1846); *Fisch. Orth. Eur.* p. 158 (1853); *Fieb. Lotos*, iii. p. 236 (1853); *Syn. Eur.*

Orth. p. 67 (1854); Friv. Érték. Termész. Kör. i. (12) pp. 67, 71 (1867); Bol. Ortópt. Españ. p. 292 (1876); An. Soc. Españ. viii. p. 88 (1878); Ann. Sci. Nat. Porto, v. p. 38 (1898); Brunn. Prodr. Eur. Orth. pp. 420, 445 (1882); Finot, Orth. France. p. 130 (1883); Faune France, Orth. pp. 230, 243 (1889); Tümp. Geradfl. Mitteleurop. pp. 228, 275 (1900); Blatchl. Rep. Indiana Dept. Geol. xxvi. p. 416 (1903); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 459 (1904).

Myrmecophilus, Sauss. Mém. Soc. Genève, xxv. p. 289 (1877).

|| *Spharium*, Charp. Hor. Ent. pp. 78, 79 (1825); Brullé, Hist. Nat. Ins. ix. p. 180 (1835); Burm. Handb. Ent. ii. p. 729 (1838); Blanch. Hist. Nat. Ins. iii. p. 33 (1840).

*1. **M. Acervorum, Panz.** (*Blatta* A.) Faun. | Europe.

Germ. fasc. 68, pl. 24 (1799); Latr. l. c. p. 183 (1829).

M. Acervorum, Serv. l. c. p. 319 (1839); Guér. Icon. R. Anim., Ins. p. 338, pl. 54. f. 6 (1829-1844); Gray, Griffith, Anim. Kingd. xv. p. 175, pl. 113. f. 6 (1832); Fisch. Waldh. l. c. p. 356, pl. 33. f. 4 (1846); Fisch. l. c. p. 160, pl. 9. ff. 3, 3 a-d (1853); Fieb. ll. cc. p. 237. n. 1 (1853); p. 67. n. 1 (1854); Friv. l. c. p. 72. n. 1 (1867); Bol. ll. cc. p. 292, pl. 7. f. 3 (1876); p. 88, pl. 3. f. 3 (1878); p. 40. n. 1 (1898); Brunn. l. c. p. 446. n. 1, pl. 11. f. 104 (1882); Finot, ll. cc. p. 138 (1883); p. 243, pl. 12. f. 156 (1889); Tümp. l. c. p. 275 (1900); Jacobs. & Bianchi, l. c. p. 459 (1904); Csiki, Allat. Közlem. Tars. iii. pp. 85, 88 (1904).

Myrmecophilus Acervorum, Sauss. l. c. p. 291, pl. 15 (xxvi.) ff. 1-5 (1877).

Spharium Acervorum, Charp. l. c. p. 78 (1825); Burm. l. c. p. 730 (1838); Blanch. l. c. p. 33, pl. 9. f. 1 (1840).

Gryllus Myrmecophilus, Savi, Bibl. Ital. xvi. p. 185 (1820).

2. **M. Hirticauda, Fisch. Waldh.** l. c. | Crimea.
p. 357, pl. 33. f. 5 (1846); Fisch. l. c. p. 162 (1853).

3. **M. Bifasciata, Fisch. Waldh.** l. c. p. 358, | Kharkoff.
pl. 33. f. 6 (1846); Fisch. l. c. p. 162 (1853).

4. **M. Mauritanica, Luc.** (*Sphærium Mauritanicum*) Expl. Alg. iii. p. 23; iv. Orth. pl. 1. f. 6 (1849). N. Africa.
5. **M. Ochracea, Fisch.** l. c. p. 151 (1853); Costa, Faun. Nap., Grill. p. 44 (1855); Brunn. l. c. p. 447 (1882); Jacobs. & Bianchi, l. c. p. 459 (1904). Sicily, Greece, Asia Minor, Burma.
Myrmecophilus Ochraceus, Sauss. l. c. p. 292 (1877).
6. **M. Salomonis, Wasm.** Deutsche Ent. Zeitschr. xxxiv. p. 303 (1890). Tunis.
7. **M. Dubia, Sauss.** (*Myrmecophilus Dubius*) l. c. p. 293 (1877). Malay Pen.; Bitang.
- **8. **M. Quadrispina, Perk.** Faun. Haw., Orth. p. 14 (1899). Honolulu, Hong Kong, S. Australia.
9. **M. Australis, Tepp.** Trans. Roy. Soc. S. Austral. xx. p. 149 (1896).
10. **M. Pergandei, Brun.** Canad. Ent. xvi. p. 42 (1884); Scudd. Psyche, viii. p. 425 (1899); Blatchl. l. c. p. 418 (1903). Atlantic States.
11. **M. Formicarum, Scudd.** l. c. p. 426 (1899). California.
12. **M. Oregonensis, Brun.** l. c. p. 43 (1884); Scudd. Psyche, l. c. p. 426 (1899). Oregon.
13. **M. Nebrascensis, Brun.** Publ. Nebr. Acad. Sci. iii. p. 33 (1893); Lugg. Orth. Minn. p. 260, f. 169 (1898); Scudd. l. c. p. 427 (1899); Wheeler, Psyche, ix. pp. 111-115, fig. (1900); Blatchl. l. c. p. 416, f. 106 (1903). Nebraska, New Mexico, Minnesota, Texas.
14. **M. Nehawkæ, Scudd.** l. c. p. 428 (1899). Nebraska.
15. **M. Americana, Sauss.** (*Myrmecophilus Americanus*) l. c. p. 293 (1877). Colombia.

MYRMECOPHILINÆ B.

Genus 47. **Mogoplistes.** (*Type* no. 3.)

Serv. Ins. Orth. p. 357 (1839); Costa, Faun. Nap., Grill. p. 21 (1852); Fisch. Orth. Eur. p. 162 (1853); Fieb. Lotos. v. p. 68 (1855); Sauss. Miss. Mex., Orth. p. 423 (1874); Bol. Ortópt. Españ. p. 292 (1876); An. Soc. Españ. viii. p. 88 (1878); Finot, Faune France, Orth. pp. 231, 243 (1889).

Mogisoplistus Sauss. Mém. Soc. Genève, xxv. p. 295 (1877);
Brunn. Prodr. Eur. Orth. pp. 420, 447 (1882); Bol. Ann.
Sci. Nat. Porto, v. pp. 39, 125 (1898); Tümp. Geradfl.
Mitteleurop. pp. 228, 276 (1900).

Mogisoplistes, Finot, Orth. France, pp. 131, 139 (1883); Jacobs.
& Bianchi, Prem. i Lozhn. Ross. Imp. pp. 444, 460
(1904).

*1. **M. Squamiger, Fisch.** (*Gryllus* S.) l. c. S. Europe.
p. 173, pl. 9. ff. 8, 8 a, b (1853).

M. Squamiger, Finot, Faune France, Orth.
p. 244, pl. 12. f. 157 (1889).

Mogisoplistus Squamiger, Sauss. l. c. p. 297,
pl. 15 (xxvii.) ff. 1, 1 a-c (1877); Brunn.
l. c. p. 448, pl. 11. f. 105 A, B (1882);
Bol. l. c. p. 125 (1898); Tümp. l. c.
p. 276 (1900).

Mogisoplistes Squamiger, Finot, Orth. France,
p. 139 (1883); Jacobs. & Bianchi, l. c.
p. 460 (1904).

M. Talitrus, Costa, l. c. p. 40, pl. 9. f. 4
(1855).

Mogisoplistus Talitrum, Sauss. l. c. p. 298
(1877).

2. **M. Novaki, Krauss**, Wien. Ent. Zeit. Lesina.
vii. p. 118 (1888).

*3. **M. Brunneus, Serv.** l. c. p. 357 (1839); S. Europe,
Fisch. l. c. p. 163, pl. 9. ff. 4, 4 a N. Africa,
(1853); Bol. Ortópt. Españ. p. 292, pl. 7. Madagascar
f. 7 (1876); An. Soc. Españ. viii. p. 88,
pl. 3. f. 7 (1878); Finot, Faune France,
Orth. p. 244 (1889).

Mogisoplistus Brunneus, Sauss. l. c. p. 299,
pl. 15 (xxvii.) f. 2 (1877); Brunn. l. c.
p. 448 (1882); Bol. Ann. Sci. Nat. Porto,
v. p. 125 (1898); Tümp. l. c. p. 276 (1900).

Mogisoplistes Brunneus, Finot, Orth. France,
p. 139 (1883); Jacobs. & Bianchi, l. c.
p. 460 (1904).

M. Marginatus, Costa, l. c. pp. 25, 40, pl. 6.
f. 5, pl. 7 (1852-1855).

M. Marginatus, var. *Bicolor*, Costa, l. c.
p. 49 (1855).

Mogisoplistus Marginatus, Sauss. l. c. p. 298
(1877).

4. **M. Argentatus, Bol.** (*Mogisoplistus* A.) Algeria.
An. Soc. Españ. x. p. 505 (1881).

- | | |
|---|---------------------------|
| 5. M. Tridentatus, Sauss. (<i>Mogisoplistus</i> T.) l. c. p. 300 (1877). | W. Africa :
Chinchoxo. |
| 6. M. Slossoni, Scudd. (<i>Mogosiplistus</i> S.) Psyche, viii. p. 55 (1897). | Florida. |
| 7. M. (?) Occultus, Sauss. (<i>Mogisoplistus</i> O.) l. c. p. 299 (1877). | Chili. |
| 8. M. (?) Griseus, Phil. (<i>Gryllus</i> G.) Zeitschr. Ges. Naturw. xxi. p. 232 (1863).
<i>M. Griseus, Sauss.</i> Miss. Mex., Orth. p. 425 (1874).
<i>Mogisoplistus (?) Griseus, Sauss.</i> Mém. Soc. Genève, xxv. p. 301 (1877). | id. |

Genus 48. **Microgryllus.**

Phil. Zeitschr. Ges. Naturw. xxi. p. 231 (1863);
Sauss. Mém. Soc. Genève, xxv. p. 301 (1877).

- | | |
|---|--------|
| 1. M. Pallipes, Phil. (<i>Gryllus</i> P.) l. c. p. 231 (1863).
<i>Mogoplistes Pallipes, Sauss.</i> Miss. Mex., Orth. p. 424 (1874).
<i>Mogisoplistus (?) Pallipes, Sauss.</i> Mém. Soc. Genève, xxv. p. 302, pl. 15 (xxvii.) f. 3 (1877). | Chili. |
|---|--------|

Genus 49. **Ornebius.** (Type no. 1.)

Guér. Icon. R. Anim., Ins. p. 331 (1844).

Liphoplus, Sauss. Mém. Soc. Genève, xxv. p. 315 (1877).
(Type no. 11.)

- | | |
|--|----------------------------|
| *1. O. Xanthopterus, Guér. l. c. p. 332 (1844).
<i>Ectadoderus Xanthopterus, Sauss.</i> Mém. Soc. Genève, xxv. p. 304, pl. 15 (xxix.) ff. 1, 2 (1877). | Mauritius. |
| 2. O. Validus, Bol. (<i>Liphoplus</i> V.) Ann. Soc. Ent. France, lxiv. p. 382 (1895). | Seychelles. |
| 3. O. Nigripalpis, Guér. l. c. p. 332 (1844).
<i>Ectadoderus Nigripalpis, Sauss.</i> l. c. p. 305, pl. 15 (xxix.) f. 3 (1877). | Pondicherry. |
| 4. O. Guerini, Bol. (<i>Liphoplus</i> G.) l. c. lxviii. p. 801, pl. 12. f. 25 (1900). | S. India,
Pulney Hills. |
| 5. O. Fasciatus, Brunn. (<i>Liphoplus</i> F.) Ann. Mus. Genova, xxxiii. p. 202, pl. 6. f. 72 (1893). | Burma. |

- | | |
|---|----------------|
| 6. O. (?) Longicaudus, Sauss. (<i>Ectadoderus L.</i>) l. c. p. 304 (1877). | Nicobar Isl. |
| **7. O. Flavipalpis, Kirb. (<i>Ectadoderus F.</i>) Mon. Christmas Isl. p. 147, pl. 13. ff. 3, 4 (1900). | Christmas I. |
| 8. O. (?) Abdominalis, Stål, (<i>Ectadoderus A.</i>) Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 48 (1877). | Philippines. |
| 9. O. Cucullatus, Bol. (<i>Ectadoderus C.</i>) An. Soc. Españ. xviii. p. 421 (1889). | id. |
| 10. O. Noumeensis, Bol. Ann. Soc. Ent. France, (6) ii. p. 460 (1882). | New Caledonia. |
| *11. O. Novaræ, Sauss. (<i>Liphoplus N.</i>) l. c. p. 315 (1877). | Tahiti. |
| **12. O. Aztecus, Sauss. (<i>Ectadoderus A.</i>) Biol. Centr.-Amer., Orth. i. p. 230, pl. 11. ff. 35, 36 (1897). | Mexico. |
| **13. O. Mexicanus, Sauss. (<i>Liphoplus M.</i>) l. c. p. 231, pl. 11. f. 37 (1897). | id. |
| 14. O. Krugii, Sauss. (<i>Liphoplus K.</i>) l. c. p. 232 (1897). | Cuba. |
| 15. O. Zebra, Rehn, Proc. Acad. Nat. Sci. Philad. 1905, p. 49, pl. 1. f. 12. | Florida. |
| 16. O. Dilatatus, Brancs. (<i>Ectadoderus D.</i>) Jahresh. Ver. Trensins. Com. xxiii.-xxiv. p. 192 (1901). | Argentina. |
| 17. O. Guerinianus, Sauss. (<i>Liphoplus G.</i>) Mém. Soc. Genève, xxv. p. 316 (1877). | Hab. — ? |

Genus 50. **Ectadoderus.** (*Type no. 2.*)

Guér. Lef. Voy. Abyss. vi. p. 336 (1849);
Sauss. Mém. Soc. Genève, xxv. p. 302 (1877).

- | | |
|--|--------------------|
| 1. E. Loricatus, Sauss. l. c. p. 307 (1877). | Chinchoxo. |
| 2. E. Nigriventris, Guér. l. c. p. 337, pl. 6. f. 3 (1849); Sauss. l. c. p. 308 (1877). | Abyssinia. |
| 3. E. Collatatus, Karsch, (<i>Ornebius C.</i>) Berl. Ent. Zeitschr. xxxviii. p. 156 (1893). | W. Africa (Adeli). |
| 4. E. Castigatus, Karsch, (<i>Ornebius C.</i>) l. c. p. 157 (1893). | id. |
| 5. E. Veltzkowi, Sauss. Abhandl. Senckenb. Ges. xxi. p. 605, pl. 37. f. 8 (1899). | Nossi Bé. |
| 6. E. Pallidegeniculatus, Brunn. Ann. Mus. Genova, xxxiii. p. 201, pl. 6. f. 71 (1893). | Burma. |

- | | |
|--|-----------------------------|
| 7. E. Sordidus , Walk. (<i>Ornebius S.</i>) Cat.
Derm. Salt. B. M. i. p. 109. n. 3 (1869). | Dorey. |
| **8. E. Antillarum , Redt. Proc. Zool. Soc.
Lond. 1892, p. 218, pl. 17. f. 16. | W. Indies :
St. Vincent. |
| *9. E. Alatus , Sauss. Mém. Soc. Genève,
xxv. p. 306 (1877). | Brazil. |
| 10. E. Varicolor , Sauss. l. c. p. 307, pl. 15
(xxix.) f. 4 (1877). | Hab. — ? |
| 11. E. Occidentalis , Scudd. (<i>Mogoplistes O.</i>)
Proc. Bost. Nat. Hist. xii. p. 142 (1869).
<i>Mogoplistes Occidentalis</i> , Sauss. Miss. Mex.,
Orth. p. 424 (1874).
<i>Mogisoplistus Occidentalis</i> , Sauss. Mém. Soc.
Genève, xxv. p. 301 (1877). | Lower
California. |
| 12. E. Borealis , Scudd. Proc. Davenport Soc.
ix. p. 58, pl. 4. f. 4 (1902). | California,
New Mexico |

Genus 51. **Cycloptilum.** (Type no. 1.)

Scudd. Proc. Bost. Soc. Nat. Hist. xii. p. 142 (1869) ; Sauss.
Miss. Mex., Orth. p. 425 (1874).
Cycloptilus, Sauss. Mém. Soc. Genève, xxv. p. 308 (1877).

- | | |
|---|------------|
| 1. C. Squamosum , Scudd. l. c. p. 142
(1869) ; Sauss. Miss. Mex., Orth. p. 427
(1874).
<i>Cycloptilus Squamosus</i> , Sauss. Mém. Soc.
Genève, xxv. p. 309 (1877). | Texas. |
| 2. C. Boreale , Brun. (<i>Cycloptilus Borealis</i>)
Canad. Ent. xxiii. p. 37 (1891), | Nebraska. |
| *3. C. Americanum , Sauss. Miss. Mex., Orth.
p. 426, pl. 8. ff. 41, 42 (1874).
<i>Cycloptilus Americanus</i> , Sauss. Mém. Soc.
Genève, xxv. p. 309 (1877). | Cuba. |
| 4. C. Brasilianum , Sauss. (<i>Cycloptilus Bra-
silianus</i>) l. c. (1877). | Brazil. |
| 5. C. Erraticum , Scudd. Bull. Mus. Har-
vard Coll. xxv. p. 23, pl. 3. ff. 6, 7 (1893) ;
McNeill, Proc. Washington Acad. Sci.
iii. p. 505 (1900). | Galapagos. |
| 6. C. Lepismoide , McNeill, l. c. p. 505
(1900). | id. |

Genus 52. **Arachnocephalus.** (*Type* no. 2.)

Costa, Faun. Nap., Grill. p. 41 (1855); Bol. Ortópt. Españ. p. 292 (1876); An. Soc. Españ. viii. p. 88 (1898); Ann. Sci. Nat. Porto, v. p. 39 (1898); Sauss. Mém. Soc. Genève, xxv. p. 310 (1877); Brunn. Prodr. Eur. Orth. pp. 420, 449 (1882); Finot, Orth. France, p. 131 (1883); Faun. France, Orth. pp. 231, 245 (1889); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 460 (1904).

Physoblemma, Brunn. Mitth. Schweiz. ent. Ges. iv. p. 169 (1873). ♂-♀♀.

- | | |
|--|---|
| 1. A. Yersini , Sauss. l. c. p. 311, pl. 15 (xxviii.) ff. 1-3 (1877); Brunn. l. c. p. 449 (1882); Finot, ll. cc. p. 140 (1883); p. 245, pl. 12. f. 158 (1889); Bol. Ann. Sci. Nat. Porto, v. p. 125. n. 1 (1898); Jacobs. & Bianchi, l. c. p. 461 (1904). | S. France,
Spain,
Bulgaria,
Algeria. |
| 2. A. Vestitus , Costa, l. c. p. 42, pl. 9. f. 5 (1855); Sauss. l. c. p. 312 (1877); Brunn. l. c. p. 449, pl. 11. f. 106 A, B (1882); Jacobs. & Bianchi, l. c. p. 461 (1904).
<i>A. Dalmatinus</i> , Sauss. l. c. p. 312 (1877). | Naples,
Croatia,
Dalmatia,
Greece,
Bulgaria,
Crimea. |
| 3. A. Subsulcatus , Sauss. Abh. Senckenb. Ges. xxi. p. 604 (1899). | Aldabra. |
| 4. A. Steini , Sauss. Mém. Soc. Genève, xxv. p. 313 (1877). | Luzon. |
| 5. A. Dewitzi , Sauss. l. c. p. 315 (1877). | Manila. |
| 6. A. Brunnerianus , Sauss. l. c. p. 314 (1877). | Celebes. |
| 7. A. Maritimus , Sauss. l. c. p. 313 (1877). | Amboina,
Fiji. |

MYRMECOPHILINÆ C.

Genus 53. **Acanthoplistus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 318 (1877).

- | | |
|--|---------------|
| 1. A. Carinatus , Sauss. l. c. p. 320, pl. 15 (xxxi.) ff. 1, 1 a, b (1877). | Cent. Africa. |
| 2. A. Acutus , Sauss. l. c. p. 321 (1877). | Accra. |

3. **A. Birmanus**, **Sauss.** l. c. p. 322, pl. 15 | Burma.
 (xxxii.) f. 2 (1877); Brunn. Ann. Mus.
 Genova, xxxiii. p. 202 (1893).

Genus 54. **Scleropterus.** (*Type* no. 1.)

Haan, Temminck, Verhandel., Orth. p. 232 (1842); Sauss. Mém.
 Soc. Genève, xxv. p. 323 (1877); Brunn. Ann. Mus.
 Genov. xxxiii. p. 203 (1893).

- *1. **S. Coriaceus**, **Haan**, (*Gryllus* (*Sclero-* | Java,
pterus) *C.*) l. c. p. 232, pl. 20. f. 7 (1877). | Ningpo.
S. Coriaceus, **Sauss.** l. c. p. 324, pl. 15
 (xxx.) ff. 1, 2, 2 a (1877).
 2. **S. Punctatus**, **Brunn.** l. c. p. 204, pl. 6. | Burma.
 f. 73 (1893).

Genus 55. **Lissotrachelus.** (*Type* no. 2.)

Brunn. Ann. Mus. Genova, xxxiii. p. 205 (1893).

1. **L. Castaneus**, **Brunn.** l. c. (1893). | Rangoon.
 2. **L. Ferrugineovittatus**, **Brunn.** l. c. pl. 6. | Burma.
 f. 74 (1893).
 3. **L. Ater**, **Brunn.** l. c. p. 206 (1893). | Borneo.

MYRMECOPHILINÆ D.

Genus 56. **Cacoplistes.** (*Type* no. 2.)

Brunn. Mitth. Schweiz. ent. Ges. iv. p. 169 (1873).
Cachoplistus, **Sauss.** Mém. Soc. Genève, xxv. p. 325 (1877).

- *1. **C. Rogenhoferi**, **Sauss.** (*Cachoplistus* *R.*) | Kashmir,
 l. c. p. 329, pl. 15 (xxxii.) f. 2 (1877). | Cachar.
 *2. **C. Brunnerianus**, **Sauss.** (*Cachoplistus* | Australia(?)
B.) l. c. p. 327, pl. 15 (xxxii.) ff. 1, 1 a, | Khasia Hills
b, t, c, i, e (1877).
 3. **C. Westwoodianus**, **Sauss.** (*Cachoplistus* | Australia(?)
W.) l. c. p. 330, pl. 15 (xxxii.) ff. 3, 3 a | India (?).
 (1877).

Genus 57. **Pteroplistes.** (*Type* no. 1.)

Brunn. Mitth. Schweiz. ent. Ges. iv. p. 169 (1873).

Pteroplistus, Sauss. Mém. Soc. Genève, xxv. p. 331 (1877).*Platyxyphus*, Walk. Cat. Derm. Salt. B. M. i. p. 52 (1869),
nom. spec.

- | | |
|--|--|
| <p>*1. P. Erinaceus, Sauss. (<i>Pteroplistus E.</i>)
l. c. p. 333, pl. 15 (xxxiii.) ff. 1, 1 <i>a, i, e, 2</i>
(1877).</p> <p>2. P. Platyxyphus, Haan, (<i>Gryllus P.</i>)
Temminck, Verhandel., Orth. p. 230, pl. 20.
f. 1 (1842).
<i>Pteroplistus Platyxyphus</i>, Sauss. l. c. p. 335,
pl. 15 (xxxiii.) ff. 3, 3 <i>a, b, e, i</i> (1877).
<i>Platyxyphus Javanus</i>, Walk. l. c. p. 52. n. 1
(1869).</p> <p>3. P. Platycleis, Bol. (<i>Pteroplistus P.</i>) Ann.
Soc. Ent. France, lxviii. p. 802, pl. 12.
ff. 26, 26 <i>a</i> (1900).</p> | <p>Malacca,
Borneo.</p> <p>Java.</p> <p>S. India :
Kodai-
kanal.</p> |
|--|--|

SUBFAM. IV.

ÆCANTHINÆ A.

Genus 58. **Pentacentrus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 399 (1878).

- | | |
|--|----------------------------------|
| <p>1. P. Pulchellus, Sauss. l. c. p. 401, pl. 17
(1.) ff. 1-5 (1878).</p> <p>2. P. Tenellus, Karsch, Ent. Nachr. xix.
p. 201 (1893); Berlin. Ent. Zeitsch.
xxxviii. p. 157 (1893).</p> | <p>Ceylon.</p> <p>Cameroons.</p> |
|--|----------------------------------|

Genus 59. **Salmania.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 73 (1869).

- | | |
|---|---------------------------------|
| <p>**1. S. Sordida, Walk. l. c. p. 73. n. 1 (1869).</p> <p>**2. S. (?) Africana, Walk. (<i>Platyductylus</i>
<i>Africanus</i>) l. c. p. 80. n. 11 (1869).</p> | <p>N. Australia.
Natal.</p> |
|---|---------------------------------|

Genus 60. **Nemobiopsis.**

Bol. An. Soc. Españ. xix. p. 329 (1891).

1. **N. Gundlachi**, Bol. l. c. p. 330, pl. 1. | Cuba.
f. 10 (1891).

ÆCANTHINÆ B.

Genus 61. **Lerneca.** (Type no. 2.)

Walk. Cat. Derm. Salt. B. M. i. p. 72 (1869).

Diplacusta, Sauss. Miss. Mex., Orth. p. 432 (1874). (Type no. 1.)*Diplacustes*, Sauss. Mém. Soc. Genève, xxv. p. 404 (1877).

- | | |
|---|--|
| <p>1. L. Fuscipennis, Sauss. (<i>Diplacusta</i> F.)
Miss. Mex., Orth. p. 433 (1874).
<i>Diplacustes Fuscipennis</i>, Sauss. Mém. Soc.
Genève, xxv. p. 405, pl. 15 (xxxv.) ff. 1,
2 e, i (1877-1878).</p> <p>2. L. Varipes, Walk. l. c. p. 72. n. 1 (1869).
<i>Diplacusta Varipes</i>, Sauss. Miss. Mex., Orth.
p. 435 (1874).
<i>Diplacustes Varipes</i>, Sauss. Mém. Soc.
Genève, xxv. p. 405 (1878).</p> <p>3. L. Inalata, Sauss. (<i>Diplacusta</i> I.) Miss.
Mex., Orth. p. 435 (1874).
<i>Diplacustes Inalata</i>, Sauss. Mém. Soc.
Genève, xxv. p. 405 (1878).</p> | <p>Brazil.</p> <p>Amazons.</p> <p>Surinam.</p> |
|---|--|

Genus 62. **Prosthacusta.**

Sauss. Miss. Mex., Orth. p. 436 (1874).

Prosthacustes, Sauss. Mém. Soc. Genève, xxv. p. 405 (1878).

- *1. **P. Circumcincta**, Scudd. (*Nemobius Circumcinctus*) Proc. Boston Soc. N. H. xii.
p. 143 (1868); Sauss. Miss. Mex., Orth.
p. 395 (1874). Mexico.
P. Mexicana, Sauss. Miss. Mex., Orth.
p. 437, pl. 7. f. 18 (1874).
Prosthacustes Mexicanus, Sauss. Mém. Soc.
Genève, xxv. p. 405 (1871); Biol. Centr.-
Amer., Orth. i. p. 241, pl. 12. f. 1 (1897).

Genus 63. **Agnotecous.**

Sauss. Mém. Soc. Genève, xxv. p. 406 (1878).

- | | |
|--|-------------------|
| 1. A. Tapinopus, Sauss. l. c. p. 407, pl. 19
(lxxxii.) ff. 1-5 (1878). | New
Caledonia. |
|--|-------------------|

Genus 64. **Laranda.** (Type no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 88 (1869).

Larandus, Sauss. Mém. Soc. Genève, xxv. p. 409 (1878).

- | | |
|--|--|
| <p>**1. L. Tibialis, Walk. l. c. p. 89, n. 1 (1869).
 <i>Gryllomorpha Tibialis</i>, Sauss. Miss. Mex.,
 Orth. p. 431 (1874).
 <i>Larandus Tibialis</i>, Sauss. Mém. Soc. Genève,
 xxv. p. 410, pl. 19 (lxxvii.) ff. 1, 1e, i
 (1878). <i>var. tur. n. 15</i></p> <p>2. L. Rogenhoferi, Sauss. (<i>Larandus R.</i>)
 l. c. p. 410, pl. 16 (xxxvii.) ff. 1-3 (1878).</p> <p>3. L. Annulata, Bol. An. Soc. Españ. xix.
 p. 331 (1890).</p> <p>**4. L. Marmorata, Redt. (<i>Larandus Marmo-</i>
 <i>ratus</i>) Proc. Zool. Soc. Lond. 1892, p. 218,
 pl. 17. f. 18. <i>6-515</i></p> | <p>Brazil,
Surinam,
Colombia.</p> <p>Brazil.
<i>orig. n. 15</i>
id.,
Apiahy.
St. Vincent,
W. Indies.</p> |
|--|--|

Genus 65. **Paragryllus.** (Type no. 3.)

Guér. Icon. R. Anim., Ins. p. 329 (1844); Sauss. Miss. Mex.,
Orth. p. 441 (1874); Mém. Soc. Genève, xxv. p. 411
(1878); Biol. Centr.-Amer., Orth. i. p. 242 (1897).

- | | |
|---|--|
| <p>**1. P. Limosa, Walk. (<i>Phalangopsis L.</i>) Cat.
 Derm. Salt. B. M. v. Suppl. p. 17 (1871).</p> <p>2. P. Rex, Sauss. ll. cc. p. 442 (1874);
 p. 413, pl. 16 (xli.) f. 1 (1878); p. 243
 (1897).</p> <p>3. P. Temulentus, Sauss. Mém. Soc.
 Genève, xxv. p. 413 (1878); Biol. Centr.-
 Amer., Orth. i. p. 242, pl. 12. ff. 2-7
 (1897).</p> <p>4. P. Martini, Guér. l. c. p. 329 (1844);
 Sauss. Miss. Mex., Orth. p. 443 (1874);
 Mém. Soc. Genève, xxv. p. 413 (1878).</p> | <p>Sierra Leone
Old Calabar.</p> <p>Brazil.</p> <p>Mexico,
Costa Rica,
Grenada,
Brazil.</p> <p>Cuba,
Guadeloupe.</p> |
|---|--|

Genus 66. **Luzara.**

Walk. Cat. Derm. Salt. B. M. i. p. 103 (1869).

- ** 1. **L. Rufipennis, Walk.** l. c. n. 1 (1869). | Colombia.

Genus 67. **Ectecous.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 414 (1878) ;

Biol. Centr.-Amer., Orth. i. p. 244 (1897).

- | | |
|--|----------|
| 1. E. Hedephonus, Sauss. l. c. p. 415 | Brazil. |
| (1878). | |
| 2. E. Cantans, Sauss. Biol. Centr.-Amer., | Mexico, |
| Orth. i. p. 244, pl. 12. ff. 8-10 (1897). | Cayenne. |
| 3. E. Borellii, Giglio-Tos, Boll. Mus. | Bolivia. |
| Torino, xii. (302) p. 44 (1897). | |

Genus 68. **Heterogryllus.** (*Type* no. 1.)

Sauss. Miss. Mex., Orth. p. 439 (1874) ;

Mém. Soc. Genève, xxv. p. 416 (1878).

- | | |
|--|------------|
| 1. H. Ocellaris, Sauss. ll. cc. p. 440 (1874) : | Brazil. |
| p. 416, pl. 16 (xli.) ff. 2, 2 a (1878). | |
| 2. H. Crassicornis, Sauss. Mém. Soc. | Venezuela. |
| Genève, xxv. p. 417 (1878). | |

Genus 69. **Amusus.** (*Type* no. 3.)

Sauss. Mém. Soc. Genève, xxv. p. 418 (1878) ;

Biol. Centr.-Amer., Orth. i. p. 245 (1897).

- ** 1. **A. Mexicanus, Sauss.** Biol. Centr.-Amer., Mexico.
Orth. i. p. 245, pl. 12. ff. 11-13 (1897).
2. **A. Festæ, Giglio-Tos,** Boll. Mus. Torino, Darien.
xii. (301) p. 6 (1897). ^{c-25}
3. **A. Kirschianus, Sauss.** Mém. Soc. Venezuela.
Genève, xxv. p. 419 (1878).
4. **A. Bolivianus, Giglio-Tos,** l. c. xii. (302) Bolivia.
p. 45 (1897).
5. **A. Krausi, Giglio-Tos,** l. c. xiii. (319) Ecuador.
p. 1 (1898).

Genus 70. **Dyscophogryllus.** (*Type* no. 1.)

Rehn, *Canad. Ent.* xxxiii. p. 272 (1901).

|| *Dyscophus*, *Sauss.* (*nec Grandid.*) *Miss. Mex.*, *Orth.* p. 438 (1874); *Mém. Soc. Genève*, xxv. p. 420 (1878).

- | | |
|---|----------|
| 1. D. Saltator , Sauss. (<i>Dyscophus S.</i>) ll. cc. | Brazil. |
| p. 438 (1874); p. 421, pl. 15 (xxxvi.) ff. 1, 2 e, i (1877-1878). | |
| 2. D. Onthophagus , Berg , (<i>Dyscophus O.</i>) | Uruguay. |
| <i>An. Soc. Argent.</i> xxxii. p. 6 (1891). | |

Genus 71. **Hirpinus.**

Stål, Öfv. Vet.-Akad. Förh. xii. p. 351 (1855).

- | | |
|--|--------|
| *1. H. Afer , Stål , l. c. (1855). | Natal. |
|--|--------|

Genus 72. **Homœogryllus.** (*Type* no. 1.)

Guér. Lefebvre, Voy. Abyssinie, vi. p. 335 (1847);
Sauss. Mém. Soc. Genève, xxv. p. 421 (1878).

- | | |
|--|--------------------------------------|
| *1. H. Xanthographus , Guér. l. c. p. 336,
pl. 6. f. 3 (1847). | Abyssinia,
Lahéj. |
| <i>Phalangopsis Xanthographa</i> , <i>Gerst. Arch. Naturg.</i> xxxv. p. 211. n. 30 (1869); <i>Deeken, Reisen in Ost-Afrika</i> , <i>Ins.</i> p. 20 (1869). | |
| *2. H. Venosus , Sauss. l. c. p. 426, pl. 16
(xxxix.) ff. 1, 1 a, e (1878). | W. Africa. |
| <i>Gryllus Acheta Reticulata</i> , <i>Stoll (nec Fabr.)</i> ,
<i>Spéctres, Grill.</i> p. 6, pl. 3. f. 14 (1813). | |
| *3. H. Tessellatus , Serv. (<i>Phalangopsis T.</i>)
<i>Ins. Orth.</i> p. 370 (1839). | Senegal,
Sierra
Leone. |
| <i>H. Tessellatus</i> , <i>Sauss.</i> l. c. p. 424, pl. 16
(xxxix.) f. 3 (1878). | |
| **4. H. Reticulatus , Fabr. (<i>Acheta Reticulata</i>)
<i>Spec. Ins.</i> i. p. 354. n. 5 (1781). | W. Africa,
E. Africa
(eadem?). |
| <i>H. Reticulatus</i> , <i>Sauss.</i> l. c. p. 425, pl. 16
(xxxix.) f. 2, pl. 19 (lxxvii.) f. 2 (1878). | |
| <i>Acheta Longicornis</i> , <i>Afzel. & Brann. Achet.</i>
<i>Guin.</i> p. 30, f. 9 a, b (1804). | |
| <i>H. Tricandatus</i> , <i>Fairm. Thoms. Arch. Ent.</i>
ii. p. 258 (1858); <i>Sauss.</i> l. c. p. 429
(1878). | |

- *5. **H. Japonicus, Haan**, (*Gryllus* (*Phalangopsis*) *J.*) Temminck, Verhandel., Orth. p. 236 (1842). Japan, Tsur I., N. India, Java.
H. Japonicus, Sauss. l. c. p. 428 (1878).
 ** *Phalangopsis Albicornis*, Walk. Cat. Derm. Salt. B. M. i. p. 106. n. 14 (1869).
 6. **H. Longicornis, Walk.** (*Phalangopsis* *L.*) Singapore. l. c. n. 15 (1869).

Genus 73. **Prosecogryllus.**

Brancs. Jahresh. Ver. Trenesin. Com. xv.-xvi. p. 198 (1893).

1. **P. Nossibianus, Brancs.** l. c. pl. 10. f. 10 (1893); Sauss. Abhandl. Senckenb. Ges. xxi. p. 609, pl. 37. ff. 10, 11 (1899). | Nossi Bé.

Genus 74. **Posus.**

Bol. An. Soc. Españ. xix. p. 332 (1890).

1. **P. Mictiformis, Bol.** l. c. pl. 1. f. 11 | Madagascar. (1890).

Genus 75. **Amphiacusta.** (Type no. 4.)

Sauss. Miss. Mex., Orth. p. 444 (1874).

Amphiacustes, Sauss. Mém. Soc. Genève, xxv. p. 429 (1878); Biol. Centr.-Amer., Orth. i. p. 245 (1897).

- **1. **A. Tolteca, Sauss.** (*Amphiacustes Toltecus*) Biol. Centr.-Amer., Orth. i. p. 247, pl. 12. ff. 14-17 (1897). Mexico.
A. Azteca, var. ♀, Sauss. Miss. Mex., Orth. p. 450 (1874).
 2. **A. Azteca, Sauss. (*Phalangopsis* *A.*) id.
 Rev. Zool. (2) ix. p. 209 (1859).
A. Azteca, Sauss. Miss. Mex., Orth. p. 449 (1874).
A. Mexicana, Sauss. l. c. pl. 8. ff. 39, 39a (1874).
Amphiacustes Aztecus, Sauss. Mém. Soc. Genève, xxv. p. 431 (1878); Biol. Centr.-Amer., Orth. i. p. 246, pl. 12. f. 18 (1897).

3. **A. Caraibea, Sauss.** (*Amphiacustes Caraibea*) Biol. Centr.-Amer., Orth. i. p. 248 (1897).
Amphiacustes Aranea, var., Sauss. Mém. Soc. Genève, xxv. p. 432 (1878).
- *4. **A. Annulipes, Serv.** (*Phalangopsis A.*) Ann. Sci. Nat. xxii. p. 167 (1831); Ins. Orth. p. 369 (1839); Burm. Handb. Ent. ii. p. 722. n. 2 (1838); Guér. Ramon de la Sagra, Hist. Cuba, Ins. p. 353, pl. 12. f. 9 (1859).
A. Annulipes, Sauss. Miss. Mex., Orth. p. 445, pl. 8. f. 40 (1874).
Amphiacustes Annulipes, Sauss. Mém. Soc. Genève, xxv. p. 431 (1878).
Acheta Arachnoides, Westw. Jardine's Nat. Libr., Intr. Ent. p. 248, pl. 6. f. 1 (1840).
- *5. **A. Fuscicornis, Serv.** (*Phalangopsis F.*) l. c. p. 370 (1839).
A. Fuscicornis, Sauss. Miss. Mex., Orth. p. 448 (1874).
Amphiacustes Fuscicornis, Sauss. Mém. Soc. Genève, xxv. p. 431 (1878).
- **6. **A. Spectrum, Walk.** (*Phalangopsis S.*) Cat. Derm. Salt. B. M. i. p. 108. n. 18 (1869).
- *7. **A. Aranea, Sauss.** (*Amphiacustes A.*) l. c. p. 431 (1878).
8. **A. Grandis, Sauss.** Miss. Mex., Orth. p. 447 (1874).
Amphiacustes Grandis, Sauss. Mém. Soc. Genève, xxv. p. 431 (1878).
- *9. **A. Phalangium, Sauss.** Miss. Mex., Orth. p. 450 (1874).
Amphiacustes Phalangium, Sauss. Mém. Soc. Genève, xxv. p. 431 (1878); Biol. Centr.-Amer., Orth. i. p. 249, pl. 12. f. 19 (1897).

Guadeloupe

Haiti, Cuba,
Guadeloupe
Jamaica,
Peru (?).Brazil,
W. Indies
(eadem?).

Brazil.

Haiti,
Dominica.
Cuba.

Guatemala.

Genus 76. **Tremellia.**

Stål, Öfvers. Vet.-Akad. Förh. xxxiv. (10) p. 49 (1877).

1. **T. Spurca, Stål**, l. c. (1877). | Philippines.

Genus 77. **Phaloria.**

Stål, Öfvers. Vet.-Akad. Förh. xxxiv. (10) p. 49 (1877).

1. **P. Amplipennis**, Stål, l. c. (1877). | Philippines.

Genus 78. **Vescelia.**

Stål, Öfvers. Vet.-Akad. Förh. xxxiv. (10) p. 49 (1877).

1. **V. Infumata**, Stål, l. c. (1877). | Philippines.

Genus 79. **Strophia.**

Stål, Öfvers. Vet.-Akad. Förh. xxxiv. (10) p. 49 (1877).

1. **S. Lugubrina**, Stål, l. c. (1877). | Philippines.

Genus 80. **Hemicophus.**

Sauss. Mém. Soc. Genève, xxv. p. 432 (1878).

1. **H. Paranæ**, Sauss. l. c. pl. 19 (lxxxi.) | Parana.
(1878).

Genus 81. **Endacusta.** (*Type* no. 1.)

Brunn. Mitth. Schweiz. ent. Ges. iv. p. 167 (1873).

Endacustes, Sauss. Mém. Soc. Genève, xxv. p. 435 (1878);
Biol. Centr.-Amer., Orth. i. p. 249 (1897).

- | | |
|---|----------------------------|
| 1. E. Irrorata , Sauss. (<i>Endacustes Irroratus</i>) Mém. Soc. Genève, xxv. p. 436 (1878). | Queensland. |
| 2. E. Australis , Sauss. (<i>Endacustes A.</i>) l. c. p. 437, pl. 16 (xlii.) ff. 1-5 (1878). | Melbourne. |
| 3. E. (?) Darienicus , Giglio-Tos, (<i>Endacustes D.</i>) Boll. Mus. Torino, xii. (301) p. 7 (1897). | Darien. |
| 4. E. Aptera , Giglio-Tos, (<i>Endacustes Apterus</i>) l. c. p. 8 (1897). | id. |
| * 5. E. Azteca , Sauss. (<i>Endacustes Aztecus</i>) Biol. Centr.-Amer., Orth. i. p. 250, pl. 12. ff. 20-22 (1897). | Mexico. |
| * 6. E. Dispar , Redt. (<i>Endacustes D.</i>) Proc. Zool. Soc. Lond. 1892, p. 219, pl. 17. f. 18. | W. Indies.
St. Vincent. |

Genus 82. **Endecous.**

Sauss. Mém. Soc. Genève, xxv. p. 439 (1878).

1. **E. Arachnopsis**, Sauss. l. c. (1878). | Brazil.

Genus 83. **Phalangopsis.** (Type no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 166 (1831); Ins. Orth. p. 367 (1839); Burm. Handb. Ent. ii. p. 721 (1838); Sauss. Miss. Mex., Orth. p. 451 (1874); Mém. Soc. Genève, xxv. p. 440 (1878).

1. **P. Longipes**, Serv. ll. cc. p. 167 (1831); p. 369, pl. 12. f. 1 (1839); Sauss. ll. cc. p. 452 (1874); p. 441, pl. 16 (xl.) ff. 1, 1a (1878). | Guiana, Surinam.
- *2. **P. Gaudichaudi**, Sauss. ll. cc. p. 453 (1874); p. 441, pl. 16 (xl.) ff. 2 i, 2 e (1878). | S. America.
3. **P. Amboinensis**, Karsch, Ent. Nachr. xii. p. 345. | Amboina.

Genus 84. **Vœltzkowia.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 611 (1899).

1. **V. Marmorata**, Sauss. l. c. p. 612, pl. 37. f. 12 (1899). | Nossi Bé.

Genus 85. **Phalangacris.**

Bol. Ann. Soc. Ent. France, lxiv. p. 380 (1895).

1. **P. Alluaudi**, Bol. l. c. p. 381 (1895). | Seychelles.

Genus 86. **Arachnomimus.** (Type no. 1.)

Sauss. Biol. Centr.-Amer., Orth. i. p. 251 (1897).

|| *Arachnopsis*, Sauss. (nec Stimps.) Mém. Soc. Genève, xxv. p. 442 (1878). = *M. Orel*, VI 1878

1. **A. Nietneri**, Sauss. (*Arachnopsis* N.) l. c. (1878). | Ceylon.
- **2. **A. (?) Picticeps**, Walk. (*Phalangopsis* P.) Cat. Derm. Salt. B. m. i. p. 107. n. 16 (1869). | India.
- Arachnopsis* (?) *Pictipes*, Sauss. l. c. p. 443 (1878).

3. **A. Dubius, Bol.** (*Arachnopsis D.*) Ann. Soc. Ent. France, lxxviii. p. 803 (1900). S. India, Madura.
4. **A. Annulipes, Bol.** (*Arachnopsis A.*) An. Soc. Españ. xviii. p. 423 (1889). $\Psi 11-0$ Philippines.
5. **A. Annulata, Bilimek,** (*Phalangopsis A.*) Verh. zool.-bot. Ges. Wien, xvii. p. 904 (1867). Mexico.
- **6. **A. Cavicola, Sauss.** Biol. Centr.-Amer., Orth. i. p. 251 (1897). Guatemala.
Arachnopsis Cavicola, Sauss. l. c. pl. 12. f. 23 (1897).

Genus 87. **Phæophilacris.** (Type no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 23 (1871).

Phæophyllacris, Sauss. Mém. Soc. Genève, xxv. p. 443 (1878).

- **1. **P. Funesta, Walk.** l. c. (1871). Sierra Leone.
Phæophyllacris Funesta, Sauss. l. c. p. 445 (1878).
2. **P. Phalangium, Karsch,** (*Phæophyllacris P.*) Berlin. Ent. Zeitschr. xxxvii. p. 78 (1892). Cameroons.
- *3. **P. Gymnica, Karsch,** (*Phæophyllacris G.*) l. c. xxxviii. p. 159 (1893). Adeli, Lagos.
4. **P. Semialata, Bol.** (*Phæophyllacris S.*) Journ. Sci. Lisb. (2) i. p. 231 (1890). Angola.
5. **P. Angolensis, Bol.** (*Phæophyllacris A.*) l. c. (1890). id.
6. **P. Abyssinica, Sauss.** (*Phæophyllacris A.*) l. c. p. 447, pl. 16 (xlv.) ff. 1-5 (1878). Abyssinia.
7. **P. Aranea, Sauss.** (*Phæophyllacris A.*) l. c. p. 444, pl. 16 (xl.) f. 3 (1878). Zanzibar.
- *8. **P. Spectrum, Sauss.** (*Phæophyllacris S.*) l. c. p. 446 (1878). id., B.E. Africa.

Genus 88. **Cophus.**

Sauss. Miss. Mex., Orth. p. 454 (1874) ;

Mém. Soc. Genève, xxv. p. 449 (1878).

1. **C. Thoracicus, Sauss.** ll. cc. p. 455 | Cuba.
(1874) : p. 450 (1878).

ÆCANTHINÆ C.

Genus 89. **Æcanthus.** (*Type* no. 1.)

- Serv. Ann. Sci. Nat. xxii. p. 134 (1831); Ins. Orth. p. 358 (1839); Steph. Ill. Brit. Ent., Mand. vi. p. 41 (1835); Costa, Faun. Nap., Grill. p. 18 (1852); Burm. Handb. Ent. ii. p. 731 (1838); Ramb. Faun. Andal. ii. p. 40 (1839); Haan, Temminck, Verhandel., Orth. p. 236 (1842); Fisch. Orth. Eur. p. 164 (1853); Fieb. Lotos, iii. p. 233 (1853); Syn. Eur. Orth. p. 63 (1854); Friv. Érték. Termész. Kör. i. (12) p. 78 (1867); Sauss. Miss. Mex., Orth. p. 456 (1874); Mém. Soc. Genève, xxv. p. 451 (1878); Biol. Centr.-Amer., Orth. i. p. 252 (1897); Bol. Ortópt. Españ. p. 270 (1876); An. Soc. Españ. viii. p. 66 (1878); Ann. Sci. Nat. Porto, v. p. 39 (1898); Brunn. Prodr. Eur. Orth. pp. 419, 420 (1882); Finot, Orth. France, p. 129 (1883); Faune France, Orth. pp. 230, 231 (1889); McNeill, Psyche, vi. p. 6 (1891); Blatchl. Proc. Indiana Acad. Sci. 1891, pp. 128, 140; Rep. Indiana Dept. Geol. xxvii. p. 444 (1903); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 269, 273 (1894); Tümp. Geradfl. Mitteleurop. pp. 227, 228, 273 (1900); Faxon, Psyche, ix. p. 183 (1901); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 447 (1904); E. M. Walker, Canad. Ent. xxxvi. p. 253 (1904).
- Æcanthus*, Brullé, Hist. Nat. Ins. ix. p. 174 (1835); Blanch. Hist. Nat. Ins. iii. p. 31 (1840).
- Gryllomyia*, Stål, Weitenweber, Beitr. ges. Naturk. Heilwiss. i. p. 212 (1837). (*Type* no. 1.)

- *1. **Æ. Pellucens, Scop.** (*Gryllus P.*) Ent. | S. & Centr.
 Carn. p. 32. n. 324 (1763). | Europe,
Æ. Pellucens, Costa, l. c. pp. 19-45 (1852- | W. & Centr.
 1855); Serv. Ins. Orth. p. 360. n. 1 | Asia.
 (1839); Haan, l. c. p. 236. n. 1 (1842);
 Fisch. l. c. p. 165. n. 1, pl. 9. ff. 14, 14 a, b
 (1853); Fieb. ll. cc. p. 233. n. 1 (1853);
 p. 64. n. 1 (1854); Friv. l. c. p. 80. n. 1
 (1867); Sauss. Fedchenko, Reise Turk.,
 Orth. p. 38 (1874); Mém. Soc. Genève,
 xxv. p. 455. n. 6, pl. 15 (xxxiv.) ff. 1-6,
 pl. 16 (xliii.) (1877-1878); Bol. ll. cc.

p. 271. n. 1 (1876) ; p. 67. n. 1 (1878) ;
p. 125. n. 1 (1898) ; Brunn. l. c. p. 421.
n. 1, pl. 11. f. 96 (1882) ; Finot, ll. cc.
p. 131 (1883) ; p. 232, pl. 12. f. 149
(1889) ; Burr, Brit. Orth. p. 68 (1897) ;
Tümp. l. c. pp. 228, 273, pl. 22 (1900) ;
Jacobs. & Bianchi, l. c. p. 448, pls. 9 & 10
(1902-1904).

Ecanthus Pellucens, Brullé, l. c. p. 174,
pl. 18. f. 1 (1835) ; Blanch. l. c. p. 31,
pl. 8. f. 3 (1840).

Acheta Italica, Fabr. Spec. Ins. i. p. 355.
n. 12 (1781) ; Cyrillo. Spec. Ent. Neap.
pl. 7. ff. 5, 6 (1792) ; Panz. Faun. Germ.
fasc. 22, pl. 17 (1794) ; Charp. Hor. Ent.
p. 79 (1825).

Gryllus Italicus, Oliv. Enc. Méth., Ins.
vi. p. 637. n. 16 (1791) ; Latr. Hist. Nat.
Crust. Ins. xii. p. 125. n. 5 (1804).

Ecanthus Italicus, Steph. l. c. vi. p. 41
(1835) ; Ramb. l. c. p. 41 (1839).

Gryllomyia Italica, Seidl, l. c. p. 212
(1837).

|| *Semblis Lutaria*, Petagna (*nec* Linn.) Inst.
Ent. ii. pl. 4. f. 2 (1792).

|| *Meconema Varia*, Fisch. Waldh. Orth. Ross.
pl. 8. f. 6 (*nec* text!) (1846).

Var. *Acheta Aquea*, Fabr. Ent. Syst. Suppl.
p. 192 (1798).

Gryllus Aqueus, Eversm. Addit. Orth. Ross.
Fisch. Waldh. p. 7, pl. A. f. 1 (1848).

Ecanthus Aqueus, Fisch. l. c. p. 166
(1853).

2. **Æ. Macer, Karsch**, Ent. Nachr. xix. Cameroons,
p. 203 (1893) ; Berlin. Ent. Zeitschr. Adeli.
xxxviii. p. 161 (1893).

3. **Æ. Camptulus, Karsch**, Berlin. Ent. Adeli.
Zeitschr. xxxviii. p. 161 (1893).

4. **Æ. Filiger, Walk. Cat. Derm. Salt. B. M. Cape,
v. Suppl. p. 14 (1871). Natal.

Æ. Brevicauda, Sauss. Mém. Soc. Genève,
xxv. p. 454 (1878).

*5. **Æ. Capensis, Sauss.** l. c. p. 456 (1878). Cape.

6. **Æ. Burmeisteri, Sauss.** l. c. p. 454 E. Africa.
(1878).

7. **Æ. Parvulus, Sauss.** Abhandl. Senckenb. Aldabra.
Ges. xxi. p. 613 (1899). Nossi Bé.

- **8. **Æ. Sinensis, Walk.** l. c. i. p. 95. n. 11 (1869). China.
- *9. **Æ. Indicus, Sauss.** l. c. p. 454 (1878). Ind., Java.
- *10. **Æ. Rufescens, Serv.** Ins. Orth. p. 361 (1839); Sauss. l. c. p. 456 (1878). India,
Java, Born.,
Gryllus (Æcanthus) Gracilis, Haan, Tem- Celebes, Ceylon,
minck, Verhandel., Orth. p. 236, pl. 20. Australia,
f. 8 (1842). Timor, Fiji.
11. **Æ. Lineatus, Walk.** l. c. i. p. 96. n. 13 (1869); Sauss. l. c. p. 455 (1878). Moreton
Bay, Fiji.
- *12. **Æ. Niveus, De Geer, (Gryllus N.)** Mém. N. & Centr.
Ins. iii. p. 522. n. 6. pl. 43. f. 6 (1773); America,
Oliv. Enc. Méth., Ins. vi. p. 637. n. 19 Cuba.
(1791).
Acheta Nivea, Jueg. N. Amer. Ins. p. 159
pl. 5. f. 26 (1854).
Æcanthus Niveus, Serv. l. c. p. 361 (1839);
Harr. Ins. Injur. Veget. p. 124 (1841);
(ed. 3) p. 154, ff. 71, 72 (1862); Fitch,
Rep. Ins. N. York, iii. p. 86 (1856);
Scudd. Bost. Journ. Nat. Hist. vii. p. 431
(1862); Sauss. Miss. Mex., Orth. p. 458
(1874); Biol. Centr.-Amer., Orth. i. p. 253
(1897); Pack. Guide Stud. Ins. p. 564,
ff. 561, 562 (1883); Rep. U.S. Ent.
Comm. v. pp. 230, 591, ff. 75, 76 (1890);
McNeill, Psyche, vi. p. 6 (1891); Beut.
l. c. p. 269, f. 2, pl. 5. ff. 12, 13 (1894);
Faxon, Psyche, ix. p. 183 (1901); Blatchl.
ll. cc. p. 141. n. 14 (1891); pp. 444, 446,
ff. 115, 116 (1903); E. M. Walk. l. c.
p. 253. n. 12 (1904).
Æ. Niveus, var. *e. Discoloratus, Fitch*, l. c.
p. 95 (1856).
Æ. Niveus, var. *f. Fuscipes, Fitch*, l. c.
(1856).
- *13. **Æ. Angustipennis, Fitch, (Æ. Niveus,** United
var. *a* & var. *g. Angustipennis*) l. c. States.
(1856).
Æ. Angustipennis, McNeill, l. c. vi. p. 7
(1891); Beut. l. c. p. 270, f. 3 (1894);
Faxon, l. c. ix. p. 183 (1901); Blatchl.
ll. cc. p. 143. n. 16 (1891); pp. 444, 450.
n. 141, f. 117 (1903).
- *14. **Æ. Argentinus, Sauss.** ll. cc. p. 460^w Texas,
(1874); p. 253 (1897); Caud. Proc. Ent. Mexico; La
Soc. Washington, v. p. 166 (1903). Plata (?).

15. **Æ. Quadripunctatus, Beut.** l. c. vi. p. 271, f. 5 (1894); Faxon, l. c. ix. p. 183 (1901); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 445, 452 (1903); E. M. Walk. l. c. pp. 253, 255. n. 14 (1904).
Æ. Niveus, var. *c.* *Fitch*, l. c. p. 95 (1856). United States.
16. **Æ. Pini, Beut.** Journ. N. York Ent. Soc. ii. p. 56 (1894); Bull. Amer. Mus. Nat. Hist. vi. p. 271, f. 6 (1894). Connecticut.
- *17. **Æ. Fasciatus, Fitch**, (*nec De Geer*) l. c. p. 96 (1856); McNeill, l. c. vi. p. 6 (1891); Blatchl. Proc. Indiana Acad. Sci. 1891. p. 143. n. 15; Rep. Indiana Dept. Geol. xxvii. p. 444 (1903); E. M. Walk. l. c. pp. 253, 254. n. 13 (1904). New York, Illinois.
- ***Æ. Nigricornis*. Walk. l. c. i. p. 93. n. 4 (1869); Sauss. ll. cc. p. 461 (1874); p. 254 (1897); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 270, f. 4 (1894); Faxon, l. c. ix. p. 183 (1901).
18. **Æ. Latipennis, Riley**, Rep. Ins. Miss., Index & Suppl. p. 61 (1881); McNeill, l. c. vi. p. 8 (1891); Beut. l. c. p. 272 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 444, 445. n. 139, f. 113 (1903). Missouri, Alabama, Texas.
19. **Æ. Californicus, Sauss.** Miss. Mex., Orth. p. 462 (1874). California.
- *20. **Æ. Varicornis, Walk.** l. c. i. p. 94. n. 5 (1869); Sauss. l. c. p. 460 (1874); Biol. Centr.-Amer., Orth. i. p. 254, pl. 12. ff. 24, 25 (1897); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 547. Mexico, Central America, Venezuela.
21. **Æ. (?) Crucis, Fabr.** (*Acheta C.*) Mant., Ins. i. p. 232. n. 12 (1787). St. Croix.
22. **Æ. (?) Flavipes, Fabr.** (*Acheta F.*) Ent. Syst. ii. p. 30. n. 8 (1793). St. Thomas.
- **23. **Æ. Tenuis, Walk.** l. c. i. p. 95. n. 9 (1869); Sauss. Miss. Mex., Orth. p. 461 (1874). Santarem.
24. **Æ. Minutus, Sauss.** Mém. Soc. Genève, xxv. p. 454 (1878). Pernambuco.
25. **Æ. Peruvianus, Walk.** l. c. i. p. 95. n. 8 (1869). Peru.
26. **Æ. Lineolatus, Sauss.** Biol. Centr.-Amer., Orth. i. p. 254 (1897). Rio Grande do Sul.
27. **Æ. (?) Forbesi, Titus**, Canad. Ent. xxxv. p. 260 (1903). Illinois.

Genus 90. **Neoxabea**, **Kirb.** (n. n.).

|| *Xabea*, *Riley* (*nec Walk.*), *Rep. Ins. Miss., Index & Suppl.* p. 62 (1881); *Beut. Bull. Amer. Mus. Nat. Hist.* vi. p. 272 (1894); *Blatchl. Rep. Indiana Dept. Geol.* xxvii. pp. 444, 453 (1903).

- | | |
|--|--|
| <p>*1. N. Bipunctata, De Geer, (<i>Gryllus Bipunctatus</i>) <i>Mém. Ins.</i> iii. p. 523. n. 7, pl. 43. f. 7 (1773); <i>Oliv. Enc. Méth., Ins.</i> vi. p. 637. n. 18 (1791); <i>Burm. Handb. Ent.</i> ii. p. 732. n. 2 (1838).
 <i>Ecanthus Bipunctatus</i>, <i>Sauss. Miss. Mex., Orth.</i> p. 462 (1874); <i>Biol. Centr.-Amer., Orth.</i> i. p. 255 (1897); <i>Stål, Recens. Orth.</i> iii. p. 3 (1875).
 <i>Xabea Bipunctata</i>, <i>Riley</i>, l. c. p. 61 (1881); <i>Blatchl.</i> l. c. p. 453. n. 144 (1903).
 <i>Xabea Bipunctatus</i>, <i>Beut.</i> l. c. p. 272, pl. 5. f. 14 (1894).
 <i>Acheta Binotata</i>, <i>Gmel. Syst. Nat.</i> i. (5) p. 2062. n. 84 (1788).
 <i>Ecanthus Punctulatus</i>, <i>Fitch</i>, <i>Rep. Ins. N. York</i>, iii. p. 97 (1856).
 ** <i>Ecanthus Formosus</i>, <i>Walk. Cat. Derm. Salt. B. M.</i> i. p. 94. n. 6 (1869).</p> | <p>United States, Mexico, Central America.</p> |
|--|--|

Genus 91. **Xabea**.

Walk. Cat. Derm. Salt. B. M. i. p. 109 (1869).

- | | |
|--|-----------------|
| <p>**1. X. Decora, Walk. l. c. p. 109. n. 1 (1869).
 <i>Ecanthus (Xabeus) Decorus</i>, <i>Sauss. Mém. Soc. Genève</i>, xxv. p. 457 (1878).</p> | <p>Sumatra.</p> |
|--|-----------------|

SUBFAM. V.

TRIGONIDIINÆ.

Genus 92. **Trigonidium.** (*Type* no. 1.)

Ramb. Faune Andal. ii. p. 39 (Jan. 1839) ; Serv. Ins. Orth. p. 349 (1839) ; Fisch. Orth. Eur. p. 169 (1853) ; Sauss. Mém. Soc. Genève. xxv. p. 462 (1878) ; Bol. Ortópt. Españ. p. 273 (1876) ; An. Soc. Españ. viii. p. 69 (1878) ; Ann. Sci. Nat. Porto, vi. p. 39 (1898) ; Brunn. Prodr. Eur. Orth. p. 422 (1882) ; Finot, Orth. France, p. 130 (1883) ; Faune France, Orth. p. 233 (1889) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 464 (1904).

Alamia. *Serv.* l. c. p. 350 (1839) ; Costa, Faun. Nap., Grill. pp. 13, 49 (1852-1855).

Ceratinopterus, *Fieb.* Lotos, iii. p. 232 (1853) ; Syn. Eur. Orth. p. 62 (1854).

- *1. **T. Cicindeloides**, **Ramb.** l. c. p. 39 (1839) ; Fisch. l. c. p. 169, pl. 9. ff. 5, 5*, 5 *a*, *b* (1853) ; Bol. ll. cc. p. 274, pl. 7. ff. 8, 8 *a*, *b* (1876) ; p. 70, n. 1, pl. 3. ff. 9, 9 *a* (1878) ; p. 124, n. 1 (1898) ; Ann. Soc. Ent. France, lxxviii. p. 804 (1900) ; Sauss. l. c. p. 463, pl. 19 (lxxix.) f. 1 (1878) ; Brunn. l. c. p. 423, pl. 11. f. 97 A, B (1882) ; Finot, ll. cc. p. 132 (1883) ; p. 233, pl. 12. f. 150 (1889) ; Jacobs. & Bianchi, l. c. p. 464 (1904).

S. Europe,
N. & W.
Africa,
W. Asia,
India,
Burma,
Ceylon.

Ceratinopterus Cicindeloides, *Fieber*, ll. cc. p. 232 (1853) ; p. 62, n. 1 (1854) ; Lotos, v. p. 65, n. 1 (1855).

T. Paludicola, *Serv.* l. c. p. 351 (1839).

Alamia Paludicola, *Costa*, l. c. pp. 14, 49, pl. 6. f. 3 (1852-1855).

- **2. **T. Erythrocephalus**, **Walk.** (*Scleropterus E.*) Cat. Derm. Salt. B. M. i. p. 74, n. 3 (1869).

W. Africa,
Natal.

- **3. **T. Atrum**, **Walk.** (*Scleropterus Ater*) l. c. n. 4 (1869).

Sierra
Leone.

4. **T. Capense**, **Sauss.** l. c. p. 464 (1878).

Cape.

5. **T. Madecassum**, **Sauss.** l. c. (1878).

Madagascar

6. **T. Brevipenne**, **Sauss.** Abhandl. Senck.

Nossi Bé.

Ges. xxi. p. 606 (1899).

- | | |
|---|-----------------------|
| 7. T. Gigas , Bol. Ann. Soc. Ent. France, lxxviii. p. 804 (1900). | S. India. |
| 8. T. Haanii , Sauss. Mém. Soc. Genève, xxv. p. 466 (1878). | Java. |
| <i>Gryllus</i> (<i>Scleropterus</i>) <i>Cicindeloides</i> , <i>Haan</i> , Temminck, Verhandel., Orth. p. 233 (1842). | |
| *9. T. Flavipes , Sauss. l. c. p. 465. pl. 16 (xlvii.) ff. 1, 2 <i>i, e</i> , pl. 19 (lxxx.) f. 1 (1878). | Fiji, &c., Australia. |
| **10. T. Maoricum , Walk. (<i>Scleropterus Maoricus</i>) l. c. p. 74. n. 5 (1869). | New Zealand. |
| 11. T. Tahitense , Sauss. l. c. p. 465 (1878). | Tahiti. |

Genus 93. **Metioche.** (*Type* no. 6.)

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (1) p. 48 (1877).
Piestoriphus, **Sauss.** Mém. Soc. Genève, xxv. p. 467 (1878);
 Abhandl. Senckenb. Ges. xxi. p. 606 (1899); Karsch,
 Berlin. Ent. Zeitschr. xxxviii. p. 161 (1893). (*Type*
 no. 7.)

- | | |
|--|-------------------|
| 1. M. Guineensis , Sauss. (<i>Homoriphus</i> (?) <i>G.</i>) l. c. p. 473 (1878). | Fernando Po. |
| 2. M. Simiola , Karsch , (<i>Piestoriphus Simiolus</i>) Berlin. Ent. Zeitschr. xxxviii. p. 162 (1893). | W. Africa, Adeli. |
| 3. M. Fuscicornis , Stål , (<i>Trigonidium Fuscicorne</i>) Eugenie's Resa, Orth. p. 317 (1860). | Ascension. |
| <i>Homoriphus</i> (?) <i>Fuscicornis</i> , Sauss. l. c. p. 473 (1878). | |
| 4. M. Tibialis , Stål , (<i>Trigonidium Tibiale</i>) l. c. p. 316 (1860). | Mauritius. |
| <i>Homoriphus</i> (?) <i>Tibialis</i> , Sauss. l. c. p. 472 (1878). | |
| 5. M. Pallidicornis , Stål , (<i>Trigonidium Pallidicorne</i>) l. c. p. 317 (1860). | Hong Kong. |
| <i>Homoriphus</i> (?) <i>Pallidicornis</i> , Sauss. l. c. p. 473 (1878). | |
| 6. M. Vittaticollis , Stål , (<i>Trigonidium Vittaticolle</i>) l. c. p. 317 (1860). | Manila. |
| <i>Homoriphus</i> (?) <i>Vittaticollis</i> , Sauss. l. c. p. 474 (1878). | |
| <i>M. Lepidula</i> , Stål , Öfv. Vet.-Akad. Förh. xxxiv. (1) p. 48 (1877). | |

- *7. **M. Humbertiana**, Sauss. (*Homocoriphus* Ceylon.
Humbertianus) l. c. p. 468, pl. 17 (xlviii.)
f. 1 (1878).
8. **M. Pallipes**, Stål, (*Trigonidium* P.) Singapore.
Eugenie's Resa, Orth. p. 316 (1860).
Homocoriphus (?) *Pallipes*, Sauss. l. c. p. 472
(1878).
9. **M. Scitula**, Sauss. (*Homocoriphus* Sci- Java.
tulus) l. c. p. 469 (1878).
10. **M. Novaræ**, Sauss. (*Homocoriphus* N.) id.
l. c. p. 469, pl. 17 (xlviii.) ff. 2, 2a
(1878).
11. **M. Bicolor**, Stål, (*Trigonidium* B.) l. c. id.
p. 317 (1860).
Homocoriphus (?) *B.*, Sauss. l. c. p. 474
(1878).
12. **M. Coleoptrata**, Stål, (*Trigonidium* id.
Coleoptratum) l. c. p. 316 (1860).
Homocoriphus *Coleoptrata*, Sauss. Mém.
Soc. Genève, xxv. p. 472 (1878).
13. **M. Insularis**, Sauss. (*Homocoriphus* I.) Java, Fiji,
l. c. p. 470 (1878). Australia.
14. **M. Tacitus**, Sauss. (*Homocoriphus* T.) Oceania.
l. c. p. 471 (1878).

Genus 94. **Paratrigonidium**. (*Type* no. 1.)

Brunn. Ann. Mus. Genova. xxxiii. p. 208 (1893) ;
Perk. Faun. Haw., Orth. p. 15 (1899).

1. **P. Nitidum**, Brunn. l. c. p. 209, pl. 6. Burma.
f. 75 (1893).
2. **P. Castaneum**, Brunn. l. c. p. 209 id.
(1893).
3. **P. Fasciatum**, Brunn. l. c. (1893). Java.
4. **P. Vittatum**, Brunn. l. c. p. 210, pl. 6. Burma.
f. 70 (1893).
- **5. **P. Freycinetiæ**, Perk. l. c. p. 16 (1899). Hawaii.
- **6. **P. Saltator**, Perk. l. c. (1899). Oahu.
- **7. **P. Roseum**, Perk. l. c. pl. 1. f. 9 (1899). West
Maui.
- **8. **P. Atroferrugineum**, Brunn. Proc. Zool. Molokai.
Soc. Lond. 1895. p. 895 ; Perk. l. c.
p. 17, pl. 1. f. 10 (1899).

Byasui
Stria

- **9. **P. Subroseum**, Perk. l. c. p. 17 (1899). Oahu.
 10. **P. Filicum, Perk. l. c. pl. 2. f. 6 (1899). Hawaii.
 11. **P. Viridescens, Perk. l. c. p. 18, pl. 1. id.
 f. 11 (1899).
 12. **P. Varians, Perk. l. c. p. 18 (1899). Haw. Isl.
 13. **P. Grande, Perk. l. c. p. 19, pl. 1. f. 12 Hawaii.
 (1899).
 14. **P. Crepitans, Perk. l. c. p. 19 (1899). Kanai.
 15. **P. Robustum, Perk. l. c. p. 20 (1899). id.
 16. **P. Molokaiensis, Perk. l. c. (1899). Molokai.
 17. **P. Alternatum, Perk. l. c. pl. 1. f. 13, Kauai.
 pl. 2. f. 5 (1899).
 18. **P. Debile, Perk. l. c. p. 21 (1899). Oahu.
 19. **P. Exiguum, Perk. l. c. (1899). id.
 20. **P. Pacificum, Scudd. (*Trigonidium* P.) Haw.
 Proc. Boston Soc. Nat. Hist. xii. p. 139 Isl.
 (1868) ; Sauss. l. c. p. 466 (1878).
 P. Pacificum, Brunn. l. c. p. 895 (1895) ;
 Perk. l. c. p. 22, pl. 2. f. 6 a (1899).

Genus 95. **Homœoxipha.**

Sauss. Miss. Mex., Orth. p. 363 (1874).

Homœoxiphus, Sauss. Mém. Soc. Genève, xxv. p. 467 (1878).

- **1. **H. Lycoides**, Walk. (*Phyllopalpus* L.) Ceylon.
 Cat. Derm. Salt. B. M. i. p. 71. n. 8
 (1869).
 ♀. *Homœoxiphus Histrion*, Sauss. l. c. p. 467
 (1878).

Genus 96. **Cyrtoxipha.** (Type no. 24.)

Brunn. Mitth. Schweiz. ent. Ges. iv. p. 168 (1873) ; Sauss.
 Miss. Mex., Orth. p. 373 (1874).

Cyrtoxiphus, Sauss. Mém. Soc. Genève, xxv. p. 476 (1878) ;
 Brunn. Ann. Mus. Genova, xxxiii. p. 210 (1893).

1. **C. Ciliata**, Afzel. & Brann. (*Acheta* C.) Sierra
 Achet. Guin. p. 27. n. 7, f. 8 (1804). Leone.
 Cyrtoxiphus Ciliatus, Sauss. l. c. p. 490
 (1878).
 2. **C. Gilva**, Karsch, (*Cyrtoxiphus Gilvus*) Adeli.
 Berlin. Ent. Zeitschr. xxxviii. p. 162
 (1893).

3. **C. Contaminata, Karsch,** (*Cyrtoriphus Contaminatus*) l. c. p. 163 (1893). Adeli.
4. **C. Furva, Karsch,** (*Cyrtoriphus Furvus*) l. c. (1893). id.
- **5. **C. Gueinzii, Kirb.** (n. n.). Natal.
 ** *Phyllopalpus* (?) *Gracilis*, Walk. (nec *Trigonidium Gracile*, Scudd.) Cat. Derm. Salt. B. M. i. p. 70. n. 7 (1869).
6. **C. Desjardinsii, Serv.** (*Trigonidium D.*) Mauritius.
 Ins. Orth. p. 351 (1839).
Cyrtoriphus Desjardinsii, Sauss. l. c. p. 483. pl. 17 (xlix.) ff. 2, 2 i, e, t, pl. 19 (lxxix.) f. 2 (1878).
7. **C. Longipennis, Serv.** (*Trigonidium Longipenne*) l. c. p. 351 (1839). id.
Cyrtoriphus Longipennis, Sauss. l. c. p. 484. pl. 17 (xlix.) ff. 1, 6 (1878).
- **8. **C. Fascipes, Walk.** (*Eneoptera F.*) l. c. N. India.
 i. p. 67. n. 6 (1869).
- **9. **C. Concolor, Walk.** (*Eneoptera C.*) l. c. Bombay.
 v. Suppl. p. 10 (1871).
- **10. **C. Alboatra, Walk.** (*Eneoptera A.*) l. c. id.
 p. 11 (1871).
- **11. **C. Lateralis, Walk.** (*Eneoptera L.*) l. c. Ceylon.
 (1871).
- **12. **C. Œdemeroides, Walk.** (*Eneoptera Œ.*) Cgd, lat.
 l. c. (1871).
- *13. **C. Pusilla, Sauss.** (*Cyrtoriphus Pusillus*) id.
 l. c. p. 486 (1878).
14. **C. Unicolor, Scudd.** (*Eneoptera U.*) Bost. Manila.
 Journ. Nat. Hist. xii. p. 140 (1868);
 Sauss. l. c. p. 683 (1878).
15. **C. Venustula, Sauss.** (*Cyrtoriphus Venustulus*) l. c. p. 482 (1878). Java,
 Burma.
16. **C. Ritsemæ, Sauss.** (*Cyrtoriphus R.*) l. c. Java.
 p. 485 (1878); Brunn. Ann. Mus. Borneo,
 Genova. xxxiii. p. 211, pl. 6. f. 77 (1893). Burma.
17. **C. Lineatocollis, Serv.** (*Trigonidium* (?) Java.
Lineatocolle) Ins. Orth. p. 352 (1839).
Cyrtoriphus Lineaticollis, Sauss. l. c. p. 489 (1878).
18. **C. Maritima, Sauss.** (*Cyrtoriphus Maritimus*) l. c. p. 478, pl. 17 (xlix.) f. 3, pl. 19 (lxxix.) f. 3 (1878). Fiji,
 Samoa,
 Tahiti.
19. **C. Musica, Sauss.** (*Cyrtoriphus Musicus*) Tahiti.
 l. c. p. 480, pl. 17 (xlix.) ff. 4, 4 a (1878).

20. **C. Fulva, Sauss.** (*Cyrtoriphus Fulvus*) l. c. p. 481, pl. 17 (xlix.) f. 5 (1878). Fiji.
Burma.
21. **C. Straminula, Brunn.** (*Cyrtoriphus Straminulus*) l. c. p. 211 (1893). Burma.
22. **C. Straminea, Sauss.** (*Cyrtoriphus Stramineus*) l. c. p. 482 (1878). Fiji.
23. **C. Delicatula, Scudd.** Proc. Bost. Soc. Nat. Hist. xix. p. 82 (1877). Florida.
- *24. **C. Gundlachi, Sauss.** Miss. Mex., Orth. p. 373, pl. 7. f. 2 (1874). Cuba,
Cyrtoriphus Gundlachi, Sauss. Mém. Soc. St. Vincent,
Genève, xxv. p. 480 (1878); Bol. Mém. Pernam-
Soc. Zool. France, i. p. 158 (1888). buco.
- *25. **C. Vittata, Bol.** (*Cyrtoriphus Vittatus*) l. c. p. 159 (1888). Cuba, St.
Vinc., Gren.
26. **C. Poeyi, Bol.** (*Cyrtoriphus P.*) l. c. (1888). Cuba.
27. **C. Imitator, Sauss.** (*Cyrtoriphus I.*) l. c. id.
- **28. **C. Macilenta, Sauss.** (*Cyrtoriphus Macilentus*) Biol. Centr.-Amer., Orth. i. p. 235, pl. 11. f. 45 (1897). Mexico,
Panama.
- *29. **C. Azteca, Sauss.** Miss. Mex., Orth. p. 375 (1874). Mexico,
Cyrtoriphus Aztecus, Sauss. Mém. Soc. Pernam-
Genève, xxv. p. 486 (1878); Biol. Centr.- buco.
Amer., Orth. i. p. 235, pl. 11. ff. 38, 39 (1897).
- **30. **C. Smithi, Sauss.** (*Cyrtoriphus S.*) Biol. Mexico.
Centr.-Amer., Orth. i. p. 236 (1897).
- **31. **C. Tibialis, Sauss.** (*Cyrtoriphus T.*) l. c. id.
p. 236, pl. 11. f. 40 (1897).
- **32. **C. Championi, Sauss.** (*Cyrtoriphus C.*) Panama.
l. c. f. 41 (1897).
- **33. **C. Olmeca, Sauss.** (*Cyrtoriphus Olmecus*) l. c. ff. 42, 43 (1897). Mexico.
34. **C. Picta, Sauss.** (*Cyrtoriphus Pictus*) Panama.
l. c. p. 237 (1897).
- *35. **C. Tolteca, Sauss.** Miss. Mex., Orth. Mexico.
p. 376 (1874).
Cyrtoriphus Toltecus, Sauss. Mém. Soc.
Genève, xxv. p. 487 (1878); Biol. Centr.-
Amer., Orth. i. p. 237, pl. 11. f. 44 (1897).
- *36. **C. Angusticollis, Sauss.** Miss. Mex., Mexico,
Orth. p. 377, pl. 7. f. 2 (1874). Panama.
Cyrtoriphus Angusticollis, Sauss. Mém. Soc.
Genève, xxv. p. 488, pl. 19 (lxxx.) f. 6
(1878); Biol. Centr.-Amer., Orth. i.
p. 238 (1897).

37. **C. (?) Chichimeca, Sauss.** (*Cyrtoriphus Chichimecus*) ll. cc. p. 490 (1878) ; p. 238 (1897). Mexico.
- *38. **C. Minuta, Linn.** (*Gryllus Acheta Minutus*) Syst. Nat. (ed. 12) i. p. 694. n. 11 (1767). Dominica.
C. Minuta, Sauss. Miss. Mex., Orth. p. 379 (1874) ; Stål, Recens. Orth. iii. p. 1 (1875).
Cyrtoriphus Minutus, Sauss. Mém. Soc. Genève, xxv. p. 489 (1878).
Gryllus Testaceus, De Geer, Mém. Ins. iii. p. 524. n. 8. pl. 43. f. 8 (1773).
- **39. **C. Incompta, Walk.** (*Eneoptera* L.) l. c. Tapajos.
i. p. 67. n. 4 (1869).
- **40. **C. Lanceolata, Walk.** (*Eneoptera* L.) Brazil.
l. c. n. 5 (1869).
41. **C. Peruviana, Sauss.** Miss. Mex., Orth. Peru.
p. 378 (1874).
Cyrtoriphus Peruvianus, Sauss. Mém. Soc. Genève, xxv. p. 488 (1878).
42. **C. Stolzmanni, Bol.** (*Cyrtoriphus* S.) id.
An. Soc. Españ. x. p. 475 (1881).
43. **C. Gracilis, Scudd.** (*Trigonidium Gracile*) Proc. Bost. Soc. Nat. Hist. xii. Napo
p. 331 (1869).
C. Gracilis, Sauss. Miss. Mex., Orth. p. 377 (1874).

Genus 97. **Lobeda.**

Walk. Cat. Derm. Salt. B. M. i. p. 65 (1869).

- **1. **L. Ovalis, Walk.** l. c. p. 66 (1869). | Natal.

Genus 98. **Orthoxiphus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 613 (1899).

1. **O. Atriceps, Sauss.** l. c. pl. 37. f. 9 (1899). | Nossi Bé.

Genus 99. **Amusurgus.**

Brunn. Ann. Mus. Genova, xxxiii. p. 212 (1893).

1. **A. Fulvus, Brunn.** l. c. pl. 6. f. 78 (1893). | Pegu.
g 2

Genus 100. **Hydropedeticus.**

Miall & Gils. Trans. Ent. Soc. Lond. 1902, p. 284.

1. **H. Vitiensis**, Miall & Gils. l. c. pls. 7, | Fiji.
8 (1902).

Genus 101. **Zarceus.**

Bol. Ann. Soc. Ent. France, lxiv. p. 383 (1895).

1. **Z. Fallaciosus**, Bol. l. c. p. 384 (1895). | Seychelles.

Genus 102. **Thamnoscirtus.** (Type no. 2.)

Sauss. Mém. Soc. Genève, xxv. p. 490 (1878).

- | | |
|--|-----------------------|
| 1. T. Cæruleus , Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 548 (1904). | Mexico. |
| *2. T. Cicindeloides , Gerst. (<i>Phylloscirtus</i> C.) Stettin. Ent. Zeit. xxiv. p. 428 (1863);
Sauss. Miss. Mex., Orth. p. 369 (1874).
<i>Phylloscirtus Cicindeloides</i> , Burm. Abhandl. Ges. Halle, xv. p. 18 (1880).
<i>T. Cicindeloides</i> , Sauss. Mém. Soc. Genève, xxv. p. 491, pl. 16 (xlv.) ff. 1, 1 e, a, b (1878). | Panama,
Venezuela. |
| **3. T. Montanus , Sauss. Biol. Centr.-Amer. Orth. i. p. 240, pl. 13. f. 36 (1897). | Panama. |
| 4. T. Viridicatus , Sauss. l. c. p. 240 (1897). | Guiana. |
| 5. T. Vittatus , Gerst. (<i>Phylloscirtus</i> V.) l. c. p. 428 (1863); Sauss. Miss. Mex., Orth. p. 369 (1874).
<i>Phylloscirtus Vittatus</i> , Burm. l. c. p. 16 (1880).
<i>T. Vittatus</i> , Sauss. Mém. Soc. Genève, xxv. p. 492 (1878). | British
Guiana. |

Genus 103. **Phylloscirtus.** (Type no. 4.)

Guér. Icon. R. Anim., Ins. p. 333 (1844); Gerst. Stettin. Ent. Zeit. xxiv. p. 424 (1863); Sauss. Miss. Mex., Orth. p. 363 (1874).
Phylloscirtus, Sauss. Mém. Soc. Genève, xxv. p. 493 (1878);
Biol. Centr.-Amer., Orth. i. p. 238 (1897); Burm. Abhandl.

Ges. Halle, xv. p. 12 (1880) : Bent. Bull. Amer. Mus. Nat. Hist. vi. pp. 268, 273 (1894) : Blatchley, Proc. Indiana Acad. Sci. 1891. pp. 128, 137 : Rep. Indiana Dept. Geol. xxvii. p. 456 (1903).

Cranistus, Stål, Eugenie's Resa, Orth. p. 315 (1860). (*Type* no. 7.)

Phyllopalpus, Uhl. Proc. Ent. Soc. Philad. ii. p. 543 (1864). (*Type* no. 1.)

- *1. **P. Pulchellus**, Uhl. (*Phyllopalpus* P.) United States.
l. c. p. 544 (1864).
Phylloscyrtus Pulchellus, Sauss. Miss. Mex., Orth. p. 368 (1874).
Phylloscirtus Pulchellus, Sauss. Mém. Soc. Genève, xxv. p. 497 (1878) : Burm. l. c. p. 16. pl. 1. f. 13 (1880) : Bent. l. c. p. 268. pl. 5. f. 13 (1894) : Blatchl. ll. cc. p. 137 (1891) : p. 456. n. 146 (1903).
2. **P. Nigrovarius**, Walk. (*Phyllopalpus* ?) Mexico.
N.) Cat. Derm. Salt. B. M. i. p. 70. n. 6 (1869).
3. **P. Cæruleus**, Sauss. Miss. Mex., Orth. id.
p. 366. pl. 7. ff. 3. 3 a (1874).
Phylloscirtus Cæruleus, Sauss. Mém. Soc. Genève, xxv. p. 498. pl. 19 (lxxx.) f. 4 (1878).
4. **P. Elegans**, Guér. l. c. p. 333 (1844) : id.
Sauss. Miss. Mex., Orth. p. 368 (1874).
5. **P. Brunnerianus**, Sauss. l. c. p. 368, id.
pl. 7. f. 4 (1874).
Phylloscirtus Brunnerianus, Sauss. Mém. Soc. Genève, xxv. p. 496. pl. 19 (lxxx.) ff. 2. 3 (1878).
6. **P. Costatus**, Sauss. (*Phylloscirtus* C.) Colombia,
l. c. p. 499 (1878). Brazil.
- *7. **P. Colliurides**, Stål, (*Cranistus* C.) l. c. Brazil.
p. 316. pl. 5. f. 5 (1860).
P. Colliurides, Gerst. l. c. p. 426 (1863).
Phylloscirtus Colliurides, Sauss. l. c. p. 500 (1878) : Burm. l. c. p. 16. pl. 1. ff. 11, 12 (1880).
- **8. **P. Comptus**, Walk. (*Phyllopalpus* C.) Para.
l. c. p. 69. n. 3 (1869).
9. **P. Canotus**, Sauss. (*Phylloscirtus* C.) Brazil.
Mém. Soc. Genève, xxv. p. 501 (1878).
P. Colliurides, pt., Sauss. Miss. Mex., Orth. p. 365 (1874).

- | | |
|--|------------------------|
| 10. P. Pulcher, Walk. (<i>Phyllopalpus P.</i>) l. c.
p. 69. n. 5 (1869). | Amazons. |
| *11. P. Batesii, Kirb. (n. n.).
 <i>Phyllopalpus Elegans, Walk. (nec Guér.)</i>
l. c. p. 69. n. 4 (1869).
 <i>Phylloscirtus Elegans, Sauss.</i> l. c. p. 497
(1878); <i>Burm.</i> l. c. p. 17 (1880). | Santarem,
Colombia. |
| 12. P. Macilentus, Sauss. (<i>Phylloscirtus M.</i>)
l. c. p. 501. pl. 16 (xlv.) f. 2 (1878).
<i>P. Colliurides, var., Sauss.</i> <i>Miss. Mex., Orth.</i>
p. 365, pl. 8. f. 32 (1874). | Argentine
Republic. |
| 13. P. Amcenus, Burm. (<i>Phylloscirtus A.</i>)
l. c. p. 17, pl. 1. ff. 8-10 (1880). | Buenos
Aires. |
| 14. P. Setosus, Burm. (<i>Phylloscirtus S.</i>) l. c.
p. 18, pl. 1. f. 18 (1880). | id. |

Genus 104. **Anaxipha.** (*Type no. 2.*)

Sauss. *Miss. Mex., Orth.* p. 370 (1874); *Bent. Bull. Amer. Mus. Nat. Hist.* vi. pp. 267, 273 (1894); *Blatchl. Rep. Indiana Dept. Geol.* xxvii. p. 454 (1903).

Anaxiphus, Sauss. *Mém. Soc. Genève.* xxv. p. 475 (1878);
Blatchl. Proc. Indiana Acad. Sci. 1891, pp. 128, 137.

- | | |
|--|--|
| 1. A. (?) Averni, Costa, (<i>Nemobius A.</i>)
<i>Faun. Nap., Grill.</i> p. 47. n. 2, pl. 9.
f. 7 A-E (1855).
<i>Anaxiphus (?) Averni, Sauss.</i> l. c. p. 475
(1878); <i>Bol. Actas Soc. Españ.</i> 1898,
p. 73. | Lake
Avernus;
Morocco. |
| *2. A. Exigua, Say, (<i>Acheta E.</i>) <i>Journ. Acad.</i>
<i>Nat. Sci. Phil.</i> iv. p. 309 (1825).
<i>Anaxipha Exigua, Davis.</i> <i>Amer. Nat.</i> xxii.
p. 1148 (1888); <i>Bent.</i> l. c. p. 268 (1894);
<i>Blatchl. Rep. Indiana Dept. Geol.</i> xxvii.
p. 455. n. 145, f. 121 (1903).
<i>Gryllus Pulicarius, Burm.</i> <i>Handb. Ent.</i> ii.
p. 732. n. 3 (1838).
<i>Anaxipha Pulicaria, Sauss.</i> <i>Miss. Mex.,</i>
<i>Orth.</i> p. 371. pl. 7. f. 1 (1874).
<i>Anaxiphus Pulicarius, Sauss.</i> <i>Mém. Soc.</i>
<i>Genève,</i> xxv. p. 475 (1878); <i>Biol. Centr.-</i>
<i>Amer., Orth.</i> i. p. 233 (1897).
<i>Anaxiphus Pulicarius, Blatchl. Proc. Indiana</i>
<i>Acad. Sci.</i> 1891, p. 137. n. 10. | United
States,
Mexico,
Jamaica. |

- ** ♂. *Phyllopalpus Latipennis*, Walk. Cat. Derm. Salt. B. M. i. p. 68. n. 2 (1869).
 ** ♀. *Eneoptera Insularis*, Walk. l. c. p. 66. n. 2 (1869).
 3. **A. (?) Pumila, Burm.** (*Gryllus Pumilus*) St. Jean.
 l. c. p. 732. n. 4 (1838). St. Thomas.
A. (?) Pumila, Sauss. Miss. Mex., Orth. p. 372 (1874).
 4. **A. Pallens, Stål**, (*Trigonidium P.*) Rio Janeiro.
 Eugenie's Resa, Orth. p. 318 (1860).
A. Pallens, Sauss. l. c. p. 372 (1874).

Genus 105. **Falcicula.**

Rehn, Entom. News, xiv. p. 258 (1903).

1. **F. Hebardii, Rehn**, l. c. (1903); Proc. Georgia Acad. Nat. Sci. Philad. lvi. p. 802 (1905).

SUBFAM. VI.

ENEOPTERINÆ A.

Genus 106. **Nisitra.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 91 (1869).

Nisitrus, Sauss. Mém. Soc. Genève, xxv. p. 511 (1878).

- *1. **N. Vittata, Haan**, (*Gryllus (Platydictylus) Vittatus*). Temminck. Verhandel. Java,
 Orth. p. 234 (1842). Sumatra,
 Borneo.
Nisitrus Vittatus, Sauss. l. c. p. 512, pl. 17
 (liv.) ff. 1-5, i. c. (1878).
 ** *Nisitra Marginata*, Walk. l. c. i. p. 92. n. 1
 (1869).
 2. **N. Insignis, Sauss.** (*Nisitrus I.*) l. c. Sumatra.
 p. 515 (1878).
 3. **N. Brunneriana, Sauss.** (*Nisitrus Brunnerianus*) l. c. Borneo.
 (1878).
 4. **N. Hyalina, Sauss.** (*Nisitrus Hyalinus*) id.
 l. c. p. 516 (1878).
 5. **N. Maculosa, Walk.** l. c. v. Suppl. p. 14. Ceram.
 (1871).

Genus 107. **Lebinthus.** (*Type no. 1.*)

Stål, Cefv. Vet.-Akad. Förh. xxxiv. (1) p. 50 (1877) ; Bol. An Soc. Españ. xviii. p. 425 (1889).
Paraeneopterus, Sauss. Mém. Soc. Genève, xxv. p. 533 (1878).
 (*Type no. 1.*)

- | | |
|---|---------------------|
| 1. L. Bitæniatus , Stål, l. c. p. 50 (1877). | Philippines. |
| 2. L. Sanchezi , Bol. l. c. p. 425 (1889). | id. |
| 3. L. Saussurei , Bol. l. c. (1889). | id. |
| <i>Paraeneopterus Bitæniatus</i> , Sauss. (<i>nec Stål</i>)
l. c. p. 534, pl. 18 (lix.) ff. 1, 2 (1878). | |
| 4. L. Striolatus , Brunn. (<i>Paraeneopterus S.</i>)
Abhandl. Senckenb. Ges. xxiv. p. 279
(1898). | Amboina,
Gilolo. |
| 5. L. (?) Elegans , Giglio-Tos, (<i>Paraeneo-
pterus E.</i>) Boll. Mus. Torino, xii. (301)
p. 8 (1897). | Darien. |

Genus 108. **Dindymus.**

Brunn. Ann. Mus. Genova, xxxiii. p. 213 (1893).

- | | |
|--|--------|
| 1. D. Calcaratus , Brunn. l. c. pl. 1. f. 79
(1893). | Burma. |
|--|--------|

Genus 109. **Cardiodactylus.** (*Type no. 1.*)

Sauss. Mém. Soc. Genève, xxv. p. 517 (1878).

- | | |
|---|--|
| *1. C. Novæ-Guinææ , Haan, (<i>Gryllus (Platy-
dactylus) N.</i>) Temminck, Verhandel.,
Orth. p. 233 (1842).
<i>C. Novæ-Guinææ</i> , Sauss. l. c. p. 519, pl. 17
(lv.) f. 1 (1878).
 <i>Gryllus (Platydactylus) Gaimardi</i> , ♂, Haan,
l. c. p. 234 (1842). | N. Guinea,
N. Aus-
tralia,
Pelew Is.,
Java,
Borneo. |
| 2. C. Pictus , Sauss. l. c. p. 521, pl. 17 (lv.)
f. 4, s, i (1878). | Moluccas. |
| 3. C. Canotus , Sauss. l. c. p. 522 (1878). | Australia. |
| 4. C. Haanii , Sauss. l. c. p. 523, pl. 17
(lv.) f. 2 (1878).
 <i>Gryllus (Platydactylus) Gaimardi</i> , ♀, Haan,
l. c. p. 234 (1842). | N. Guinea. |
| 5. C. Rufidulus , Sauss. l. c. p. 523 (1878). | Australia. |
| 6. C. Gaimardi , Serv. (<i>Platydactylus G.</i>)
Ins. Orth. p. 366 (1839). | id.,
Amboina. |

C. Gaimardi, Sauss. l. c. p. 524, pl. 17 (lv.)
f. 3 (1878).

- **7. **C. (?) Longiusculus, Walk.** (*Gryllacris Longiuscula*) Cat. Derm. Salt. B. M. iii.
p. 472 (1870). | I. of Pines.

Genus 110. **Eurepa.** (Type no. 6.)

Walk. Cat. Derm. Salt. B. M. i. p. 71 (1869).

Piestodactylus, Sauss. Mém. Soc. Genève, xxv. p. 526 (1878).
(Type no. 5.)

- | | |
|--|-------------------------------------|
| 1. E. Siamensis, Sauss. (<i>Piestodactylus S.</i>) | Siam. |
| l. c. p. 528 (1878). | |
| **2. E. Ferruginea, Walk. (<i>Luzara (?) F.</i>) | Ceylon. |
| l. c. i. p. 103. n. 2 (1869). | |
| 3. E. Punctata, Brunn. (<i>Piestodactylus Punctatus</i>) | Gilolo. |
| Abhandl. Senckenb. Ges. xxiv.
p. 278 (1898). | |
| 4. E. Centurio, Brunn. (<i>Piestodactylus C.</i>) | N. Guinea. |
| l. c. (1898). | |
| 5. E. Brevipennis, Sauss. (<i>Piestodactylus B.</i>) | N. Australia
Upolu, &c. |
| l. c. p. 527 (1878). | |
| **6. E. Marginipennis, White, (<i>Acheta (?) M.</i>) | Australia,
K. George's
Sound. |
| Grey, Journ. Exped. Austr. ii. p. 467
(1841). | |
| <i>E. Marginipennis</i> , Walk. l. c. i. p. 71. n. 1
(1869). | |
| <i>Piestodactylus Marginipennis</i> , Sauss. l. c.
p. 530 (1878). | |
| *7. E. Longicauda, Sauss. (<i>Piestodactylus L.</i>) | W. Aus-
tralia. |
| l. c. p. 529 (1878). | |

Genus 111. **Ligypterus.**

Sauss. Mém. Soc. Genève, xxv. p. 535 (1878).

- | | |
|--|---------|
| 1. L. Heydeni, Sauss. (<i>Eneoptera H.</i>) | Brazil. |
| Mex., Orth. p. 485 (1874). | |
| <i>Ligypterus Heydeni</i> , Sauss. Mém. Soc.
Genève, xxv. p. 536, pl. 17 (lvi.) ff. 1, 2
(1878). | |

Genus 112. **Eneoptera.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 736 (1838) ; Sauss. Miss. Mex., Orth. p. 481 (1874).

Eneopterus, Sauss. Mém. Soc. Genève, xxv. p. 531 (1878) ; Biol. Centr.-Amer., Orth. i. p. 256 (1897).

|| *Platydictylus*, Brullé (*nec* Cur.), Hist. Nat. Ins. ix. p. 176 (1835) ; Serv. Ins. Orth. p. 363 (1839).

*1. **E. Surinamensis, De Geer**, (*Gryllus* S.) S. & Centr. Mém. Ins. iii. p. 519, pl. 43. f. 1 (1773); America.

Guér. Icon. R. Anim., Ins. p. 328 (1844).

Platydictylus Surinamensis, Brullé, l. c. p. 176 (1835) ; Serv. l. c. p. 365, pl. 9. f. 1 (1839).

E. Surinamensis, Sauss. Miss. Mex., Orth. p. 483 (1874).

Eneopterus Surinamensis, Sauss. Mém. Soc. Genève, xxv. p. 532, pl. 17 (lvii.) ff. 1-4, i, e (1878) ; Biol. Centr.-Amer., Orth. i. p. 257 (1897).

** *Acheta Brasiliensis*, Fabr. Syst. Ent. p. 280. n. 4 (1775).

♂. *Platydictylus Surinamensis*, Serv. l. c. p. 365 (1839).

Gryllus Brasiliensis, Oliv. Enc. Méth., Ins. vi. p. 634. n. 5 (1791).

E. Brasiliensis, Burm. l. c. p. 736. n. 1 (1838).

Gryllus (Platydictylus) Brasiliensis, Haan, Temminck, Verhandel., Orth. p. 233 (1842).

Gryllus Servillei, Guér. l. c. pl. 54. f. 1 (1829).

** ♂. *Platydictylus Caliginosus*, Walk. Cat. Derm. Salt. B. M. i. p. 79. n. 9 (1869).

** ♂. *Platydictylus Subnotatus*, Walk. l. c. p. 88. n. 29 (1869).

Cardiodictylus (?) Subnotatus, Sauss. Mém. Soc. Genève, xxv. p. 525 (1869).

Platydictylus Bicolor, Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 141 (1868) ; Sauss. Miss. Mex., Orth. p. 516 (1874).

2. **E. Fasciata, Scudd.** (*Platydictylus Fasciatus*) l. c. p. 331 (1869). Napo (?). Marañon(?).

3. **E. Vicina, Serv.** (*Platydictylus Vicinus*) l. c. p. 365 (1839). Buenos Aires.

E N E O P T E R I N Æ B.

Genus 113. **Heterotrypus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 537 (1878).

- | | |
|--|--|
| 1. H. Africanus , Sauss. l. c. p. 540, pl. 16
(xxxviii.) ff. 1, 2 (1878). | Khartoum. |
| 2. H. Maculosus , Karsch, Ent. Nachr.
xix. p. 203 (1893). | Cameroons. |
| 3. H. Laqueatus , Karsch, Berl. Ent.
Zeitschr. xxxviii. p. 164 (1893). | Adeli. |
| 4. H. Buqueti , Serv. (<i>Platydictylus</i> B.)
Ins. Orth. p. 367 (1839).
<i>Gryllus</i> (<i>Phalangopsis</i>) <i>Buqueti</i> , Haan,
Temminck. Verhandel. Orth. p. 236
(1842).
 <i>Gryllus</i> (<i>Phalangopsis</i>) <i>Helcolus</i> , Haan (<i>nec</i>
<i>Serv.</i>), l. c. p. 235 (1842).
<i>Heterotrypus</i> <i>Buqueti</i> , Sauss. l. c. p. 542.
pl. 17 (li.) f. 2 (1878). | Java,
Borneo,
Sunda Isl.,
Japan,
Solomon
Isl. |
| 5. H. Simillimus , Sauss. l. c. p. 544, pl. 17
(li.) ff. 1, 1 i. e (1878). | Amboina. |
| 6. H. Modulator , Sauss. l. c. p. 545
(1878). | Manila. |
| 7. H. Longipes , Sauss. l. c. (1878). | Amboina. |
| 8. H. Funambulus , Sauss. l. c. p. 547.
pl. 17 (li.) f. 3, pl. 19 (lxxviii.) f. 3
(1878). | N. Guinea. |
| *9. H. Pacificus , Walk. (<i>Platydictylus</i> P.)
l. c. v. Suppl. p. 13 (1871). | Vavau :
Solomon Isl. |
| 10. H. Tripartitus , Sauss. l. c. p. 548
(1878). | Fiji. |

Genus 114. **Itara.**

Walk. Cat. Derm. Salt. B. M. i. p. 64 (1869).

Phorminctor, Sauss. Mém. Soc. Genève, xxv. p. 549 (1878).

- | | |
|--|---|
| *1. I. Microcephalus , Haan, (<i>Gryllus</i> (<i>Pha-</i>
<i>langopsis</i>) <i>M.</i>) Temminck, Verhandel.,
Orth. p. 236 (1842).
<i>P. Microcephalus</i> , Sauss. l. c. p. 550, pl. 17
(lii.) ff. 1-8 i. e (1878). | Sumatra,
Borneo,
Penang,
Japan,
Silhet. |
| ** <i>I. Sericea</i> , Walk. l. c. p. 64, n. 1 (1869). | |

ENEOPTERINÆ C.

Genus 115. **Stenogryllus.**

Sauss. Mém. Soc. Genève, xxv. p. 554 (1878).

|| *Hapithus*, Brunn. (nec Uhl.) Mitth. Schweiz. ent. Ges. iv. p. 165 (1873).

1. **S. Phthisicus**, Sauss. l. c. p. 555, pl. 17 St. Domingo (liii.) ff. 1-3 i, e (1878).

Genus 116. **Cylindrogryllus.**

Sauss. Mém. Soc. Genève, xxv. p. 556 (1878).

1. **C. Brevipennis**, Sauss. l. c. p. 557 | Brazil. (1878).

Genus 117. **Phyllogryllus.** (Type no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 558 (1878);

Biol. Centr.-Amer., Orth. i. p. 257 (1897).

- **1. **P. Velutinus**, Walk. (*Platydictylus* V.) | Santarem, Cayenne. Cat. Derm. Salt. B. M. i. p. 77. n. 6 (1869).
Eneoptera (?) *Velutina*, Sauss. Miss. Mex., Orth. p. 485 (1874).
P. Mortuijolia, Sauss. Mém. Soc. Genève, xxv. p. 59, pl. 18 (lxi.) ff. 1-5 (1878); Biol. Centr.-Amer., Orth. i. p. 257 (1897).
2. **P. Pipilans**, Sauss. Biol. Centr.-Amer., Cayenne. Orth. i. p. 258, pl. 13. f. 1 (1897)

Genus 118. **Diatrypa.** (Type no. 1.)

Sauss. Miss. Mex., Orth. p. 476 (1874).

Diatrypus, Sauss. Mém. Soc. Genève, xxv. p. 561 (1878); Biol. Centr.-Amer., Orth. i. p. 259 (1897).

- *1. **D. Tolteca**, Sauss. Miss. Mex., Orth. | Mexico. p. 478, pl. 7. f. 19 (1874).
Diatrypus Toltecus, Sauss. Biol. Centr.-Amer., Orth. i. p. 259, pl. 13. f. 5 (1897).

- | | |
|---|------------|
| **2. D. Jansonii , Sauss. (<i>Diatrypus J.</i>) l. c. | Nicaragua. |
| p. 259, pl. 13. f. 4 (1897). | |
| **3. D. Championi , Sauss. (<i>Diatrypus C.</i>) l. c. | Panama. |
| p. 260, pl. 13. ff. 2, 3 (1897). | |
| *4. D. Apithoides , Sauss. (<i>Diatrypus A.</i>) | id. |
| l. c. p. 260, pl. 13. f. 6 (1897). | |
| 5. D. Sibilans , Sauss. (<i>Diatrypus S.</i>) Mém. | Porto |
| Soc. Genève, xxv. p. 562 (1878). | Rico. |
| 6. D. Castanea , Sauss. (<i>Diatrypus Cas-</i> | Brazil. |
| <i>taneus</i>) l. c. p. 563 (1878). | |
| 7. D. Tuberculata , Sauss. Miss. Mex.. | Buenos |
| Orth. p. 479 (1874). | Aires. |
| 8. D. Ornata , Sauss. l. c. p. 480 (1874). | Hab. — ? |

Genus 119. **Madasumma.** (Type no. 12.)

Walk. Cat. Derm. Salt. B. M. i. p. 64 (1869).

Calyptotrypus, Sauss. Mém. Soc. Genève, xxv. p. 563 (1878);
 Brunn. Ann. Mus. Genova, xxxiii. p. 214 (1893). (Type
 no. 13.)

- | | |
|--|------------|
| 1. M. Steini , Sauss. (<i>Calyptotrypus S.</i>) l. c. | Guinea. |
| p. 586, pl. 18 (lxii.) f. 10 (1878). | |
| 2. M. Petersi , Sauss. (<i>Calyptotrypus P.</i>) | Sennaar. |
| l. c. p. 578, pl. 18 (lxii.) f. 3, 3a (1878). | |
| **3. M. Fuliginosa , Walk. (<i>Platyderis</i> | Natal. |
| <i>Fuliginosus</i>) l. c. i. p. 80, n. 12 (1869). | Pt. Eliza- |
| | beth. |
| *4. M. Grandidieri , Sauss. (<i>Calyptotrypus</i> | Madagascar |
| <i>G.</i>) l. c. p. 573 (1878). | |
| 5. M. Madecassa , Sauss. (<i>Calyptotrypus</i> | id. |
| <i>Maderassus</i>) l. c. p. 581 (1878). | |
| **6. M. Reducta , Walk. (<i>Gryllacris</i> (?) <i>R.</i>) | id. |
| l. c. iii. p. 472 (1870). | |
| 7. M. Binotata , Brancs. (<i>Calyptotrypus</i> | id. |
| <i>Binotatus</i>) Jahresh. Ver. Trens. Com. | |
| xv.-xvi. p. 199, pl. 10. f. 12 (1893). | |
| 8. M. Hova , Brancs. (<i>Calyptotrypus H.</i>) | Nossi Bé. |
| l. c. xvii.-xviii. p. 261, pl. 9. f. 7 | |
| (1897). | |
| *9. M. Marmorata , Haan, (<i>Gryllus</i> (<i>Pha-</i> | Japan, |
| <i>laugopsis</i>) <i>Marmoratus</i>) Temminck, Ver- | Java, |
| handel., Orth. p. 235 (1842). | Singapore. |
| <i>Calyptotrypus Marmoratus</i> , Sauss. Mém. | |
| Soc. Genève, xxv. p. 574, pl. 18 (lxii.) | |
| ff. 5, 5a, e (1878). | |

- **10. **M. Transversa**, Walk. (*Platydictylus Transversus*) l. c. i. p. 88. n. 13 (1869).
Cardiodictylus (?) *Transversus*, Sauss. l. c. p. 525 (1878). Silhet.
- *11. **M. Forceps**, Sauss. (*Calyptotrypus F.*) l. c. p. 571, pl. 18 (lxii.) f. 6 (1878). Shanghai ;
 Nimrod
 Sound.
 N. India.
- **12. **M. Ventralis**, Walk. l. c. i. p. 65. n. 1 (1869). N. India.
- **13. **M. Pallida**, Walk. (*Platydictylus Pallidus*) l. c. p. 82. n. 15 (1869). Silhet.
- *14. **M. Helvola**, Serv. (*Platydictylus Helvolus*) Ins. Orth. p. 366 (1839). Penang,
 Singapore,
 Borneo,
 Amboina.
- **15. **M. Plana**, Walk. (*Platydictylus Planus*) l. c. i. p. 81. n. 14 (1869). N. India.
- **16. **M. Præcipua**, Walk. (*Platydictylus Præcipuus*) l. c. p. 83. n. 18 (1869). Ceylon.
- **17. **M. Varipennis**, Walk. (*Platydictylus V.*) l. c. p. 84. n. 19 (1869). id.
Calyptotrypus Irroratus, Sauss. l. c. p. 577,
 pl. 18 (lxii.) ff. 8, 8 h, b (1878).
- *18. **M. Marginipennis**, Guér. (*Platydictylus M.*) Icon. R. Anim., Ins. p. 330 (1844). Pondi-
 cherry,
 Ceylon.
Calyptotrypus Marginipennis, Sauss. l. c. p. 583 (1878).
19. **M. Indecora**, Walk. (*Platydictylus Indecorus*) l. c. i. p. 83. n. 17 (1869). Siam.
20. **M. Conspersa**, Stål, (*Paracanthus Conspersus*) Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 50 (1877). 6-10♂
Calyptotrypus Conspersus, Bol. An. Soc. Españ. xviii. p. 426 (1889). Philippines.
21. **M. Saussurei**, Stål, (*Paracanthus S.*) l. c. p. 50 (1877). 6-10♂ id.
Calyptotrypus Saussurei, Bol. l. c. p. 427 (1889).
22. **M. Fuscinervis**, Stål, (*Paracanthus F.*) l. c. p. 51 (1877). 6-10♂ id.
Calyptotrypus Fuscinervis, Bol. l. c. p. 422 (1889).
23. **M. Quadrata**, Haan, (*Gryllus* (*Platydictylus*) *Quadratus*) l. c. p. 234 (1842). Java.
Calyptotrypus (?) *Quadratus*, Sauss. l. c. p. 584 (1878).
24. **M. Dorsalis**, Burm. (*Gryllus D.*) Handb. Ent. ii. p. 733. n. 5 (1838). id.

25. **M. Hofmanni, Sauss.** (*Calyptotrypus H.*) Borneo.
l. c. p. 569, pl. 18 (lxii.) ff. 2, 2 a (1878).
|| *Gryllus (Phalangopsis) Helcolus*, ♂, Haan,
l. c. p. 235 (1842).
- **26. **M. Notabilis, Walk.** (*Platydictylus N.*) Amboina,
l. c. i. p. 85 n. 24 (1869). Ceram.
27. **M. Tibialis, Sauss.** (*Calyptotrypus T.*) Moluccas,
l. c. p. 580, pl. 18 (lxii.) ff. 4, 4 i, e (1878); Philippines.
Bol. l. c. p. 427 (1889).
- **28. **M. Notatipes, Walk.** (*Platydictylus N.*) Ceram.
l. c. v. Suppl. p. 12 (1871).
29. **M. Varia, Walk.** (*Platydictylus Varus*) id.
l. c. i. p. 86. n. 25 (1869).
- *30. **M. Planiceps, Sauss.** (*Calyptotrypus P.*) Cape York.
l. c. p. 572, pl. 18 (lxii.) ff. 9, 9 i, a, h, b
(1878).
31. **M. Aperta, Sauss.** (*Calyptotrypus A.*) Rockhamp-
l. c. p. 576 (1878). ton.
- **32. **M. Australis, Walk.** (*Platydictylus A.*) Australia.
l. c. i. p. 87. n. 27 (1869).
33. **M. Continua, Walk.** (*Platydictylus Con-* N. Australia.
tinuus) l. c. n. 28 (1869).
- *34. **M. Pilosa, Haan,** (*Gryllus (Phalangopsis)* Borneo,
Pilosus) l. c. p. 235. n. 3 (1842). Java.
Calyptotrypus Pilosus, Sauss. l. c. p. 582,
pl. 18 (lxii.) ff. 7, 7 e (1878).

Genus 120. **Mnesibulus.** (Type no. 2.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (1) p. 50 (1877).

1. **M. Bicolor, Haan,** (*Gryllus (Phalan-* Java,
gopsis) B.) Temminck, Verhandel., Orth. Manila.
p. 235 (1878).
Calyptotrypus Bicolor, Sauss. Mém. Soc.
Genève, xxv. p. 587 (1878).
2. **M. Lineolatus, Stål,** l. c. p. 51 (1877). Philippines.
Calyptotrypus Simodus, Sauss. l. c. p. 590
(1878).
3. **M. Splendidulus, Stål,** l. c. p. 51 (1877). id.
4. **M. Pallidulus, Bol.** An. Soc. Españ. xviii. id.
p. 428 (1889).
- *5. **M. Brunnerianus, Sauss.** (*Calypto-* Java, Pegu,
trypus B.) l. c. p. 589 (1878). Singapore.
- **6. **M. Signatipennis, Walk.** (*Platydictylus* Celebes.
S.) Cat. Derm. Salt. B. M. i. p. 86. n. 26
(1869).

Genus 121. **Scepastus.**

Gerst. Stettin. Ent. Zeit. xxiv. pp. 93, 415 (1863) ;
 Sauss. Mém. Soc. Genève, xxv. p. 591 (1878).

- | | |
|---|--------|
| 1. S. Pachyrrhynchoides, Gerst. l. c. | Luzon. |
| pp. 93, 423 (1863) ; Sauss. l. c. p. 592
(1878). | |

Genus 122. **Parœcanthus.** (Type no. 8.)

Parœcanthus (laps. impr.) Sauss. Rev. Zool. (2) xi. p. 317
 (1859).

Parœcanthus, Sauss. Miss. Mex., Orth. p. 468 (1874) ; Mém.
 Soc. Genève, xxv. p. 593 (1878) ; Biol. Centr.-Amer., Orth.
 i. p. 261 (1897).

Carsidara, Walk. Cat. Derm. Salt. B. M. i. p. 53 (1869).
 (Type no. 12.)

- | | |
|---|-----------------------|
| 1. P. Fallax, Sauss. Miss. Mex., Orth. p. 470,
pl. 7. f. 15 (1874) ; Biol. Centr.-Amer.,
Orth. i. p. 261 (1897). | Cuba. |
| 2. P. Foraminatus, Sauss. Mém. Soc.
Genève, xxv. p. 596 (1878). | |
| 3. P. Toltecus, Sauss. l. c. p. 595, pl. 18
(lxvi.) ff. 1-3 (1878) ; Biol. Centr.-Amer.,
Orth. i. p. 262 (1897). | Mexico. |
| *4. P. Annulatus, Scudd. (<i>Eneoptera Annu-
lata</i>) Proc. Bost. Soc. Nat. Hist. xii. p. 140
(1868) ; Sauss. Miss. Mex., Orth. p. 516
(1874). | |
| ** <i>Platylactylus Lituratus</i> , Walk. l. c. v. Suppl.
p. 13 (1871). | |
| <i>P. Aztecus</i> , Sauss. l. c. p. 471 (1874) ; Biol.
Centr.-Amer., Orth. i. p. 262 (1897). | |
| <i>Parœcanthus Lituratus</i> , Sauss. Miss. Mex.,
Orth. p. 474 (1874). | |
| *5. P. Guatemalæ, Sauss. l. c. p. 475 (1874) ;
Biol. Centr.-Amer., Orth. i. p. 263
(1897). | Mexico,
Guatemala. |
| **6. P. Sulcatus, Sauss. Biol. Centr.-Amer.,
Orth. i. p. 263, pl. 13. ff. 12, 13 (1897). | |
| *7. P. Mexicanus, Sauss. (<i>Parœcanthus M.</i>)
Rev. Zool. (2) xi. p. 317 (1859).
<i>Parœcanthus Mexicanus</i> , Sauss. Miss. Mex.,
Orth. p. 472, pl. 8. ff. 33-36 (1874) ; Biol.
Centr.-Amer., Orth. i. p. 263 (1897). | Mexico,
Honduras. |

- ** *Orocharis Signatus*, Walk. l. c. p. 61. n. 2
(1869).
- ** *Orocharis Scitulus*, Walk. l. c. p. 62. n. 3
(1869).
- **8. **P. Olmecus**, Sauss. Biol. Centr.-Amer., Mexico.
Orth. i. p. 264, pl. 13, ff. 16, 17 (1897).
- **9. **P. Tibialis**, Sauss. l. c. ff. 14, 15 (1897). Panama.
- **10. **P. Podagrosus**, Sauss. l. c. ff. 7-11 (1897). Guatemala.
11. **P. Niger**, Sauss. Miss. Mex., Orth. p. 474 id.
(1874); Biol. Centr.-Amer., Orth. i. p. 265
(1897).
- **12. **P. Cinerascens**, Walk. (*Carsidara C.*) Para.
l. c. i. p. 54. n. 1 (1869).
Paracanthus Cinerascens, Sauss. Miss. Mex.,
Orth. p. 474 (1874).
- **13. **P. Affinis**, Walk. (*Orocharis A.*) l. c. Santarem.
p. 62. n. 4 (1869).

Genus 123. **Amblyrhethus**, Kirb. (n. n.). (*Type* no. 1.)

|| *Amblyopus*, Sauss. (nec Val.) Mém. Soc. Genève, xxv. p. 598
(1878).

- | | |
|--|-----------|
| 1. A. Brevipes , Sauss. (<i>Amblyopus B.</i>) l. c.
p. 599, pl. 18 (lxv.) ff. 1, 1 <i>i, e, h, b, t</i>
(1878). | Colombia. |
| 2. A. Depressus , Sauss. (<i>Amblyopus D.</i>)
l. c. p. 601 (1878). | id. |
| 3. A. Capitatus , Sauss. (<i>Amblyopus C.</i>) l. c.
p. 602, pl. 18 (lxv.) ff. 2, 2 <i>a, h, b</i> (1878). | Hab. — ? |

Genus 124. **Hapithus**. (*Type* no. 1.)

Uhl. Proc. Ent. Soc. Philad. ii. p. 546 (1864).

Apithis, Sauss. Miss. Mex., Orth. p. 486 (1874).

Apithes, Sauss. Mém. Soc. Genève, xxv. p. 603 (1878); Biol.
Centr.-Amer., Orth. i. p. 265 (1897); Blatchl. Proc. Indiana
Acad. Sci. 1891. pp. 128, 139; Rep. Indiana Dept. Geol.
xxvii. p. 457 (1903).

Lebussa, Walk. Cat. Derm. Salt. B. M. i. p. 75 (1869). (*Type*
no. 4.)

- | | |
|--|------------|
| 1. H. Agitator , Uhl. l. c. p. 546 (1864).
<i>Apithis Agitatrix</i> , Sauss. Miss. Mex., Orth.
p. 490 (1874).
<i>Apithes Agitator</i> , Blatchl. ll. cc. p. 139.
n. 13 (1891); p. 457. n. 147 (1903). | Baltimore. |
|--|------------|

- | | |
|--|---|
| <p>**2. H. Fusiformis, Walk. (<i>Orocharis</i> (?) <i>F.</i>)
l. c. i. p. 63. n. 5 (1869).</p> <p>*3. H. Quadratus, Scudd. Proc. Boston Soc.
Nat. Hist. xii. p. 140 (1868); Rehn, Proc.
Acad. Nat. Sci. Philad. lvii. p. 52 (1905).
<i>Apithis Quadrata</i>, Sauss. l. c. p. 488 (1874).
 <i>Apithes Agitator</i>, Sauss. (nec Uhl.) Biol.
Centr.-Amer., Orth. i. p. 267 (1897).</p> <p>**4. H. Tenuicornis, Walk. (<i>Lebussa</i> <i>T.</i>) l. c.
p. 75. n. 1 (1869).</p> <p>5. H. Irroratus, Bol. (<i>Apithes</i> <i>I.</i>) Mém.
Soc. Zool. France, i. p. 161 (1888).</p> <p>6. H. Rolphi, Sauss. (<i>Apithes</i> <i>R.</i>) Mém.
Soc. Genève, xxv. p. 605 (1878).</p> <p>*7. H. Aztecus, Sauss. (<i>Apithis</i> <i>Azteca</i>)
Miss. Mex., Orth. p. 490, pl. 8. f. 37
(1874).
<i>Apithes Aztecus</i>, Sauss. Biol. Centr.-Amer.,
Orth. i. p. 268, pl. 13. f. 21 (1897).</p> <p>8. H. Acutus, Sauss. (<i>Apithes</i> <i>A.</i>) Mém.
Soc. Genève, xxv. p. 606 (1878).</p> <p>9. H. Annulicornis, Sauss. (<i>Apithis</i> <i>A.</i>)
Miss. Mex., Orth. p. 491 (1874).</p> <p>10. H. Nablista, Sauss. (<i>Apithes</i> <i>N.</i>) Biol.
Centr.-Amer., Orth. i. p. 268 (1897).</p> <p>11. H. Brevipennis, Sauss. (<i>Apithes</i> <i>B.</i>) l. c.
(1897).
<i>Hapithus Brevipennis</i>, Rehn, l. c. lvi. p. 802
(1905).</p> <p>**12. H. Montanus, Sauss. (<i>Apithes</i> <i>M.</i>) l. c.
p. 268, pl. 13. ff. 18-20 (1897).</p> <p>*13. H. Costalis, Sauss. (<i>Apithes</i> <i>C.</i>) Mém.
Soc. Genève, xxv. p. 607 (1878).</p> | <p>Honduras.</p> <p>Cuba, Texas,
Missouri,
Mexico.</p> <p>St. Domingo</p> <p>Cuba.</p> <p>Brazil.</p> <p>Mexico.</p> <p>Colombia.</p> <p>Surinam.</p> <p>Colombia.</p> <p>Georgia,
Louisiana.</p> <p>Panama.</p> <p>Colombia.</p> |
|--|---|

Genus 125. **Orocharis**. (Type no. 17.)

Uhl. Proc. Ent. Soc. Philad. ii. p. 544 (1864); Sauss. Miss.
Mex., Orth. p. 492 (1874); Mém. Soc. Genève, xxv. p. 609
(1878); Biol. Centr.-Amer., Orth. i. p. 269 (1897); Blatchl.
Proc. Indiana Acad. Sci. 1891, pp. 128, 138; Rep. Indiana
Dept. Geol. xxvii. pp. 457, 459 (1903).

- | | |
|---|--|
| <p>*1. O. Saulcyi, Guér. (<i>Platydictylus</i> <i>S.</i>)
Icon. R. Anim., Ins. p. 330 (1844).
<i>O. Saulcyi</i>, Sauss. Miss. Mex., Orth. p. 498
(1874).</p> | <p>Cuba,
Martinique,
Haiti,
Florida.</p> |
|---|--|

2. **O. Rodriguezii, Sauss.** l. c. p. 497 (1874); Guatemala.
Biol. Centr.-Amer., Orth. i. p. 272 (1897).
- **3. **O. Gaumeri, Sauss.** Biol. Centr.-Amer., Yneatan.
Orth. i. p. 273, pl. 13. f. 26 (1897).
- **4. **O. Ocellaris, Sauss.** l. c. p. 273 (1897). Guatemala.
- **5. **O. Similis, Walk.** (*Platydictylus* S.) Cat. Haiti,
Derm. Salt. B. M. i. p. 78. n. 7 (1869). Cuba.
O. Canotus, Sauss. Mém. Soc. Genève, xxv.
p. 611 (1878).
6. **O. Unicolor, Oliv.** (*Gryllus* U.) Enc. Guadeloupe
Méth., Ins. vi. p. 635. n. 7 (1791).
- **7. **O. Maxillaris, Sauss.** Biol. Centr.-Amer., Panama.
Orth. i. p. 273, pl. 13. f. 27 (1897).
8. **O. Antillarum, Sauss.** Miss. Mex., Orth. Guadeloupe
p. 496 (1874).
9. **O. Fulvescens, Sauss.** Mém. Soc. Genève, Argentine
xxv. p. 612 (1878). Republic.
- *10. **O. Conspersus, Sauss.** (*Orocharis* (?) Brazil.
Conspersa) Miss. Mex., Orth. p. 499 (1874).
O. Conspersus, Sauss. Mém. Soc. Genève,
xxv. p. 613, pl. 18 (lxiii.) ff. 1, 2 (1878).
11. **O. Domingensis, Sauss.** l. c. p. 613 St. Domingo
(1878). *P. 752. f. 18. l. 1.*
12. **O. Amusus, Sauss.** Biol. Centr.-Amer., Pernam-
Orth. i. p. 274, pl. 13. f. 28 (1897). buco.
- **13. **O. Tibialis, Sauss.** l. c. f. 25 (1897). Mexico,
Panama.
14. **O. Cayennensis, Sauss.** l. c. p. 275, pl. 13. Cayenne.
ff. 23, 24 (1897).
- **15. **O. Maya, Sauss.** l. c. p. 275 (1897). Yucatan.
- *16. **O. Gryllodes, Pall.** (*Gryllus* G.) Spie. Jamaica,
Zool. ix. p. 16, pl. 1. f. 10 (1772); Oliv. Haiti,
l. c. p. 637. n. 15 (1791). Cuba,
O. Gryllodes, Sauss. Miss. Mex., Orth. Texas,
p. 495 (1874); Mém. Soc. Genève, xxv. Mexico.
p. 615, pl. 18 (lxiii.) ff. 3, 3 h, b (1878);
Biol. Centr.-Amer., Orth. i. p. 275, pl. 13.
f. 22 (1897).
- *17. **O. Saltator, Uhl.** l. c. p. 545 (1864); Baltimore,
Glover, Ill. N. Amer. Orth. pl. 3. ff. 11, 12 Indiana,
(1872); Blatchl. ll. cc. p. 138. n. 12 (1891); Missouri,
p. 459. n. 148, f. 122 (1903); Sauss. Biol. Florida.
Centr.-Amer., Orth. i. p. 276 (1897).
O. Saltatrix, Sauss. Miss. Mex., Orth. p. 494
(1874).
Apithes McNeillii, Blatchl. Canad. Ent. xxiv.
p. 27 (1892).

18. **O. Uhleri**, McNeill, *Psyche*, vi. p. 9 | Illinois.
(1891).
- **19. **O. Mexicanus**, Sauss. *Biol. Centr.-* | Mexico,
Amer., *Orth.* i. p. 276 (1897). | Guatemala.
O. Saltator, var. *Meridionalis*, Sauss. l. c.
(1897).
20. **O. Helvolus**, Sauss. *Miss. Mex.*, *Orth.* | Guiana.
p. 495 (1874).
21. **O. Vaginalis**, Sauss. *Mém. Soc. Genève*, | Cuba,
xxv. p. 615 (1878); *Biol. Centr.-Amer.*, | Porto Rico.
Orth. i. p. 276 (1897).
- **22. **O. Planus**, Walk. (*Platydyctylus* (?) *P.*) | Brazil.
l. c. i. p. 79. n. 10 (1869).
Platydyctylus (?) *Apertus*, Walk. l. c. p. 214
(1869).
- O. Leubrans** Sauss. & Zehner, *Biol. Centr.-Amer.*,
Orth., vol. i. p. 277 (1897) (*Antilles, Porto Rico.*).
- Genus 126. **Laurepa**. (*Type* no. 1.)
- Walk. *Cat. Derm. Salt. B. M.* i. p. 96 (1869).
Orochirus, *Bol.* *Mém. Soc. Zool. France*, i. p. 162 (1888);
Sauss. *Biol. Centr.-Amer.*, *Orth.* i. p. 277 (1897).
(*Type* no. 3.)
- **1. **L. Valida**, Walk. l. c. p. 97. n. 1 (1869). | Jamaica.
- **2. **L. Obscurella**, Walk. l. c. p. 99. n. 7 | Hab. — ?
(1869).
3. **L. Krugi**, Sauss. (*Apithes* K.) *Mém. Soc.* | Cuba,
Genève, xxv. p. 607, pl. 18 (lxiv.) ff. 1, 2 | Porto Rico,
(1878). | Haiti.
Orochirus Krugi, *Bol.* l. c. p. 162 (1888);
Sauss. *Biol. Centr.-Amer.*, *Orth.* i. p. 278
(1897).
4. **L. Pilosa**, *Bol.* (*Orocharis Pilosus*) l. c. | Cuba.
p. 162 (1888).
- **5. **L. Corrugata**, Sauss. (*Orochirus Corru-* | Mexico,
gatus) l. c. p. 279. pl. 13. ff. 29, 30 (1897). | Panama.
- **6. **L. Musica**, Sauss. (*Orochirus Musicus*) | Panama.
l. c. p. 279 (1897).

Genus 127. **Ectotrypa**.

- Sauss. *Miss. Mex.*, *Orth.* p. 466 (1874).
Ectotrypus, Sauss. *Mém. Soc. Genève*, xxv. p. 617 (1878);
Biol. Centr.-Amer., *Orth.* i. p. 280 (1897).

1. **E. Olmeca, Sauss.** Miss. Mex., Orth. Mexico.
p. 467 (1874).
Ectotrypus Olmecus, Sauss. Mém. Soc.
Genève, xxv. p. 617, pl. 18 (lx.) ff. 1, 2
(1878): Biol. Centr.-Amer., Orth. i.
p. 280 (1897).

Genus 128. **Tapinopus.**

Sauss. Mém. Soc. Genève, xxv. p. 618 (1878).

1. **T. Platyceps, Sauss.** l. c. pl. 18 (lxviii.) New
ff. 1, 2 (1878). Caledonia.

Genus 129. **Hemiphonus.**

Sauss. Mém. Soc. Genève, xxv. p. 620 (1878).

1. **H. Vittatus, Sauss.** l. c. p. 621, pl. 18 N. Australia,
(lxvii.) ff. 1-6 (1878). Fiji.

Genus 130. **Euscirtus.** (Type no. 3.)

Guér. Icon. R. Anim., Ins. p. 334 (1844).

Euscirtus, Sauss. Miss. Mex., Orth. p. 500 (1874); Mém. Soc.
Genève, xxv. p. 622 (1878).

1. **E. Planiceps, Karsch**, (*Euscirtus P.*) Adeli.
Berlin. Ent. Zeitschr. xxxviii. p. 166
(1893).
2. **E. Hova, Brancs.** (*Euscirtus H.*) Jahresh. Madagascar
Ver. Trenesin. Com. xv.-xvi. p. 199,
pl. 10. f. 11 (1893).
- *3. **E. Bivittatus, Guér.** l. c. p. 334 (1844). Mauritius,
Euscirtus Bivittatus, Sauss. Mém. Soc. Seychelles,
Genève, xxv. p. 624, pl. 19 (lxix.) ff. 1, Natal.
1 a, d, h, b (1878).
- ***Laurepa Discalis*, Walk. Cat. Derm. Salt.
B. M. i. p. 97. no. 2 (1869).
Euscirtus Bivittatus, var. *Abbreviatus*, Bol. Seychelles.
Ann. Soc. Ent. France, lxiv. p. 384
(1895).
Euscirtus Bivittatus, var. *Fuscinervis*, Bol. id.
l. c. (1895).
4. **E. Cephalotes, Sauss.** (*Euscirtus C.*) Sikkim.
l. c. p. 628, pl. 19 (lxix.) f. 2 (1878).

- *5. **E. Concinnus, Haan**, (*Gryllus (Eneo-
ptera) C.*) Temminck, Verhandel., Orth.
p. 231, pl. 20. f. 3 (1842).
Euscirtus C., Sauss. l. c. p. 626 (1878). Java,
Philippines,
Singapore,
Ceylon.
6. **E. Hemelytrus, Haan**, (*Gryllus (Eneo-
ptera) H.*) l. c. p. 231, pl. 20. f. 2 (1842). Java,
Moluccas,
S. India
(eadem?).
Euscirtus Hemelytrus, Sauss. l. c. p. 627
(1878); Bol. Ann. Soc. Ent. France,
lxviii. p. 807 (1900).
Euscirtus Subapterus, Stål, Öfvers. Vet.-
Akad. Förh. xxxiv. (10) p. 52 (1877).
7. **E. Mexicanus, Sauss.** (*Euscirtus M.*) Mexico.
Miss. Mex., Orth. p. 501, pl. 7. f. 14
(1874); Mém. Soc. Genève, xxv. p. 628
(1878).

Genus 131. **Patiscus.** (Type no. 3.)

Stål, Öfvers. Vet.-Akad. Förh. xxxiv. (10) p. 51 (1877). 5-184

- **1. **P. Necydaloides, Walk.** (*Ecanthus N.*) Ceylon.
Cat. Derm. Salt. B. M. v. Suppl. p. 15
(1871).
Euscirtus Necydaloides, Sauss. Mém. Soc.
Genève, xxv. p. 630 (1878).
2. **P. Maesoi, Bol.** (*Euscirtus M.*) An. Soc. Philippines.
Españ. xviii. p. 429 (1889).
3. **P. Dorsalis, Stål**, (*Euscirtus D.*) l. c. id.
p. 51 (1877).
4. **P. Pallidus, Stål**, (*Euscirtus P.*) l. c. id.
(1877).
5. **P. Sigmoidalis, Sauss.** (*Euscirtus S.*) l. c. Luzon.
p. 628 (1878).
6. **P. Crassiceps, Sauss.** (*Euscirtus C.*) l. c. Java.
p. 629, pl. 19 (lxix.) ff. 3, 3 a, b (1878).
7. **P. Tagalicus, Stål**, (*Euscirtus T.*) l. c. Philippines.
p. 51 (1877).
8. **P. Quadripunctatus, Bol.** Ann. Soc. Ent. S. India.
France, lxviii. p. 806 (1900).

Genus 132. **Anisotrypus.** (Type no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 630 (1878).

1. **A. Furcatus, Sauss.** l. c. p. 632, pl. 17 Fiji.
(lviii.) ff. 1-4 (1878).
2. **A. Indivisus, Sauss.** l. c. p. 633 (1878). Borneo.

Genus 133. **Homalotrypus.**

Brancs. Jahresh. Ver. Trenesin. Com. xvii.-xviii. p. 262 (1897).

1. **H. Boromensis**, Brancs. l. c. pl. 9. | Zambesi.
f. 8, *a-e* (1897).

Genus 134. **Anaudus.**

Sauss. Miss. Mex., Orth. p. 507 (1874) :

Mém. Soc. Genève, xxv. p. 654 (1878).

1. **A. Thoracicus**, Sauss. ll. cc. p. 507 | Brazil.
(1874) ; p. 654 (1878).

Genus 135. **Rupilius.**

Stål, Øfvers. Vet.-Akad. Förh. xxxiii. (3) p. 65 (1876).

1. **R. Nigrosignatus**, Stål, l. c. p. 66 (1876). | Damara
Anaudus Nigrosignatus, Sauss. Mém. Soc. | Land.
Genève, xxv. p. 654 (1878).

Genus 136. **Paranaudus.**

Sauss. Mém. Soc. Genève, xxv. p. 654 (1878).

1. **P. Terebrans**, Sauss. (*Anaudus (Para-* Zanzibar.
naudus) T.) l. c. p. 655, pl. 19 (lxxii.) |
f. 1 (1878).

Genus 137. **Podoscirtus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 361 (1839) ; Sauss. Miss. Mex., Orth.
p. 503 (1874) ; Mém. Soc. Genève, xxv. p. 634 (1878).

Munda, Stål, Øfvers. Vet.-Akad. Förh. xxxiv. (10) p. 51
(1877). (*Type* no. 7.)

1. **P. Crocinus**, Serv. l. c. p. 363 (1839) ; Madagascar
Sauss. l. c. p. 650 (1878).
2. **P. Tacitus**, Sauss. l. c. p. 652 (1878). | Java (?).
3. **P. Javanus**, Sauss. l. c. p. 637, pl. 19 | Java.
(lxx.) ff. 1, 1 *a* (1878).

4. **P. Bimaculatus**, **Sauss.** l. c. p. 638, pl. 19 (lxx.) f. 2 (1878). Java (?).
5. **P. Asyrinx**, **Sauss.** l. c. p. 645 (1878). Java.
6. **P. Fasciatus**, **Haan**, (*Gryllus* (*Eneoptera*) *F.*) Temminck. Verhandel., Orth. p. 232, pl. 20. f. 4 (1842). id.,
Celebes,
Amboina.
- P. Fasciatus*, **Sauss.** l. c. p. 646 (1878).
7. **P. Picturatus**, **Stål**, (*Munda Picturata*) l. c. p. 51 (1877). $\sigma - \delta$ 646, Philippines.
- **8. **P. Congruus**, **Walk.** (*Laurepa Congrua*) id.
Cat. Derm. Salt. B. M. i. p. 98. no. 3 (1869).
- P. Congruus*, **Sauss.** l. c. p. 653 (1878).
9. **P. Cicur**, **Sauss.** l. c. p. 647 (1878). Luzon.
10. **P. Regulus**, **Sauss.** l. c. p. 650 (1878). Amboina.
11. **P. Insularis**, **Sauss.** l. c. p. 639 (1878). Fiji, N. Cal.
12. **P. Rufidulus**, **Sauss.** l. c. p. 648 (1878). N. Caledonia
13. **P. Priapus**, **Sauss.** l. c. pl. 19 (lxx.) ff. 3, 3 a, b, h (1878). id.
- **14. **P. Australis**, **Walk.** (*Laurepa A.*) l. c. i. p. 98. n. 4 (1869). Australia.
- **15. **P. Frontalis**, **Walk.** (*Laurepa F.*) l. c. p. 99. n. 5 (1869). N. Australia.
16. **P. Couloni**, **Sauss.** Miss. Mex., Orth. p. 504 (1874). Cuba.
- **17. **P. Modestus**, **Brunn.** Proc. Zool. Soc. Lond. 1893, p. 610. W. Indies ;
Grenada.
- **18. **P. Colombicus**, **Walk.** (*Platydyctylus C.*) l. c. i. p. 77. n. 5 (1869). Colombia.
P. Columbicus, **Sauss.** l. c. p. 506 (1874).
19. **P. Contiguus**, **Walk.** (*Platydyctylus C.*) Para.
l. c. p. 78. n. 8 (1869).
- **20. **P. Consimilis**, **Walk.** (*Platydyctylus C.*) Hab. — ?
l. c. p. 76. n. 4 (1869).
Podoscirtus (?) *Consimilis*, **Sauss.** l. c. p. 505 (1874).
21. **P. Amusus**, **Sauss.** Mém. Soc. Genève, xxv. p. 641 (1878). Pernam-
buco.
22. **P. Americanus**, **Sauss.** l. c. p. 642 (1878). Bahia.
23. **P. Maculipennis**, **Sauss.** l. c. p. 643, pl. 19 (lxx.) f. 4 (1878). Brazil.
24. **P. Viduus**, **Sauss.** Miss. Mex., Orth. p. 505 (1874). id.
25. **P. Hirtellus**, **Sauss.** Mém. Soc. Genève, xxv. p. 640 (1878). Hab. — ?

Genus 138. **Orbega.**

Walk. Cat. Derm. Salt. B. M. i. p. 91 (1869).

1. **O. Pallida, Walk. l. c. p. 91. n. 1 (1869). | Hab. — ?Genus 139. **Aphonomorphus.** (*Type* no. 10.)

Rehn, Entom. News. xiv. p. 260 (1903).

|| *Aphonus*, *Sauss.* (*nec Lec.*) Miss. Mex., Orth. p. 509 (1874) :
Mém. Soc. Genève, xxv. p. 656 (1878); Biol. Centr.-Amer.,
Orth. i. p. 280 (1897).|| *Aphonogryllus*, *Rehn* (*nec Perk.*), Canad. Ent. xxxiii. p. 272
(1901).|| *Eneoptera*, *Haan* (*nec Burm.*), Temminck, Verhandel., Orth.
p. 231 (1842); Walk. Cat. Derm. Salt. B. M. i. p. 66
(1869).1. **A. Ocellaris, Sauss.** (*Aphonus O.*) Mém. Zanzibar.
Soc. Genève, xxv. p. 658 (1878).2. **A. Cinereus, Haan**, (*Gryllus* (*Eneoptera*) Java,
C.) l. c. p. 232, pl. 20. f. 5 (1842). Celebes,
Paracanthus Cinereus, Stål, Öfvers. Vet.- N. Guinea,
Akad. Förh. xxxiv. (10) p. 51 (1877). Philippines.
Aphonus Cinereus, *Sauss.* l. c. p. 662
(1878).3. **A. Caledonicus, Sauss.** (*Aphonus C.*) New
l. c. p. 658 (1878). Caledonia.4. **A. Punctatus, Haan**, (*Gryllus* (*Eneoptera*) P.) l. c. p. 232, pl. 20. f. 6 (1842).
Aphonus Punctatus, *Sauss.* l. c. p. 659
(1878). Tondano.5. **A. Apiatus, Sauss.** (*Aphonus A.*) l. c. N. Guinea.
p. 664 (1878).6. **A. Vitiensis, Sauss.** (*Aphonus V.*) l. c. Fiji.
p. 661, pl. 19 (lxxi.) ff. 2, 2 a (1878).7. **A. Depressiusculus, Sauss.** (*Aphonus* id.
D.) l. c. p. 665, pl. 19 (lxxi.) ff. 1, 1 a
(1878).**8. **A. Flavifrons, Sauss.** (*Aphonus F.*) Biol. Mexico.
Centr.-Amer., Orth. i. p. 281, pl. 13. ff. 31,
32 (1897).**9. **A. Diversus, Walk.** (*Platydictylus D.*) Chontales.
l. c. v. Suppl. p. 12 (1871).

- Aphonus Diversus*, Sauss. Miss. Mex., Orth. p. 512 (1874) ; Biol. Centr.-Amer., Orth. i. p. 282 (1897).
- *10. **A. Mutus**, Sauss. (*Aphonus M.*) Miss. Mex., Orth. p. 510 (1874). Guiana.
11. **A. Timidus**, Sauss. (*Aphonus T.*) Biol. Centr.-Amer., Orth. i. p. 282 (1897). Colombia.
12. **A. Silens**, Sauss. (*Aphonus S.*) Mém. Soc. Genève, xxv. p. 665 (1878). Brazil (?).
13. **A. Telskii**, Sauss. (*Aphonus T.*) Miss. Mex., Orth. p. 511 (1874). Brazil, Peru.
14. **A. Peruvianus**, Sauss. (*Aphonus P.*) l. c. (1874). Peru.
15. **A. Taciturnus**, Sauss. (*Aphonus T.*) Mém. Soc. Genève, xxv. p. 661 (1878). Hab. — ?
- **16. **A. (?) Pallidissimus**, Walk. (*Gryllus P.*) l. c. i. p. 50. n. 100 (1869). Hab. — ?
17. **A. (?) Obscurus**, Scudd. (*Encoptera Obscura*) Proc. Boston Soc. Nat. Hist. xii. p. 141 (1868). Old Calabar.
18. **A. (?) Lividus**, Burm. (*Encoptera Livida*) Handb. Ent. ii. p. 736. n. 2 (1838). Brazil.
- Aphonus (?) Livida*, Sauss. Miss. Mex., Orth. p. 512 (1874).

Genus 140. **Xenogryllus.**

Bol. Journ. Sci. Lisb. (2) i. p. 232 (1890).

- 1.
- X. Eneopteroides**
- , Bol. l. c. (1890). | Braganza.

Genus 141. **Stenaphonus.**Sauss. Mém. Soc. Genève, xxv. p. 657 (1878) ;
Biol. Centr.-Amer., Orth. i. p. 282 (1897).

- *1. **S. Macilentus**, Sauss. (*Aphonus (Stenaphonus) M.*) Mém. Soc. Genève, xxv. p. 666, pl. 19 (lxxi.) ff. 3, 3a (1878). Panama, Colombia.
- S. Macilentus*, Sauss. Biol. Centr.-Amer., Orth. i. p. 282. n. 1 (1897).

Genus 142. **Heterecous.** (*Type* no. 1.)

Sauss. Biol. Centr.-Amer., Orth. i. p. 283 (1897).

- **1. **H. Auditor, Sauss.** l. c. pl. 13. ff. 33, 34 | Panama,
(1897). | Colombia.
2. **H. Smithianus, Sauss. l. c. p. 284, pl. 13. | Mexico.
f. 35 (1897). |

Genus 143. **Aphasius.**

Sauss. Mém. Soc. Genève, xxv. p. 668 (1878).

1. **A. Ritsemæ, Sauss.** l. c. p. 669, pl. 19 | Sunda Isl.,
(lxxiv.) ff. 1-4 (1878). | Timor.

Genus 144. **Corixogryllus.**

Bol. Ann. Soc. Ent. France, lxxviii. p. 807 (1900).

1. **C. Abbreviatus, Bol.** l. c. p. 808 (1900). | S. India.

Genus 145. **Tafalisca.** (*Type* no. 5.)

Walk. Cat. Derm. Salt. B. M. i. p. 52 (1869).

Metrypa, Brunn. Mitth. Schweiz. ent. Ges. iv. p. 168 (1873);Sauss. Miss. Mex., Orth. p. 513 (1874). (*Type* no. 5.)*Metrypus, Sauss.* Mém. Soc. Genève, xxv. p. 671 (1878).

1. **T. Virescens, Sauss.** (*Metrypus V.*) l. c. | Java.
p. 675 (1878).
2. **T. Unicolor, Walk. (*Laurepa U.*) l. c. i. | Navigators'
p. 99. n. 6 (1869). | Isl.
Metrypus Unicolor, Sauss. l. c. p. 680 (1878).
3. **T. Claudicans, Brunn. (*Metrypus C.*) | W. Indies ;
Proc. Zool. Soc. Lond. 1893, p. 610, | Grenada.
pl. 52. f. 5, a, b.
4. **T. Heros, Brunn. (*Metrypus H.*) l. c. | Grenada.
p. 611, pl. 52. f. 6 (1893).
5. **T. Lurida, Walk. l. c. i. p. 53. n. 1 | Haiti,
(1869). | Cuba,
Metrypa Lurida, Sauss. Miss. Mex., Orth. | St. Vincent.
p. 513 (1874).
Metrypus Luridus, Sauss. Mém. Soc. Genève,
xxv. p. 673. pl. 19 (lxxiii.) f. 3 h, b
(1878).

- *6. **T. Haanii, Sauss.** (*Metrypa H.*) Miss. Brazil.
 Mex., Orth. p. 515 (1874).
Metrypus Haanii, Sauss. Mém. Soc. Genève,
 xxv. p. 673, pl. 19 (lxxiii.) f. 1 (1878).
 || *Gryllus* (*Eneoptera*) *Liridus, Haan* (nec
Burm.), Temminck, Verhandel., Orth.
 p. 231 (1842).
- *7. **T. Brasiliana, Sauss.** (*Metrypus Brasili-* id.
anus) l. c. p. 676 (1878).
8. **T. Bahiensis, Sauss.** (*Metrypus B.*) l. c. Bahia.
 (1878).
- **9. **T. Pallidocincta, Kirb.** (*Acanthus* (?) Fernando
Pallidocinctus) Journ. Linn. Soc. Lond., Noronha.
 Zool. xx. p. 533 (1894). *S. Amy-*
10. **T. Crypsiphonus, Sauss.** (*Metrypus C.*) Antilles (?),
 l. c. p. 677, pl. 19 (lxxiii.) ff. 2, 2 h, b Colombia(?).
 (1878). *Mel. ar. w. p. 6-8*
11. **T. Muta, Sauss.** (*Metrypus Mutus*) l. c. Brazil (?).
 p. 678 (1878).
12. **T. Bogotensis, Sauss.** (*Metrypus B.*) Bogota.
 l. c. p. 679 (1878).

Genus 146. **Nessa.**

Walk. Cat. Derm. Salt. B. M. i. p. 54 (1869).

- **1. **N. Linearis, Walk.** l. c. n. 1 (1869). Guiana (?).
Metrypa (?) *Linearis, Sauss.* Miss. Mex.,
 Orth. p. 515 (1874).

Genus 147. **Parametrypa.** (*Type* no. 1.)

Brumm. Mitth. Schweiz. ent. Ges. iv. p. 168 (1873).

Parametrypus, Sauss. Mém. Soc. Genève, xxv. p. 681 (1878).

- **1. **P. Fortipes, Walk.** (*Nessa F.*) Cat. Derm. Natal.
 Salt. B. M. i. p. 55. n. 2 (1869).
Parametrypus Spiculatus, Sauss. l. c. p. 682,
 pl. 19 (lxxv.) ff. 1, 1 a (1878).
2. **P. Aculeata, Sauss.** (*Parametrypus Acu-* Brazil.
leatus) l. c. p. 681 (1878).

Genus 148. **Pseudometrypa.**

Karsch, Stett. Ent. Zeit. lvii. p. 355 (1896).

1. **P. Putrida, Karsch,** l. c. p. 356, f. 44 Togoland.
 (1896).

Genus 149. **Meloimorpha.**

Walk. Cat. Derm. Salt. B. M. iii. p. 468 (1870).

- **1. **M. Cincticornis**, Walk. l. c. p. 469. n. 1 | India.
(1870).

ENEOPTERINÆ D.

Genus 150. **Prognathogryllus.** (*Type* no. 1.) ♂ ♀

Brunn. Proc. Zool. Soc. Lond. 1895, p. 896;

Perk. Faun. Haw., Orth. p. 24 (1899).

- **1. **P. Alatus**, Brunn. l. c. p. 896, f. 1 (1895); Hawaiian
Perk. l. c. p. 24, pl. 2. ff. 8, 8 a, b | Isl.,
(1899). | Kauai.
2. **P. Elongatus, Perk. l. c. p. 25, pl. 1. | Kauai.
f. 15 (1899).
3. **P. Robustus, Perk. l. c. f. 14 (1899). | id.
4. **P. Oahuensis, Perk. l. c. p. 25 (1899). | Oahu.
5. **P. Inexpectatus, Perk. l. c. p. 26 | Kauai.
(1899).

Genus 151. **Aphonogryllus.**

Perk. Faun. Haw., Orth. p. 26 (1899).

- **1. **A. Apteryx**, Perk. l. c. pl. 2, ff. 9, 9 a-c | Oahu.
(1899). = *perla*, *alut*,

Genus 152. **Nesogryllus.**

Perk. Faun. Haw., Orth. p. 26 (1899).

- **1. **N. Stridulans**, Perk. l. c. p. 27, pl. 2. | Oahu.
ff. 11, 11 a (1899). = *r*

Genus 153. **Thaumtogryllus.**

Perk. Faun. Haw., Orth. p. 27 (1899).

- **1. **T. Variegatus, Perk.** l. c. pl. 1. f. 16, | Kauai.
pl. 2. ff. 10, 10 *a-d* (1899).

Genus 154. **Leptogryllus.** (*Type* no. 7.)

Perk. Faun. Haw., Orth. p. 28 (1899).

- **1. **L. Nigrolineatus, Perk.** l. c. (1899). | Oahu, Maui.
 2. **L. Nigromaculatus, Perk. l. c. pl. 1. | Kauai.
 f. 17, pl. 2. ff. 12, 12 *a* (1899).
 3. **L. Similis, Perk. l. c. pl. 2. f. 13 (1899). | Hawaii.
 4. **L. Elongatus, Perk. l. c. p. 29, pl. 1. | id.
 f. 18 (1899).
 5. **L. Kauaiensis, Perk. l. c. p. 29 (1899). | Kauai.
 6. **L. Fusconotatus, Perk. l. c. (1899). | Oahu.
 7. **L. Forficularis, Brunn. (*Prognathogryllus F.*) Proc. Zool. Soc. Lond. 1895, | Hawaii,
 p. 897, f. 2. | Maui.
 L. Forficularis, Perk. l. c. p. 29, pl. 2. ff. 14,
 14 *a, b* (1899).
 8. **L. Simillimus, Perk. l. c. p. 30, pl. 1. | Maui.
 f. 19, pl. 2. ff. 15, 15 *a, b* (1899).

FAM. VII.

PHASGONURIDÆ.

SUBFAM. I.

STENOPELMATINÆ.

Genus 1. **Stenopelmatus.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 720 (1838); Sauss. Rev. Zool. (2) xi. p. 209 (1859); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 286 (1897); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 257 (1888).

- | | |
|---|--------------------------------------|
| 1. S. Sumichrasti , Sauss. l. c. p. 210 (1859); Brunn. l. c. p. 260. n. 1 (1888); Sauss. & Pict. l. c. p. 288. n. 1 (1897). | Mexico. |
| *2. S. Talpa , Burm. l. c. p. 721. n. 2 (1838); Brunn. l. c. p. 260. n. 2, pl. 5. f. 1 E (1888); Sauss. & Pict. l. c. p. 288. n. 2, pl. 14. ff. 1-3 (1897).
<i>S. Mexicanns</i> , Sauss. l. c. p. 210 (1859).
** <i>S. Erythromelas</i> , Walk. Cat. Derm. Salt. B. M. i. p. 193. n. 13 (1869). | id. |
| *3. S. Calcaratus , Griff. Boll. Mus. Torino. viii. (154) pp. 2, 3, ff. 2, 3 (1893); Sauss. & Pict. l. c. p. 289. n. 7 (1897). | id. |
| 4. S. Fasciatus , Thomas , Hayden , Rep. Geol. Surv. Montana, p. 434 (1872); Scudd. Canad. Ent. xxxi. p. 115 (1899). | Idaho,
Wyoming,
Utah. |
| 5. S. Lessonæ , Griff. l. c. p. 3 (1897); Sauss. & Pict. l. c. p. 288. n. 3 (1897). | Mexico. |
| 6. S. Longispina , Brunn. l. c. p. 260. n. 3 (1888); Sauss. & Pict. l. c. p. 286. n. 4 (1897); Scudd. l. c. p. 114 (1899). | Vancouver,
California,
Oregon. |
| 7. S. Californicus , Brunn. l. c. p. 261. n. 4, pl. 5. f. 1, A-C (1888); Sauss. & Pict. l. c. p. 287. n. 5 (1897). | Vancouver,
California. |
| *8. S. Irregularis , Brunn. l. c. p. 261 (1888); Sauss. & Pict. l. c. p. 287. n. 6 (1897); Scudd. l. c. p. 115 (1899). | Arizona,
Nevada.
Calif., Mex. |

- **9. **S. Cephalotes**, Walk. l. c. i. p. 195. n. 16 (1869).
S. Oculatus, Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 261 (1876); Canad. Ent. xxxi. p. 115 (1899).
S. Hydrocephalus, Brunn. l. c. p. 261. n. 6 (1888); Sauss. & Pict. l. c. p. 290. n. 8, pl. 14. f. 4 (1897).
- **10. **S. Comanchus**, Sauss. & Pict. l. c. p. 290. n. 9 (1897).
11. **S. Terrenus**, Rehn, Entom. News, xiii. p. 240 (1902).
12. **S. Histrio**, Sauss. l. c. p. 210 (1859); Brunn. l. c. p. 262. n. 7 (1888); Sauss. & Pict. l. c. p. 290. n. 10, pl. 14. f. 5 (1897); Scudd. Canad. Ent. xxxi. p. 116 (1899).
13. **S. Vicinus**, Brunn. l. c. p. 262. n. 8 (1888); Sauss. & Pict. l. c. p. 290. n. 11 (1897).
14. **S. Pictus**, Scudd. l. c. p. 116 (1899).
15. **S. Guatemalæ**, Brunn. l. c. p. 262. n. 9 (1888); Sauss. & Pict. l. c. p. 290. n. 12 (1897).
16. **S. Fuscus**, Hald. Stansbury, Exped. to Utah, p. 372 (1852).
- *17. **S. Minor**, Sauss. l. c. p. 210 (1859); Brunn. l. c. p. 263. n. 10 (1888); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 291. n. 13 (1897).
- **18. **S. (?) Lycosoides**, Walk. l. c. p. 193. n. 14 (1869).
19. **S. Typhlops**, Rehn, Trans. Amer. Ent. Soc. xxix. p. 15 (1902).
20. **S. Nieti**, Sauss. l. c. p. 210 (1859); Brunn. l. c. p. 263. n. 11 (1888); Sauss. & Pict. l. c. p. 291. n. 14, pl. 14. ff. 6, 7 (1897).
- **21. **S. Ater**, Sauss. & Pict. l. c. p. 291. n. 15, pl. 14. ff. 8, 9 (1897).
- **22. **S. (?) Piceiventris**, Walk. l. c. p. 197. n. 21 (1869).
23. **S. (?) Sallei**, Sauss. l. c. p. 210 (1859); Brunn. l. c. p. 263. n. 12 (1888); Sauss. & Pict. l. c. p. 291. n. 16, pl. 14. ff. 10, 11 (1897).

California,
 Utah,
 Nebraska,
 Nevada,
 Wash-
 ington,
 Arizona,
 New Mex.
 Northern
 Mexico.
 Texas.

Mexico,
 California.

Guatemala.

California.
 Guatemala.

Utah.

Guatemala,
 Mexico.

Mexico.

id.

id.

Costa Rica.

Hab. —?

Mexico.

- *24. **S. (?) Sartorianus, Sauss.** l. c. p. 211 Mexico,
(1859); Brunn. l. c. p. 264. n. 13 (1888); Guatemala.
Sauss. & Pict. l. c. p. 292. n. 17 (1897).
***S. Politus, Walk.* l. c. p. 193. n. 12 (1869).
25. **S. (?) Toltecus, Sauss.** (*Anostostoma* Orizaba.
Tolteca) l. c. (2) xiii. p. 130 (1861).
26. **S. (?) Crassidens, Blanch.** (*Anostostoma* Chile.
C.) Gay, Hist. Chile, Zool. vi. p. 41. n. 1.
pl. 2. f. 3 (1851).

Genus 2. **Oryctopus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 266 (1888);
Bol. Ann. Soc. Ent. France, lxxviii. p. 783 (1900).

1. **O. Bolivari, Brunn.** l. c. p. 267, pl. 5. Madras.
f. 4 (1888); Bol. l. c. p. 785 (1900).
2. **O. Prodigiosus, Bol.** l. c. pl. 12. ff. 21, Trichino-
21, a, b (1900). poly.

Genus 3. **Licola.**

Walk. Cat. Derm. Salt. B. M. i. p. 165 (1869).

Bugajus, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 264
(1888).

- *1. **L. Couloni, Sauss.** (*Anostostoma Couloni*) Java.
Ann. Soc. Ent. France, (4) i. p. 490, pl. 12
(1861).
Bugajus Couloni, Brunn. l. c. p. 264, pl. 5.
f. 2 (1888).

Genus 4. **Maxentius.** (*Type* no. 1.)

Stål, Æfvers. Vet.-Akad. Förh. xxxiii. (3) p. 63 (1876);
Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 265 (1888).

- **1. **M. Pinguis, Walk.** (*Stenopelmatus P.*) S. Africa.
Cat. Derm. Salt. B. M. i. p. 198. n. 23
(1869).
M. Repens, Stål, l. c. p. 64 (1876); Brunn.
l. c. p. 265, pl. 3. f. 3 A, B (1888).
2. **M. Pallidus, Walk. (*Stenopelmatus P.*) Cape Town.
l. c. p. 194. n. 15 (1869).
***Stenopelmatus Zonatus, Walk.* l. c. p. 197.
n. 22 (1869).

** *Stenopelmatus Bicolor*, Walk. l. c. p. 199.
n. 24 (1869).

M. Fuscifasciatus, Stål, l. c. p. 76 (1876);
Brunn. l. c. p. 266 (1888).

Genus 5. **Deinacrida**. (Type no. 1.)

White, Gray's Zool. Misc. p. 78 (1842); Brunn. Verh. zool.-
bot. Ges. Wien, xxxviii. p. 267 (1888); Hutton, Trans.
N. Zeal. Inst. xxix. p. 211 (1897).

- ** 1. **D. Heteracantha**, White, l. c. p. 78 New
(1842); Voy. Erebus & Terror, ii. Zealand,
p. 24, pl. 5. f. 1 (1846); Hochstetter, North I.,
New Zealand, pp. 169, 176, fig. (1867); G. Barrier I.
Buller, Zoologist, (2) ii. p. 849 (1867);
Trans. N. Zeal. Inst. iii. p. 35. n. 1 (1871);
xxvii. p. 143 (1895); Brunn. l. c. p. 269.
n. 3 (1888); Hutton, l. c. xxix. p. 212,
pl. 12. ff. 1, 1 a-c (1897).

Deinacrida (*Anostostoma*) *Heteracantha*,
White, Dieffenbach, Trav. N. Zealand,
ii. p. 280 (1843).

2. **D. Gigantea**, Col. (*Hemideina G.*) Trans. N. Zealand,
N. Zealand Inst. xiv. p. 278 (1882). 3275 Paihia.
3. **D. (?) Rugosa**, Buller, l. c. iii. p. 36. N. Zealand,
n. 4, pl. 5 b. ff. 1-3 (1871); Hutton, l. c. Wanganui,
p. 213, pl. 12. f. 2 (1897). Stephen's I.

Genus 6. **Hemideina**. (Type no. 3.)

Walk. Cat. Derm. Salt. B. M. i. p. 160 (1869);
Hutt. Trans. N. Zeal. Inst. xxix. p. 214 (1897).

- * 1. **H. Attenuata**, Walk. l. c. p. 164. n. 7 N.S. Wales,
(1869). N. Zealand,
Deinacrida Armiger, Col. Trans. N. Zeal. Hawkes
Inst. xvii. p. 155 (1885). Bay,
Hemideina Armiger, Hutt. l. c. p. 217 Wellington.
(1897).
|| *Deinacrida Thoracica*, Brunn. (nec White)
Verh. zool.-bot. Ges. Wien, xxxviii. p. 268.
n. 1 (1888).
H. Nitens, Col. l. c. xxi. p. 193 (1889).

2. **H. Huttoni, Kirb.** (n. n.). Auckland.
 || *Deinacrida Thoracica*, Bull. Zoologist, (2)
 ii. p. 850 (1867); Trans. N. Zeal. Inst.
 iii. p. 35 (1871).
 || *H. Thoracica*, Hutt. l. c. xxix. p. 217 (1897).
- **3. **H. Thoracica, White,** (*Deinacrida T.*) New Zealand.
 Voy. Erebus & Terror, ~~ix~~ Ins. pl. 5. f. 2
 (1846).
H. Thoracica, Butl. Voy. E. & T. ii. Ins.
 p. 25 (1874).
 Var. *Deinacrida Megacephala*, Bull. ll. cc.
 p. 850 (1867); p. 36 (1871); Huds. Man.
 N. Zeal. Ent. p. 112, pl. 17. f. 8, pl. 18.
 f. 2 (1892).
H. Megacephala, Hutt. l. c. p. 215, pl. 12.
 ff. 3, 3 c (1897).
- ***H. Capitolina*, Walk. l. c. p. 161. n. 1
 (1869).
Deinacrida Ligata, Brunn. l. c. p. 268,
 pl. 5. f. 5 A-C (1888).
- **Var. *H. Figurata*, Walk. l. c. p. 162. n. 3
 (1869).
- **Var. *H. Tibialis*, Walk. l. c. p. 164. n. 6
 (1869).
- **Var. *H. Producta*, Walk. l. c. p. 163. n. 5
 (1869).
- **Var. *H. Abbreviata*, Walk. l. c. n. 4 (1869).
- *4. **H. Femorata, Hutt.** l. c. xxix. p. 218, id.
 pl. 12. ff. 4, 4 b (1897).
5. **H. Broughi, Bull.** (*Deinacrida B.*) Trans. id.,
 N. Zeal. Inst. xxviii. p. 324 (1896). Nelson.
H. Broughi, Hutt. l. c. xxix. p. 220 (1897),
 xxxii. p. 21 (1900).
- *6. **H. Ricta, Hutt.** l. c. xxix. p. 219 (1897). N. Z., S. I.
7. **H. Maori, Pict. & Sauss.** (*Deinacrida* N. Zealand.
M.) Mitth. Schweiz. ent. Ges. viii. p. 296,
 pl. 1. f. 2 (1891).
H. Maori, Hutt. l. c. p. 219 (1897).
8. **H. Parva, Bull.** (*Deinacrida P.*) l. c. N. Zealand,
 xxvii. p. 147 (1895); Hutt. l. c. p. 214 South Isl.
 (1897).
H. Parva, Hutt. l. c. xxxii. p. 20 (1900).
- **9. **H. Fusifera, Walk.** l. c. p. 165. n. 8 Australia.
 (1869). Richmond
 R.

Genus 7. **Anostostoma.** (*Type* no. 1.)

Gray, Charlesworth's Mag. Nat. Hist. (2) i. p. 143 (1837);
 Serv. Ins. Orth. p. 385 (1839); Duncan, Nat. Libr., Introd.
 Ent. p. 254 (1840); Brunn. Verh. zool.-bot. Ges. Wien,
 xxxviii. p. 269 (1888).

- | | |
|---|-------------------|
| <p>**1. A. Australasiæ, Gray, l. c. p. 143, f. 16
 (1837); Serv. l. c. p. 388 (1839);
 Duncan, l. c. p. 254, pl. 14 (1840);
 Brunn. l. c. p. 270. n. 1, pl. 5. f. 6 A, B
 (1888); Frogg. Agric. Gaz. N. S. Wales,
 xvi. p. 480 (1905).</p> | <p>Australia.</p> |
| <p>*2. A. Erinaceus, Burm. (<i>Stenopelmatus E.</i>)
 Handb. Ent. ii. p. 720. n. 1 (1838).
 <i>A. Erinaceus</i> Brunn. l. c. p. 271. n. 2
 (1888); Frogg. l. c. p. 481. f. 6 (1905).
 <i>A. Femoralis</i>, Walk. Cat. Derm. Salt. B. M.
 i. p. 159. n. 2 (1869).</p> | <p>id.</p> |
| <p>*3. A. Opacum, Brunn. l. c. p. 271. n. 3
 (1888).</p> | <p>id.</p> |
| <p>4. A. (?) Cuniculator, Coq. Ann. Soc. Ent.
 France, (2) vi. p. 282, pl. 8. f. 6 a-d (1848).</p> | <p>Madagascar</p> |
| <p>5. A. (?) Ornatum, Brunn. (<i>Carcinopsis</i>
 <i>Ornata</i>) l. c. p. 277. n. 3, pl. 6. f. 9 A-B
 (1888).</p> | <p>id.</p> |

Genus 8. **Brachyporus.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 272 (1888).

- | | |
|---|-------------------|
| <p>1. B. Personatus, Brunn. l. c. pl. 5. f. 7
 (1888).</p> | <p>Madagascar</p> |
|---|-------------------|

Genus 9. **Anabropsis.** (*Type* no. 1.)

Rehn, Canad. Ent. xxxiii. p. 272 (1901).

|| *Schœnobates*, Sauss. (*nec* Blackw.) Rev. Zool. (2) xi. p. 209
 (1859); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii.
 p. 273 (1888).

- | | |
|---|-----------------|
| <p>1. A. Mexicanus, Sauss. (<i>Schœnobates M.</i>)
 l. c. p. 209 (1859); Brunn. l. c. p. 273,
 pl. 6. f. 8 B (1888); Sauss. & Pict. Biol.
 Centr.-Amer., Orth. i. p. 293. n. 1, pl. 14.
 ff. 12-15 (1897).</p> | <p>Mexico.</p> |
| <p>2. A. Alatus, Brunn. (<i>Schœnobates A.</i>) l. c.
 p. 274. n. 2 (1888).</p> | <p>Ecuador.</p> |

- | | |
|---|-------------|
| 3. A. Apteris , Brunn. (<i>Schornobates A.</i>) l. c. n. 3, pl. 6. f. 8 A (1888) : Sauss. & Pict. l. c. p. 293. n. 2 (1897). | Guatemala. |
| **4. A. Saltator , Sauss. & Pict. (<i>Schornobates S.</i>) l. c. p. 294. n. 3, pl. 14. f. 16 (1897). | Costa Rica. |
| 5. A. Frater , Brunn. (<i>Schornobates F.</i>) l. c. p. 275. n. 4 (1888). | India (?). |

Genus 10. **Libanasa.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 208 (1869).

- | | |
|---|------------|
| **1. L. Incisa , Walk. l. c. n. 1 (1869).
<i>Carcinopsis Fusca</i> , Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 278. n. 5 (1888). | Natal. |
| *2. L. Femoralis , Brunn. (<i>Carcinopsis F.</i>) l. c. p. 277. n. 4 (1888). | id. |
| 3. L. Vittata , Kirb. (<i>Carcinopsis V.</i>) Ann. Nat. Hist. (7) iii. p. 478 (1898). | Barberton. |
| 4. L. Punctulata , Kirb. (<i>Carcinopsis P.</i>) l. c. (1898). | id. |

Genus 11. **Lezina.**

Walk. Cat. Derm. Salt. B. M. i. p. 199 (1869).

- | | |
|--|--------|
| **1. L. Concolor , Walk. l. c. p. 200. n. 1 (1869), iii. p. 477 (1870). | Egypt. |
|--|--------|

Genus 12. **Carcinopsis.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 275 (1888).

- | | |
|---|----------------|
| 1. C. Unicolor , Brunn. l. c. p. 276. n. 1 (1888). | New Caledonia. |
| 2. C. Signata , Brunn. l. c. n. 2 (1888). | id. |

Genus 13. **Aistus.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 278 (1888).

- | | |
|---|----------------|
| 1. A. Gracilis , Brunn. l. c. n. 1, pl. 6. f. 10 (1888). | New Caledonia. |
|---|----------------|

Genus 14. **Gryllacropsis.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 279 (1888).

- **1. **G. Magniceps, Walk.** (*Gryllacris M.*) Madras.
 Cat. Derm. Salt. B. M. iii. p. 471 (1870),
 v. Suppl. p. 19 (1871).
G. Perturbans, Brunn. l. c. p. 279, pl. vi.
 f. 10, II. (1888).

Genus 15. **Dyscapna.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 279 (1888).

1. **D. Atra, Brunn.** l. c. pl. 6. f. 11 (1888). | Angola.

Genus 16. **Borborothis.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 280 (1888).

1. **B. Opaca, Brunn.** l. c. pl. 6. f. 12 Cape.
 (1888).
 2. **B. Impicta, Stål,** (*Onosandrus Impictus*) S. Africa.
 Bihang Svenska Akad. iv. (5) p. 51
 (1878).
 3. **B. Brunneri, Bol.** J. Sci. Lisb. (2) i. Angola.
 p. 227 (1890).

Genus 17. **Penalva.**

Walk. Cat. Derm. Salt. B. M. iii. p. 474 (1870).

Trihoplophora, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii.
 p. 280 (1888).

- **1. **P. Lateralis, Walk.** l. c. p. 475. n. 1 Australia.
 (1870).
Trihoplophora Abnormis, Brunn. l. c.
 p. 281, pl. 6. f. 13 (1888).

Genus 18. **Penthoplophora.**

Tepp. Trans. R. Soc. S. Australia, xv. p. 175 (1892).

1. **P. Driffieldi, Tepp.** l. c. p. 176 (1892), Central
 xix. p. 23 (1895); Horn Exped. Centr. Australia.
 Austral. ii. p. 377 (1896).

Genus 19. **Hypocophus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 281 (1888).

1. **H. Fortior, Brunn.** l. c. pl. 6. f. 14 A, B | Madagascar (1888).
2. **H. Indicus, Bol.** Ann. Soc. Ent. France, S. India. lxviii. p. 786 (1890). | Pulney Hills

Genus 20. **Lutosa.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 211 (1869).

Pherternus, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 282 (1888); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 294 (1897). (*Type* no. 3.)

- **1. **L. Marginalis, Walk.** l. c. p. 212. n. 1 | Brazil. (1869).
Pherternus Goidianus, Sauss. & Pict. l. c. p. 295. n. 1 (1897).
- *2. **L. Brasiliensis, Brunn.** (*Pherternus B.*) id., l. c. p. 282 (1888). | Theresopolis
- *3. **L. Cubensis, Haan,** (*Locusta (Rhopidophorus) Cubaensis*) Temminck, Verhandel., Orth. p. 218 (1842). | Cuba, W. Indies, Brazil
(?) *Pherternus Cubensis*, Brunn. l. c. p. 282. (eadem?). |
pl. 6. f. 15 A, B (1888).

Genus 21. **Licodia.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 210 (1869).

Apotetamenus, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 283 (1888). (*Type* no. 2.)

- **1. **L. Pallipes, Walk.** l. c. p. 210. n. 1 | Haiti. (1869).
2. **L. Amazonæ, Brunn.** (*Apotetamenus A.*) Upper l. c. p. 283, pl. 6. f. 16 (1888). | Amazons.
3. **L. Clipeata, Brunn.** (*Apotetamenus Clipeatus*) l. c. p. 283 (1888). | Brazil.
- **4. **L. Obliqua, Walk.** l. c. p. 211. n. 2 | Hab. — ? (1869).

Genus 22. **Glaphyrosoma.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 283 (1888);
Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 296 (1897).

|| *Daihinia*, Sauss. (nec Hald.) Rev. Zool. (2) xi. p. 211 (1859).

- **1. **G. Aztecum**, **Sauss. & Pict.** l. c. n. 1, Mexico.
pl. 14. f. 19 (1897).
2. **G. Mexicanum**, **Sauss.** (*Daihinia Mexi-* id.
cana) l. c. p. 212 (1859).
G. Mexicanum, **Brunn.** l. c. p. 284. n. 1
(1888); **Sauss. & Pict.** l. c. p. 296,
pl. 14. ff. 17, 18 (1897).
3. **G. Gracile**, **Brunn.** l. c. p. 284. n. 2. id.
pl. 6. f. 17 A, B (1888); **Sauss. & Pict.**
l. c. p. 297. n. 3 (1897).

Genus 23. **Phoberopus.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 297 (1897).

- **1. **P. Championi**, **Sauss. & Pict.** l. c. Guatemala
p. 298, pl. 14. ff. 20-22 (1897).

Genus 24. **Magrettia.** (*Type no. 1.*)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 285 (1888);
Adel. Ann. Mus. Zool. Pétersb. vii. p. 68 (1902); Jacobs.
& Bianchi, Prem. i Lozhn. Ross. Imp. p. 431 (1903).

- *1. **M. Abominata**, **Brunn.** l. c. p. 285. n. 1 E. Africa.
(1888); **Adel.** l. c. p. 74 (1902).
2. **M. Obscura**, **Burr,** **Proc. Zool. Soc.** Somali.
Lond. 1900, p. 45.
3. **M. Mutica**, **Brunn.** l. c. p. 285, pl. 6. Askhabad.
f. 18 (1888); **Adel.** l. c. p. 70 (1902);
Jacobs. & Bianchi, l. c. p. 431, f. 44
(1903).
4. **M. Zarudnyi**, **Adel.** l. c. p. 72 (1902); Persia.
Jacobs. & Bianchi, l. c. p. 432 (1903).
*5. **M. Persica**, **Adel.** l. c. p. 73 (1902); id.
Jacobs. & Bianchi, l. c. p. 432 (1903).

Genus 25. **Onosandrus.** (*Type no. 1.*)

Stål, Bihang Svenska Akad. iv. (5) p. 51 (1878); Brunn.
Verh. zool.-bot. Ges. Wien, xxxviii. p. 286 (1888); Hutt.
Trans. N. Zeal. Inst. xxix. p. 221 (1897).

1. **O. Fasciatus**, **Stål,** l. c. p. 51 (1878); Natal.
Brunn. l. c. p. 287, pl. 6. f. 19 A-c
(1888).

- | | |
|--|---------------|
| *2. O. Crassipes , Brunn. l. c. p. 287 (1888). | Grahams-town. |
| *3. O. Saussurei , Brunn. l. c. (1888). | Cape. |
| 4. O. Opacus , Brunn. l. c. p. 288 (1888). | id. |
| 5. O. Humilis , Brunn. l. c. (1888). | Madagascar |
| 6. O. Femoratus , Pict. & Sauss. Mitth. Schweiz. ent. Ges. viii. p. 299 (1891). | E. Indies(?) |
| **7. O. (?) Lepismoides , Walk. (<i>Ceuthophilus L.</i>) Cat. Derm. Salt. B. M. v. Suppl. p. 23 (1871). | Australia. |
| **8. O. (?) Lanceolatus , Walk. (<i>Ceuthophilus L.</i>) l. c. i. p. 204. n. 16 (1869). | N. Zealand. |
| **Var. <i>Libanasa Pallitarsis</i> , Walk. l. c. v. Suppl. p. 24 (1871). | |
| <i>O. Pallitarsis</i> , Hutt. l. c. xxix. p. 221, pl. 12. ff. 6, 6 a (1897). | |
| 9. O. (?) Focalis , Hutt. l. c. p. 222, pl. 12. ff. 5, 5 a-d (1897). | id. |
| **10. O. (?) Maculifrons , Walk. (<i>Libanasa M.</i>) l. c. i. p. 209. n. 2 (1869). | id. |
| <i>O. Maculifrons</i> , Hutt. l. c. xxix. p. 223 (1897). | |
| 11. O. Maori , Pict. & Sauss. l. c. p. 300, pl. 1. f. 4 (1891); Hutt. l. c. xxix. p. 223 (1897). | id. |

Genus 26. **Nasidius**.

Stål, Bihang Svenska Akad. iv. (5) p. 51 (1878);
Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 288 (1888).

- | | |
|--|---------------|
| *1. N. Truncatifrons , Stål, l. c. p. 52 (1878); Brunn. l. c. p. 289, pl. 6. f. 20 A, B (1888). | Grahams-town. |
|--|---------------|

Genus 27. **Spizaphilus**, Kirb. (n. n.).

|| *Butleria*, Brunn. (nec Kirb.) Verh. zool.-bot. Ges. Wien, xxxviii. p. 289 (1888).

- | | |
|---|------------|
| **1. S. Alatus , Butl. (<i>Anostostoma Alatum</i>) Proc. Zool. Soc. Lond. 1880, p. 152.
<i>Butleria Alata</i> , Brunn. l. c. p. 289, pl. 7. f. 21 (1888). | Madagascar |
|---|------------|

Genus 28. **Mimnermus.** (Type no. 4.)

Stål, *Bihang Svenska Akad.* iv. (5) p. 52 (1878); Brunn.
Verh. zool.-bot. Ges. Wien, xxxviii. p. 290 (1888).
Anastostoma, *Haan*, Temminck, *Verhandel. Orth.* p. 218 (1842).

- | | |
|---|------------|
| 1. M. Costulatus , Brunn. l. c. n. 1 (1888). | Angola. |
| 2. M. Cephalotes , Bol. <i>Jorn. Sci. Lisb.</i> (2) i. p. 228 (1890). | Anchieta. |
| 3. M. Portentosus , Burm. (<i>Stenopelmatus P.</i>) <i>Handb. Ent.</i> ii. p. 721. n. 5 (1838). | S. Africa. |
| *4. M. Prodigiosus , Stål, l. c. p. 52 (1878); Brunn. l. c. p. 291. n. 3 (1888). | id. |
| *5. M. Dregii , Burm. (<i>Stenopelmatus D.</i>) l. c. p. 721. n. 3 (1838). | id. |
| 6. M. Puncticeps , Pict. & Sauss. (<i>Onosandrus P.</i>) <i>Mitth. Schweiz. ent. Ges.</i> viii. p. 297, pl. 1. f. 3 (1891). | id. |
| *7. M. (?) Monstrosus , Herbst, (<i>Locusta Monstrosa</i>) <i>Nene Schriften Berlin. Ges. Nat. Fr.</i> iv. p. 111, pl. 1. ff. 1-5 (1803).
<i>M. Monstrosus</i> , Brunn. l. c. p. 291. n. 2 (1888).
<i>Anostostoma Herbstii</i> , Gray, <i>Mag. Nat. Hist.</i> (2) i. pp. 143, 144. f. 17 (1837).
<i>Gryllus (Anastostoma) Portentosa</i> , Haan (an Burm.?), l. c. p. 218 (1842). | id. |

Genus 29. **Henicus.**

Gray, *Mag. Nat. Hist.* (2) i. p. 144 (1837).

- | | |
|---|------------|
| 1. H. Pattersonii , Stoll, (<i>Gryllus (Acheta) P.</i>) <i>Spectres, Grill.</i> p. 7, pl. 4 c. ff. 16-18 (1813).
<i>Locusta (Anastostoma) Pattersonii</i> , Haan, Temminck, <i>Verhandel. Orth.</i> p. 218 (1842).
<i>Mimnermus Pattersonii</i> , Brunn. <i>Verh. zool.-bot. Ges. Wien</i> , xxxviii. p. 292, pl. 7. f. 22 A, B (1888).
<i>H. Stollii</i> , Gray, l. c. p. 144. f. 18 (1837). | S. Africa. |
|---|------------|

Genus 30. **Platysiagon.**

Brunn. *Verh. zool.-bot. Ges. Wien*, xxxviii. p. 292 (1888).

- | | |
|--|-------------|
| 1. P. Signatus , Brunn. l. c. p. 292, pl. 7. f. 23 A, B (1888). | S.W. Africa |
|--|-------------|

Genus 31. **Cratomelus.**

Blanch. Gay, Hist. Chile, Zool. vi. p. 37 (1851) ; Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 293 (1888).

Mesomedes, Stål, Bihang Svenska Akad. iv. (5) p. 50 (1878).

Lencica, Walk. Cat. Derm. Salt. B. M. iii. p. 476 (1870).

- *1. **C. Armatus**, Blanch. l. c. p. 39. Orth. Chile.
 pl. 2. f. 2 (1851) ; Phil. Zeitschr. ges.
 Naturw. xxi. p. 233 (1863) ; Brunn. l. c.
 p. 293, pl. 7. f. 24 A, B (1888).
Stenopelmatus Chilensis, Sauss. Rev. Zool.
 (2) xi. p. 211 (1859).
 ***Lencica Ferruginea*, Walk. l. c. p. 476. n. 1
 (1870).

Genus 32. **Dolichochæta.**

Phil. Zeitschr. Ges. Naturw. xxi. p. 233 (1863).

1. **D. Longicornis**, Phil. l. c. p. 234 (1863). | Chile.

Genus 33. **Pachypodagrus.** (Type no. 1.)

Tepp. Trans. R. Soc. S. Australia, xv. p. 176 (1892).

1. **P. Crassipes**, Tepp. l. c. p. 177 (1892). | Australia.
 2. **P. Magareyi**, Tepp. l. c. (1892). | N. Australia.

SUBFAM. II.

RHAPHIDOPHORINÆ.

Genus 34. **Rhaphidophora.** (Type no. 1.)

Serv. Ins. Orth. p. 389 (1839) ; Bol. Ann. Soc. Ent. France,
 (5) x. p. 72 (1880) ; Brunn. Verh. zool.-bot. Ges. Wien,
 xxxviii. p. 294 (1888).

- *1. **R. Loricata**, Burm. (*Phalangopsis* L.) Java. ✓
 Handb. Ent. ii. p. 722. n. 4 (1838).
R. Picea, Serv. l. c. p. 391 (1839).
Locusta (*Rhaphidophorus*) *Picea*, c. Haan,
 Temminck, Verhandel., Orth. p. 217
 (1842).
R. Mutica, Brunn. l. c. p. 295. n. 1 (1888).
 2. **R. Crassicornis**, Brunn. l. c. n. 2 (1888). | Australia.

- | | |
|--|-----------------------------------|
| 3. R. Nigerrima, Brunn. l. c. p. 296. n. 3 (1888). | Borneo, ✓
Sumatra.
Amboina. |
| <i>Locusta</i> (<i>Rhaphidophorus</i>) <i>Picea</i> , <i>Haan</i> (<i>nec Serr.</i>), l. c. p. 217 (1842). | |
| *4. R. Foeda, Brunn. l. c. p. 296. n. 4, pl. 7. f. 25 A-C (1888). | N. Guinea. |
| <i>Locusta</i> (<i>Rhaphidophorus</i>) <i>Picea</i> , <i>a</i> , <i>Haan</i> (<i>nec Serr.</i>), l. c. p. 217 (1842). | |
| *5. R. Brunneri, Kirb. (n. n.). | Borneo, |
| <i>R. Picea</i> , <i>Brunn.</i> (<i>nec Serr.</i>) l. c. p. 296. n. 5 (1888). | Sumatra, ✓
Assam.
Burma. |
| 6. R. Crenulata, Brunn. Ann. Mus. Genova, xxxiii. p. 192 (1888). | |
| *7. R. Fulva, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 297. n. 6 (1888). | Java, ✓
Ceram. |
| 8. R. Baeri, Bol. An. Soc. Españ. xix. p. 328 (1890). | Manila. |
| (?) <i>R. Deusta</i> , var., <i>Brunn.</i> l. c. p. 298. n. 8 (1888). | |
| 9. R. Gracilis, Brunn. l. c. p. 297. n. 7 (1888). | Samar. |
| *10. R. Deusta, Brunn. l. c. p. 298. n. 8 (1888). | Silhet, ✓
Penang,
Java. |
| <i>Rhaphidophora Picea</i> , <i>Pict. & Sauss.</i> (<i>nec Serr.</i>) Mitth. Schweiz. ent. Ges. viii. p. 303, pl. 1. f. 6 (1891). 0-365. | |

Genus 35. **Diestrammena.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 298 (1888);
Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329, 351,
432 (1902-4).

- | | |
|--|-----------------------------------|
| *1. D. Unicolor, Brunn. l. c. p. 299. n. 1 (1888); Jacobs. & Bianchi, l. c. pp. 352, 433 (1902-4). | Vladivostok
China, ✓
Burma. |
| *2. D. Marmorata, Haan , (<i>Locusta</i> (<i>Rhaphidophorus</i>) <i>M.</i>) Temminck, Verhandel., Orth. p. 217 (1842).* | Japan. |
| <i>D. Marmorata</i> , <i>Brunn.</i> l. c. p. 299. n. 2, pl. 7. f. 26 (1888); Jacobs. & Bianchi, l. c. pp. 352, 433 (1902-4). | |
| 3. D. Apicalis, Brunn. l. c. p. 299. n. 3 (1888); Jacobs. & Bianchi, l. c. pp. 352, 433 (1902-4). | id. |

* This page is really 1843.

Genus 36. **Neonetus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 300 (1888) ;
Hutt. Trans. N. Zealand Inst. xxix. p. 235 (1897).

- | | |
|---|-------------|
| 1. N. Variegatus , Brunn. l. c. p. 300, pl. 7. | N. Zealand. |
| f. 27 A-C (1888) ; Hutt. l. c. p. 236, | |
| pl. 13. ff. 16, 16 a-c (1897). | |
| 2. N. Pilosus , Hutt. l. c. f. 17 (1897). | id. |

Genus 37. **Tachycines.**

Adel. Annuaire Mus. Zool. Pétersb. vii. p. 56 (1902) ; Jacobs.
& Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329, 352, 433
(1902-4).

- | | |
|--|---------------------|
| 1. T. Asynamorus , Adel. l. c. p. 59, pl. 58. | St. Peters- |
| ff. a, b (1902) ; Jacobs. & Bianchi, l. c. | burg |
| pp. 352, 433, f. 45 (1904). | (<i>introd.</i>). |

Genus 38. **Gymnæta.** (*Type* no. 1.)

Adel. Annuaire Mus. Zool. Pétersb. vii. p. 62 (1902).
Gymnæta, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329,
352, 434 (1902-4).

- | | |
|---|--------|
| 1. G. Beresowskii , Adel. l. c. p. 63 (1902). | China, |
| <i>Gymnæta Berezovskii</i> , Jacobs. & Bianchi, l. c. | Kansu. |
| pp. 352, 434 (1902-4). | |
| 2. G. Gansuicus , Adel. l. c. p. 64 (1902) ; | id. |
| Jacobs. & Bianchi, l. c. pp. 352, 434 | |
| (1902-4). | |

Genus 39. **Æmodogryllus.**

Adel. Annuaire Mus. Zool. Pétersb. vii. p. 66 (1902) ; Jacobs.
& Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329, 352, 434
(1902-4).

- | | |
|--|--------|
| 1. Æ. Brunneri , Adel. l. c. p. 67 (1902) ; | Japan. |
| Jacobs. & Bianchi, l. c. pp. 352, 435 | |
| (1902-4). | |

Genus 40. **Dolichopoda.** (Type no. 1.)

Bol. Ann. Soc. Ent. France, (5) x. p. 72 (1880); Ann. Sci. Nat. Porto, v. pp. 127, 132 (1898); Brunn. Prodr. Eur., Orth. p. 413 (1882); Verh. zool.-bot. Ges. Wien, xxxviii. p. 300 (1888); Finot, Orth. France. pp. 87, 127 (1883); Faune France, Orth. pp. 173, 225 (1889); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329, 352, 435 (1902-4).

Phalangopsis B., *Burm.* Handb. Ent. ii. p. 722 (1838); Herrich-Schäffer, Nomencl. Ent. ii. p. 3 (1840); Fieb. Lotos, iii. p. 206 (1853); Syn. Eur. Orth. p. 62 (1854).

|| *Rhaphidophora*, *Fisch.* Orth. Eur. p. 199 (1853); Costa, Faun. Nap., Ort. Loc. p. 9 (1860).

*1. **D. Palpata, Sulz.** (*Gryllus* (*Tettigonia*) *Palpatus*) Gesch. Ins. p. 83, pl. 9. f. 2 (1776).

Rhaphidophora Palpata, *Charp.* Orth. pl. 44 (1844); *Fisch.* Orth. Eur. p. 200, pl. 11. ff. 1, 1 a (1853).

Phalangopsis Palpata, *Fieb.* Lotos, iii. p. 206 (1853), iv. p. 276 (1854); Syn. Eur. Orth. p. 62 (1854).

D. Palpata, *Brunn.* ll. cc. p. 413. n. 1, pl. 10. f. 95 (1882); p. 301. n. 1, pl. 7. f. 28 (1888); *Finot*, ll. cc. p. 128 (1883); p. 226 (1889); *Jacobs. & Bianchi*, l. c. pp. 352, 435 (1902-4).

Gryllus Tettigonia Pupus-Europæus, *Vill.* Linn. Ent. i. p. 471. n. 28 (1789).

Locusta Acuminata (larva), *Rerm.* Gen. Ins. p. 53, pl. 9. f. 2 (1789).

Phalangopsis Araneiformis, *Burm.* l. c. p. 722. n. 3, p. 1014 (1838); *Charp.* Germ. Zeitsch. Ent. iii. p. 319 (1840); *Herr.-Schäff.* l. c. pp. 15, 26 (1840).

2. **D. Geniculata, Costa**, (*Rhaphidophora* (*G.*) l. c. p. 10, pl. 10. ff. 1, 1 A-E (1860).

Phalangopsis Linderii, *Duf.* Ann. Soc. Ent. France, (4) i. p. 13 (1861).

D. Linderi, *Brunn.* ll. cc. p. 413. n. 2 (1882); p. 301. n. 2 (1888); *Fin.* ll. cc. p. 128 (1883); p. 226 (1889).

3. **D. Bormansi, Brunn.** ll. cc. p. 414. n. 3 (1882); p. 301. n. 3 (1888); *Fin.* ll. cc. pp. 127, 128 (1883); pp. 226, 227 (1889).

Sicily,
Italy,
Dalmatia,
S. France,
Herzego-
vina,
Greece,
Corfu.

Italy,
S. France.

Corsica.

4. **D. Euxina**, **Sem.** Rev. Russe Ent. i. p. 1 Caucasus.
(1901); Jacobs. & Bianchi, l. c. pp. 352,
435 (1902-4).
5. **D. Aranea**, **Bol.** Ann. Soc. Ent. Belg. Asia Minor.
xliii. p. 605 (1899); Jacobs. & Bianchi,
l. c. pp. 352, 436 (1902-4).
6. **D. Pusilla**, **Bol.** l. c. p. 605 (1899); id.
Jacobs. & Bianchi, l. c. pp. 352, 436
(1902-4).

Genus 41. **Troglophilus.** (*Type* no. 1.)

Krauss, Sitzungsab. Akad. Wien, lxxviii. (1) p. 533 (1879);
Bol. Ann. Soc. Ent. France, (5) x. p. 72 (1880); Brunn.
Prodr. Eur. Orth. p. 410 (1882); Verh. zool.-bot. Ges.
Wien, xxxviii. p. 302 (1888); Tümp. Geradfl. Mittel-
europas, p. 272 (1900); Jacobs. & Bianchi, Prem. i Lozhn.
Ross. Imp. pp. 329, 352, 436 (1902-4).

- *1. **T. Cavicola**, **Koll.** (*Locusta* C.) Beitr. Lan- Austria,
deskunde Oesterreichs, iii. p. 80 (1833). Carinthia,
Rhaphidophora Caricola, Fisch. Orth. Eur. Croatia,
p. 201, pl. 11. ff. 2, 2 a-c (1853); Türk. Servia,
Wien. ent. Mon. ii. p. 368 (1858); Löw, Greece.
Verh. zool.-bot. Ges. Wien, xi. p. 405
(1861).

T. Caricola, Krauss, l. c. p. 534, pl. 6. ff. 1.
1 A-E (1879); Brunn. ll. cc. p. 411. no. 1,
pl. 10. f. 94 (1882); p. 303. n. 1 (1888);
Tümp. l. c. p. 272, pl. 22 (1900); Jacobs.
& Bianchi, l. c. pp. 352, 436, pl. 9
(1902-4).

Phalangopsis Latebrarum, Herr.-Schäff.
Nomencl. Ent. ii. p. 15 (1840).

Phalangopsis Latebricola, Herr.-Schäff. l. c.
p. 26 (1840).

2. **T. Neglectus**, **Krauss**, l. c. p. 536, pl. 6. Carniola,
ff. 2, 2 A-J (1879); Brunn. ll. cc. p. 412. Istria.
n. 2 (1882); p. 303, pl. 7. f. 30 (1888); Croatia,
Tümp. l. c. p. 273 (1900); Jacobs. & Dalmatia,
& Bianchi, l. c. pp. 352, 437 (1902-4). Greece.

|| *Rhaphidophora Caricola*, Fisch. l. c. p. 201,
pl. 11. f. 2 d (1853); Brunn. Verh. zool.-
bot. Ges. Wien, xi. p. 287 (1861).

|| *Phalangopsis Caricola*, Fieb. Lotos. iii.
p. 206 (1853), iv. p. 276 (1854); Syn.
Eur. Orth. p. 62 (1854).

3. **T. Escalerai**, **Bol.** Ann. Soc. Ent. Belg. | Asia Minor.
 xliii. p. 604 (1899); Jacobs. & Bianchi,
 l. c. pp. 352, 436 (1904).

Genus 42. **Daihinia.** (Type no. 1.)

Hald. Proc. Amer. Assoc. ii. p. 346 (1850); Girard, Marcy,
 Expl. Red River Louisiana, p. 257 (1853); Scudd. Bost.
 Journ. Nat. Hist. vii. p. 443 (1862); Proc. Amer. Acad.
 xxx. p. 108 (1895); Guide N. Amer. Orth. p. 60 (1897).

- | | |
|--|--|
| <p>1. D. Brevipes, Hald. (<i>Phalangopsis</i> (<i>Daihinia</i>) <i>B.</i>) l. c. p. 346 (1850).
 <i>D. Brevipes</i>, Girard, l. c. p. 257, Zool.
 pl. 15. ff. 9-13 (1853); Scudd. Bost.
 Journ. Nat. Hist. vii. p. 443, f. 3 (1862);
 Brun. Publ. Nebraska Acad. Sci. iii.
 p. 31 (1893).</p> <p>2. D. Gigantea, Brun. Bull. Washburn
 Lab. i. p. 127 (1885); Publ. Nebraska
 Acad. Sci. iii. p. 30 (1893).
 <i>Udeopsylla Gigantea</i>, Brun. Canad. Ent.
 xxiii. p. 39 (1891).</p> | <p>Arkansas,
Nebraska,
Wyoming,
Kansas,
Dakota,
Colorado.</p> <p>Nebraska,
Kansas.</p> |
|--|--|

Genus 43. **Udeopsylla.** (Type no. 2.)

Scudd. Canad. Nat. vii. p. 284 (Aug. 1862); Bost. Journ. Nat.
 Hist. vii. p. 442 (Nov. 1862); Proc. Amer. Acad. xxx.
 p. 109 (1894); Guide N. Amer. Orth. p. 60 (1897);
 Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 303 (1888).

- | | |
|--|--------------------------------------|
| <p>1. U. Nigra, Scudd. ll. cc. p. 284 (1862);
 p. 443 (1862); p. 109 (1894); Brunn.
 l. c. p. 304 (1888).
 <i>Ceuthophilus Niger</i>, Scudd. Bost. Journ.
 Nat. Hist. vii. p. 437. n. 8 (1862).</p> <p>2. U. Robusta, Hald. (<i>Phalangopsis</i> (<i>Daihinia</i>) <i>Robustus</i>) Proc. Amer. Assoc. ii.
 p. 346 (1850).
 <i>U. Robusta</i>, Scudd. Canad. Ent. vii. p. 284
 (1862); Bost. Journ. Nat. Hist. vii. p. 442
 (1862); Proc. Amer. Acad. xxx. p. 110
 (1894); Glover, Illustr. N. Amer. Orth.
 pl. 8. f. 9 (1872); Brunn. l. c. p. 303,
 pl. 7. f. 31 (1888).</p> | <p>United
States.</p> <p>id.</p> |
|--|--------------------------------------|

3. **U. Compacta, Brun.** Canad. Ent. xxiii. p. 38 (1891); Publ. Nebraska Acad. Sci. iii. p. 31 (1893). Nebraska, Dakota, Kansas.
 4. **U. Vierecki, Rehn,** Proc. Acad. Nat. Sci. Philad. 1902, p. 725. New Mexico.

Genus 44. **Gammarotettix.**

Brumm. Verb. zool.-bot. Ges. Wien, xxxviii. p. 304 (1888); Scudd. Proc. Amer. Acad. xxx. pp. 21, 111 (1894); Guide N. Amer. Orth. p. 61 (1897).

1. **G. Bilobatus, Thom.** (*Ceuthophilus B.*) California. Geol. Surv. Territ. Montana, p. 437 (1872).
G. Bilobatus, Scudd. Proc. Amer. Acad. xxx. p. 111 (1894).
G. Californicus, Brumm. l. c. p. 305, pl. 7. f. 32 (1888).

Genus 45. **Marsa.** (Type no. 4.)

Walk. Cat. Derm. Salt. B. M. i. p. 253 (1869).

1. **M. Pacifica, Thom.** (*Ceuthophilus P.*) California. Rep. Geol. Surv. Territ. Montana, p. 436 (1872).
Ceuthophilus Pacificus, Glover, Ill. N. Amer. Orth. pl. 14. f. 8 (1872); Scudd. Proc. Amer. Acad. xxx. p. 96 (1894).
Ceuthophilus Unispinosus, Brumm. Verb. zool.-bot. Ges. Wien, xxxviii. p. 308, n. 4 (1888).
 2. **M. Salebrosa, Scudd.** (*Ceuthophilus Salebrosus*) Canad. Ent. xxxi. p. 120 (1899). Washington
 3. **M. Henshawi, Scudd.** (*Ceuthophilus H.*) California, Oregon, &c. Proc. Amer. Acad. xxx. p. 97 (1894).
 4. **M. Arcuata, Walk. l. c. p. 254 (1869). Saskatchewan.

Genus 46. **Hemiudeopsylla.** (Type no. 1.)

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 300 (1897).

- **1. **H. Genicularis, Sauss. & Pict.** l. c. Mexico. p. 301, n. 1 (1897).
 2. **H. Platyceps, Sauss. & Pict.** l. c. p. 302. California. n. 2 (1897).

- | | |
|---|-------------|
| 3. H. Californiana, Sauss. & Pict. (<i>nec</i> Scudd.) l. c. p. 302. n. 3 (1897). | California. |
| **4. H. Forreriana, Sauss. & Pict. l. c. n. 4, pl. 15. f. 1 (1897). | Mexico. |

Genus 47. **Argyrtes.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 303 (1897).

- | | |
|--|---------|
| **1. A. Mexicana, Sauss. & Pict. l. c. n. 1, pl. 15. ff. 2, 3 (1897). | Mexico. |
|--|---------|

Genus 48. **Ceuthophilus.** (*Type* no. 34.)

Scudd. Canad. Nat. vii. p. 284 (Aug. 1862); Boston Journ. Nat. Hist. vii. p. 433 (Nov. 1862); Proc. Amer. Acad. xxx. p. 23 (1894); Guide N. Amer. Orth. p. 59 (1897); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 305 (1888); Bent. Bull. Amer. Mus. Nat. Hist. vi. p. 295 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 397 (1903).
Ceuthophilus, Proc. Nat. Canad. viii. p. 74 (1876); Faune Ent. Canada, ii. p. 26 (1888).
Machamala, Walk. Cat. Derm. Salt. B. M. i. p. 209 (1869).
 (*Type* no. 34.)

- | | |
|--|---------------------------------|
| 1. C. Variegatus, Scudd. Proc. Amer. Acad. xxx. p. 31 (1894). | Texas,
Mexico. |
| 2. C. Ensifer, Pack. Amer. Nat. xv. p. 882, pl. 7. ff. 4, 4 <i>a, b</i> (1881); Mem. Acad. Nat. Sci. iv. p. 71, ff. 17, 17 <i>a, b</i> (1888); Scudd. l. c. p. 32 (1894). | Tennessee. |
| 3. C. Stygius, Scudd. (<i>Raphidophora Stygia</i>) Proc. Boston Soc. Nat. Hist. viii. p. 9 (1861).
<i>C. Stygius</i> , Scudd. Bost. Journ. Nat. Hist. vii. p. 438 (1862); Proc. Amer. Acad. xxx. p. 33 (1894); Pack. Mem. Acad. Nat. Sci. iv. p. 70 (1888); Brunn. l. c. p. 309. n. 8 (1888); Blatchl. l. c. pp. 401, 402. n. 115, f. 101 (1903).
<i>C. Sloanii</i> , Pack. Rep. Peabody Acad. Sci. v. p. 93 (1873); Mem. Acad. Nat. Sci. iv. p. 71 (1888) (immature; see. Scudd.). | Kentucky,
Indiana,
Texas. |
| **4. C. Aztecus, Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 300, pl. 14. f. 23 (1897). | Mexico. |

5. **C. Gracilipes, Hald.** (*Phalangopsis G.*) United States.
Proc. Amer. Assoc. ii. p. 346 (1850).
C. Gracilipes, Scudd. Bost. Journ. Nat. Hist. vii. p. 439 (1862); Proc. Amer. Acad. xxx. p. 35 (1894); Brunn. l. c. p. 306. n. 1 (1888); Bent. l. c. p. 285 (1894).
6. **C. Latebricola, Scudd.** Proc. Amer. Acad. xxx. p. 37 (1894). Kentucky, Pennsylv. &c.
7. **C. Grandis, Scudd.** l. c. p. 38 (1894); Tennessee,
Bent. l. c. p. 286, pl. 5. f. 17 (1894). New York.
8. **C. Virgatipes, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 798 (1904). Georgia.
9. **C. Secretus, Scudd.** l. c. p. 39 (1894). Texas.
10. **C. Palmeri, Scudd.** l. c. p. 40 (1894). id.
11. **C. Corticicola, Scudd.** l. c. p. 41 (1894). id.
12. **C. Varicator, Scudd.** l. c. p. 42 (1894). id.
13. **C. Latibuli, Scudd.** Ins. Life, vi. p. 313 (1894); Proc. Amer. Acad. xxx. p. 44 (1894). Florida, Georgia.
14. **C. Seclusus, Scudd.** Proc. Amer. Acad. xxx. p. 45 (1894). Iowa, Nebraska.
15. **C. Terrestris, Scudd.** l. c. p. 46 (1894); Canada,
Blatchl. l. c. p. 406. n. 118 (1903). United States.
- || *C. Lapidicolus, Scudd.* (nec Burm.) Bost. Journ. Nat. Hist. vii. p. 435 (1862); Glov. Ill. N. Amer. Orth. pl. 7. f. 4 (1872).
16. **C. Celatus, Scudd.** Proc. Amer. Acad. xxx. p. 48 (1894). California.
- *17. **C. Brevipes, Scudd.** Bost. Journ. Nat. Hist. vii. p. 434 (1862); Proc. Amer. Acad. xxx. p. 49 (1894); Blatchl. l. c. p. 406. n. 119 (1903). Maine, Indiana.
18. **C. Lapidicola, Burm.** (*Phalangopsis L.*) Virginia, S. Carolina,
Handb. Ent. ii. p. 723. n. 5 (1838).
(?) *C. Lapidicola, Scudd.* Proc. Amer. Acad. xxx. p. 50 (1894). Pennsylvania.
19. **C. Arizonensis, Scudd.** l. c. p. 52 (1894). Arizona &c.
20. **C. Uniformis, Scudd.** l. c. p. 53 (1894). S.W. States.
|| *C. Pallidus, Scudd.* (nec Thom.) Bull. U.S. Geol. Surv. Territ. ii. p. 261 (1876).
21. **C. Scabripes, Hald.** (*Phalangopsis S.*) Alabama,
Proc. Acad. Nat. Sci. Philad. vi. p. 364 (1853).

22. **C. Heros, Scudd.** Proc. Amer. Acad. xxx. p. 54 (1895). N. Carolina.
23. **C. Uhleri, Scudd.** Bost. Journ. Nat. Hist. vii. p. 435 (1862); Proc. Amer. Acad. xxx. p. 56 (1894); Glov. l. c. pl. 8. f. 8 (1872); Brunn. l. c. p. 308. n. 6, pl. 7. f. 33 B (1888); Beut. l. c. p. 286 (1894); Blatchl. l. c. p. 404. n. 117 (1903). Maryland, Indiana, New Jersey, Tennessee.
C. Latisuleus, Blatchl. Proc. Indiana Acad. Sci. 1892, p. 146 (1894).
24. **C. Blatchleyi, Scudd.** Proc. Amer. Acad. xxx. p. 57 (1894); Beut. l. c. p. 288 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 403. n. 116, f. 102 (1903). Indiana, New York.
 || *C. Uhleri, Blatchl. (nec Scudd.)* Proc. Indiana Acad. Sci. 1892, p. 144 (1894).
25. **C. Utahensis, Thom.** Proc. Davenport Acad. i. p. 264, pl. 36. f. 8 (1876); Scudd. l. c. pp. 102, 112 (1894). Utah.
26. **C. Spinusus, Scudd.** l. c. p. 58 (1894). Georgia.
 || *C. Lapidicola, Brunn. (nec Burm.)* l. c. p. 307. n. 3 (1888).
27. **C. Cæcus, Scudd.** l. c. p. 60 (1894). Kentucky.
28. **C. Nigricans, Scudd.** l. c. p. 61 (1894). id.
29. **C. Fusiformis, Scudd.** l. c. p. 62 (1894). Nebraska.
30. **C. Sallei, Scudd.** l. c. p. 63 (1894). New Orleans.
31. **C. Latens, Scudd.** Bost. Journ. Nat. Hist. vii. p. 437. n. 7 (1862); Proc. Amer. Acad. xxx. p. 64 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 400. n. 114 (1903). Illinois, New York, Texas, &c.
32. **C. Meridionalis, Scudd.** Proc. Amer. Acad. xxx. p. 66 (1894). Mexico.
33. **C. Neglectus, Scudd.** l. c. p. 67 (1894); Beut. l. c. p. 287 (1894). E. U. States.
- *34. **C. Maculatus, Harr.** (*Raphidophora Maculata*) Rep. Ins. Mass. p. 126 (1841). Canada, Michigan, New York, Massachusetts, Indiana, Iowa, &c.
Phalangopsis Maculata, Harr. l. c. (ed. ii.) p. 137 (1852); (ed. iii.) pp. 155, 156, f. 73 (1862).
C. Maculatus, Scudd. Bost. Journ. Nat. Hist. vii. p. 434 (1862); Proc. Amer. Acad. xxx. p. 68 (1894); Glov. l. c. pl. 3. f. 5 (1872); Brunn. l. c. p. 307. n. 2 (1888); Riley, Standard Nat. Hist. ii.

- p. 184, f. 259 (1884); Bent. l. c. p. 287 (1894); Blatchl. l. c. p. 399. n. 113. f. 100 (1903).
Ceuthophilus Maculatus, *Proc.* ll. cc. p. 75. f. 7 (1876); p. 27, f. 4 (1878).
 ** *Machamata Armata*, *Walk.* l. c. p. 210. n. 1 (1869).
- * 35. **C. Guttulosus**, *Walk.* l. c. p. 203. n. 15 (1869). Hab. —?
36. **C. Tenebrarum**, *Scudd.* l. c. p. 70 (1894). Illinois &c.
37. **C. Bicolor**, *Scudd.* l. c. p. 72 (1894). Kentucky.
38. **C. Nodosus**, *Brunn.* l. c. p. 308, pl. 7. f. 33 A (1888); *Scudd.* l. c. p. 73 (1894). Nebraska, Kansas, Texas.
39. **C. Valgus**, *Scudd.* l. c. p. 74 (1894). Colorado.
40. **C. Divergens**, *Scudd.* *Bost. Journ. Nat. Hist.* vii. p. 436 (1862); *Proc. Amer. Acad.* xxx. p. 76 (1894). Nebraska.
41. **C. Occultus**, *Scudd.* *Proc. Amer. Acad.* xxx. p. 77 (1894). Georgia.
42. **C. Alpinus**, *Scudd.* l. c. p. 78 (1894). Colorado.
43. **C. Bruneri**, *Scudd.* l. c. p. 79 (1894). Nebraska, Kansas, &c.
- * 44. **C. Agassizii**, *Scudd.* (*Raphidophora* A.) *Proc. Boston Soc. Nat. Hist.* viii. p. 11 (1861). Vancouver I., Oregon, British Columbia.
C. Agassizii, *Scudd.* *Boston Journ. Nat. Hist.* vii. p. 439 (1862); *Proc. Amer. Acad.* xxx. p. 81 (1894); *Brunn.* l. c. p. 309. n. 7 (1888).
- ** *C. Zonarius*, *Walk.* l. c. p. 203. n. 14 (1869).
45. **C. Politus**, *Scudd.* *Proc. Davenport Acad. Sci.* ix. p. 56 (1902). New Mexico.
- ** 46. **C. Scriptus**, *Walk.* l. c. p. 202. n. 13 (1869). Hab. —?
47. **C. Mexicanus**, *Scudd.* *Proc. Amer. Acad.* xxx. p. 82 (1894). Mexico.
48. **C. Pallescens**, *Brun.* *Canad. Ent.* xxiii. p. 37 (1891); *Scudd.* l. c. p. 83 (1894). Nebraska, Wyoming.
49. **C. Polluticornis**, *Scudd.* *Canad. Ent.* xxxi. p. 118 (1899). California.
50. **C. Silvestris**, *Brun.* *Bull. Washburn Coll.* i. p. 127 (1885). Kansas.
C. Silvestris, *Scudd.* *Proc. Amer. Acad.* xxx. p. 84 (1894).

- | | |
|---|-------------------------------------|
| 51. C. Crassus , Scudd. l. c. p. 85 (1894). | S.W. States? |
| 52. C. Pinguis , Scudd. l. c. p. 86 (1894). | Texas. |
| 53. C. Inquinatus , Scudd. l. c. p. 87 (1894). | Nebraska. |
| 54. C. Discolor , Scudd. l. c. p. 88 (1894). | id., Kansas. |
| 55. C. Pallidus , Thom. Rep. U.S. Geol. Surv. Territ. v. p. 434 (1872); Glov. l. c. pl. 18. f. 18 (1874); Scudd. l. c. p. 90 (1894). | Dakota, Colorado, Wyoming, New Mex. |
| 56. C. Vinculatus , Scudd. l. c. p. 91 (1894). | Nevada, California. |
| 57. C. Testaceus , Scudd. l. c. p. 92 (1894). | Nebraska. &c. |
| *58. C. Californianus , Scudd. Boston Journ. Nat. Hist. vii. p. 438 (1862); Proc. Amer. Acad. xxx. p. 93 (1894). | California, Vancouver, Utah, |
| <i>C. Castaneus</i> , Thom. Geol. Surv. Territ. Montana, p. 435 (1872). | Arizona, Colorado. |
| <i>C. Denticulatus</i> , Scudd. Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 279. | |
| 59. C. Latipes , Scudd. Proc. Amer. Acad. xxx. p. 95 (1894). | Mexico. |
| 60. C. Devius , Scudd. l. c. p. 99 (1894). | Missouri &c. |
| 61. C. Neomexicanus , Scudd. l. c. p. 100 (1894). | New Mexico. |
| 62. C. Ater , Scudd. Proc. Davenport Acad. Sci. ix. p. 57 (1902). | id. |
| 63. C. Aridus , Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 57 (1904). | Colorado. |
| 64. C. Macropus , Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 545. | Mexico. |

Genus 49. **Phrixocnemis**. (*Type* no. 1.)

Scudd. Proc. Amer. Acad. xxx. p. 102 (1894).

- | | |
|--|---------------------|
| 1. P. Truculentus , Scudd. l. c. p. 103 (1894). | Nebraska, Colorado. |
| 2. P. Validus , Scudd. l. c. p. 105 (1894). | California. |
| 3. P. Bellicosus , Scudd. l. c. p. 106 (1894). | Colorado. |
| 4. P. Inhabilis , Rehn, Ent. News, xv. p. 282 (1904). | Missouri. |
| 5. P. Hastiferus , Rehn, l. c. xiii. p. 241 (1902). | Arizona. |

Genus 50. **Pristoceuthophilus.** (*Type* no. 1.)

Rehn, Trans. Amer. Ent. Soc. xxix. p. 17 (1902).

- | | |
|---|-------------|
| 1. P. Rhoadsi, Rehn , l. c. (1902). | Mexico. |
| 2. P. Marmoratus, Rehn , Ent. News, xv. p. 280 (1904). | California. |

Genus 51. **Hadenœcus.**

Scudd. Bost. Journ. Nat. Hist. vii. p. 439 (1862); Proc. Amer. Acad. xxx. p. 22 (1894); Guide N. Amer. Orth. p. 59 (1897); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 310 (1888).

- | | |
|--|--------------------------------------|
| 1. H. Subterraneus, Scudd. (<i>Raphidophora Subterranea</i>) Proc. Boston Soc. Nat. Hist. viii. p. 8 (1861); Pack. Amer. Nat. v. p. 745, f. 126 (1871). | Kentucky,
Tennessee,
Virginia. |
| <i>H. Subterranea, Scudd.</i> Boston Journ. Nat. Hist. vii. p. 440 (1862). | |
| <i>H. Subterraneus, Glor.</i> Ill. N. Amer. Orth. pl. 8. f. 6 (1872); Brunn. l. c. p. 310, pl. 8. f. 34 (1888); Pack. Mem. Acad. Nat. Sci. iv. pp. 67, 68, f. 16 (1889). | |
| <i>Raphidophora Cavernarum, Sauss.</i> Ann. Soc. Ent. France, (4) i. p. 492 (1862). | |
| <i>H. Cavernarum, Scudd.</i> Proc. Boston Soc. Nat. Hist. xii. p. 409 (1869); Proc. Amer. Acad. xxx. p. 22 (1894); Riley, Standard Nat. Hist. ii. p. 184, f. 260 (1884). | |
| <i>Phalangopsis, sp., Thomps.</i> Ann. Nat. Hist. xiii. p. 113 (1844). | |

Genus 52. **Tropidischia.**

Scudd. Boston Journ. Nat. Hist. vii. p. 440 (1862);
Proc. Amer. Acad. xxx. p. 18 (1894).

- | | |
|---|-------------|
| *1. T. Xanthostoma, Scudd. (<i>Raphidophora X.</i>) Proc. Boston Soc. Nat. Hist. viii. p. 12 (1861). | California. |
| <i>T. Xanthostoma, Scudd.</i> Boston Journ. Nat. Hist. vii. p. 441 (1862). | |
| <i>Hadenœcus Subterraneus, Walk. (nec Scudd.)</i>
Cat. Derm. Salt. B. M. v. Suppl. p. 22 (1871). | |

Genus 53. **Spilacris.**

Rehn, Proc. Acad. Nat. Sci. Phil. 1903, p. 650.

- | | |
|---|----------------|
| 1. S. Maculatus , Rehn, l. c. fig. (1903). | New
Mexico. |
|---|----------------|

Genus 54. **Heteromallus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 310 (1888).

- | | |
|---|--------|
| 1. H. Notabilis , Brunn. l. c. p. 311. n. 1, | Chile. |
| pl. 8. f. 35 (1888). | |
| *2. H. Spina , Brunn. l. c. p. 311. n. 2 | id. |
| (1888). | |

Genus 55. **Udenus.**

Brunn. Ann. Soc. Ent. Belg. xlv. p. 112 (1900).

- | | |
|---|------------|
| 1. U. W-nigrum , Brunn. l. c. p. 113 | Patagonia. |
| (1900). | |

Genus 56. **Talitropsis.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, (6) ii. p. 461 (1883); Hutt. Trans.
N. Zealand Inst. xxix. p. 225 (1897).

Talitropsis, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 312
(1888).

- | | | |
|---|------------|----|
| 1. T. Sedilloti , Bol. l. c. p. 462 (1883); | New | 13 |
| Hutt. l. c. p. 225, pl. 12. ff. 7, 7 a (1897). | Zealand. | |
| <i>Talitropsis Sedilloti</i> , Brunn. l. c. p. 312, | | |
| pl. 8. f. 36 (1888). | | |
| 2. T. Irregularis , Hutt. l. c. p. 227, pl. 12. | id. | |
| f. 9 (1897). | | |
| *3. T. (?) Poduroides , Walk. (<i>Hadenreus</i> | Australia. | |
| <i>P.</i>) Cat. Derm. Salt. B. M. v. Suppl. | | |
| p. 22 (1871). | | |

Genus 57. **Ischyroplectron.**

Hutt. Trans. N. Zealand Inst. xxix. p. 227 (1897).

- | | | |
|--|-----------|----|
| 1. I. Isolatum , Hutt. (<i>Ceuthophilus Isolatus</i>) | Bounty I. | 12 |
| l. c. xxvii. p. 175 (1895). | | |
| <i>I. Isolatum</i> , Hutt. l. c. xxix. p. 228, pl. 12. | | |
| ff. 10, 10 a, pl. 13. f. 10 b (1897). | | |

Genus 58. **Gammaroparnops.**

Alfk. Abhandl. Nat. Ver. Bremen, xvii. p. 146 (1901).

1. **G. Crassicuris, Hutt.** (*Talitropsis C.*) | Chatham
Trans. N. Zealand Inst. xxix. p. 226, pl. 12. | Isl.
ff. 8, 8a (1897). *C. 1494, c*
G. Crassicuris, Alfk. l. c. pp. 147, 148
(1901); Zool. Jahrb. xix. p. 600, pl. 32.
ff. 5-9 (1904). — *C. 1702*

Genus 59. **Gymnoplectron.** (*Type no. 1.*)

Hutt. Trans. N. Zealand Inst. xxix. p. 229 (1897);
Alfk. Abhandl. Nat. Ver. Bremen, xvii. p. 151 (1901).

1. **G. Longipes, Col.** (*Hemideina L.*) Trans. | N. Zealand.
N. Zeal. Inst. xix. p. 145 (1887).
G. Longipes, Hutt. l. c. p. 229, pl. 12. ff. 11,
11a, pl. 13. f. 11b (1897); Alfk. l. c.
p. 151 (1901).
Macropathus Maximus, Bull. Trans. N.
Zeal. Inst. xxvii. p. 145 (1895).
2. **G. Stephensiensis, Alfk.** l. c. pp. 150, | Stephen Isl.
151 (1891); Zool. Jahrb. Syst. xix.
p. 588, pl. 32. f. 10 (1904).

Genus 60. **Pachyrhamma.** (*Type no. 1.*)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 301 (1888);
Hutt. Trans. N. Zealand Inst. xxix. p. 230 (1897).

- **1. **P. Fascifer, Walk.** (*Macropathus F.*) | N. Zealand.
Cat. Derm. Salt. B. M. i. p. 207. n. 2
(1869).
P. Fascifer, Hutt. l. c. p. 232 (1897).
Hemideina Speluncæ, Col. Trans. N. Zeal.
Inst. xiv. p. 280 (1882).
P. Speluncæ, Hutt. l. c. p. 231, pl. 13. ff. 12,
12a-c (1897).
P. Novæseelandiæ, Brunn. l. c. p. 302, pl. 7.
f. 29 (1888); Hutt. l. c. p. 232 (1897).
2. **P. Altum, Walk. (*Macropathus Altus*) | id.
l. c. p. 208. n. 3 (1869).

Genus 61. **Pleioplectron.** (*Type* no. 1.)

Hutt. Trans. N. Zealand Inst. xxix. p. 232 (1897).

- | | |
|--|-------------|
| *1. P. Simplex, Hutt. l. c. p. 233, pl. 13. | N. Zealand. |
| ff. 13, 13 <i>a-e</i> (1897). | |
| *2. P. Hudsoni, Hutt. l. c. p. 234, pl. 13. | id. |
| ff. 14, 14 <i>a</i> (1897). | |
| 3. P. Pectinatum, Hutt. l. c. p. 234 (1897). | id. |
| *4. P. Cavernæ, Hutt. l. c. xxxii. p. 21 | id. |
| (1900). | |
| <i>Pachyrhamma Edwardsii, Brunn.</i> (<i>nec Scudd.</i>) | |
| Verh. zool.-bot. Ges. Wien. xxxviii. p. 302. | |
| n. 1 (1888). | |
| 5. P. Edwardsii, Scudd. (<i>Hadencæus E.</i>) | id. |
| Proc. Boston Soc. Nat. Hist. xii. p. 408 | |
| (1869). | |
| <i>Macropathus Edwardsii, Hutt.</i> l. c. xxix. | |
| p. 240 (1897), xxxi. p. 41 (1899). | |
| 6. P. Serratum, Hutt. l. c. xxxvi. p. 154 | Pitt I. |
| (1904). ♂-3 ♀ ♀. | |

Genus 62. **Miotopus.**

Hutt. Trans. N. Zealand Inst. xxxi. p. 41 (1899).

- | | |
|---|-------------|
| 1. M. Diversus, Hutt. (<i>Pleioplectron Diversum</i>) l. c. xxix. p. 235, pl. 13. ff. 15, 15 <i>a, b</i> | N. Zealand. |
| (1897). | |
| <i>M. Diversus, Hutt.</i> l. c. xxxi. p. 41, pl. 2. | |
| f. 1 <i>a, b</i> (1899). | |

Genus 63. **Isoplectron.** (*Type* no. 1.)

Hutt. Trans. N. Zealand Inst. xxix. p. 237 (1897).

- | | |
|--|-------------|
| 1. I. Armatum, Hutt. l. c. pl. 13. ff. 18, | N. Zealand. |
| 18 <i>a, b</i> (1897). | |
| 2. I. Calcaratum, Hutt. l. c. p. 238, pl. 13. | id. |
| ff. 19, 19 <i>a, b</i> (1897). | |

Genus 64. **Pharmacus.**

Pict. & Sauss. Mitth. Schweiz. ent. Ges. viii. p. 301 (1891);
 Hutt. Trans. N. Zealand Inst. xxix. p. 238 (1897).

- | | |
|---|-------------|
| 1. P. Montanus, Pict. & Sauss. l. c. p. 302, | N. Zealand. |
| pl. 1. f. 5 (1891); Hutt. l. c. p. 239 | |
| (1897). | |

Genus 65. **Macropathus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 206 (1869);
Hutt. Trans. N. Zealand Inst. xxix. p. 239 (1897).

- | | |
|---|------------------------------------|
| <p>** 1. M. Filifer, Walk. l. c. p. 206. n. 1 (1869).
2. M. Huttoni, Kirb. (n. n.).
 <i>M. Filifer</i>, Hutt. (<i>nec</i> Walk.) l. c. p. 239.
pl. 13. ff. 20, 20 a (1897).</p> | <p>N. Zealand.
id.
id.</p> |
|---|------------------------------------|

Gen. sed. incert. (larva?).

Genus 66. **Microgryllacris.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 18 (1871).

- | | |
|---|----------------------------------|
| <p>** 1. M. Australis, Walk. l. c. n. 1 (1871).
** 2. M. Sinensis, Walk. l. c. n. 2 (1871).</p> | <p>Australia.
Hong Kong.</p> |
|---|----------------------------------|

SUBFAM. III.

GRYLLACRINÆ.

Genus 67. **Gryllacris.** (*Type* no. 76.)

Serv. Ann. Sci. Nat. xxii. p. 138 (1831); Hist. Nat. Ins. Orth.
p. 392 (1839); Burm. Handb. Ent. ii. p. 717 (1838);
Gerst. Arch. f. Nat. xxvi. p. 245 (1860); Brunn. Verh.
zool.-bot. Ges. Wien, xxxviii. pp. 316, 317 (1888); Tepp.
Trans. R. Soc. S. Australia, xv. p. 142 (1892); Sauss. &
Pict. Biol. Centr.-Amer., Orth. i. p. 285 (1897).
Larnaca, Walk. Cat. Derm. Salt. B. M. i. p. 190 (1869). (*Type*
no. 8.)

- | | |
|--|---|
| <p>1. G. Cyanea, Brunn. l. c. p. 326. n. 1
(1888); Tepp. l. c. p. 143 (1892).
2. G. Magnifica, Brunn. l. c. p. 327. n. 2
(1888); Tepp. l. c. p. 143 (1892).
* 3. G. Borneensis, Haan, (<i>G. Borneoensis</i>)
Temminck, Verhandel., Orth. p. 219,
pl. 19. f. 7 (1842).
<i>G. Borneensis</i>, Gerst. l. c. p. 264. n. 13
(1860); Brunn. l. c. p. 327. n. 3 (1888).
4. G. Fumigata, Haan, l. c. p. 219 (1842);
Gerst. l. c. p. 264. n. 12 (1860); Brunn.
l. c. p. 328. n. 5 (1888); Pict. & Sauss.
Mitth. Schweiz. ent. Ges. viii. p. 304,
pl. 1. ff. 7, 7 a (1891).</p> | <p>Australia.
id.
Borneo.
Java.</p> |
|--|---|

- | | |
|---|------------------|
| 5. G. Scripta , Navás, Bol. Soc. Aragon. iii. p. 138 (1904). | Philippines. |
| 6. G. Funebris , Brunn. Abhandl. Senckenb. Ges. xxiv. p. 276 (1898). | Baram. |
| 7. G. Atrata , Walk. Cat. Derm. Salt. B. M. i. p. 174. n. 22 (1869). | Sarawak. |
| **8. G. Fasciata , Walk. (<i>Larnaca F.</i>) l. c. p. 191. n. 1 (1869). | id. |
| 9. G. Baramica , Kirb. (n. n.).
 <i>G. Fasciata</i> , Brunn. (nec Walk.) l. c. p. 275 (1898). | Baram. |
| 10. G. Nigrata , Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 328. n. 4 (1888). | Sumatra. |
| 11. G. Punicea , Gerst. l. c. p. 270. n. 17 (1860). | Ceylon. |
| 12. G. Podocausta , Haan, l. c. p. 220 (1842). | Java. |
| 13. G. Punctifrons , Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 48 (1877).
<i>G. Nigrogeniculata</i> , Brunn. l. c. p. 330. n. 8 (1888). | Philippines. |
| 14. G. Atrogeniculata , Tepp. l. c. p. 144 (1892). | Centr.
Austr. |
| 15. G. Atrofrons , Tepp. l. c. xxviii. p. 167 (1904). | Australia. |
| **16. G. Arctata , Walk. l. c. p. 184. n. 53 (1869).
<i>G. Brevispina</i> , Stål, l. c. p. 48 (1877). | Philippines. |
| **17. G. Genualis , Walk. l. c. p. 179. n. 37 (1869).
<i>G. Nigroscutata</i> , Brunn. l. c. p. 330. n. 9 (1888). | Java. |
| 18. G. Dimidiata , Brunn. l. c. p. 331. n. 10 (1888). | New
Britain. |
| 19. G. Brachyptera , Gerst. l. c. p. 269. n. 16 (1860). | Luzon. |
| 20. G. Distincta , Brunn. l. c. p. 332. n. 12 (1888). | Hab. —? |
| *21. G. Tibialis , Serv. Ins. Orth. p. 393 (1839); Brunn. l. c. p. 332. n. 13 (1888). | Java. |
| 22. G. Alternans , Brunn. l. c. p. 333. n. 14 (1888); Sauss. & Pict. l. c. p. 306. n. 1 (1897). | Mexico. |
| 23. G. Gladiator , Fabr. (<i>Locusta G.</i>) Ent. Syst. ii. p. 42. n. 34 (1893).
<i>G. (?) Gladiator</i> , Gerst. l. c. p. 275. n. 29 (1860). | Tranquebar. |

- **24. **G. Gracilis, Walk.** Cat. Derm. Salt. B. M. India.
 i. p. 185. n. 56 (1869).
 G. Alternans, var. *Minor*, Brunn. l. c.
 p. 333 (1888).
 || *G. Vittata*, Brunn. (nec Walk.) l. c. p. 334.
 n. 18 (1888).
- **25. **G. Trinotata, Walk.** l. c. iii. p. 469 id.
 (1870).
- **26. **G. Æqualis, Walk.** (*Acheta* *Æ.*) Ann. id.,
 Nat. Hist. (3) iv. p. 221 (1859). Ceylon.
 G. Annulata, Brunn. l. c. p. 333 (1888).
- **27. **G. Vittipes, Walk.** Cat. Derm. Salt. Philippines.
 B. M. i. p. 168. n. 7 (1869).
- **28. **G. Nasalis, Walk.** l. c. p. 183. n. 51 id.
 (1869).
29. **G. Limbaticollis, Stål**, l. c. p. 47 (1877). id.
 30. **G. Fuscinervis, Stål**, l. c. (1877). id.
 31. **G. Plebeia, Stål**, l. c. (1877). id.
- **32. **G. Postica, Walk.** l. c. p. 178. n. 35 Hab.—— ?
 (1869).
33. **G. Nossibiana, Brancs.** Jahresh. Ver. Nossi Bé.
 Trenesin. Com. xvii.—xviii. p. 259, pl. 9.
 f. 4 (1896).
- **34. **G. Aliena, Walk.** l. c. p. 177. n. 33 Silhet.
 (1869).
35. **G. Abbreviata, Brunn.** l. c. p. 335. n. 19 India.
 (1888).
- **36. **G. Plagiata, Walk.** l. c. p. 167. n. 3 Silhet.
 (1869).
37. **G. Basalis, Kirb.** (n. n.). Malay
 || *G. Atrata*, Brunn. (nec Walk.) l. c. p. 335. Peninsula.
 n. 20 (1888).
38. **G. Picteti, Kirb.** (n. n.). India (?).
 || *G. Atriceps*, Pict. & Sauss. (nec Brunn.)
 Mitth. Schweiz. ent. Ges. viii. p. 305,
 pl. 1. f. 8 (1891).
39. **G. Peculiaris, Kirb.** (n. n.). Burma.
 || *Gryllacris Nobilis*, Brunn. (nec Walk.)
 Ann. Mus. Genova, xxxiii. p. 190 (1893).
- **40. **G. Læta, Walk.** l. c. p. 184. n. 54 (1869). China.
 G. Chinensis, Brunn. Verh. zool.-bot. Ges.
 Wien, xxxviii. p. 335 (1888).
41. **G. Latipennis, Pict. & Sauss.** l. c. Java.
 p. 311. pl. 2. f. 13 (1891).
- **42. **G. Collaris, Walk.** l. c. p. 182. n. 49 Silhet.
 (1869).

43. **G. Brahmina**, **Pict. & Sauss.** l. c. India (?).
p. 306, pl. 1. f. 9 (1891).
44. **G. Amplipennis**, **Gerst.** l. c. p. 271. Malabar.
n. 18 (1860).
- *45. **G. Translucens**, **Serv.** Ins. Orth. p. 394 Java.
(1839).
46. **G. Lætitia**, **Kirb.** (n. n.). Zanzibar.
|| *G. Lata*, **Brunn.** (*nec Walk.*) l. c. p. 337.
n. 23 (1888).
- *47. **G. Lyrata**, **Kirb.** Ann. Nat. Hist. (7) iii. id.
p. 479 (1899).
|| *G. Aliena*, **Brunn.** (*nec Walk.*) l. c. p. 338
(1888).
- **48. **G. Simplex**, **Walk.** l. c. v. Suppl. p. 20 Ceylon.
(1871).
G. Hieroglyphica, **Brunn.** l. c. p. 338. n. 25
(1888).
49. **G. Deminuta**, **Brunn.** l. c. n. 26 (1888). China.
50. **G. Mutabilis**, **Pict. & Sauss.** l. c. p. 307, Java. 19
pl. 1. f. 10 (1891). 0-265
51. **G. Deflorata**, **Brunn.** l. c. p. 339. n. 27 India.
(1888).
52. **G. Frontalis**, **Burm.** l. c. p. 718. n. 3 (1838). id.
[Roes. Insect. Belust. ii. pl. 18. f. 7.]
G. Scita, **Walk.** l. c. i. p. 181. n. 48 (1869).
G. Latifrons, **Brunn.** l. c. p. 339. n. 28
(1888).
- **53. **G. Contracta**, **Walk.** l. c. p. 169. n. 9 id.
(1869).
- **54. **G. Crassipes**, **Walk.** (*Platydictylus C.*) Ceylon.
Ann. Nat. Hist. (3) iv. p. 221 (1859).
- **55. **G. Vittata**, **Walk.** Cat. Derm. Salt. B. M. Tenasserim.
i. p. 170. n. 12 (1869).
- *56. **G. Signatifrons**, **Serv.** l. c. p. 393 (1839). Java.
G. Facifer, **Brunn.** l. c. p. 340. n. 29 (1888). Siam.
57. **G. Castanea**, **Brunn.** l. c. n. 30 (1888). Himalaya.
58. **G. Reticulata**, **Brunn.** l. c. n. 31 (1888). Ceylon.
- *59. **G. Falcata**, **Brunn.** l. c. p. 341. n. 32 China.
(1888). Java, &c.
60. **G. Marginata**, **Walk.** l. c. p. 168. n. 6 Sarawak.
(1869).
61. **G. Minima**, **Kirb.** (n. n.). Java.
|| *G. Parrula*, **Brunn.** (*nec Walk.*) l. c. p. 341.
n. 33 (1888).
62. **G. Pallidula**, **Serv.** l. c. p. 395 (1839). id.
63. **G. Tripunctata**, **Gieb.** Zeitschr. ges. id.
Naturw. xviii. p. 116 (1861). 0-3464.

64. **G. Inconspicua**, Brunn. l. c. p. 342. n. 34 (1888). Java, Moluccas.
65. **G. Sexpunctata**, Brunn. l. c. n. 35 (1888). Ceram.
66. **G. Navicula**, Brunn. l. c. n. 36 (1888). Hab. — ?
67. **G. Venosa**, Walk. l. c. p. 185. n. 55 (1869). Sarawak.
68. **G. Lineolata**, Serv. l. c. p. 396 (1839). Java.
- * 69. **G. Pardalina**, Gerst. l. c. p. 252. n. 2 (1860); Brunn. l. c. p. 343. n. 38 (1888). Ceylon.
70. **G. Spuria**, Brunn. l. c. p. 344. n. 39 (1888). id.
71. **G. Verticalis**, Burm. l. c. p. 718. n. 2 (1838). Brazil.
72. **G. Lævigata**, Brunn. l. c. p. 344. n. 40 (1888). Upper Amazons.
- * 73. **G. Cruenta**, Brunn. l. c. p. 345. n. 41 (1888). id.
- ** 74. **G. Salvini**, Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 306. n. 2 (1897). Panama.
- ** 75. **G. Longipennis**, Pict. & Sauss. Mitth. Schweiz. ent. Ges. viii. p. 314. pl. 2. f. 15 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 306. n. 3 (1897). id.
- * 76. **G. Ruficeps**, Serv. Ann. Sci. Nat. xxii. p. 139 (1831); Ins. Orth. p. 394. pl. 9. f. 2 (1839); Bélanger, Vov. Ind. Orient. p. 495. Ins. pl. 4. f. 2 (1833); Haan. l. c. p. 220 (1842); Gerst. l. c. p. 259. n. 8 (1860); Brunn. l. c. p. 345. n. 42. pl. 8. f. 38 (1888). Java, Penang.
- ** 77. **G. Lineosa**, Walk. l. c. i. p. 173. n. 20 (1869). Hab. — ?
78. **G. Vaginalis**, Pict. & Sauss. l. c. p. 309. pl. 2. f. 11 (1891). India (?).
79. **G. Princeps**, Stål, l. c. p. 47 (1877). Philippines.
80. **G. Biguttata**, Stål, l. c. (1877). id.
81. **G. Moesta**, Brunn. l. c. p. 346. n. 45 (1888). id.
82. **G. Moestissima**, Brunn. l. c. p. 347. n. 46 (1888). Gilolo.
- * 83. **G. Nigripennis**, Gerst. l. c. p. 261. n. 9 (1860). Malabar.
84. **G. Maculipennis**, Stål, l. c. p. 47 (1877). Philippines.
85. **G. Superba**, Brunn. l. c. p. 348. n. 49. pl. 8. f. 39 (1888); Obs. Color. Ins. p. 8. pl. 6. f. 73 (1897). Borneo.

86. **G. Soror**, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 348. n. 50 (1888). Borneo.
87. **G. Picea**, Brunn. l. c. p. 349. n. 51 (1888). Comoro Isl.
88. **G. Luctuosa**, Brunn. l. c. n. 52 (1888). Sumatra.
89. **G. Tessellata**, Dru. (*Locusta* T.) Ill. Exot. Ent. ii. pl. 42. ff. 3, 4 (1773). I. Johanna.
G. Tessellata, Gerst. l. c. p. 258. n. 6 (1860).
90. **G. Voluptaria**, Brunn. l. c. p. 349. n. 53 (1888). Celebes.
91. **G. Sechellensis**, Bol. Ann. Soc. Ent. France, lxiv. p. 379 (1895). Seychelles.
92. **G. Fuscifrons**, Gerst. l. c. p. 255. n. 4 (1860); (?) Walk. l. c. p. 170. n. 10 (1869). Java,
 Borneo (eadem?).
 ?|| *G. Tessellata*, Haan (*nec Dru.*), l. c. p. 220. n. 10 (1842).
- *93. **G. Servillei**, Haan, l. c. n. 7 (1842); Gerst. l. c. p. 263. n. 11 (1860). Borneo,
 Penang.
- **94. **G. Discoidalis**, Walk. l. c. p. 174. n. 21 (1869). Hab. — ?
95. **G. Maculata**, Gieb. l. c. p. 116 (1861). Banka.
96. **G. Æthiops**, Brunn. l. c. p. 351. n. 55 (1888). Sumatra.
97. **G. Excelsa**, Brunn. l. c. n. 56 (1888). Duke of York I.
- ↘ *98. **G. Signifera**, Stoll, (*Gryllus Tettigonia* S.) Spectres, Saut. p. 26, pl. 12 a. f. 50 (1813). Corea,
 Singapore,
 Java.
G. Maculicollis, Serv. Ann. Sci. Nat. xxii. p. 139 (1831); Ins. Orth. p. 394 (1839);
 Haan, l. c. p. 220. n. 9 (1842); Gerst. l. c. p. 253. n. 3 (1860); Brunn. l. c. p. 352. n. 57 (1888).
- **99. **G. Spurcata**, Walk. l. c. p. 167. n. 5 (1869). Hab. — ?
- **100. **G. Maculipes**, Walk. l. c. p. 171. n. 13 (1869). Corea,
 Sarawak.
101. **G. Appendiculata**, Brunn. l. c. p. 352. n. 58 (1888). New Britain.
102. **G. Obscura**, Brunn. l. c. p. 353. n. 59 (1888). Java (?),
 Sunda Isl.
- *103. **G. Variabilis**, Brunn. l. c. pl. 7. f. 40 (1888). Java.

- *104. **G. Rufovaria**, Kirb. Proc. Zool. Soc. Christmas
 Lond. 1888, p. 518; Monogr. Christmas
 Isl. p. 148, pl. 14, f. 1 (1899). Island.
105. **G. Lugubris**, Brunn. l. c. p. 353. n. 61 Java,
 (1888). Singapore.
106. **G. Junior**, Brunn. l. c. p. 354. n. 62, India.
 pl. 8, f. 41 F (1888).
107. **G. Fasciculata**, Pict. & Sauss. l. c. Sunda I-l.
 p. 310, pl. 2, f. 12 (1891).
108. **G. Signigera**, Walk. l. c. v. Suppl. p. 19 Bombay.
 (1871) (*nec* i. p. 178. n. 36 = *Paragryllacris Combusta*, Gerst.).
109. **G. Bertrandi**, Bol. Ann. Soc. Ent. S. India.
 France. lxxviii. p. 786 (1900).
110. **G. Panteli**, Bol. l. c. p. 788 (1900). id.
111. **G. Succinea**, Bol. l. c. p. 789 (1900). id.
- *112. **G. Nigrilabris**, Gerst. l. c. p. 262. n. 10 Singapore,
 (1860); Brunn. l. c. p. 354. n. 63 Borneo,
 (1888). Java.
- *113. **G. Fumosa**, Walk. l. c. i. p. 175. n. 126 Amboina. *India*.
 (1869).
- *113 bis. **G. Nobilis**, Walk. l. c. p. 182. n. 50 Singapore.
 (1869).
114. **G. Pustulata**, Stål, l. c. p. 47 (1877). Philippines.
115. **G. Heros**, Gerst. l. c. p. 257. n. 5 Amboina,
 (1860); Brunn. l. c. p. 355. n. 64 (1888). Ternate.
G. Piceifrons, Walk. l. c. i. p. 180. n. 46
 (1869).
- *116. **G. Armata**, Walk. l. c. iii. p. 470 Ceram.
 (1870).
117. **G. Athleta**, Brunn. l. c. p. 355. n. 65 Baeroe.
 (1888).
118. **G. Adjutrix**, Brunn. Abhandl. Senckenb. Batchian.
 Ges. xxiv. p. 275 (1898).
119. **G. Compromittens**, Brunn. l. c. (1898). Gilolo.
- *120. **G. Punctipennis**, Walk. l. c. i. p. 172. Batchian.
 n. 15 (1869).
121. **G. Aurantiaca**, Brunn. Verh. zool.-bot. Amboina,
 Ges. Wien. xxxviii. p. 356. n. 66 (1888). New Britain
122. **G. Dubia**, Le Guill. Rev. Zool. 1841, Fiji.
 p. 293. *o. 3476*.
123. **G. Oceanica**, Le Guill. l. c. (1841). Hamoa.
- *124. **G. Punctata**, Brunn. l. c. p. 357. n. 69 Angola.
 (1888).
125. **G. Conspersa**, Brunn. l. c. n. 70 (1888). Madagascar
126. **G. Quadripunctata**, Brunn. l. c. n. 71 Guinea.
 (1888).

127. **G. Rabida, Karsch**, Berlin. Ent. Zeitschr. Togo
xxxviii. p. 144 (1893). Land.
128. **G. Atriceps, Brunn.** l. c. p. 358. n. 72 Madagascar
(1888).
129. **G. Stigmata, Brunn.** l. c. n. 73 (1888). id.
130. **G. Infumata, Brunn.** l. c. n. 74 (1888). Amboina.
131. **G. Macrocera, Walk.** l. c. i. p. 186. New
n. 58 (1869). Hebrides.
132. **G. Straminea, Brunn.** l. c. p. 359. n. 75 Adelaide.
(1888); Tepp. Trans. R. Soc. S. Austral.
xv. p. 150 (1892).
133. **G. Personata, Serv.** Ann. Sci. Nat. Java,
xxii. p. 139. n. 3 (1831); Ins. Orth. Amboina.
p. 395 (1839); Haan, l. c. p. 220. n. 13
(1842); Brunn. l. c. p. 359. n. 76 (1888).
134. **G. Phryganoides, Haan,** l. c. p. 219. Java.
n. 2 (1842); Brunn. l. c. p. 360. n. 78
(1888).
- *135. **G. Ligata, Brunn.** l. c. p. 359. n. 77 New
(1888). Britain.
136. **G. Imbecilus, Pict. & Sauss.** l. c. India (?).
p. 312 (1891).
137. **G. Debilis, Brunn.** l. c. p. 360. n. 79 Australia.
(1888).
138. **G. Subdebilis, Tepp.** l. c. p. 151 (1892). N. Australia.
139. **G. Ferruginea, Brunn.** l. c. p. 361. Fiji.
n. 80 (1888).
140. **G. Exigua, Brunn.** l. c. p. 361. n. 81 New
(1888). Caledonia.
- **141. **G. Munda, Walk.** l. c. i. p. 186. n. 57 Australia.
(1869).
G. Hyalina, Brunn. l. c. p. 361. n. 82
(1888).
142. **G. Billinghamursti, Brancs.** Jahresh. Ver. id.
Trenesin. Com. xix.-xx. p. 84 (1898).
143. **G. Brevixipha, Brunn.** Ann. Mus. Burma.
Genova, xxxiii. p. 190 (1893).
144. **G. Gemina, Brunn.** Verh. zool.-bot. Ges. Australia.
Wien, xxxviii. p. 361. n. 83 (1888).
145. **G. Major, Brunn.** l. c. p. 362. n. 84 id.
(1888).
- *146. **G. Adventa, Brunn.** l. c. n. 85 (1888). id.
147. **G. Marmoriceps, Tepp.** l. c. p. 145 S. Australia.
(1892).
148. **G. Nigrifrons, Tepp.** (*G. Marmo-* Adelaide.
riceps, var. *Nigrifrons*) l. c. p. 146
(1892).

149. **G. Longicornis**, **Tepp.** l. c. p. 146 (1892). N. Australia.
150. **G. Ferrotestacea**, **Tepp.** l. c. p. 147 (1892). id.
151. **G. Lutescens**, **Tepp.** l. c. p. 148 (1892). Cent. Austr.
152. **G. Incerta**, **Tepp.** l. c. p. 154 (1892). S. Australia.
153. **G. Paulula**, **Tepp.** l. c. p. 155 (1892). id.
154. **G. Molineusiana**, **Tepp.** l. c. (1892). id.
155. **G. Africana**, **Brunn.** l. c. p. 362. n. 86 (1888). Gold Coast.
156. **G. Barombica**, **Karsch**, *Ent. Nachr.* xvi. p. 368 (1890). Barombi.
157. **G. Sanguinolenta**, **Brunn.** l. c. p. 363. n. 87 (1888). Madagascar
158. **G. Macilentus**, **Pict. & Sauss.** l. c. p. 313, pl. 2. f. 14 (1891). Java.
- *159. **G. Picta**, **Brunn.** l. c. p. 363. n. 89 (1888); **Sauss. & Pict.** *Biol. Centr.-Amer.*, *Orth.* i. p. 307, pl. 15. f. 8 (1897). Costa Rica, Panama.
G. Atricula, *Pict. & Sauss.* l. c. p. 315, pl. 2. f. 16 (1891).
- **160. **G. Cyclops**, **Sauss. & Pict.** l. c. p. 308. n. 6, pl. 15. f. 9 (1897). Panama.
- **161. **G. Roseivitta**, **Walk.** l. c. iii. p. 473 (1870). Santarem.
- *162. **G. Abluta**, **Brunn.** l. c. p. 363. n. 88 (1888); **Sauss. & Pict.** l. c. p. 307. n. 4. pl. 15. ff. 4-7 (1897). San Salvador.
163. **G. Panamensis**, **Kirb.** (n. n.). Chiriqui.
|| *G. Maculata*, *Brunn.* (*nec Walk.*) l. c. p. 364. n. 90 (1888); **Sauss. & Pict.** l. c. p. 308. n. 7 (1897). Costa Rica.
- **164. **G. Parvula**, **Walk.** l. c. iii. p. 473 (1870). Haiti.
G. Haitensis, *Brunn.* l. c. p. 364. n. 91 (1888).
- *165. **G. Nana**, **Brunn.** l. c. n. 92 (1888). Natal.
166. **G. Pygmæa**, **Kirb.** (n. n.). Fernando
|| *G. Fasciata*, *Brunn.* (*nec Walk.*) l. c. p. 365. n. 93 (1888). Po.
167. **G. Eximia**, **Karsch**, *Berlin. Ent. Zeitschr.* xxxvi. p. 339 (1892). Cameroons.
168. **G. Genufusca**, **Karsch**, l. c. p. 340 (1892). id.
169. **G. Nigriceps**, **Karsch**, l. c. p. 341 (1892). id.

- | | |
|--|-----------|
| 170. G. Nivea , Brunn. l. c. p. 365. n. 94
(1888). | Madras. |
| 171. G. Submutica , Brunn. l. c. p. 366. n. 95
(1888). | Zanzibar. |
| 172. G. Viridescens , Walk. l. c. iii. p. 474
(1870). | Siam. |

Genus 68. **Ancistrogera.**

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 277 (1898).

- | | |
|---|---------|
| 1. A. Particularis , Brunn. l. c. pl. 20. f. 54
(1898). | Gilolo. |
|---|---------|

Genus 69. **Dibelona.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 366 (1888).

- | | |
|--|----------|
| 1. D. Brasiliensis , Brunn. l. c. n. 1 (1888). | Brazil. |
| 2. D. Cubensis , Brunn. l. c. p. 367. n. 2
(1888). | Cuba. |
| 3. D. Rubrinervosa , Serv. (<i>Gryllacris</i> R.)
Ins. Orth. p. 395 (1839). | Hab. — ? |
| <i>D. Rubrinervosa</i> , Brunn. l. c. p. 367. n. 3
(1888). | |

Genus 70. **Hyperbænus.** (*Type* no. 5.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 367 (1888).

- | | |
|--|---------------------|
| 1. H. Festæ , Griff. Boll. Mus. Torino, xi.
(232) p. 31 (1896) ; Sauss. & Pict. Biol.
Centr.-Amer., Orth. i. p. 308. n. 1 (1897). | Panama. |
| 2. H. Virgo , Brunn. l. c. p. 368. n. 1
(1888). | Peru,
Upp. Amaz. |
| 3. H. Juvenis , Brunn. l. c. n. 2 (1888). | Brazil. |
| 4. H. Bohlsii , Giglio-Tos, Zool. Jahrb.,
Syst. viii. p. 815 (1895). | Paraguay. |
| 5. H. Ensifer , Brunn. l. c. p. 369, pl. 9.
f. 43 (1888). | Pernam-
buco. |

Genus 71. **Paragryllacris.** (*Type* no. 1.)Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 369 (1888) ;
Tepp. Trans. R. Soc. S. Australia, xv. p. 156 (1892).

- | | |
|--|------------|
| *1. P. Combusta , Gerst. (<i>Gryllacris</i> C.)
Arch. Naturg. xxvi. p. 267. n. 15 (1860). | Australia. |
|--|------------|

- P. Combusta*, Brunn. l. c. p. 370. n. 1. pl. 9.
f. 44 A (1888) ; Tepp. l. c. p. 157 (1892).
- ** *Gryllacris Insignis*, Walk. Cat. Derm. Salt.
B. M. i. p. 176. n. 32 (1869).
- ** *Gryllacris Signigera*, Walk. l. c. p. 178.
n. 36 (1869).
- **2. **P. Marginalis**, Walk. (*Gryllacris M.*) Australia.
l. c. v. p. 20 (1871).
P. Infuscata, Brunn. l. c. p. 371. n. 2
(1888) ; Tepp. l. c. p. 157 (1892).
- **3. **P. Longa**, Walk. (*Gryllacris L.*) l. c. i. id.
p. 180. n. 45 (1869).
P. Pallidolinea, Tepp. l. c. p. 159 (1892).
- **4. **P. Perloides**, Walk. (*Gryllacris P.*) l. c. id.
p. 181. n. 47 (1869).
(?) *P. Pallidolinea*, var. *Minor*, Tepp. l. c.
p. 160 (1892).
5. **P. Callosa**, Brunn. l. c. p. 371. n. 3. pl. 9. id.
f. 44 B (1888) ; Tepp. l. c. p. 158 (1892).
6. **P. Latelineolata**, Brunn. l. c. p. 372. id.
n. 4, pl. 9. f. 44 C (1888) ; Tepp. l. c.
p. 158 (1892).
7. **P. Deserta**, Tepp. l. c. p. 162 (1892). S. Australia.
8. **P. Exserta**, Brunn. l. c. p. 372. n. 5 Queensland.
(1888) ; Tepp. l. c. p. 160 (1892).
- **9. **P. Uniguttata**, Walk. l. c. i. p. 183. Australia.
n. 52 (1869).
P. Lobata, Brunn. l. c. p. 372. n. 6 (1888) ; id.
Tepp. l. c. p. 160 (1892).
10. **P. Modesta**, Brunn. l. c. p. 373. n. 7 id.
(1888) ; Tepp. l. c. p. 161 (1892).
- **11. **P. Ornata**, Walk. (*Gryllacris O.*) l. c. Moreton
p. 172. n. 16 (1869). Bay.
- **12. **P. Minuscula**, Walk. (*Gryllacris M.*) Swan
l. c. iii. p. 470 (1870). River.
13. **P. Tepperi**, Kirb. (n. n.). S. Australia.
P. Insignis, Tepp. (nec Walk.) l. c. p. 161
(1892).

Genus 72. **Neanias**. (Type no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 373 (1888).
Neanius, Tepp. Trans. R. Soc. S. Australia, xv. p. 162 (1892).

1. **N. Lobatus**, Brunn. l. c. p. 373. n. 1. N. Guinea.
pl. 9. f. 45 (1888).
Neanius Lobatus, Tepp. l. c. p. 163 (1892).

- | | |
|--|---------------------------------|
| 2. N. Squamosus , Brunn. l. c. p. 374. n. 2
(1888). | Ceylon. |
| **3. N. Lepidus , Walk. (<i>Gryllacris Lepida</i>)
Cat. Derm. Salt. B. M. v. Suppl. p. 20
(1871). | W. Aus-
tralia.
S. India. |
| 4. N. Pupulus , Bol. Ann. Soc. Ent. France,
lxviii. p. 789 (1900). | |

Genus 73. **Eonius**. (*Type* no. 1.)

Tepp. Trans. R. Soc. S. Australia, xv. p. 163 (1892).

- | | |
|---|-----------------------|
| 1. E. Tigrinus , Tepp. l. c. (1892). | N. Australia. |
| 2. E. Callabonnensis , Tepp. l. c. xix. p. 21
(1895). | id. |
| 3. E. Atrifrons , Tepp. l. c. xv. p. 164
(1892). | id. |
| <i>E. Atrofrons</i> , Tepp. l. c. xix. p. 22 (1895). | |
| 4. E. Fumatus , Tepp. l. c. xv. p. 165
(1892). | S. E. Aus-
tralia. |

Genus 74. **Eremus**. (*Type* no. 1.) *drawn 23.*

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 374 (1888) ;
Tepp. Trans. R. Soc. S. Australia, xv. p. 165 (1892).

- | | |
|---|-----------|
| 1. E. Rugosifrons , Brunn. l. c. p. 376. n. 2,
pl. 9. f. 46 (1888). | China. |
| 2. E. Fuscoterminalis , Brunn. l. c. p. 378.
n. 7 (1888). | id. |
| **3. E. Basalis , Walk. (<i>Gryllacris B.</i>) Cat.
Derm. Salt. B. M. i. p. 188. n. 65 (1869).
<i>E. Nigrifrons</i> , Brunn. l. c. p. 375. n. 1
(1888). | Bombay. |
| 4. E. Longicauda , Pict. & Sauss. Mitth.
Schweiz. ent. Ges. viii. p. 317, pl. 2. ff. 17,
17 a (1891). | Malabar. |
| 5. E. Elegantulus , Bol. Ann. Soc. Ent.
France, lxviii. p. 790 (1900). | S. India. |
| 6. E. Decolyi , Bol. l. c. (1900). | id. |
| 7. E. Geniculatus , Brunn. l. c. p. 376. n. 3
(1888). | India. |
| 8. E. Atrotectus , Brunn. l. c. p. 377. n. 4
(1888). | id. |
| 9. E. Nigrosignatus , Brunn. Ann. Mus.
Genova, xxxiii. p. 191 (1893). | Burma. |

10. **E. Muelleri, Brunn.** Verh. zool.-bot. Ges. Queensland.
Wien, xxxviii. p. 378, n. 6 (1888); Tepp.
l. c. p. 166 (1892).
- * 11. **E. Camerani, Griff.** Boll. Mus. Torino. W. Aus-
viii. (154) pp. 1. 2. f. 1 (1893). tralia.
- ** 12. **E. Angusta, Walk.** (*Gryllacris* A.) l. c. S. Australia.
i. p. 187, n. 59 (1869).
- ** 13. **E. Incerta, Walk.** (*Gryllacris* I.) l. c. Hab. — ?
p. 189, n. 67 (1869).
14. **E. Spinulosus, Brunn.** l. c. p. 377, n. 5 Fiji.
(1888); Tepp. l. c. p. 165 (1892).
- * 15. **E. Sphinx, Gerst.** (*Gryllacris* S.) Arch. S. Africa.
Naturg. xxvi. p. 278, n. 33 (1860).
E. Sphinx, Brunn. l. c. p. 378, n. 8
(1888).
16. **E. Glomerinus, Gerst.** (*Gryllacris* *Glo-* id.
merina) l. c. p. 277, n. 32 (1860).
E. Glomerinus, Brunn. l. c. p. 379, n. 11
(1888).
17. **E. Brevifalcatus, Brunn.** l. c. p. 379. W. Africa.
n. 9 (1888).
18. **E. Nitidus, Karsch,** Berl. Ent. Zeitschr. Adeli.
xxxviii. p. 144 (1893).
19. **E. Marginatus, Brunn.** l. c. p. 379, n. 10 Zambesi.
(1888).
20. **E. Exiguus, Brunn.** l. c. p. 380, n. 12 Madagascar
(1888).

Genus 75. **Camptonotus.** (*Type* no. 1.)

Uhl. Proc. Ent. Soc. Philad. ii. p. 548 (1864).

Neortus, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 380
(1888). (*Type* no. 3.)

1. **C. Scudder, Uhl.** l. c. p. 549 (1864); Baltimore,
Glov. Ill. Amer. Orth. pl. 8. f. 15 (1872); Carolina,
Caud. Proc. Ent. Soc. Washington, vi. Mexico.
p. 46 (1904).
Gryllacris Carolinensis, Gerst. Arch. Naturg.
xxvi. p. 276, n. 31 (1860).
Neortus Carolinensis, Brunn. l. c. p. 381.
n. 2 (1888); Sauss. & Pict. Biol. Centr.-
Amer., Orth. i. p. 309, n. 2 (1897).
C. Carolinensis, Blatchl. Rep. Indiana Dept.
Geol. xxvii. p. 396, n. 112, f. 99 (1903).
2. **C. Affinis, Rehn,** Trans. Amer. Ent. Soc. Mexico.
xxix. p. 18 (1903).

3. **C. Jamaicensis, Brunn.** l. c. p. 381, pl. 9. Jamaica.
f. 47 (1888); Sauss. & Pict. Biol. Centr.-
Amer., Orth. i. p. 309. n. 1 (1897).

Genus 76. **Epacra.** (Type no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 381 (1888);
Tepp. Trans. R. Soc. S. Australia, xv. p. 166 (1892).

- *1. **E. Ænea, Brunn.** l. c. p. 382. n. 1, pl. 9. Queensland.
f. 48 (1888); Tepp. l. c. p. 166 (1892).
2. **E. Modesta, Brunn.** l. c. p. 382. n. 2 Cape York.
(1888); Tepp. l. c. p. 166 (1892).

Genus 77. **Apotrechus.** (Type no. 3.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 383 (1888);
Tepp. Trans. R. Soc. S. Australia, xv. p. 167 (1892).

- *1. **A. Ambulans, Erichs.** (*Gryllacris* A.) Tasmania.
Arch. Naturg. viii. p. 249. n. 214 (1842);
Gerst. Arch. Naturg. xxvi. p. 275. n. 30
(1860).
A. Ambulans, Brunn. l. c. p. 383. n. 1
(1888).
***Gryllacris Combinata, Walk.* Cat. Derm.
Salt. B. M. i. p. 188. n. 66 (1869).
2. **A. Insolita, Walk. (*Gryllacris* L.) l. c. id.
p. 189. n. 68 (1869).
*3. **A. Unicolor, Brunn.** l. c. p. 384. n. 2, Port
pl. 9. f. 49 (1888). Denison.
4. **A. Guttifrons, Walk. l. c. p. 196. n. 20 Swan
(1869). River.

Genus 78. **Apteronomus.**

Tepp. Trans. R. Soc. S. Australia, xv. p. 168 (1892).

1. **A. Bordaensis, Tepp.** l. c. (1892). | Kangaroo I.

Genus 79. **Ametrus.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 384 (1888);
Tepp. Trans. R. Soc. S. Australia, xv. p. 169 (1892).

1. **A. Tibialis, Brunn.** l. c. p. 385, pl. 9. Melbourne.
f. 50 (1888); Tepp. l. c. p. 169 (1892).

Genus 80. **Ametrosomus.**

Tepp. Trans. R. Soc. S. Australia, xv. p. 169 (1892).

1. **A. Helmsi, Tepp.** l. c. p. 170 (1892). | Centr.
Australia.

Genus 81. **Comicus.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 386 (1888).

1. **C. Capensis, Brunn.** l. c. p. 387, pl. 9. | S. Africa.
f. 50 (1888).

Genus 82. **Schizodactylus.**

Brullé, Hist. Nat. Ins. ix. p. 161 (1835) : Serv. Ins. Orth.
p. 320 (1839) ; Brunn. Verh. zool.-bot. Ges. Wien, xxxviii.
p. 385 (1888).

Acheta, pt., *Fabr. Syst. Ent.* p. 279, App. p. 826 (1775) ;
Burm. Handb. Ent. ii. p. 719 (1838).

1. **S. Monstrosus, Dru.** (*Gryllus M.*) Ill. | Bengal.

Exot. Ent. ii. pl. 43. f. 1 (1773).

Gryllus Monstrosus, Oliv. Enc. Méth., Ins.
vi. p. 633. n. 2 (1791).

Acheta Monstrosa, Fabr. l. c. App. p. 826
(1775).

Stoll, Spectres, Grill. p. 2, pl. 1 c. ff. 1-3
(1813).

S. Monstrosus, Brullé, l. c. p. 162 (1835) ;
Serv. Ins. Orth. p. 322 (1839) ; Brunn.
l. c. p. 386. n. 1, pl. 9. f. 51 (1888).

SUBFAM. IV.

HETRODINÆ.

Genus 83. **Hetrodes.** (*Type* no. 1.)

Fisch. Waldh. Ann. Soc. Ent. France, ii. p. 318 (1833) ; Bull.
Soc. Nat. Moscou, xii. p. 108 (1839) ; Orth. Ross. p. 367
(1846) ; *Burm. Handb. Ent.* ii. p. 678 (1838) ; Serv. Ins.
Orth. p. 460 (1839) ; Haan, Temminck, Verhandel., Orth.
p. 182 (1842) ; Stål, Rec. Orth. ii. p. 5 (1874) ; Karsch,
Berlin. Ent. Zeitschr. xxxvii. p. 54 (1887) ; Kirb. Ann.
Nat. Hist. (7) iii. pp. 97, 141 (1899) ; Jacobs. & Bianchi,
Prem. i Lozlin. Ross. Imp. p. 428 (1903).

- *1. **H. Pupus, Linn.** (*Gryllus Tettigonia P.*) Africa.
 Syst. Nat. (ed. x.) i. p. 431. n. 39 (1758).
 [Pet. Gaz. pl. 13. f. 7 ; Roes. Ins. Belust.
 ii. Locusta Indica, pl. 6. f. 3.]
Locusta Pupa-spinosa, De Geer, Mém. Ins.
 iii. p. 453. n. 13, pl. 39. f. 5 (1773).
Gryllus Apteris, Sc., Linn. Amœn. Acad. i.
 p. 322. n. 59 (1749).
Locusta Pupa, Fabr. Syst. Ent. p. 287.
 n. 25 (1775).
Gryllus Tettigonia Pupa, Stoll, Spectres,
 Sant. p. 25, pl. 12 A. ff. 45, 46 (1813).
Bradyporus Pupa, Serv. Ann. Sci. Nat.
 xxii. p. 164 (1831) ; Blanch. Hist. Nat.
 Ins. iii. p. 28 (1840).
Hetrodes Pupa, Fisch. Waldh. Bull. Soc.
 Nat. Mosc. xii. p. 109 (1839) ; Orth.
 Ross. p. 368, pl. 34. f. 1 (1846) ; Burm.
 l. c. p. 678. n. 1 (1838) ; Serv. Ins. Orth.
 p. 461 (1839) ; Karsch, l. c. p. 56
 (1887).
Locusta (Hetrodes) Pupa, Huan, l. c. p. 183
 (1842).
Hetrodes Apteris, Jacobs. & Bianchi, l. c.
 p. 428 (1903).
2. **H. Fischeri, Kirb.** (n. n.). Syria,
 || *H. Spinulosus, Fisch.* Waldh. (*nec Linn.*) Egypt.
 Orth. Ross. p. 369, pl. 34. f. 2 (1846).
- **3. **H. Marginatus, Walk.** Cat. Derm. Salt. Cape.
 B. M. ii. p. 226. n. 3 (1869) ; Kirb. l. c.
 p. 142 (1899).
- **4. **H. Productus, Walk.** l. c. p. 227. n. 4 Congo.
 (1869).
- **5. **H. Abbreviatus, Walk.** l. c. n. 5 (1869) ; S. Africa.
 Kirb. l. c. p. 142 (1899).
H. Pupa, var., *Serv.* l. c. p. 462 (1839).
- **6. **H. Macrurus, Walk.** l. c. p. 228. n. 6 Hab. — ?
 (1869).
7. **H. (?) Variolosus, Fieb.** Lotos. iii. Hab. — ?
 p. 259. n. 2 (1853) ; Syn. Eur. Orth.
 p. 75 (1854).

Genus 84. **Hemihetrodes.** (*Type* no. 1.)

Pict. Mém. Soc. Phys. Genève, xxx. (6) p. 74 (1888).

1. **H. Peringueyi**, Pict. l. c. pl. 3. ff. 30, S. Africa.
30 a (1888).
2. **H. (?) Bachmani**, Karsch, (*Hetrodes* Cape
B.) Berlin. Ent. Zeitschr. xxxi. p. 57, Colony.
pl. 2. f. 1 (1887).

Genus 85. **Acanthoplus.** (*Type* no. 1.)

Stål, Öfvers. Vet.-Akad. Förhandl. xiii. p. 39 (1873); Rec.
Orth. ii. p. 6 (1874); Karsch, Berlin. Ent. Zeitschr. xxxi.
p. 57 (1887); Kirb. Ann. Nat. Hist. (7) iii. pp. 98, 142
(1899).

- | | |
|---|------------|
| *1. A. Longipes , Charp. (<i>Hetrodes</i> L.) Orth. | Benguela, |
| pl. 45 (1845). | Congo, |
| <i>Hetrodes Longipes</i> , var., Walk. Cat. Derm. | Damara |
| Salt. B. M. ii. p. 230. n. 13 (1869). | Land, |
| <i>A. Longipes</i> , Karsch, l. c. p. 58 (1887). | Caffraria. |
| **2. A. Pallidus , Walk. (<i>Hetrodes</i> P.) l. c. | E. Africa. |
| p. 231. n. 20 (1869). | |
| **3. A. Discoidalis , Walk. l. c. p. 230. n. 18 | S. Africa. |
| (1869). | |
| 4. A. Speiseri , Brancs. Jahresh. Ver. | Zambesi. |
| Trenesin. Com. xvii.-xviii. p. 258, pl. 8. | |
| f. 9 a-d (1896). | |
| **5. A. Desertorum , Kirb. l. c. p. 142 | Kalahari |
| (1899). | Desert. |
| **6. A. Serratus , Kirb. l. c. p. 143 (1899). | King W'ms |
| | Town. |
| **7. A. Germanus , Kirb. l. c. (1899). | id. |
| 8. A. Stratiotes , Brancs. l. c. p. 259, pl. 8. | Zambesi. |
| f. 10 a-d (1896). | |
| 9. A. Jallæ , Griff. Boll. Mus. Torino, xii. | id. |
| (290) p. 3 (1897). | |

Genus 86. **Cloanthella.**

Bol. J. Sci. Lisb. (2) i. p. 226 (1890).

1. **C. Clypeata**, Bol. l. c. (1890). | Braganza.

Genus 87. **Cosmoderus.** (Type no. 1.)

Luc. Ann. Soc. Ent. France, (4) viii. p. 325 (1868); Karsch.
Berlin. Ent. Zeitschr. xxxi. p. 59 (1887).

Aprophantia, Kirb. Ann. Nat. Hist. (6) xviii. p. 261, note (1896).
(Type no. 5.)

- | | |
|---|-------------------------------|
| <p>*1. C. Erinaceus, Fairm. (<i>Ephippiger</i> E.)
Thoms. Arch. Ent. ii. p. 260, pl. 9. f. 1
(1858).
<i>C. Erinaceus</i>, Luc. l. c. p. 327, pl. 8 (1868);
Dom. Bull. Soc. Onest France, x. p. 208,
pl. 3. ff. 3, 5, 7, 9 (1900)</p> | <p>Gaboon.
Cameroons.</p> |
| <p>*2. C. Congolensis, Dom. (<i>C. Erinaceus</i>, var.
<i>Congolensis</i>) l. c. ff. 1, 2, 4, 6, 8, 10
(1900).</p> | <p>French
Congo.</p> |
| <p>**3. C. Kingsleyæ, Kirb. l. c. p. 260, pl. 12.
f. 7 (1896).</p> | <p>Ogové.</p> |
| <p>4. C. Femoralis, Sjöst. Bihang Svenska
Akad. xxvii. (4 : 3) p. 41 (1902).</p> | <p>Cameroons.</p> |
| <p>**5. C. Maculatus, Kirb. (<i>Aprophantia</i> <i>Macu-</i>
<i>lata</i>) l. c. p. 261, pl. 12. f. 8 (1896).
<i>C. Maculatus</i>, Sjöst. l. c. p. 43 (1902).</p> | <p>id.</p> |

Genus 88. **Enyaliopsis.** (Type no. 2.)

Karsch, Berlin. Ent. Zeitschr. xxxi. p. 60 (1887).

- | | |
|---|-----------------------------|
| <p>*1. E. Ephippiatus, Gerst. (<i>Eugaster</i> E.)
Arch. Naturg. xxxv. p. 213 (1869);
Deeken, Reisen in Ost-Afrika, iii. (2)
p. 27, pl. 2. f. 2 (1873).</p> | <p>E. Africa.</p> |
| <p>*2. E. Petersii, Schaum, (<i>Hetrodes</i> P.) Ber.
Akad. Wiss. Wien, 1853. p. 777. n. 8;
Peters, Reise Mossamb. v. p. 119, pl. 7.
f. 7 (1862).
<i>E. Petersii</i>, Karsch, l. c. pp. 60, 61. n. 5
(1887); Werther, Mitt. Hochländer
nördl. Deutsch - Ost - Afrika, p. 311
(1898).</p> | <p>id.</p> |
| <p>3. E. Bloyeti, Luc. (<i>Eugaster</i> B.) Bull.
Soc. Ent. France, (6) v. p. xci (1885).</p> | <p>id.,
Kondoa.</p> |
| <p>*4. E. Durandi, Luc. (<i>Eugaster</i> D.) l. c.
(6) iv. p. 161, pl. 7. ff. 8-15 (1884).</p> | <p>Zambesi,
Uganda.</p> |
| <p>5. E. Obuncus, Bol. (<i>Enyalis</i> O.) Jorn.
Sci. Lisboa, viii. p. 119 (1881).</p> | <p>Angola.</p> |

Genus 89. **Gymnoproctus.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxi. p. 61 (1887).

- | | |
|---|-------------------------|
| *1. G. Abortivus, Serv. (<i>Hetrodes Abortiva</i>)
Ins. Orth. p. 463 (1839); Haan, Tem-
minck, Verhandel., Orth. p. 182 (1842).
<i>G. Abortivus, Karsch</i> , l. c. p. 62, pl. 2. f. 2
(1887). | Senegal,
Gold Coast. |
| *2. G. Maurelii, Luc. (<i>Eugaster M.</i>) Ann.
Soc. Ent. France, (4) ix. p. 85, pl. 3.
ff. 7-14 (1869). | Senegal,
Sennaar. |

Genus 90. **Anepisceptus.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 259 (1853); Syn. Eur. Orth. p. 76 (1854);
Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 428 (1903).
Pornotrips, Karsch, Berlin. Ent. Zeitschr. xxxi. p. 62 (1887).
(*Type* no. 1.)

- | | |
|---|----------------------------------|
| 1. A. Horridus, Burm. (<i>Hetrodes H.</i>)
Handb. Ent. ii. p. 679. n. 2 (1838);
Charp. Germar, Zeitschr. Ent. iii. p. 316
(1841).
<i>Locusta (Hetrodes) Horrida, Haan</i> , Tem-
minck, Verhandel., Orth. pp. 182, 183
(1842).
<i>Pornotrips Horridus, Karsch</i> , l. c. p. 63
(1887).
<i>A. Horridus, Jacobs. & Bianchi</i> , l. c. p. 429
(1903).
 <i>Hetrodes Spimulosus, Charp. (nec Linn.)</i>
Orth. pl. xvii. (1841). | Syria,
Egypt,
Arabia. |
| *2. A. Servillei, Reiche & Fairm. (<i>Het-
rodes S.</i>) Ferret & Galinier, Voy. Abye-
sinie, iii. p. 426, pl. 28. f. 1 (1847). | Abyssinia,
Arabia,
Somali. |
| 3. A. Revoilii, Luc. (<i>Eugaster R.</i>) Ann.
Soc. Ent. France, (6) iv. p. 157, pl. 7.
ff. 1-7 (1884). | Somali. |
| *4. A. Ruspolii, Schulth.-Rechb. (<i>Porno-
trips R.</i>) Zool. Jahrb., Syst. viii. p. 81.
pl. 4. ff. 4, 4 a-c (1894). | id. |
| 5. A. Hippolyti, Kirb. Ann. Nat. Hist. (7)
iii. pp. 100, 144 (1899).
 <i>Eugaster Servillei, Luc. (nec Reiche & Fairm.)</i>
l. c. (4) ix. p. 83, pl. 3. ff. 1-6 (1869). | Abyssinia. |

- **6. **A. Suakimensis, Kirb.** (*Eugaster S.*) Suakim.
Ann. Nat. Hist. (6) xvii. p. 122 (1896).
7. **A. Robecchii, Schulth.-Schindl.** Ann. Somali.
Mus. Genova, xxxix. p. 209, pl. 2. ff. 15,
15 a (1898).

Genus 91. **Eugaster.** (*Type no. 6.*)

Serv. Ins. Orth. p. 463 (1839); Luc. Ann. Soc. Ent. France,
(4) i. p. 215 (1861); Karsch, Berlin. Ent. Zeitschr. xxxi.
p. 63 (1887); Finot, Ann. Soc. Ent. France, lxxv. pp. 555,
557 (1897).

- *1. **E. Spinulosus, Joh.** (*Gryllus S.*) Amœn. Morocco.
Acad. vi. p. 398. n. 35 (1764).
[“Whistle Insect,” Edw. Gleanings in Nat.
Hist. p. 161, pl. 285. ff. 3-5.]
Locusta Spinulosa, Fabr. Syst. Ent., App.
p. 826. n. 26 (1775).
Eugaster Spinulosus, Karsch, l. c. xxxiii.
p. 463 (1888); Kirb. Entom. M. Mag.
xxvii. pp. 210, 295 (1891).
2. **E. Frater, Kirb. Ann. Nat. Hist. (6) Mombasa.
xvii. p. 123 (1896).
3. **E. Woodii, Kirb. Entom. M. Mag. xxvii. Somali.
p. 211 (1891).
4. **E. Powysi, Kirb. l. c. p. 294 (1891). Morocco.
*5. **E. Loricatus, Gerst.** Arch. Naturg. xxxv. E. Africa.
p. 213. n. 39 (1869); Decken, Reisen in
Ost-Afrika, iii. (2) p. 26, pl. 2. f. 1
(1873); Karsch, l. c. xxxi. p. 65 (1887),
xxxii. p. 463 (1888).
*6. **E. Guyoni, Serv.** (*Hetrodes G.*) Ins. Algeria,
Orth. p. 464 (1839); Kirb. Entom. M. Morocco.
Mag. xxvii. pp. 211, 295 (1891); Vos-
seler, Jahresh. Ver. Württemb. xlix.
p. xciii (1893); Finot, Ann. Soc. Ent.
France, lxxv. p. 558 (1897).
Eugaster Guyonii, Luc. Ann. Soc. Ent.
France, (4) i. p. 216 (1861); Finot, l. c.
p. 558 (1897).
7. **E. Inornatus, Krauss,** (*Eugaster Guyonii*,
var. *Inornata*) Jahresh. Ver. Württemb.
xlix. p. xevi (1893); Zool. Jahrb., Syst.
ix. p. 552 (1897).
|| *Eugaster Guyonii, Karsch*, Berlin. Ent.
Zeitschr. xxxii. p. 462 (1888).

- **8. **E. Lucasi, Kirb.** l. c. p. 295 (1891).
 || *Hetrodes Guyoni*, White, Proc. Ent. Soc. Tunis (?),
 Lond. 1888, p. xxv. Algeria.
E. Guyoni, var. *Lucasi*, Krauss, ll. cc.
 p. xevi (1893) ; p. 552 (1897).
 9. **E. Brachyceriformis, Kirb.** (n. n.). Algeria.
 || *Hetrodes Guyonii*, Luc. Expl. Algér. iii.
 p. 15, iv. Orth. pl. 2. f. 1 (1849).
 10. **E. Gigas, Kirb.** (n. n.). S.E. Algeria
Hetrodes Guyonii, var., Luc. Bull. Soc. Ent.
 France, (2) ix. p. iv (1851).

Genus 92. **Acanthoproctus.** (Type no. 1.)

Karsch. Berlin. Ent. Zeitschr. xxxi. p. 66 (1888).

- *1. **A. Cervinus, Haan,** (*Locusta* (*Hetrodes*) Cape,
Cerrina) Temminck, Verhandel., Orth. Deelfontein.
 p. 183, n. 2 (1842).
A. Cervinus, Pict. Mém. Soc. Genève, xxx.
 (6) p. 70, pl. 3. ff. 32, 32 a, b (1888).
 2. **A. Fortis, Walk. (*Hetrodes F.*) Cat. Cape.
 Derm. Salt. B. M. ii. p. 229, n. 11 (1869).
 3. **A. Militaris, White, (*Hetrodes M.*) Deelfontein.
 Methuen, Life in Wilderness, p. 316,
 pl. 1. f. 4 (1846) ; Karsch, l. c. p. 71
 (1888).
 4. **A. Vittatus, Walk. (*Hetrodes V.*) l. c. Cape,
 p. 229, n. 12 (1869). E. Karoo,
A. Capreolus, Pict. l. c. p. 69, pl. 3. ff. 33, Burghers-
 33 a (1888). dorp.
 ** *A. Howarthi*, Kirb. Ann. Nat. Hist. (7)
 iii. p. 145 (1899).

Genus 93. **Aphractia.**

Kirb. Ann. Nat. Hist. (7) iii. p. 146 (1899).

Eugaster, div. a, Stål, Rec. Orth. ii. p. 22 (1874).

|| *Eugaster*, Stål (nec Wayl.), Cefv. Vet.-Akad. Förh. xxxiii. (3)
 p. 58 (1876).

- *1. **A. Diademata, Stål,** (*Hetrodes D.*) l. c. R. Kuisip.
 xv. p. 308, n. 5 (1858).
Eugaster Diadematus, Stål, Rec. Orth. ii.
 p. 22 (1874).

- Enyalinus Diadematus*, Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 58 (1876).
Acanthoproctus Diadematus, Karsch, Berlin. Ent. Zeitsch. xxxi. p. 66 (1888).
 ** *Hetrodes Crassipes*, Walk. Cat. Derm. Salt. B. M. ii. p. 231. n. 19 (1869).
Acanthoproctus Iber, Pict. Mém. Soc. Genève, xxx. (6) p. 72, pl. 3. ff. 31, 31 b (1888).

Genus 94. **Madiga.** (Type no. 1.)

Kirb. Ann. Nat. Hist. (6) xvii. p. 124 (1896).

|| *Prionocnemis*, Karsch (nec Schiödte), Berlin. Ent. Zeitschr. xxxi. p. 67 (1887).

- | | |
|---|--------------------------------------|
| <p>*1. M. Verrucifera, Karsch, (<i>Prionocnemis Verruciferus</i>) l. c. pl. 2. f. 3 (1887); Ent. Nachr. xiii. p. 261 (1887).
 2. M. Aberrans, Schulth.-Schindl. (<i>Prionocnemis A.</i>) Ann. Mus. Genova, xxxix. p. 210, pl. 2. ff. 16, 16 a (1898).</p> | <p>Mombasa.
 Somali.</p> |
|---|--------------------------------------|

Genus 95. **Spalacomimus.**

Karsch, Berlin. Ent. Zeitschr. xxxi. p. 68 (1887).

- | | |
|--|---|
| <p>*1. S. Talpa, Gerst. (<i>Eugaster T.</i>) Arch. Naturg. xxxv. p. 214 (1869); Decken, Reisen in Ost-Afrika, iii. (2) p. 28, pl. 2. f. 3 (1873).</p> | <p>Zanzibar.
 B. E. Africa.</p> |
|--|---|

Genus 96. **Bradyopisthius.**

Karsch, Berlin. Ent. Zeitschr. xxxi. p. 69 (1887).

- | | |
|--|----------------|
| <p>1. B. Paradoxurus, Karsch, l. c. pl. 2. f. 4 (1887).</p> | <p>Somali.</p> |
|--|----------------|

SUBFAM. V.

PYCNOGASTRINÆ.

Genus 97. **Uromenus.** (*Type* no. 2.)

Bol. An. Soc. Españ. vii. p. 446 (1878); Ann. Sci. Nat. Porto, v. p. 133 (1898); Brunn. Prodr. Eur. Orth. p. 369 (1882).

Stenopleurus, Sauss. Rev. Suisse Zool. v. p. 231 (1898). (*Type* no. 6.)

1. **U. Confusus, Finot**, (*Ephippiger* C.) S. France,
Ann. Soc. Ent. France, lxx. pp. 539, 542 Algeria.
(1897).

Ephippigera Confusa, Vosseler, Zool. Jahrb.,
Syst. xvi. p. 397 (1902).

|| *Ephippigera Rugosicollis*, Brunn. (*nec* Serv.)
l. c. pp. 369, 374. n. 1 (1882).

|| *Ephippiger Rugosicollis*, Finot (*nec* Serv.),
Orth. France, pp. 122, 123 (1883); Faune
France, Orth. p. 216 (1889).

2. **U. Rugosicollis, Serv.** (*Ephippiger* R.) S. France,
Ins. Orth. p. 475 (1839). Spain,

Ephippigera Rugosicollis, Fieb. Lotos, iii.
p. 201 (1853); Syn. Eur. Orth. p. 56 Corsica :
(1854); Fisch. Orth. Eur. p. 221 (1853). Sardinia
(*eadem* ?).

|| *Barbitistes Autumnalis*, Brullé (*nec* Hagenb.)
Hist. Nat. Ins. ix. p. 155, pl. 15. f. 3
(1835).

Ephippiger Durienii, Bol. Ortópt. Españ.
pp. 187, 203, 300, pl. 4. ff. 10, 10 a (1876);
An. Soc. Españ. vi. pp. 269, 285, pl. 3.
ff. 10, 10 a (1877), vii. p. 96 (1878);
Ann. Sci. Nat. Porto, v. p. 139 (1898);
Finot, Orth. France, pp. 122, 124 (1883).

Ephippigera Durienii, Marg. Bull. Soc.
Toulouse, xi. p. 180 (1877); Brunn. l. c.
pp. 369, 375. n. 3, pl. 10. f. 90 b (1882).

Ephippiger Vespertina, Duf. Rech. Orth.
p. 347, pl. —. f. 36 (1841).

3. **U. Vosseleri, Krauss**, (*Ephippigera* V.) Algeria.
Jahresh. Ver. Württemb. xlix. p. xevi
(1893); Zool. Jahrb., Syst. ix. p. 548, pl. 7.
ff. 10, 10 b (1896).

Ephippiger Vosseleri, Fin. Ann. Soc. Ent.
France, lxx. pp. 541, 554 (1897).

4. **U. Costaticollis, Luc.** (*Ephippigera* C.) Algeria.
Expl. Alg. iii. p. 17, iv. Orth. pl. 2. f. 3.
c, d (1849); Brunn. l. c. pp. 369, 375.
n. 2 (1882).
Ephippiger Costaticollis, Fin. l. c. pp. 539,
541 (1897).
5. **U. Laticollis, Luc.** (*Ephippigera* L.) l. c. id.
p. 18, pl. 2. f. 4 (1849); Brunn. l. c.
pp. 369, 376. n. 4 (1882).
Ephippiger Laticollis, Fin. l. c. pp. 539,
543 (1897).
6. **U. Finoti, Brunn.** (*Ephippigera* F.) l. c. id.
pp. 370, 376. n. 5 (1882).
Ephippiger Finoti, Fin. l. c. pp. 540, 547
(1897).
7. **U. Innocentii, Finot & Bonn.** (*Ephip- Tunis.*
piger I.) Rev. Montpell. (3) iv. p. 345,
pl. 16. ff. 8-13 (1885); Ann. Soc. Ent.
France, lxx. pp. 540, 548 (1897); Vosseler,
Zool. Jahrb., Syst. xvi. p. 399 (1902).
Var. *Ephippigera Lobata, Sauss.* Rev. Suisse Algeria.
Zool. v. p. 236 (1898).
8. **U. Hastatus, Sauss.** (*Ephippigera Has- Morocco.*
tata) l. c. p. 807 (1898).
9. **U. Compressicollis, Fisch.** (*Ephippigera Algeria.*
C.) l. c. p. 215, pl. 10. ff. 6, 6 a, b (1853);
Brunn. l. c. pp. 374, 399. n. 49 (1882);
Krauss, Zool. Jahrb., Syst. ix. p. 549
(1896).
Ephippiger Compressicollis, Fin. Ann. Soc.
Ent. France, lxx. pp. 540, 549 (1897).
Ephippigera Transfuga, Brunn. l. c. pp. 372,
389. n. 31 (1882).
10. **U. Vaucherianus, Sauss.** (*Ephippigera Morocco.*
Vaucheriana) l. c. p. 232 (1898).
11. **U. Mauretanicus, Sauss.** (*Ephippigera id.*
Mauretanica) l. c. p. 233 (1898).
- *12. **U. Agareus, Brunn.** (*Ephippigera Aga- Ceuta.*
rena) l. c. pp. 370, 377. n. 6 (1882).
13. **U. Maroccanus, Sauss.** (*Ephippigera Morocco.*
Maroccana) l. c. p. 235 (1898).
14. **U. Poncyi, Bol.** (*Ephippigera (Uromenus) id.,*
P.) Bull. Soc. Ent. France, 1902, p. 222. Atlas.

Genus 98. **Steropleurus.** (*Type* no. 3.)

Bol. An. Soc. Esp. vii. p. 449 (1878); Ann. Sci. Nat. Porto, v. pp. 133, 139 (1898).

1. **S. Martorellii, Bol.** (*Ephippigera* (*Steropleurus*) *M.*) An. Soc. Españ. vii. pp. 444, 450, pl. 4. f. 12 (1878); Ann. Sci. Nat. Porto, v. pp. 141, 146 (1898).
Ephippigera Martorelli, Brunn. Prodr. Eur. Orth. pp. 370, 378. n. 7 (1882). Spain.
2. **S. Castellanus, Bol.** (*Ephippiger* (*Steropleurus*) *C.*) An. Soc. Españ. vii. pp. 444, 450, pl. 4. f. 11 (1878).
Ephippigera Castellana, Brunn. l. c. pp. 370, 378. n. 8 (1882); Bol. Ann. Sci. Nat. Porto, v. p. 142 (1898). Burgos.
- *3. **S. Brunneri, Bol.** (*Ephippiger* *B.*) Ortópt. Españ. pp. 186, 190, pl. 4. ff. 4, 4 a (1876); An. Soc. Españ. vi. pp. 268, 272, pl. 3. ff. 4, 4 a (1877), vii. p. 450 (1878).
Ephippigera Brunneri, Brunn. l. c. pp. 370, 378. n. 9 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 142, 147 (1898). Spain.
4. **S. Pseudolus, Bol.** (*Ephippiger* (*Steropleurus*) *P.*) An. Soc. Españ. vii. pp. 445, 450 (1878).
Ephippigera Pseudola, Brunn. l. c. p. 379. n. 10 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 142, 147 (1898). id.
5. **S. Obsoletus, Bol.** (*Ephippigera* *Obsoleta*) l. c. pp. 143, 148 (1898). Madrid.
6. **S. Siculus, Fieb.** (*Ephippigera* *Sicula*) Lotos, iii. p. 201 (1853); Syn. Eur. Orth. p. 56. n. 3 (1854); Brunn. l. c. p. 382. n. 16 (1882).
Ephippigera Maculata, Yers. Ann. Soc. Ent. France, (3) viii. p. 517, pl. 10. ff. 3-6 (1860). Sicily.
7. **S. Idomenæi, Luc.** (*Ephippigera* *I.*) Rev. Zool. (2) vi. p. 165. n. 123, pl. 2. f. 1 (1854); Brunn. l. c. p. 382. n. 18 (1882); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 426 (1903); Werner, Verh. zool.-bot. Ges. Wien, liii. pp. 68, 69, fig. (1903). Crete.

8. **S. Brevicollis, Fisch.** (*Ephippigera B.*) Algeria (?).
Orth. Eur. p. 219 note, pl. 10. ff. 12, 12 a (1853).
Ephippiger Brevicollis, Finot, An. Soc. Ent.
France, lxx. pp. 540, 544 (1897).
9. **S. Algericus, Brunn.** (*Ephippigera Al-* Algeria.
gerica) l. c. pp. 371, 382. n. 17 (1882).
Ephippiger Algeria, Fin. l. c. pp. 540, 545
(1897).
10. **S. Antennatus, Brunn.** (*Ephippigera An-* id.
tennata) l. c. pp. 371, 383. n. 19 (1882).
Ephippiger Antennatus, Fin. l. c. pp. 540,
545 (1897).
11. **S. Annæ, Targ.-Tozz.** (*Ephippigera A.*) Sardinia.
Bull. Soc. Ent. Ital. xiii. p. 181 (1881);
Brunn. l. c. p. 383. n. 20 (1882).
Ephippiger Coronata, Costa, Atti Accad.
Nap. (2) i. (9) p. 50 (1884); Bol. Ann.
Mus. Zool. Univ. Nap. (2) i. p. 335 (1893).
12. **S. Nerii, Vosseler,** (*Ephippigera N.*) N. Africa.
Zool. Jahrb., Syst. xvi. p. 398, pl. 18.
ff. 7, 8 (1902).
13. **S. Perezii, Bol.** (*Ephippiger P.*) Ortópt. Spain.
Españ. pp. 187, 200, pl. 4. f. 9 (1876);
An. Soc. Españ. vi. pp. 269, 282, pl. 3.
f. 9 (1877), vii. p. 449 (1878).
Ephippigera Perezii, Brunn. l. c. pp. 372,
387. n. 27 (1882); Bol. Ann. Sci. Nat.
Porto, v. p. 141 (1898).
14. **S. Balearica, Bol.** (*Ephippiger B.*) C.R. Majorea.
Soc. Ent. Belg. xxviii. p. cvi (1884).
Ephippigera Balearica, Bol. An. Soc. Españ.
xvi. p. 105 (1887); Ann. Sci. Nat. Porto,
v. p. 141 (1898).
15. **S. Lucasi, Brunn.** (*Ephippigera L.*) l. c. Algeria.
pp. 372, 386. n. 26 (1882); Krauss, Zool.
Jahrb., Syst. ix. p. 549 (1897).
Ephippiger Lucasi, Fin. l. c. pp. 540, 546
(1897).
|| *Ephippigera Costaticollis, Luc.* Expl. Alg.
iii. p. 17, iv. pl. 2. ff. 3, 3 a, b (1849).
16. **S. Catalaunicus, Bol.** (*Ephippigera Ca-* Catalonia.
talaunica) Ann. Sci. Nat. Porto, v. pp. 140,
143 (1898).
17. **S. Ortegai, Pant.** (*Ephippigera O.*) An. Spain.
Soc. Españ. xxv. p. 72 (1896); Bol. l. c.
pp. 140, 141 (1898).

18. **S. Asturiensis, Bol.** (*Ephippigera A.*) Asturias.
l. c. pp. 140, 144 (1898).
- *19. **S. Stæli, Bol.** (*Ephippiger Stålii*) Ortópt. Spain.
Españ. pp. 187, 202, pl. 4. f. 11 (1876);
An. Soc. Españ. vi. pp. 269, 284, pl. 3.
f. 11 (1877), vii. p. 449 (1878).
Ephippigera Ståli, Brunn. l. c. pp. 372, 388.
n. 28 (1882); Bol. Ann. Sci. Nat. Porto,
v. pp. 140, 145 (1898).
20. **S. Nobrei, Bol.** (*Ephippigera N.*) l. c. id.,
pp. 141, 145 (1898). Portugal.
21. **S. Panteli, Navás,** (*Ephippiger P.*) Actas Tarragona.
Soc. Españ. 1899, pp. 46, 176.
22. **S. Flavovittatus, Bol.** (*Ephippiger (Steropleurus) F.*) An. Soc. Españ. vii. pp. 445,
450 (1878). Hab. — ?
Ephippigera Flavovittata, Brunn. l. c.
pp. 370, 380. n. 12 (1882); Bol. Ann.
Sci. Nat. Porto. v. pp. 142, 147 (1898).
23. **S. Cavannæ, Targ.-Tozz.** (*Ephippigera C.*) l. c. p. 181 (1881); Brunn. l. c.
pp. 371, 380 (1882). Calabria.
24. **S. Politus, Bol.** (*Ephippigera (Steropleurus) Polita*) Bol. Soc. Españ. Nat.
Hist. i. p. 335 (1901). Spain.
25. **S. Andalusius, Ramb.** (*Ephippiger A.*) id.,
Faune Andal. ii. p. 49, pl. 3. ff. 3, 4 Portugal,
(1839). N. Africa.
Ephippigera Andalusica, Bol. Actas Soc.
Españ. 1897, p. 173; Ann. Sci. Nat.
Porto, v. pp. 143, 148 (1898).
Ephippigera Selligera, Fisch. (nec Charp.)
Orth. Eur. p. 217, pl. 10. ff. 11, 11 a-d
(1853); Fieber, Lotos, iii. p. 201. n. 1
(1853); Syn. Eur. Orth. p. 56. n. 1 (1854);
Brunn. l. c. pp. 372, 385. n. 24 (1882).
Ephippiger Selliger, Bol. (nec Charp.)
Ortópt. Españ. pp. 187, 199. n. 6, pl. 4.
f. 8 (1876); An. Soc. Españ. vi. pp. 269,
281, pl. 3. f. 8 (1877), vii. p. 449. n. 28
(1878).
26. **S. Scabricollis, Ramb.** (*Ephippiger S.*) Andalusia.
l. c. p. 51 (1839).

Genus 99. **Ephippigerida.** (Type no. 1.)

Bol. Bull. Mus. d'Hist. Nat. Paris, ix. p. 226 (1903).

Ephippigera, *Serr.* Ann. Sci. Nat. xxii. p. 165 (1831); *Burm.* Handb. Ent. ii. p. 679 (1838); *Fisch.* Orth. Eur. p. 212 (1853); *Fieber, Lotos*, iii. p. 188 (1853); *Syn. Eur. Orth.* p. 56 (1854); *Friv. Érték. Termész. Kör.* i. (12) p. 88 (1867); *Brunn.* Prodr. Eur. Orth. p. 368 (1882); *Bol.* Ann. Sci. Nat. Porto, v. p. 133 (1898); *Tümp. Geradfl.* Mitteleurop. p. 271 (1900). (*Nom. spec.*)

Ephippiger, *Serr.* Ins. Orth. p. 473 (1839); *Ramb.* Faune Andal. ii. p. 48 (1839); *Bol.* Ortópt. Españ. p. 182 (1876); *An. Soc. Españ.* vi. p. 264 (1877), vii. p. 447 (1878); *Finot, Orth. France*, pp. 93, 121 (1883); *Faune France, Orth.* p. 215 (1889); *Ann. Soc. Ent. France*, lxxv. p. 538 (1897); *Jacobs. & Bianchi, Prem. i Lozhn. Ross.* Imp. p. 426 (1903). (*Nom. spec.*)

- *1. **E. Areolaria**, **Bol.** (*Ephippiger Areolarius*) Ortópt. Españ. pp. 188, 210. n. 13, pl. 5. f. 6 (1876); *Ann. Soc. Españ.* vi. pp. 270, 292. n. 13, pl. 4. f. 6 (1877), vii. p. 447 (1878). Spain.

Ephippigera Areolaria, *Brunn.* Prodr. Eur. Orth. pp. 374, 396. n. 43 (1882); *Bol.* Ann. Sci. Nat. Porto, v. pp. 136, 137 (1898).

2. **E. Gracilis**, **Brunn.** (*Ephippigera G.*) id. l. c. pp. 370, 379. n. 11 (1882).

3. **E. Longicauda**, **Bol.** (*Ephippigera L.*) id. *An. Soc. Españ.* ii. p. 220, pl. 9. f. 3 (1873); *Ann. Sci. Nat. Porto*, v. pp. 136, 137 (1898); *Brunn.* l. c. pp. 374, 396. n. 44 (1882).

Ephippiger Longicauda, *Bol.* Ortópt. Españ. pp. 188, 211. n. 14 (1876); *An. Soc. Españ.* vi. pp. 270, 293. n. 14 (1877), vii. p. 447. n. 5 (1878).

4. **E. Carinata**, **Bol.** (*Ephippiger Carinatus*) id. ll. cc. pp. 189, 212. n. 15, pl. 5. f. 5 (1876); pp. 271, 294. n. 15, pl. 4. f. 5 (1877), vii. p. 447. n. 7 (1878).

Ephippigera Carinata, *Brunn.* l. c. pp. 372, 388. n. 29 (1882); *Bol.* Ann. Sci. Nat. Porto, v. pp. 136, 138 (1898).

5. **E. Pantigana, Navás, (*Ephippiger* P.)** Aragon.
Bol. Soc. Aragon. iii. p. 191 (1904).
6. **E. Zapaterii, Bol. (*Ephippiger* Z.)** id.
Ortópt. Españ. pp. 188, 206. n. 11. pl. 5.
f. 7 (1876); An. Soc. Españ. vi. pp. 270,
288. n. 11, pl. 4. f. 7 (1877), vii. p. 448.
n. 16 (1878).
Ephippigera Zapateri, Brunn. l. c. pp. 373,
394. n. 40 (1882); Bol. Ann. Sci. Nat.
Porto, v. pp. 135, 137 (1898).
7. **E. Nigromarginata, Luc. (*Ephippigera*** Algeria.
N.) Expl. Alg. iii. p. 19, iv. pl. 2. ff. 5,
5 a-c (1849); Vosseler, Zool. Jahrb., Syst.
xvi. p. 398 (1902); Bol. Ann. Sci. Nat.
Porto, v. p. 147. n. 10 (1898).
Ephippiger Nigromarginatus, Fin. & Bonn.
Rev. Sci. Nat. Montpellier, (3) iv. p. 356
(1885); Finot, Ann. Soc. Ent. France,
lxv. pp. 541, 550 (1897).
- *8. **E. Dorsalis, Fieb. (*Ephippigera* D.)** ll. cc. Sicily.
p. 202. n. 7 (1853); p. 57. n. 7 (1854):
Brunn. l. c. pp. 373, 395. n. 41 (1882).
Ephippiger Dorsalis, Fin. & Bonn. l. c.
p. 360 (1885).
- *9. **E. Hispanica, Fieb. (*Ephippigera* H.)** Spain.
ll. cc. p. 202. n. 8 (1853); p. 58. n. 8
(1854); Brunn. l. c. pp. 372, 388. n. 30
(1882); Bol. Ann. Sci. Nat. Porto, v.
pp. 135, 137 (1898).
Ephippiger Hispanicus, Bol. Ortópt. Españ.
pp. 189, 214. n. 16, pl. 5. f. 8 (1876);
An. Soc. Españ. vi. pp. 271, 296. n. 16,
pl. 4. f. 8 (1877). vii. p. 448. n. 11 (1898).
10. **E. Latipennis, Fisch. (*Ephippigera* L.)** Algeria.
Orth. Eur. p. 215 note, pl. 10. ff. 5, 5 a
(1853); Brunn. l. c. pp. 373, 389. n. 32
(1882).
Ephippiger Latipennis, Fin. Ann. Soc. Ent.
France, lxv. pp. 541, 553 (1897).
11. **E. Paulinoi, Bol. (*Ephippiger* P.)** Granada.
Ortópt. Españ. pp. 189, 215. pl. 5. ff. 3,
3 a, b (1876); An. Soc. Españ. vi.
pp. 271, 297, pl. 4. ff. 3, 3 a, b (1877),
vii. p. 448. n. 12 (1878).
Ephippigera Paulinoi, Brunn. l. c. pp. 373,
395. n. 42 (1882); Ann. Sci. Nat. Porto,
v. pp. 135, 137 (1898).

- *12. **E. Limbata, Fisch.** (*Ephippigera* L.) l. c. p. 216, pl. 10. f. 7 (1853); Krauss, Sitz. Akad. Wiss. Wien, Math.-Nat. Cl. lxxviii. (1) p. 527, pl. 5. ff. 1, 1 A-F (1879); Brunn. l. c. pp. 374, 397. n. 47 (1882); Tümp. Geradfl. Mitteleurop. p. 271 (1900). Carniola, Istria, Croatia, Dalmatia, Herzeg'vina
- Ephippiger Limbatus, Jacobs. & Bianchi*, Prem. i Lozhn. Ross. Imp. p. 427 (1903).
- Ephippigera Discoidalis, Fieb.* ll. cc. p. 203. n. 13 (1853); p. 59. n. 13 (1854).
- Ephippiger Discoidalis, Bol.* Ortópt. Españ. pp. 189, 217. n. 18 (1876); An. Soc. Españ. vi. pp. 271, 299. n. 18 (1877).
- Ephippigera Discoidalis*, var. *Major, Krauss*, l. c. p. 529 (1879).
- Ephippigera Selenophora, Fieb.* ll. cc. p. 204. n. 14 (1853); p. 59. n. 14 (1854).
- Ephippiger Limbata*, var. *Minor, Krauss*, l. c. p. 529 (1879).
13. **E. Ornata, Schmidt**, (*Ephippigera* O.) Haidinger, Ber. Mitth. Freunden Naturw. Wien, vi. p. 184 (1850), vii. p. 56 (1851). Carniola. See Also p. 375-
- *14. **E. Sphacophila, Krauss**, (*Ephippigera* S.) l. c. p. 531, pl. 5. ff. 2, 2 A-D (1879); Brunn. l. c. pp. 374, 398. n. 48 (1882); Tümp. l. c. p. 271, pl. 22 (1900). Istria, Croatia, Dalmatia, Herzeg'vina
- Ephippiger Sphacophilus, Jacobs. & Bianchi*, l. c. p. 427, pl. 9 (1903).
15. **E. Tæniata, Sauss.** (*Ephippigera* T.) Rev. Suisse Zool. v. p. 238 (1898). Morocco.
- *16. **E. Ephippiger, Fiebig**, (*Gryllus* E.) Schrift. Berlin. Ges. Nat. Freunde, v. p. 263, pl. 4. ff. 6-8 (1784). France, Holland, Belgium, Switzerland, Piedmont, Austria, Hungary, Bulgaria &c. W. Spain.
- Locusta Ephippiger, Fabr.* Mant. Ins. i. p. 235. n. 33 (1787); Panz. Faun. Germ. Heft 33, pl. 5 (1796).
- Barbitistes Ephippiger, Charp.* Hor. Ent. p. 98 (1825).
- Ephippigera Vitium, Serc.* Ann. Sci. Nat. xxii. p. 165 (1831); Fisch. l. c. p. 213, pl. 10. ff. 2, 2 a, 3, 3 a, 4, 4 a-c (1853); Türk. Wien. Ent. Mon. ii. p. 369. n. 2 (1858); Friv. l. c. p. 88 (1867); Marq. Bull. Soc. Toulouse, xi. p. 149 (1877); Brunn. l. c. pp. 373, 390. n. 33 (1882);

Bol. Ann. Sci. Nat. Porto, v. pp. 134, 136 (1898); Tümp. l. c. p. 271, pl. 22 (1900).

Ephippiger Vitium, *Serv.* Ins. Orth. p. 474 (1839); Bol. Ortópt. Españ. pp. 188, 205. n. 10 (1874); An. Soc. Españ. vi. pp. 270, 287. n. 10 (1877), vii. p. 448. n. 14 (1878); Finot, Orth. France, pp. 123, 125 (1883); Faune France, Orth. pp. 216, 219, pl. 11. f. 146 (1889); Griff. Boll. Mus. Torino, viii. (141) p. 13 (1893); Jacobs. & Bianchi, l. c. p. 426, pl. 9 (1903).

|| *Ephippigera Perforata*, *Burm.* (nec *Rossi*) l. c. p. 680. n. 2 (1838).

Ephippigera Fi[c]bigii, *Fieb.* ll. cc. p. 203. n. 11 (1853); p. 58. n. 11 (1854).

Ephippigera Fabricii, *Fieb.* ll. cc. p. 203. n. 12 (1853); p. 58. n. 12 (1854).

17. **E. Borellii**, **Griff.** (*Ephippigera B.*) l. c. viii. (138) pp. 1, 2, fig. i. (141) p. 13 (1893); *Misc. Ent.* i. p. 67 (1896). Piedmont.

18. **E. Crucigera**, **Fieb.** (*Ephippigera C.*) ll. cc. p. 202. n. 6 (1853); p. 57. n. 6 (1854). Sicily.

19. **E. Bitterensis**, **Marq.** (*Ephippigera B.*) l. c. p. 150 (1877). S. France.

Ephippiger Bitterensis, *Bol. An. Soc. Españ.* vii. p. 449. n. 20 (1878).

Ephippiger Bitterensis, *Finot*, ll. cc. pp. 123, 125 (1883); pp. 216, 220 (1889).

|| *Ephippigera Crucigera*, *Brunn.* (nec *Fieb.*) l. c. pp. 373, 391. n. 34 (1882); *Schoch, Mitth. Schweiz. ent. Ges.* viii. p. 236 (1890).

20. **E. Cunii**, **Bol.** (*Ephippiger C.*) Ortópt. Españ. pp. 188, 208. n. 12, pl. 4. f. 12 a, b (1876); An. Soc. Españ. vi. pp. 270, 290. n. 12, pl. 3. f. 12 a, b (1877), vii. p. 448. n. 19 (1878); *Finot*, l. c. pp. 216, 220 (1889). id., Spain.

Ephippigera Cunii, *Brunn.* l. c. pp. 373, 392. n. 35 (1882).

Ephippigera Cuni, var. *Jugicola*, *Bol. Ann. Sci. Nat. Porto*, v. p. 137 (1898).

21. **E. Perforata**, **Rossi**, (*Locusta P.*) Fauna Italy. Etrusca, i. p. 267. n. 649, ii. pl. 8. ff. 3, 4 (1790).

- Ephippigera Perforata*, Fisch. l. c. p. 213, pl. 10. ff. 1, 1a, b (1853); Fieb. ll. cc. p. 203. n. 10 (1853); p. 58. n. 10 (1854); Brunn. l. c. pp. 373, 394. n. 39 (1882); Griff. l. c. viii. (141) p. 12 (1893); Bol. l. c. pp. 135, 137 (1898).
- Ephippiger Perforatus*, Finot, Faune France, Orth. pp. 216, 223 (1889).
- Ephippigera Rossii*, Fieb. ll. cc. p. 202. n. 9 (1853); p. 58. n. 9 (1854).
22. **E. Verticalis**, Fieb. (*Ephippigera* V.) Sicily.
ll. cc. p. 201. n. 4 (1853); p. 57. n. 4 (1854).
- *23. **E. Provincialis**, Yers. (*Ephippigera* P.) S. France.
Bull. Soc. Vaud. iv. p. 65, pl. 1. ff. 9-15 (1856); Brunn. l. c. pp. 373, 392. n. 36 (1882).
- Ephippiger Provincialis*, Finot, Orth. France, pp. 123, 126 (1883); Faune France, Orth. pp. 216, 221 (1889).
24. **E. Zelleri**, Fisch. (*Ephippigera* Z.) l. c. Rome.
p. 220, pl. 10. ff. 14, 14 a-d (1853); Brunn. l. c. pp. 371, 381. n. 14, pl. 10. f. 90 A-C (1882).
25. **E. Elegans**, Fisch. (*Ephippigera* E.) l. c. Italy.
p. 219, pl. 10. ff. 13, 13 a-d (1853); Brunn. l. c. pp. 371, 381. n. 15 (1882).
26. **E. Terrestris**, Yers. (*Ephippigera* T.) l. c. Provence,
p. 63, pl. 1. ff. 1-8 (1856); Brunn. l. c. Piedmont.
pp. 373, 393. n. 37 (1882); Griff. l. c. viii. (141) p. 14 (1893).
- Ephippiger Terrestris*, Finot, ll. cc. pp. 123, 126 (1883); pp. 216, 222 (1889); Azam, Ann. Soc. Ent. Fr. lxii. p. 196. n. 92 (1893).
27. **E. Bormansi**, Brunn. (*Ephippigera* B.) Varese.
l. c. pp. 373, 394. n. 38 (1882).
28. **E. Saussurianus**, Bol. (*Ephippiger* S.) Spain.
An. Soc. Españ. vii. pp. 442, 447. n. 8 pl. 4. f. 8 (1878).
- Ephippigera Saussureana*, Brunn. l. c. pp. 374, 397. n. 45 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 136, 138 (1898).
29. **E. Dilutus**, Bol. (*Ephippiger* D.) An. id.
Soc. Españ. vii. pp. 442, 447. n. 9, pl. 4. ff. 9, 9a (1878).
- Ephippigera Diluta*, Brunn. l. c. pp. 374, 397. n. 46 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 136, 138 (1898).

Genus 100. **Callicrania.** (*Type* no. 1.)

Bol. Ann. Sci. Nat. Porto, v. p. 134 (1898).

|| *Lamprogaster*, Bol. (*nec* Macq.) An. Soc. Españ. vii. p. 451 (1878).

1. **C. Monticola, Serv.** (*Ephippiger M.*) Spain.
 Ins. Orth. p. 476 (1839); Finot, Faune France, Orth. pp. 216, 218, pl. 11. f. 145 (1889).
 || *Ephippiger Seoanei*, Finot (*nec* Bol.), Orth. France, pp. 123, 124 (1883).
Ephippiger (Steropleurus) Ramburii, Bol. An. Soc. Españ. vii. pp. 443, 449, pl. 4. ff. 10, 10 a (1878).
Ephippigera Ramburi, Brunn. Prodr. Eur. Orth. pp. 372, 386. n. 25 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 149, 150 (1898).
Ephippiger Ramburi, Fin. l. c. pp. 123, 124 (1883).
- * 2. **C. Seoanei, Bol.** (*Ephippiger S.*) Ortópt. Españ. pp. 187, 197. n. 5, pl. 4. ff. 7, 7 a, b (1876); An. Soc. Españ. vi. pp. 269, 279, pl. 3. ff. 7, 7 a, b (1877), vii. p. 449. n. 31 (1878); Seoane, C.R. Soc. Ent. Belg. xxi. pp. lxx, lxxii, lxxiv, f. 1 (1878).
Ephippigera Seoanei, Brunn. l. c. pp. 372, 385. n. 23 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 150, 151 (1898).
Ephippigera Seoanei, var. *Lata*, Navás, Bol. Soc. Españ. ii. p. 331 (1902).
3. **C. Selliger, Charp.** (*Barbitistes S.*) Hor. Spain, Portugal.
 Ent. p. 99 (1825).
4. **C. Pellucida, Bol.** (*Ephippigera P.*) Portugal, N. Africa.
 Naturaliste, vii. p. 116 (1885); An. Soc. Españ. xvi. p. 104 (1887); Ann. Sci. Nat. Porto, v. pp. 150, 151 (1898).
5. **C. Serrata, Bol.** (*Ephippigera S.*) ll. cc. Spain, Portugal.
 p. 117 (1885); p. 104 (1887); pp. 150, 152 (1898).
- * 6. **C. Bolivari, Seoane,** (*Ephippiger B.*) Spain.
 l. c. pp. lxxi-lxxiii, f. 2 (1878).
Ephippigera Bolivari, Brunn. l. c. pp. 371, 384. n. 21 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 150, 152 (1898).

7. **C. Miegii, Bol.** (*Ephippigera M.*) An. Soc. Españ. ii. p. 224, pl. 9. f. 5 (1872). vi. pp. 268, 278, pl. 3. ff. 6, 6a (1877); Ortópt. Españ. pp. 186, 196, pl. 4. ff. 6, 6a (1876).
Ephippigera Miegi, Brunn. l. c. pp. 372, 384. n. 22 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 150, 152 (1898).
 Spain, Portugal.

Genus 101. **Præhippigerida.**

Bol. Bull. Mus. Paris, ix. p. 227 (1903).

|| *Platystolus, Fin. (nec Bol.)* Ann. Soc. Ent. France, lxxv. p. 539 (1897).

1. **P. Pachygaster, Luc.** (*Ephippigera P.*) Expl. Alg. iii. p. 15, iv. Orth. pl. 2. f. 2 (1849).
Ephippiger Pachygaster, Fin. l. c. pp. 541, 551 (1897).
Platystolus Pachygaster, Brunn. Prodr. Eur. Orth. pp. 399, 401. n. 3 (1882).
 || *Ephippigera Cucullata, Burm. (nec Charp.)* Handb. Ent. ii. p. 680. n. 1 (1838).
Ephippigera Burmeisteri, Fieber, Lotos, iii. p. 201. n. 5 (1853); Syn. Eur. Orth. p. 57. n. 5 (1854).
Ephippiger Oudryanus, Bonnet & Fiuot, Bull. Soc. Ent. France, (6) iv. p. xxvii (1884); Rev. Sci. Nat. Montpell. (3) iv. p. 351, pl. 6. ff. 1-7 (1885).
 Algeria, Tunis, Sardinia.

Genus 102. **Bætica.**

Bol. Bull. Mus. Paris, ix. p. 227 (1903).

- *1. **B. Ustulata, Ramb.** (*Ephippiger Ustulatus*) Faune Andal. ii. p. 52, pl. 4. ff. 3, 4 (1839); Bol. Ortópt. Españ. pp. 189, 218. n. 19, pl. 5. f. 4 (1876); An. Soc. Españ. vi. pp. 271, 300. n. 19, pl. 4. f. 4 (1877).
Platystolus Ustulatus, Brunn. Prodr. Eur. Orth. pp. 399, 401 (1882); Bol. Ann. Sci. Nat. Porto, vi. p. 2. n. 3 (1900).
 Andalusia.

Genus 103. **Platystolus.** (*Type* no. 1.)

Bol. An. Soc. Españ. vii. p. 450 (1877);

Brunn. Prodr. Eur. Orth. p. 399 (1882).

*1. **P. Surcularius, Bol.** (*Ephippiger* S.) Madrid.

Ortópt. Españ. pp. 186, 191. n. 2, pl. 5. ff. 9, 9a, b (1876); An. Soc. Españ. vi. pp. 268, 273. n. 2, pl. 4. ff. 9, 9a, b (1877), vii. p. 451. n. 40 (1878).

P. Surcularius, Brunn. l. c. pp. 399, 400. n. 1 (1882); Bol. Ann. Sci. Nat. Porto, vi. pp. 1, 2. n. 1 (1900).*2. **P. Martinezii, Bol.** (*Ephippigera* M.) id.

An. Soc. Españ. ii. p. 222, pl. 9. f. 4 (1873).

Ephippiger Martinezii, Bol. Ortópt. Españ. pp. 186, 194. n. 3, pl. 4. f. 5, pl. 5. f. 2 (1876); An. Soc. Españ. vi. pp. 268, 276. n. 3, pl. 3. f. 5, pl. 4. f. 2 (1877), vii. p. 451. n. 41 (1878).*P. Martinezii, Brunn.* l. c. pp. 399, 400. n. 2, pl. 10. f. 91 (1882); Bol. Ann. Sci. Nat. Porto, vi. pp. 1, 2. n. 2 (1900).Genus 104. **Pycnogaster.** (*Type* no. 7.)

Graells, Mem. Acad. Cienc. Madrid, (3) i. (2) p. 155 (1851); Fisch. Orth. Eur. p. 205 (1853); Bol. Ortópt. Españ. p. 176 (1876); An. Soc. Españ. vi. p. 258 (1877); Brunn. Prodr. Eur. Orth. p. 402 (1882); Navás, Bol. Soc. Españ. ii. p. 266 (1902); Fin. Ann. Soc. Ent. France, lxx. p. 558 (1897).

||*Bradyporus, Ramb. (nec Charp.)* Faune Andal. ii. p. 56 (1839).*Bathyscaptes, Fieber, Lotos*, iii. p. 188 (1853); Syn. Eur. Orth. p. 56 (1854). (*Type* no. 6.)1. **P. Sanchez-Gomezi, Bol.** Actas Soc. Almeria, Españ. 1897. p. 172; Ann. Sci. Nat. Valencia, Porto, vi. pp. 3, 5. n. 3 (1900); Navás, l. c. pp. 267, 268 (1902).2. **P. Inermis, Ramb.** (*Bradyporus* L.) l. c. Sierra Nevada.*P. Inermis, Fisch.* l. c. p. 206, pl. 11. ff. 5, 6, 6a-c (1853); Bol. Ortópt. Españ. pp. 178, 181. n. 4 (1876); An. Soc. Españ. vi. pp. 260, 263. n. 4 (1877), vii.

- p. 441 (1878) : Ann. Sci. Nat. Porto, vi. pp. 3, 4. n. 2 (1900) ; Brunn. l. c. p. 403. n. 1 (1882) ; Navás, l. c. p. 269 (1902).
3. **P. Finotii, Bol.** An. Soc. Españ. x. p. 503, pl. 8. f. 1 (1881) ; Fin. l. c. p. 556 (1897). Oran.
- P. Finoti*, Brunn. l. c. pp. 403, 406. n. 6 (1882) ; Bol. Ann. Sci. Nat. Porto, vi. pp. 3, 4. n. 1 (1900).
- P. Finoti*, var. *Gaditanus*, Bol. l. c. p. 4 (1900) ; Navás, l. c. p. 269 (1902). Spain.
- *4. **P. Bolivari, Brunn.** l. c. pp. 403, 404. n. 3, pl. 10. f. 92 (1882) ; Bol. l. c. pp. 4, 5. n. 5 (1900) ; Navás, l. c. p. 269 (1902). id.
- || *P. Jugicola*, pt., Bol. (*nec* Graells) Ortópt. Españ. p. 180, pl. 4. f. 2 c (1876) ; Ann. Soc. Españ. vi. p. 262, pl. 3. f. 2 c (1877).
5. **P. Brevipes, Navás**, Actas Soc. Españ. 1899, p. 235 ; Bol. Soc. Españ. ii. p. 270 (1902) ; Bol. Soc. Aragon. iii. pl. 1. f. 1 (1904). id.
6. **P. Cucullatus, Charp.** (*Barbitistes* C.) Hor. Ent. p. 98 (1825). Portugal, Spain.
- P. Cucullata*, Fisch. l. c. p. 207. n. 2, pl. 11. ff. 7, 7 a-d (1853) ; Navás, Bol. Soc. Españ. ii. p. 270 (1902).
- P. Cucullatus*, Bol. ll. cc. pp. 178, 179. n. 2. pl. 4. ff. 3, 3 a (1876) ; pp. 260, 261. n. 2, pl. 3. ff. 3, 3 a (1877) ; Ann. Sci. Nat. Porto, vi. pp. 4, 5. n. 4 (1900) ; Brunn. l. c. pp. 403, 404. n. 2 (1882).
7. **P. Jugicola, Graells**, l. c. p. 157, pl. 9. ff. 1-3 (1851) ; Bol. ll. cc. pp. 178, 180, pl. 4. ff. 2, 2 a, b (*nec* c) (1876) ; pp. 260, 262, pl. 3. ff. 2, 2 a, b (*nec* c) (1877) ; pp. 4, 5. n. 6 (1900) ; Brunn. l. c. pp. 403, 405. n. 4 (1882) ; Navás, l. c. p. 270 (1902). Spain, Portugal.
- *8. **P. Graellsii, Bol.** An. Soc. Españ. ii. p. 218, pl. 9. f. 2 (1873), vi. pp. 259, 260, pl. 3. ff. 1, 1 a (1877) ; Ortópt. Españ. pp. 177, 178, pl. 4. ff. 1, 1 a (1876). Spain.
- P. Graellsii*, Brunn. l. c. pp. 403, 405. n. 5 (1882) ; Bol. Ann. Sci. Nat. Porto, vi. pp. 4, 5. n. 7 (1900) ; Navás, l. c. p. 270 (1902).

SUBFAM. VI.

BRADYPORINÆ.

Genus 105. **Bradyporus.**

Charp. Hor. Ent. p. 96 (1825); Serv. Ann. Sci. Nat. xxii. p. 163 (1831); Ins. Orth. p. 497 (1839); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 421 (1903).

Callimenus, pt., *Burm. Handb. Ent.* ii. p. 676 (1838); Fisch. Orth. Eur. p. 202 (1853); Fieber, Lotos, iv. p. 275 (1854); Friv. Érték. Termész. Kör. i. (12) p. 85 (1867).

Callimus, Fisch. Waldh. Bull. Mosc. vi. p. 374 (1833).

Dinarchus, Stål, Rec. Orth. ii. pp. 7, 24 (1874); Brunn. Prodr. Eur. Orth. p. 251 (1882).

- *1. **B. Dasypus, Illig.** (*Locusta D.*) Wiedem. Hungary(?)
Arch. Zool. i. (2) p. 144 (1800), ii. p. 320 Servia.
(1801). Bulgaria,

B. Dasypus, Charp. l. c. p. 96 (1825): Roumania,
Orth. pl. 8 (1841); Germar, Zeitschr. Dobrudscha
Ent. i. p. 377. n. 6 (1839); Jacobs. & Crimea(?).
Bianchi, l. c. p. 421 (1903).

Callimenus Dasypus, *Burm.* l. c. p. 677.
n. 1 (1838); Fisch. l. c. p. 204. n. 3,
pl. 11. ff. 4, 4 a (1853); Fieber, l. c.
p. 275. n. 3 (1854); Friv. l. c. p. 86. n. 1
(1867).

Callimus Dasypus, Fisch. Waldh. l. c. p. 374
(1833).

Genus 106. **Callimenus.** (*Type* no. 1.)

Fisch. Waldh. Notice sur le Tettigopsis, p. 14 (1830); Ann. Soc. Ent. France, ii. p. 317 (1833); *Burm. Handb. Ent.* ii. p. 676 (1838); Fisch. Orth. Eur. p. 202 (1853); Fieber, Lotos, iv. p. 275 (1854); Stål, Rec. Orth. ii. p. 7 (1874); Brunn. Prodr. Eur. Orth. p. 251 (1882); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 421 (1903).

|| *Bradyporus*, Fisch. Waldh. (*nec Charp.*) Orth. Ross. iv. p. 216
(1846).

- *1. **C. Obesus, Fisch. Waldh.** ll. cc. p. 14 Greece,
(1830); p. 318 (1833). Turkey,
Gryllus Tettigonia Nympha, Stoll, Spectres, Roumania,
Saut. p. 24, pl. 11 a. f. 44 (1813). S. Russia;
Ephippiger Macrogauster, Lef. Guér. Mag. Smyrna
Zool. i. (2) Ins. pl. 5 (1831). (eadem?).

- Callimenus Macroqaster*, Jacobs. & Bianchi, l. c. p. 421 (1903).
- C. Oniscus*, Burm. l. c. p. 677. n. 2 (1838); Fisch. l. c. p. 202, pl. 11. ff. 3, 3 a-c (1853); Fieber, Lotos, iii. p. 205, iv. p. 275 (1854); Syn. Eur. Orth. p. 61. n. 1 (1854); Stål, l. c. p. 24 (1874); Brunn. l. c. p. 252. n. 1 (1882); Jacobs. & Bianchi, l. c. pl. 10 (1902).
- Dinarchus Dasypus*, Stål, l. c. p. 24. n. 1 (1874); Brunn. l. c. p. 250 (1882).
- Locusta Armadillo*, Thunb. Mém. Acad. Pétersb. v. p. 284 (1815).
- Var. *Callimus Multituberculatus*, Fisch. Waldh. l. c. p. 374 (1833). Caucasus.
- Bradyporus Oniscus*, Charp. Germar, Zeitschr. Ent. i. p. 378 (1839), iii. p. 315 (1841); Orth. pl. 7 (1841).
- || *Bradyporus Dasypus*, Serv. (nec Ill.) Ann. Sci. Nat. xxii. p. 164 (1831); Ins. Orth. p. 499 (1839); Brullé, Expéd. Morée, iii. (1:2) Zool. p. 88. n. 55, pl. 29. f. 7 (1832); Fisch. Waldh. l. c. p. 219, pl. 7. ff. 1, 2 (1846).
- C. Oniscus*, var. *Brachynotus*, Fieber, ll. cc. iii. p. 206 (1853); p. 61 (1854).
- *2. **C. Longicollis, Fieb.** (*Callimenus Oniscus*, var. *Longicollis*) ll. cc. p. 205 (1853); p. 61 (1854). Servia, Turkey, Roumania.
- C. Longicollis*, Jacobs. & Bianchi, l. c. p. 422 (1903).
- C. Pancici*, Brunn. l. c. p. 252. n. 2, pl. 7. f. 58 (1882).
3. **C. Restrictus, Fisch. Waldh.** (*Callimus R.*) Bull. Mosc. vi. p. 375 (1833). S. Russia, Roumania.
- C. Restrictus*, Fisch. Waldh. Orth. Ross. p. 219, pl. 7. f. 3 (1846); Fieb. Lotos, iv. p. 275 (1854); Jacobs. & Bianchi, l. c. p. 422 (1903).
- C. Montandoni*, Burr, Trans. Ent. Soc. Lond. 1898, p. 51.
4. **C. Dilatatus, Stål**, Bihang Svenska Akad. iii. (14) p. 42 (1876); Jacobs. & Bianchi, l. c. p. 422 (1903). Asia Minor.
- C. Inflatus*, Brunn. l. c. p. 253. n. 3 (1882). Amasia.

- *5. **C. Latipes, Stål**, l. c. p. 42 (1876) : Persia.
 Jacobs. & Bianchi, l. c. p. 422 (1903).

Genus 107. **Arachnacris** (*incert. sed. !*).

Gieb. Zeitschr. ges. Naturw. xviii. p. 118 (1861).

1. **A. Tenuipes, Gieb.** l. c. p. 119 (1861). | Java.

SUBFAM. VII.

DERACANTHINÆ.

Genus 108. **Deracantha**. (*Type no. 1.*)

Fisch. Bull. Mosc. vi. p. 375 (1833) ; Jacobs. & Bianchi, Prem.
 i Lozhn. Ross. Imp. p. 423 (1903).

|| *Bradyporus*, *Bol. (nec Charp.)*, Zichy, Asiat. Forsch. ii. Zool.
 Ergebn. pp. 236, 237 (1901).

1. **D. Onos, Pall.** (*Gryllus O.*) Spic. Zool. Transbaikal,
 ix. p. 17, pl. 2. f. 1 (1772). Mongolia.
Locusta Onos, Fabr. Spec. Ins. i. p. 361.
 n. 29 (1781) ; Latr. Hist. Nat. Crust. Ins.
 xii. p. 134. n. 12 (1804).
Bradyporus Onos, Burm. Handb. Ent. ii.
 p. 678. n. 2 (1838).
Ephippiger Onos, Fisch. Waldh. Orth. Ross.
 p. 190, pl. 25. f. 2 (1846).
D. Onos, Jacobs. & Bianchi, l. c. p. 423.
 f. 42 (1903).
2. **D. Cinctus, Fisch. Waldh.** Bull. Mosc. Siberia.
 vi. p. 376. n. 2 (1833).
D. Cincta, Jacobs. & Bianchi, l. c. p. 424 (1903).
Ephippiger Cinctus, Fisch. Waldh. Orth.
 Ross. p. 192, pl. 9. f. 1 (1846).

Genus 109. **Idioderus**.

Luc. Ann. Soc. Ent. France, (5) iii. p. 102 (1873).

- *1. **I. Grandis, Luc.** (*Callimenus G.*) Bull. | Pekin.
 Soc. Ent. France, (4) iii. p. xx (1863).
I. Grandis, Luc. Ann. Soc. Ent. France,
 (5) iii. p. 103, pl. 3 (1873).

Genus 110. **Deracanthella.** (*Type no. 1.*)

Bol., Zichy, Asiat. Forsch. ii. Zool. Ergebn. p. 240 (1901);
Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 424 (1903).

1. **D. Camelus, Fisch. Waldh.** (*Deracanthella C.*) Bull. Mosc. vi. p. 376. n. 3 (1833). *O - 2204*
Ephippiger Camelus, Fisch. Waldh. Orth. Ross. p. 193, pl. 9. f. 3 (1846).
D. Camelus, Jacobs. & Bianchi, l. c. p. 424 (1903).
2. **D. Antilope, Fisch. Waldh.** (*Deracanthella A.*) Bull. Mosc. vi. p. 376. n. 4 (1833). *O - 2205*
Ephippiger Camelus, Fisch. Waldh. Orth. Ross. p. 194, pls. 2, 4, 5 (1846).
D. Antilope, Jacobs. & Bianchi, l. c. p. 424 (1903).
3. **D. Verrucosa, Fisch. Waldh.** (*Ephippiger Verrucosus*) l. c. p. 199, pl. 25. f. 3 (1846). *O - 2206*
D. Verrucosa, Jacobs. & Bianchi, l. c. p. 424 (1903).
|| *D. Aranea, Bol. (nec Fisch. Waldh.) l. c. p. 241 (1901).* *O - 1792*
4. **D. Aranea, Fisch. Waldh.** (*Deracanthella A.*) Bull. Mosc. vi. p. 376. n. 5 (1833). *O + 2207*
Ephippiger Aranea, Fisch. Waldh. Orth. Ross. p. 200, pl. 9. f. 6 (1846).

Genus 111. **Zichya.** (*Type no. 1.*)

Bol., Zichy, Asiat. Forsch. ii. Zool. Ergebn. pp. 236, 238 (1901);
Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 425 (1903).

1. **Z. Vacca, Fisch. Waldh.** (*Ephippiger V.*) Orth. Ross. p. 197, pl. 25. f. 1 (1846).
Z. Vacca, Bol. l. c. p. 239 (1901); Jacobs. & Bianchi, l. c. p. 425, f. 43 (1903). *O - 1793*
Songaria,
Kirghis
Steppes,
Aral,
Syr Daria,
Mongolia.
2. **Z. Taurus, Eversm.** (*Ephippiger T.*) Bull. Mosc. xxxii. (1) p. 128, pl. 1. f. 1 (1859).
Z. Taurus, Jacobs. & Bianchi, l. c. p. 425 (1903). *O - 1794*
Kirghis
Steppes.

3. **Z. Granulata, Fisch. Waldh.** (*Ephippiger Granulatus*) Bull. Mosc. xii. p. 105. n. 6. pl. 3. ff. 1, 2 (1839); Orth. Ross. p. 191, pl. 20. ff. 1, 2 (1846).
Z. Granulata, Jacobs. & Bianchi, l. c. p. 425 (1903). Altai.
4. **Z. Spinosa, Fisch. Waldh.** (*Ephippiger Spinosus*) Orth. Ross. p. 195. pl. 27. f. 2 a-c (1846). Irkutsk.
Z. Spinosa, Jacobs. & Bianchi, l. c. p. 425 (1903).

SUBFAM. VIII.

DECTICINÆ.

Genus 112. **Drymadusa.** (*Type* no. 1.)

Stein, Berlin. Ent. Zeitschr. iv. p. 257 (1860); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 199, 206 (1874); Brunn. Prodr. Eur. Orth. p. 313 (1882); Ann. Mus. Genova, xxxiii. p. 185 (1893); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 394 (1903).

- *1. **D. Dorsalis, Brullé,** (*Ephippiger D.*) Greece.
Expéd. Morée. iii. (1:2) p. 90, pl. 29. f. 8 Asia Minor.
(1832), larva.
D. Spectabilis, Stein, l. c. p. 258, pl. 5
(1860); Herm. l. c. p. 206, pl. 4. ff. 43-48 (1874); Brunn. Prodr. Eur. Orth. p. 314. n. 1, pl. 9. f. 75 A, B (1882); Jacobs. & Bianchi, l. c. p. 394 (1903).
Gampsocleis Spectabilis, Brunn. Verh. zool.-bot. Ges. Wien. xi. p. 288. pl. 9. f. 3 A-B (1861).
- *2. **D. Limbata, Brunn.** Prodr. Eur. Orth. Greece,
p. 314. n. 2 (1882); Jacobs. & Bianchi, Asia Minor.
l. c. p. 394 (1903). Syria.
3. **D. Fallaciosa, Finot,** Bull. Soc. Ent. Tunis.
France, lxiii. p. xiii (1894).
4. **D. Brevipennis, Brunn.** l. c. p. 315. n. 3 Syria.
(1882); Jacobs. & Bianchi, l. c. p. 394 (1903).

5. **D. Konowi**, **Bol.** Ann. Soc. Ent. Belg. Asia Minor.
xliii. p. 600 (1899); Jacobs. & Bianchi,
l. c. p. 395 (1903).
6. **D. Affinis**, **Bol.** l. c. p. 601 (1899); Jacobs. id.
& Bianchi, l. c. p. 395 (1903).
- *7. **D. Grisea**, **Brunn.** l. c. p. 315. n. 4 Astrabad.
(1882); Jacobs. & Bianchi, l. c. p. 395
(1903).
8. **D. Magnifica**, **Jacobs. & Bianchi**, l. c. Samos,
p. 395 (1903). Trans-
Caucasia.
9. **D. Fletcheri**, **Burr**, Ent. Rec. xi. p. 332 Wei-hai-
(1899). *C. 125* wei.
10. **D. Arizonensis**, **Rehn**, Proc. Acad. Nat. Arizona.
Sci. Philad. lvi. p. 573 (1904).

/m Genus 113. **Paradryadosa**. (*Type* no. 1.) */w*

Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 199, 206 (1874);
Brunn. Prodr. Eur. Orth. p. 315 (1882); Ann. Mus.
Genova, xxxiii. p. 185 (1893); Jacobs. & Bianchi, l. c.
p. 396 (1903).

1. **P. Sordida**, **Herm.** l. c. p. 206, pl. 5. Georgia,
ff. 49-53 (1874); Brunn. Prodr. Eur. Syria.
Orth. pp. 315, 316. n. 1, pl. 9. f. 76 A, B
(1882); Jacobs. & Bianchi, l. c. p. 396
(1903).
2. **P. Galitzini**, **Retowski**, Bull. Mose. (2) Crimea.
ii. (3) p. 411 (1888); Jacobs. & Bianchi,
l. c. p. 396 (1903).
3. **P. Syriaca**, **Pict.** Mém. Soc. Genève, Syria.
xxx. (6) p. 55, pl. 3. f. 37 (1888); Jacobs.
& Bianchi, l. c. p. 396 (1903).
4. **P. Longipes**, **Brunn.** l. c. p. 316. n. 2 Georgia.
(1882); Jacobs. & Bianchi, l. c. p. 396
(1903).
5. **P. Anatolica**, **Jacobs. & Bianchi**, l. c. Asia Minor.
p. 397 (1903).
6. **P. Caucasica**, **Fisch.** (*Pterolepis* C.) Caucasus.
Orth. Ross. p. 215. pl. 27. f. 3 a, b
(1846).
P. Caucasica, *Jacobs. & Bianchi*, l. c. p. 397
(1903).

Genus 114. **Engoniaspis.**

Brunn. Ann. Mus. Genova, xxxiii. p. 185 (1903);
 Scudd. N. Amer. Orth. p. 55 (1897).

1. **E. Testacea**, **Scudd.** Proc. Davenport Missouri.
 Acad. Sci. viii. p. 96 (1901).

Genus 115. **Atlanticus.** (Type no. 1.)

Scudd. Canad. Ent. xxvi. p. 179 (1894); Guide N. Amer.
 Orth. p. 55 (1897); Beut. Bull. Amer. Mus. Nat. Hist. vi.
 p. 284 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii.
 p. 392 (1903).

1. **A. Pachymerus**, **Burm.** (*Decticus P.*) S. Carolina.
 Handb. Ent. ii. p. 712. n. 14 (1838).
Thyreonotus Pachymerus. Comst. Intr. Ent.
 i. p. 118. f. 106 (1888).
A. Pachymerus, **Scudd.** Canad. Ent. xxvi.
 p. 180 (1894); Beut. l. c. p. 285, pl. 7.
 f. 7 (1894); Lugg. Ann. Rep. Ent.
 Minnesota, iii. p. 245. f. 160 (1898);
 Blatchl. l. c. pp. 393. 394. f. 98 (1903).
 *2. **A. Dorsalis**, **Burm.** (*Decticus D.*) l. c. United
 States.
 p. 713. n. 15 (1838).
A. Dorsalis, **Scudd.** l. c. p. 180 (1894);
 Beut. l. c. p. 285, pl. 7. f. 8 (1894);
 Blatchl. l. c. p. 394. n. 111 (1903).
 ***Decticus Derogatus*, **Walk.** Cat. Derm. Salt.
 B. M. ii. p. 260. n. 28 (1869).
 3. **A. Gibbosus**, **Scudd.** l. c. p. 180 (1894). S.E. States.

Genus 116. **Capnobotes.** (Type no. 1.)

Scudd. Canad. Ent. xxix. p. 73 (1897); Guide N. Amer.
 Orth. p. 55 (1897); Cockerell, Ent. xxxvii. p. 179 (1904).

1. **C. Fuliginosus**, **Thom.** (*Locusta Fuligi-* Arizona.
nosa) Hayden, Rep. U.S. Geol. Surv.
 Montana, p. 443 (1872); Glover, Ill. N.
 Amer. Orth. pl. 9. f. 9 (1872); Howard,
 Insect Book, pl. 35. f. 6 (1902).
C. Fuliginosus, **Scudd.** Canad. Ent. xxix.
 p. 74 (1897); Cock. l. c. p. 180 (1904).
 2. **C. Bruneri**, **Scudd.** l. c. p. 74 (1897). California.

3. **C. Occidentalis, Thom.** (*Locusta O.*) California,
 l. c. p. 444, pl. 2. f. 16 (1872). Nevada,
C. Occidentalis, Scudd. l. c. p. 74 (1897); Utah.
 Cock. l. c. p. 180 (1904).
C. Occidentalis, var. Viridis, Cock. l. c.
 (1904).

Genus 117. **Neobarrettia.**

Rehn, Ent. News, xii. p. 16 (1901);
 Trans. Amer. Ent. Soc. xxvii. p. 229 (1901).

1. **N. Imperfecta, Rehn,** (*Capnobotes Im-* Mexico.
perfectus) Trans. Amer. Ent. Soc. xxvii.
 p. 89 (1900); Cockerell, Ent. xxxvii.
 p. 180 (1904).

Genus 118. **Apote.**

Scudd. Canad. Ent. xxix. p. 73 (1897);
 Guide N. Amer. Orth. p. 55 (1897).

1. **A. Notabilis, Scudd.** Canad. Ent. xxix. Oregon.
 p. 73 (1897).

Genus 119. **Thorancistus.** (*Type no. 3.*)

Pict. Mém. Soc. Genève, xxx. (6) p. 61 (1888).

1. **T. Semiaeneus, Serv.** (*Thyreonotus S.*) Cape.
 Ins. Orth. p. 496 (1839).
 2. **T. Viridifer, Walk. (*Thyreonotus V.*) Natal.
 Derm. Salt. B. M. ii. p. 248. n. 7 (1869).
 3. **T. Peringueyi, Pict.** l. c. p. 62, pl. 1. Transvaal.
 f. 16; pl. 2. ff. 21, 21 c (1888).

Genus 120. **Arytropteris.**

Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 198, 204 (1874);
 Brunn. Ann. Mus. Genova, xxxiii. p. 185 (1893).

- **1. **A. Basalis, Walk.** (*Thyreonotus B.*) Natal.
 Derm. Salt. B. M. ii. p. 247. n. 6 (1869).
A. Angulosa, Herm. l. c. p. 204, pl. 4. ff. 31-
 36 (1874).

Genus 121. **Amuria.**

Brunn. Ann. Mus. Genova, xxxiii. p. 185 (1893); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 397 (1903).

1. **A. spec. ined.** | Amur.

Genus 122. **Stipator.** (Type no. 1.)

Rehn, Trans. Amer. Ent. Soc. xxvii. p. 90 (1900).

|| *Orchesticus*, Sauss. (nec Cab.) Rev. Zool. (2) xi. p. 201 (1859); Brunn. Ann. Mus. Genova, xxxiii. p. 186 (1893); Seudd. (Canad. Ent. xxvi. pp. 178, 180 (1894); Guide N. Amer. Orth. p. 55 (1897).

1. **S. Americanus**, Sauss. (*Orchesticus* A.) Tennessee. l. c. p. 201 (1859).
2. **S. Nigromarginatus**, Caud. (*Orchesticus nigromarginatus*) Trans. Amer. Ent. Soc. xxviii. p. 89 (1902). Texas.
3. **S. Haldemanii**, Girard, (*Anabrus* H.) Louisiana. Marcy, Expl. Red River Louis. p. 259, Zool. pl. 16. ff. 5-8 (1853).
4. **S. Minutus**, Thom. (*Anabrus* M.) Proc. Colorado. Acad. Nat. Sci. Philad. 1870, p. 75.
5. **S. Stevensonii**, Thom. (*Anabrus* S.) l. c. id. p. 75 (1870).
6. **S. Cragini**, Bruner, (*Thyreonotus* C.) Kansas. Bull. Washburn Coll. i. p. 129 (1885).
7. **S. Scudderii**, Bruner, (*Thyreonotus* S.) id. l. c. (1885).
8. **S. Grandis**, Rehn, Proc. Acad. Nat. Sci. Mexico. Philad. lvi. p. 544 (1904).

Genus 123. **Anonconotus.** (Type no. 1.) **

Camerano, Atti Accad. Torino, xiii. p. 1191 (1878); Griff. Boll. Mus. Torino, vii. (125) p. 3 (1892)^{o. 143}; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 397 (1903).

Anulota, Brunn. Prodr. Eur. Orth. p. 316 (1882); Ann. Mus. Genova, xxxiii. p. 186 (1892); Finot, Orth. France, pp. 92, 104 (1883); Faune France, Orth. p. 193 (1889); Tiimper. Geradfl. Mitteleuropas, p. 270 (1901). (Type no. 1.)

- *1. **A. Alpinus**, Yers. (*Pterolepis* Alpina) Switzerland Ann. Soc. Ent. France, (3) vi. p. 111, Jura, pl. 4 (i.) ff. 1-9 (1858). * Piedmont.
Anulota Alpina, Brunn. l. c. p. 317. n. 1.

* First description in Ann. Soc. Ent. Fr., vol. V. ser 3. Bull. p. clxi

** No an originally included species. # 3 is type

- pl. 9. f. 77 A, B (1882); Finot, ll. cc. p. 104. n. 1 (1883); p. 193, pl. 10. f. 134 (1889); Tümp. l. c. p. 270 (1901).
A. Alpinus, *Griff.* l. c. p. 4 (1892); Jacobs. & Bianchi, l. c. p. 397 (1903).
2. **A. Appenninigenus, Targ.-Tozz.** (*Omalota Appenninigena*) Bull. Soc. Ent. Ital. xiii. p. 184 (1881). Florence.
Analota Appenninigena, *Brunn.* l. c. p. 317. n. 2 (1882); Azam, Ann. Soc. Ent. France, lxii. p. 194 (1893).
A. Appenninigena, *Griff.* l. c. p. 3 (1892).
3. **A. Ghiliani, Camerano,** l. c. p. 1191 Piedmont. (1878).
A. Ghiliani, *Griff.* l. c. p. 4 (1892).

Genus 124. **Gampsocleis.** (*Type* no. 1.)

Fieb. Kelch, Grundl. Orth. Oberschles. pp. 2, 8 (1852); Lotos, iii. p. 147 (1853); Syn. Eur. Orth. p. 38 (1854); Fisch. Orth. Eur. p. 254 (1853); Friv. Értek. Termész. Oszt. Kör. i. (12) pp. 84, 116 (1868); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 197, 201 (1874); Bol. Ortópt. Españ. pp. 237, 258 (1876); An. Soc. Españ. vi. pp. 319, 340 (1877); Brunn. Prodr. Eur. Orth. p. 318 (1882); Ann. Mus. Genova, xxxiii. p. 186 (1893); Finot, Orth. France, pp. 92, 105 (1883); Faune France, Orth. pp. 175, 193 (1889); Burr, Ent. Rec. xi. p. 296 (1899); Tümp. Geradfl. Mitteleuropas, p. 268 (1901); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 398 (1903).

- *1. **G. Glabra, Herbst,** (*Locusta G.*) Fuessly, Central, Arch. Ins. viii. p. 193. n. 6 (1786); Phil. S. & E. Orth. Berol. p. 22. n. 6, pl. 1. f. 1 Europe. (1830).
Locusta Prima, *Schüff.* Icon. Ins. Ratisb. i. (2) pl. 62. ff. 1, 2 (1776?).
Decticus Glaber, *Burm.* Handb. Ent. ii. p. 713. n. 16 (1838).
Gampsocleis Glaber, *Fieb.* Lotos, iii. p. 147 (1853); Syn. Eur. Orth. p. 38. n. 1 (1854).
G. Glabra, *Fisch.* l. c. p. 255, pl. 13. ff. 18-18 a-e (1853); Friv. l. c. p. 116 (1868); Walk. Cat. Derm. Salt. B. M. ii. p. 243.

- n. 1 (1869); Rudow, Zeitschr. ges. Naturw. xlii. p. 312. n. 53 (1873); Bol. ll. cc. p. 260, pl. 6. ff. 7, 7 a (1876); p. 342. pl. 5. ff. 7, 7 a (1877); Brunn. Prodr. Eur. Orth. p. 318. n. 1 (1882); Finot, ll. cc. p. 105 (1883); p. 194. pl. 10. f. 135 (1889); Tümp. l. c. p. 268 (1901); Jacobs. & Bianchi, l. c. p. 399 (1903).
Locusta Maculata, Charp. Hor. Ent. p. 122. pl. 3. f. 5 (1825).
Decticus Maculata, Fisch. Waldh. Bull. Mosc. vi. p. 372 (1833).
Decticus Maculatus, Fisch. Waldh. Orth. Ross. p. 158, pl. 4. ff. 4, 5 (1846).
Decticus Alberti, Seidl. Weitenweber Beitr. i. p. 215 (1837).
2. **G. Gratiiosa, Millet**, (*Decticus Gratosus*) France.
 Faun. Invert. Maine-et-Loire, i. p. 307 (1828). \ 1870.
3. **G. Assoi, Bol.** (*G. Glabra* var. *Assoi*) Spain.
 Ann. Sci. Nat. Porto, vi. p. 13 (1900).
G. Glabra, Pantel, An. Soc. Españ. xxv. p. 100 (1876).
- *4. **G. Abbreviata, Herm.** l. c. p. 201, pl. 3. S.E. Europe.
 ff. 1-7 (1874); Brunn. l. c. p. 319 (1882);
 Jacobs. & Bianchi, l. c. p. 398 (1903).
5. **G. Recticauda, Jacobs. & Bianchi**, l. c. Asia Minor.
 p. 398 (1903).
- *6. **G. Spinulosa, Krauss**, Zool. Anz. xxiv. Hoang Ho.
 p. 239 (1901).
- *7. **G. Sedakovii, Fisch. Waldh.** (*Decticus* Irkutsk.
S.) Orth. Ross. p. 161, pl. 28. ff. 3, 4
 (1846).
8. **G. Tamerlana, Burr**, l. c. p. 297 (1899); Mongolia:
 Jacobs. & Bianchi, l. c. p. 399 (1903). Urga.
- **9. **G. Obscurus, Walk.** (*Decticus O.*) l. c. Corea,
 ii. p. 261. n. 33 (1869). China.
- || *G. Gratiiosa*, Brunn. (nec Millet) Verh. zool.-bot. Ges. Wien, xii. p. 94 (1862); Pict. Mém. Soc. Genève, xxx. (6) p. 57, pl. 3. f. 34 (1888); Jacobs. & Bianchi, l. c. p. 398 (1903).
- **10. **G. Sinensis, Walk.** (*Decticus S.*) l. c. ii. Amoy.
 p. 261. n. 32 (1869).
11. **G. Mikado, Burr**, l. c. p. 297 (1899); Japan.
 Jacobs. & Bianchi, l. c. p. 399 (1903).

12. **G. Buergeri, Haan**, (*Decticus* B.) Temminck, Verhandel., Orth. p. 214 (1842). Japan.
G. Buergeri, Jacobs. & Bianchi, l. c. p. 399 (1903).
G. Mutsolito, Burr, l. c. p. 297 (1899).

Genus 125. **Pterolepis**. (*Type* no. 1.)

Ramb. Faune Andal. ii. p. 59 (1839); Fisch. Orth. Eur. p. 256 (1853); Fieb. Lotos, iii. p. 153 (1853); Syn. Eur. Orth. p. 43 (1854); Bol. Ortópt. Españ. pp. 237, 254 (1876); An. Soc. Españ. vi. pp. 319, 336 (1877); Ann. Sci. Nat. Porto, p. 13 (1900); Brunn. Prodr. Eur. Orth. p. 319 (1882).

1. **P. Spoliata, Ramb.** l. c. p. 60, pl. 5. S. Spain.
 ff. 4, 5 (1839); Fisch. l. c. p. 257, n. 1, pl. 13. ff. 19, 19*a* (1853); Bol. ll. cc. p. 256, n. 2 (1876); p. 338, n. 2 (1877); p. 14 (1900); Brunn. l. c. p. 320, pl. 9. f. 79 (1882).
P. Spoliata, var. *Minor*, Bol. Ann. Sci. Nat. Porto, vi. p. 14 (1900).
 2. **P. Cordubensis, Bol.** l. c. p. 14 (1900). Cordova.
 3. **P. Gessardi, Bonnet**, Le Naturaliste, Tunis.
 viii. p. 245 (1886).
 4. **P. Indigena, Finot**, Bull. Soc. Ent. Algeria.
 France, lxii. p. ccl (1893).

Genus 126. **Rhacocleis**. (*Type* no. 5.)

Fieb. Lotos, iii. p. 148 (1853); Syn. Eur. Orth. p. 38 (1854); Friv. Ertek. Termész. Kör. i. (12) pp. 84, 117 (1867); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 197, 201 (1874); Brunn. Prodr. Eur. Orth. p. 320 (1882); Ann. Mus. Genova, xxxiii. p. 186 (1893); Finot, Faune France, Orth. pp. 175, 194 (1889); Tümp. Geradtl. Mitteleuropas, p. 268 (1901); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 399 (1903).

- *1. **R. Germanica, Herr.-Schäff.** (*Decticus* G.) Nomencl. Ent. ii. Orth. p. 13 (1840). Provence, Italy.
Pterolepis Germanica, Fisch. Orth. Eur. p. 259, n. 3, pl. 13. ff. 21, 21*a* (1853). S.E. Europe, Asia Minor.
R. Germanica, Jacobs. & Bianchi, l. c. p. 400 (1903).

- Pterolepis Modesta*, Fisch. l. c. n. 4, pl. 13. ff. 22, 22*, 22 a-d (1853).
- R. Discrepans*, Fieb. l. c. p. 148 (1853); Brunn. Verh. zool.-bot. Ges. Wien. xi. p. 302, pl. 15. f. 18 A-F (1861); Prodr. Eur. Orth. p. 321. n. 1 (1882); Friv. l. c. p. 117 (1867); Finot, l. c. p. 195 (1889); Tümp. l. c. p. 268 (1900).
- *2. **R. Buchichii**, Herm. l. c. p. 201, pl. 3. Dalmatia. ff. 8-13 (1874).
R. Buccichi, Brunn. Prodr. Eur. Orth. p. 322. n. 3, pl. 9. f. 80 A-C (1882); Jacobs. & Bianchi, l. c. p. 400 (1903).
3. **R. Bormansi**, Brunn. l. c. p. 322. n. 3 Italy. (1882).
|| *R. Buccichii*, Dubr. Ann. Mus. Genov. xii. p. 21 (1878).
4. **R. Ramburi**, Serv. (*Pterolepis R.*) Ins. S. France. Orth. p. 493 (1839).
5. **R. Annulatus**, Fieb. l. c. p. 148 (1853). Sicily.
R. Annulata, Brunn. l. c. p. 323. n. 4 (1882).
Pterolepis Brisoutii, Yers. Ann. Soc. Ent. France, (3) viii. p. 520, pl. 10. ff. 11-16 (1860).
6. **R. Maura**, Bonnet, Le Nat. viii. p. 246 Tunis. (1886).
7. **R. Neglecta**, Costa, (*Pterolepis N.*) Calabria. Ent. Calabria ult. p. 27, pl. 1. ff. 11, 12 (1863).
R. Neglecta, Brunn. l. c. p. 323. n. 5 (1882).
8. **R. Parvula**, Costa, Atti Accad. Torino, Sardinia. (2) i. (9) p. 50 (1884).

Genus 127. **Thyreonotus**. (*Type* no. 1.)

Serv. Ins. Orth. p. 495 (1839); Fisch. Orth. Eur. p. 256 (1853); Fieb. Lotos, iv. p. 220 (1854); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 198, 203 (1874); Bol. Ortópt. Españ. pp. 237, 257 (1876); An. Soc. Españ. vi. pp. 319, 339 (1877); Brunn. Prodr. Eur. Orth. p. 324 (1882); Ann. Mus. Genov. xxxiii. p. 186 (1893); Finot, Orth. France. pp. 92, 105 (1883); Faune France, Orth. pp. 175, 195 (1889).

1. **T. Corsicus, Ramb.** (*Pterolepis Corsica*) Corsica,
Faune Andal. ii. p. 60 note (1839). S. France,
T. Corsicus, Serr. l. c. p. 497 (1839) : Spain.
Fisch. l. c. p. 256 (1853); *Fieb.* l. c.
p. 220 (1854); *Brunn. Verh. zool.-bot.*
Ges. Wien, xi. p. 288, pl. 8. f. 2 A-E
(1861); *Prodr. Eur. Orth.* p. 324, pl. 9.
f. 81 A, B (1882); *Herm.* l. c. p. 203.
pl. 4. ff. 25-30 (1874); *Bol.* ll. cc. p. 257,
pl. 5. ff. 5, 5 *a, b* (1876); p. 339, pl. 5. ff. 5,
5 *a, b* (1877); *Ann. Sci. Nat. Porto*, vi.
p. 16 (1900); *Finot*, ll. cc. p. 105 (1883);
p. 196, pl. 10. f. 137 (1889).
T. Corsicus, var. *Montana*, *Bol.* *Ann. Sci.* S. France,
Nat. Porto, vi. p. 16 (1900). N. Spain.
2. **T. Bidens, Bol.** *An. Soc. Españ.* xvi. Spain,
p. 101, pl. 4. f. 11 (1887); *Ann. Sci.* Portugal.
Nat. Porto, vi. pp. 16, 17 (1900).

Genus 128. **Antaxius.** (*Type* no. 9.)

Brunn. Prodr. Eur. Orth. p. 324 (1882); *Ann. Mus. Genova*,
xxxiii. p. 186 (1903); *Finot*, *Orth. France*, pp. 92, 106
(1883); *Faune France, Orth.* pp. 175, 196 (1889); *Bol.*
Ann. Sci. Nat. Porto, vi. p. 17 (1900); *Tümp. Geradfl.*
Mitteleuropas, p. 269 (1900); *Jacobs. & Bianchi, Prem. i*
Lozhn. Ross. Imp. p. 400 (1903).

1. **A. Spinibrachius, Fisch.** (*Pterolepis* Spain,
Spinibrachia) *Orth. Eur.* p. 258, pl. 13. Portugal.
ff. 20, 20 *a, b* (1853); *Bol. Ortópt. Españ.*
p. 255, pl. 6. ff. 2, 2 *a-c* (1876); *An. Soc.*
Españ. vi. p. 255, pl. 5. ff. 2, 2 *a-c*
(1877).
A. Spinibrachius, Brunn. Prodr. Eur. Orth.
p. 325. n. 1 (1882); *Paut. An. Soc.*
Españ. xxv. pp. 102, 105 (1896); *Bol.*
An. Sci. Nat. Porto, vi. pp. 18, 19
(1900).
2. **A. Pedata, Costa,** (*Pterolepis P.*) Atti Sardinia.
Accad. Nap. ix. (11) p. 33 (1882).
3. **A. Kraussi, Bol.** (*Paradrymadusa K.*) Spain,
An. Soc. Españ. vii. p. 440, pl. 4. ff. 7, 7 *a* Portugal.
(1878).

- A. Kraussi*, *Pant.* l. c. p. 105 (1896); *Bol.*
Ann. Sci. Nat. Porto, vi. p. 18 (1900).
4. **A. Pedestris**, **Fabr.** (*Lorusta P.*) *Mant.* Italy,
Ins. i. p. 235. n. 34 (1787); *Charp. Hor.* France,
Ent. p. 118 (1825). Spain,
Pterolepis Pedestris, *Fisch.* l. c. p. 260. n. 3, Switzerland
 pl. 13. ff. 23, 23 *a-c*, 24, 24 *a, b* (1853). Tyrol,
A. Pedestris, *Brunn.* *Prodr. Eur. Orth.* Caucasus.
 p. 326. n. 2 (1882); *Finot*, *Il. ec.* p. 106
 (1883); p. 197 (1889); *Cazurro*, *An.*
Soc. Españ. xvii. p. 460 (1888); *Bol.*
Ann. Sci. Nat. Porto, vi. p. 18 (1900);
Jacobs. & Bianchi, l. c. p. 400 (1903).
5. **A. Hispanicus**, **Bol.** *C.R. Soc. Ent.* Spain.
Belg. xxviii. p. civ (1884); *An. Soc.*
Españ. xvi. p. 103 (1887); *Ann. Sci.*
Nat. Porto, vi. p. 18 (1900); *Cazurro*,
l. c. p. 461 (1888).
 || *A. Kraussi*, *Brunn.* (*nec Bol.*) l. c. p. 326.
 n. 3 (1882).
6. **A. Sorrezensis**, **Marq.** (*Thamnotrizon* Languedoc
S.) *Bull. Soc. Toulouse*, xi. p. 153, pl. 1.
 ff. 3, 3 *b* (1877).
A. Sorrezensis, *Finot*, *Il. ec.* pp. 106, 107
 (1883); p. 198 (1889).
7. **A. Capellei**, **Cazurro**, l. c. p. 459 (1888); Montserrat.
Bol. Ann. Sci. Nat. Porto, vi. pp. 19, 20
 (1900).
8. **A. Florezi**, **Bol.** l. c. pp. 19, 20 (1900). Spain.
9. **A. Brunneri**, **Krauss**, (*Pterolepis B.*) Tyrol,
Verh. zool.-bot. Ges. Wien, xxiii. p. 20, pl. 1. Grisons.
 ff. 8-15 (1873); *Herm. Verh. zool.-bot.*
Ges. Wien, xxiv. p. 205, pl. 4. ff. 37-42
 (1874).
A. Brunneri, *Brunn.* l. c. p. 326. n. 4, pl. 9.
 f. 82 (1882); *Tümp.* l. c. p. 269 (1900);
Jacobs. & Bianchi, l. c. p. 401 (1903).
10. **A. Difformis**, **Brunn.** (*Thamnotrizon D.*) Carniola.
Verh. zool.-bot. Ges. Wien, xi. p. 298,
 pl. 13. f. 13 *A-E* (1861).
Pterolepis Difformis, *Krauss*, l. c. p. 22 (1873).
A. Difformis, *Brunn.* *Prodr. Eur. Orth.*
 p. 327. n. 5 (1882); *Tümp.* l. c. p. 269
 (1900); *Jacobs. & Bianchi*, l. c. p. 401
 (1903).
11. **A. Armillata**, **Serv.** (*Pterolepis A.*) *Ins.* Hab. — ?
Orth. p. 494. n. 4 (1839).

Genus 129. **Metaballus.**

Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 197, 202 (1874) ;
 Brunn. Ann. Mus. Genova, xxxiii. p. 186 (1893).

- *1. **M. Sagæformis**, Herm. l. c. p. 202, Australia.
 pl. 3. ff. 14-19 (1874), *immature*.

Genus 130. **Lanciana.**

Walk. Cat. Derm. Salt. B. M. ii. p. 280 (1869).

- **1. **L. Albicornis**, Walk. l. c. p. 281. n. 1 | Australia.
 (1869).

Genus 131. **Chlorobalius.** (*Type* no. 1.)

Tepper, Horn Exped. Centr. Australia, ii. p. 375 (1896).

- *1. **C. Leucoviridis**, Tepp. l. c. (1896). | Cent. Austr.
 2. **C. Frontalis, Walk. (*Decticus F.*) Cat. | Hab. — ?
 Derm. Salt. B. M. ii. p. 264. n. 37
 (1869).
 3. **C. (?) Australis, Walk. (*Ephippiger A.*) | Swan River.
 l. c. p. 238. n. 25 (1869).
 4. **C. (?) Decticoides, Walk. (*Locusta D.*) | Australia.
 l. c. p. 285. n. 17 (1869).

Genus 132. **Rhachidorus.**

Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 197, 203 (1874) ;
 Brunn. Ann. Mus. Genova, xxxiii. p. 187 (1893).

1. **R. Marginatus**, Herm. l. c. p. 203. pl. 3. | N. Aus-
 ff. 20-24 (1874). | tralia.

Genus 133. **Dexerra.**

Walk. Cat. Derm. Salt. B. M. ii. p. 265 (1869).

- **1. **D. Turpis**, Walk. l. c. p. 266. n. 1 | Australia.
 (1869).

Genus 134. **Requena.**

Walk. Cat. Derm. Salt. B. M. ii. p. 248 (1869).

- **1. **R. Verticalis**, Walk. l. c. p. 249. n. 1 Swan River.
(1869).

Genus 135. **Tropizaspis.** (*Type* no. 4.)

Brunn. Ann. Mus. Genova, xxxiii. p. 187 (1893); Scudd.
Canad. Ent. xxvi. p. 178 (1894); Guide N. Amer. Orth.
p. 55 (1897); Proc. Amer. Acad. xxxv. p. 83 (1899).

1. **T. Ovata**, Scudd. Proc. Amer. Acad. California.
xxxv. p. 84 (1899).

2. **T. Castanea**, Scudd. l. c. (1899). id.

3. **T. Picturata**, Scudd. l. c. p. 85 (1899). Kennerly.

4. **T. Steindachneri**, Herm. (*Argyropterus* California,
S.) Verh. zool.-bot. Ges. Wien, xxiv. Oregon,
p. 204, pl. 6. ff. 98-102 (1874). Texas.

T. Steindachneri, Scudd. Canad. Ent. xxvi.
p. 180 (1894); Proc. Amer. Acad. xxxv.
p. 86 (1899).

5. **T. Diabolica**, Scudd. Proc. Amer. Acad. California.
xxxv. p. 86 (1899).

Genus 136. **Anabrus.** (*Type* no. 1.)

Hald., Stansbury, Exped. Great Salt Lake of Utah, p. 372
(1852); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 200,
209 (1874); Brunn. Ann. Mus. Genova, xxxiii. p. 187
(1883); Scudd. Canad. Ent. xxvi. pp. 178-181 (1894);
Guide N. Amer. Orth. p. 56 (1897); Thom. Hayden's
Rep. Geol. Surv. Montana, p. 440 (1872).

1. **A. Simplex**, Hald. l. c. p. 372, pl. 10. Utah,
f. 4 (1852); Glover, Ill. N. Amer. Orth. Idaho,
pl. 9. f. 1 (1872); Herm. l. c. p. 209, Montana,
pl. 6. ff. 76-86 (1874); Thom. l. c. p. 438, Nevada.
pl. 1. f. 1 (1872); Riley, Howard, Insect
Book, p. 342. f. 230 (1892); Gill. Entom.
News, xv. p. 321, pl. 1 (1904); Agric.
Exper. Stat. Colorado, Bull. ci. p. 1, pl. 1
(1905).

- *2. **A. Purpurascens, Uhler**, Proc. Ent. Soc. Philad. ii. p. 550 (1864). Minnesota, Texas, &c.
 3. **A. Similis, Scudd.** Rep. Geol. Surv. Nebraska. Nebraska, p. 249 (1872).
 4. **A. Coloradus, Thom.** l. c. p. 440 (1872). E. Colorado.

Genus 137. **Peranabrus.**

Scudd. Canad. Ent. xxvi. pp. 178, 181 (1894);
 Guide N. Amer. Orth. p. 56 (1897).

1. **P. Scabricollis, Thom.** (*Thamnotrizon* S.) Hayden's Rep. Geol. Surv. Montana. Montana. p. 441 (1872); Glover, Ill. N. Amer. Orth. pl. 13. f. 6 (1872).

Genus 138. **Eremopedes.** (Type no. 2.)

Scudd. Canad. Ent. xxvi. pp. 178, 181 (1894); Guide N. Amer. Orth. p. 56 (1897); Caud. Canad. Ent. xxxiv. p. 98 (1902).

1. **E. Popeana, Scudd.** Proc. Davenport Acad. Sci. ix. pp. 54, 55, pl. 4. f. 2 (1902). New Mexico
 2. **E. Scudderi, Cock.** Ann. Nat. Hist. (7) ii. p. 323 (1898); Scudd. l. c. pp. 54, 55 (1902); Caud. l. c. pp. 99, 101 (1902). id.
E. Scudderi, var. *Viridis*, Cock. l. c. p. 324 (1898).
E. Scudderi, var. *Bicolor*, Cock. Proc. Davenport Acad. Sci. ix. p. 54 (1902).
 3. **E. Unicolor, Scudd.** l. c. viii. p. 97, pl. 2. f. 1 (1901); ix. pp. 54, 55 (1902); Caud. l. c. pp. 98, 99 (1902); Proc. U. S. Nat. Mus. xxvi. p. 807 (1903). Arizona.
 4. **E. Balli, Caud.** ll. cc. pp. 98, 100 (1902); p. 807 (1903). id., Colorado.

Genus 139. **Cyphoderris.**

Uhl. Proc. Ent. Soc. Philad. ii. p. 551 (1864) ;
Caud. Journ. N. York Ent. Soc. xii. p. 47 (1904).

- | | |
|--|---|
| 1. C. Monstrosus , Uhl. l. c. p. 552 (1864) ;
Scudd. Canad. Ent. xxviii. p. 17 (1901) ;
Thom. Proc. Davenport Acad. Sci. i.
p. 263. n. 7, pl. 36. f. 7 (1876).
<i>C. Monstrosa</i> , Caud. l. c. pp. 48-52, ff. 1, 2
(1904).
Var. <i>C. Monstrosa Piperi</i> , Caud. l. c. p. 53
(1904). | Oregon,
Washington
Idaho,
Wyoming.

Washington |
|--|---|

Genus 140. **Cacopteris.** (*Type* no. 1.)

Scudd. Canad. Ent. xxvi. pp. 178, 181 (1874) ; Guide N.
Amer. Orth. p. 56 (1897) ; Proc. Amer. Acad. xxxv. p. 87
(1899).

- | | |
|--|-------------|
| 1. C. Inermis , Scudd. Proc. Amer. Acad. Nevada.
xxxv. p. 89 (1899). | |
| 2. C. Fuscopunctata , Scudd. l. c. (1899). | California. |
| 3. C. Sinuata , Scudd. l. c. p. 90 (1899). | Arizona. |
| 4. C. Ephippiata , Scudd. l. c. p. 91
(1899). | Sonora. |
| 5. C. Nevadensis , Scudd. l. c. (1899). | Nevada. |
| 6. C. Æqualis , Scudd. l. c. p. 92 (1899). | California. |
| 7. C. Femorata , Scudd. l. c. p. 93 (1899). | id. |

Genus 141. **Idiostatus.** (*Type* no. 1.)

Pict. Mém. Soc. Genève, xxx. (6) p. 63 (1889) ; Brunner,
Ann. Mus. Genova, xxxiii. p. 187 (1893) ; Scudd. Canad.
Ent. xxvi. pp. 128, 181 (1894) ; Guide N. Amer. Orth.
p. 56 (1897).

- | | |
|---|------------------------|
| *1. I. Hermannii , Thomas, (<i>Steiroys H.</i>)
Wheeler, Rep. Surv. W. 100th Merid.
v. p. 904, pl. 44. f. 4 (1875).
<i>I. Californicus</i> , Pict. l. c. p. 64, pl. 3.
ff. 35, 35a (1889). | California. |
| 2. I. Bilineatus , Thomas, (<i>Steiroys Bi-</i>
<i>lineatus</i>) l. c. p. 905 (1875). | Oregon,
San Carlos. |

Genus 142. **Steiroxys.** (Type no. 1.)

Herman, Verh. zool.-bot. Ges. Wien, xxiv. p. 200 (1874);
 Brunn. Ann. Mus. Genova, xxxiii. p. 187 (1893); Scudd.
 Canad. Ent. xxvi. pp. 179, 182 (1894); Guide N. Amer.
 Orth. p. 56 (1897).

- | | |
|--|--------------------------------|
| 1. S. Trilineatus, Thomas , (<i>Thamnotrizon T.</i>) Proc. Acad. Nat. Sci. Philad. 1870, p. 76; Glover, Ill. N. Amer. Orth. pl. 8. f. 5 (1872).
<i>S. Trilineata</i> , Herman, l. c. p. 207, pl. 5. ff. 64-69 (1874).
<i>S. Trilineatus</i> , Scudd. Canad. Ent. xxvi. p. 182 (1894). | Colorado,
Wyoming,
Utah. |
| 2. S. Borealis, Scudd. l. c. p. 182 (1894). | California,
Oregon. |
| 3. S. Pallidipalpus, Thomas , (<i>Decticus P.</i>) Hayden's Rep. U. S. Geol. Surv. Montana, p. 442 (1872).
<i>S. Pallidipalpus</i> , Scudd. l. c. p. 182 (1894). | Utah,
Idaho,
Nevada. |

Genus 143. **Neduba.** (Type no. 1.)

Walk. Cat. Derm. Salt. B. M. ii. p. 250 (1869).

Idionotus, Scudd. Canad. Ent. xxvi. pp. 179, 182 (1894);
 Guide N. Amer. Orth. p. 56 (1897). (Type no. 2.)

- | | |
|--|-------------|
| **1. N. Carinata, Walk. l. c. p. 251. n. 1 (1869). | California. |
| 2. N. Brunnea, Scudd. (<i>Idionotus Brunneus</i>) Proc. Davenport Acad. Sci. viii. p. 98, pl. 2. f. 2 (1901). | id. |

Genus 144. **Clinopleura.** (Type no. 1.)

Scudd. Canad. Ent. xxvi. pp. 179, 182 (1894);
 Guide N. Amer. Orth. p. 56 (1897).

- | | |
|---|-------------|
| 1. C. Melanopleura, Scudd. (<i>Steiroxys M.</i>) Wheeler's Ann. Rep. Surv. W. 100th Merid. App. JJ, p. 280 (1876). | California. |
| *2. C. Flavomarginata, Scudd. Canad. Ent. xxxii. p. 332 (1900). | id. |

Genus 145. **Plagiostira.** (*Type* no. 1.)

Scudd. Wheeler's Ann. Rep. Surv. W. 100th Merid. App. JJ, p. 281 (1876); Canad. Ent. xxvi. pp. 179, 182 (1894); Guide N. Amer. Orth. p. 57 (1897).

1. **P. Albonotata**, Scudd. l. c. p. 281 (1876). New Mexico.
2. **P. Albofasciata**, Scudd. & Cock. Proc. Davenport Acad. Sci. ix. p. 55, pl. 3. f. 2 (1902). id.

Genus 146. **Ateloplus.**

Scudd. Canad. Ent. xxvi. pp. 179, 182 (1894); Guide N. Amer. Orth. p. 57 (1897).

1. **A. Notatus**, Scudd. Proc. Davenport Acad. Sci. viii. p. 98, pl. 2. f. 3 (1901). California.

Genus 147. **Anterastes.** (*Type* no. 1.)

Brunn. Prodr. Eur. Orth. p. 328 (1882); Ann. Mus. Genova, xxxiii. p. 187 (1893); Finot, Orth. France, p. 93 (1883); Faune France, Orth. pp. 175, 198 (1889); Tümp. Geradfl. Mitteleuropas, p. 269 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 401 (1903).

- *1. **A. Serbicus**, Brunn. Prodr. Eur. Orth. p. 329. n. 1. pl. 9. f. 84 (1882); Jacobs. & Bianchi, l. c. p. 401 (1903). Servia,
Asia Minor.
- *2. **A. Raymondi**, Yers. (*Pterolepis Raymondii*) Ann. Soc. Ent. France, (3) viii. p. 524. n. 7. pl. 10. ff. 17-20 (Dec. 1860). S. & E.
Europe.
Rhacocleis Raymondi, Krauss, Sitz. Akad. Wiss. Wien, Math.-Nat. Cl. lxviii. (1) p. 511. n. 81 (1879).
A. Raymondi, Brunn. l. c. p. 329. n. 2 (1882); Finot, ll. cc. p. 110 (1883); p. 199, pl. 11. f. 139 (1889); Tümp. l. c. p. 269 (1900); Jacobs. & Bianchi, l. c. p. 402 (1903).
Thamnotrizon Dorsatus, Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 100 (1861).
Rhacocleis Dorsata, Brunn. l. c. p. 303, pl. 15. f. 19, A-C (1861).

Genus 148. **Ariagona.**

Krauss, Zool. Anz. xv. p. 170 (1892).

1. **A. Margaritæ, Krauss**, l. c. (1892). | Canaries.

Genus 149. **Ctenodecticus.** (*Type* no. 1.)

Bol. Ortópt. Españ. pp. 236, 250 (1876); An. Soc. Españ. vi. pp. 318, 332 (1877); Brunn. Prodr. Eur. Orth. p. 327 (1882); Ann. Mus. Genova, xxxiii. p. 187 (1893).

- | | |
|--|--------------------|
| 1. C. Pupulus, Bol. ll. cc. p. 252, pl. 6. ff. 1, 1 <i>a-e</i> (1876); p. 334. pl. 5. ff. 1, 1 <i>a-e</i> (1877); Ann. Sci. Nat. Porto, vi. pp. 21, 22 (1900); Brunn. Prodr. Eur. Orth. p. 328. n. 1, pl. 9. f. 83 A, B (1882). | Spain. |
| 2. C. Masferrerii, Bol. Actas Soc. Españ. xxiii. p. 87 (1894); Ann. Sci. Nat. Porto, vi. pp. 21, 22 (1900). | Montserrat. |
| *3. C. Bolivari, Targ.-Tozz. Bull. Soc. Ent. Ital. xiii. p. 186 (1881); Brunn. l. c. p. 328. n. 2 (1882). | Sardinia,
Oran. |
| 4. C. Costulatus, Costa , Atti Accad. Nap. (2) i. (2) p. 87 (1883). | Sardinia. |
| 5. C. Vasarensis, Finot , Bull. Soc. Ent. France, lxii. p. celi (1893). | Algeria. |

Genus 150. **Festella.**

Giglio-Tos, Boll. Mus. Torino, ix. (191) p. 3 (1894).

1. **F. Festæ, Giglio-Tos**, (*Ctenodecticus F.*) | Tiberias.
l. c. viii. (164) p. 15, pl. 1. f. 6 (1893).

Genus 151. **Pachytrachelus.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 169 (1853); Syn. Eur. Orth. p. 45 (1854); Brunn. Prodr. Eur. Orth. p. 330 (1882); Ann. Mus. Genova, xxxiii. p. 188 (1893); Tiimp. Geradtl. Mitteleuropas, p. 270 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 402 (1903).

- *1. **P. Striolatus, Fieb.** ll. cc. p. 169. n. 2 (1853); p. 45. n. 1 (1854); Brunn. Prodr. | S.E. Europe.

Eur. Orth. p. 331. n. 1 (1882); Tümp. l. c. p. 270 (1900); Jacobs. & Bianchi, l. c. p. 402 (1903).

Thamnotrizon Striolatus, Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 299, pl. 13. f. 14 A-E (1861); Herm. Verh. zool.-bot. Ges. Wien, xxiv. p. 210, pl. 6. ff. 91, 92 (1874).

Thamnotrizon Appendiculatus, Brunn. l. c. xi. p. 100 (1861).

*2. **P. Frater**, Brunn. Prodr. Eur. Orth. p. 331. n. 2 (1882); Jacobs. & Bianchi, l. c. p. 402 (1903). S.E. Europe, Palestine (?)

*3. **P. Gracilis**, Brunn. (*Thamnotrizon G.*) Verh. zool.-bot. Ges. Wien, xi. p. 299. n. 13, pl. 14. f. 15 A-E (1861); Friv. Értek. Termész. Kör. i. (12) p. 122, pl. 5. ff. 3, 3a (1867). S.E. Europe, Persia (?)

P. Gracilis, Brunn. Prodr. Eur. Orth. p. 332. n. 3, pl. 9. f. 85 A-C (1882); Jacobs. & Bianchi, l. c. p. 403 (1903).

Genus 152. **Pholidoptera**. (*Type* no. 23.)*

Wesm. Bull. Acad. Brux. v. p. 592 (1838).

|| *Micropteryx*, Steph. (*nec* Agassiz) Ill. Brit. Ent., Mand. vi. p. 12 (1835).

Olynthoscelis, Fisch. Waldh. Bull. Mosc. 1839, p. 110; Orth. Ross. p. 442 (1846); Bol. Ann. Sci. Nat. Porto. vi. p. 22 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 403 (1903). (*Type* no. 23.)

|| *Pterolepis*, Serv. (*nec* Ramb.) Ins. Orth. p. 491 (1839); Fieb. Lotos, iii. p. 153 (1853); Syn. Eur. Orth. p. 43 (1854); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 198, 205 (1874).

Thamnotrizon, Fisch. Orth. Eur. p. 261 (1853); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 291 (1861); Prodr. Eur. Orth. p. 332 (1882); Ann. Mus. Genova, xxxiii. p. 188 (1882); Friv. Értek. Termész. Kör. i. (12) p. 118 (1868); Bol. Ortópt. Españ. p. 236 (1876); An. Soc. Españ. vi. p. 318 (1877); Fiaot, Orth. France, pp. 93, 110 (1883); Faune France, Orth. p. 199 (1889); Burr. Brit. Orth. pp. 50, 55 (1897); Tümp. Geradtl. Mitteleuropas, pp. 223, 226, 266 (1900). (*Type* no. 23.)

*1. **P. Chabrieri**, Charp. (*Locusta C.*) Hor. | S. Europe,
Ent. p. 119 (1825). | Cyprus.

* # 19 is type.

- Decticus Chabrieri*, *Burm. Handb. Ent. ii.*
p. 712. n. 12 (1838).
- Pterolepis Chabrieri*, *Serr. l. c.* p. 493
(1839); *Fisch. Waldh. Orth. Ross.* p. 442
(1846); *Fieb. ll. cc.* p. 153 (1853);
p. 43 (1854).
- Thamnotrizon Chabrieri*, *Fisch. Orth. Eur.*
p. 263, pl. 13. ff. 13, 13 *a*, *b* (1853);
Brunn. Verh. zool.-bot. Ges. Wien, xi.
p. 293, pl. 10. ff. 6 A-D (1861); *Prodr.*
Eur. Orth. p. 334. n. 1 (1882); *Herm. l. c.*
p. 210, pl. 6. ff. 87, 88, 95, 96 (1874);
Krauss, Sitz. Akad. Wiss. Wien. Math.-Nat.
Cl. lxxviii. p. 512. n. 82 (1879); *Finot*,
ll. cc. p. 111 (1883); p. 200 (1889);
Tümp. l. c. pp. 226, 267, pl. 21 (1900);
Jacobs. & Bianchi, l. c. pl. 8 (1903).
- Olynthoscelis Chabrieri*, *Bol. Ann. Sci. Nat.*
Porto, vi. p. 22 (1900).
- || *Locusta Varia* (larva), *Petaqua (excl. syn.)*,
Inst. Ent. i. p. 315, pl. 10. f. 13 (1792).
- || *Olynthoscelis Varia*, *Jacobs. & Bianchi, l. c.*
p. 403, pl. 8 (1903).
- Thamnotrizon Schmidt*, *Fieb. Wien. Ent.*
Mon. v. p. 197 (1861).
- Thamnotrizon Magnificum*, *Costa, Atti*
Accad. Nap. i. (2) p. 28, pl. 3. ff. 1,
1 A, B, 2 (1863).
2. **P. Brunneri, Targ.-Tozz.** (*Thamnotrizon*
B.) *Bull. Soc. Ent. Ital. xiii.* p. 183
(1881); *Brunn. Prodr. Eur. Orth.* p. 335.
n. 2 (1882).
- *3. **P. Smyrnensis, Brunn.** (*Thamnotrizon S.*)
l. c. p. 336. n. 3 (1882).
Olynthoscelis Smyrnensis, *Jacobs. & Bianchi*,
l. c. p. 404 (1903).
|| *Thamnotrizon Chabrieri*, *Fieb. l. c. v.* p. 197
(1861).
4. **P. Annulipes, Brunn.** (*Thamnotrizon A.*)
l. c. p. 336. n. 4 (1882).
Olynthoscelis Annulipes, *Jacobs. & Bianchi*,
l. c. p. 404 (1903).
- *5. **P. Ledereri, Fieb.** (*Thamnotrizon L.*)
l. c. p. 196 (1861); *Brunn. l. c.* p. 336.
n. 5 (1882).
Olynthoscelis Ledereri, *Jacobs. & Bianchi*,
l. c. p. 404 (1903).

Abruzzi.

Macedonia,
Turkey,
Asia Minor,
Syria.Asia Minor,
Taurus.

Beyrout.

6. **P. Prasina, Brunn.** (*Thamnotrizon Prasinus*) l. c. p. 337. n. 6 (1882).
Olynthoscelis Prasina, Jacobs. & Bianchi,
l. c. p. 404 (1903). Smyrna.
7. **P. Indistincta, Bol.** (*Olynthoscelis Indistinctus*) A. n. Soc. Ent. Belg. xliii.
p. 601 (1899).
Olynthoscelis Indistincta, Jacobs. & Bianchi,
l. c. p. 404 (1903). Asia Minor.
8. **P. Castaneoviridis, Brunn.** (*Thamnotrizon C.*) l. c. p. 337. n. 7 (1882).
Olynthoscelis Castaneoviridis, Jacobs. & Bianchi,
l. c. p. 404 (1903). Brussa.
- *9. **P. Signata, Brunn.** (*Thamnotrizon Signatus*) Verh. zool.-bot. Ges. Wien, xi.
p. 295, pl. 11. ff. 9 A-C (1861); Prodr.
Eur. Orth. p. 337. n. 8 (1882).
Olynthoscelis Signata, Jacobs. & Bianchi,
l. c. p. 405 (1903). Asia Minor,
Cyprus.
10. **P. Punctifrons, Burm.** (*Decticus P.*) l. c.
p. 712. n. 13 (1838). Roumania,
Greece,
Thamnotrizon Punctifrons, Brunn. Verh.
zool.-bot. Ges. Wien, xi. p. 296 (1861);
Prodr. Eur. Orth. p. 338. n. 9 (1882). Egypt,
Syria.
Olynthoscelis Punctifrons, Jacobs. & Bianchi,
l. c. p. 405 (1903).
Pterolepis Ehrenbergii, Fieb. Lotos, iii. p. 154
(1853); Syn. Eur. Orth. p. 44. n. 10
(1854).
11. **P. Bucephalus, Brunn.** (*Thamnotrizon B.*)
Prodr. Eur. Orth. p. 338. n. 10 (1882). Asia Minor.
Olynthoscelis Bucephalus, Jacobs. & Bianchi,
l. c. p. 405 (1903).
12. **P. Pontica, Retowski,** (*Thamnotrizon Ponticus*) Bull. Mosc. (2) ii. (3) p. 412.
n. 43 (1888). Crimea.
Olynthoscelis Pontica, Jacobs. & Bianchi, l. c.
p. 405 (1903).
- *13. **P. Dalmatica, Krauss,** (*Thamnotrizon Dalmaticus*) l. c. p. 513, pl. 4. ff. 1, 1 A-D
(1879); Brunn. l. c. p. 339. n. 11 (1882); Dalmatia,
Tümp. l. c. p. 268 (1900). Istria,
Olynthoscelis Dalmatica, Jacobs. & Bianchi, Croatia,
l. c. p. 406 (1903). Bosnia,
Herze-
govina.
14. **P. Caucasica, Fisch. Waldh.** (*Pterolepis C.*) Orth. Ross. p. 215, pl. 27. f. 3 a, b
(1816). Caucasus.

15. **P. Tartarus, Sauss.** (*Thamnotrizon T.*) Turkestan.
Fedchenko, Reise Turk., Orth. p. 42
(1874).
Olynthoscelis Tartara, Jacobs. & Bianchi,
l. c. p. 406 (1903).
- *16. **P. Littoralis, Fieb.** (*Pterolepis L.*) ll. cc. Piedmont(?)
p. 153. n. 2 (1853); p. 44. n. 2 S.E. Europe.
(1854).
Thamnotrizon Littoralis, Brunn. Verh. zool.-
bot. Ges. Wien, xi. p. 295, pl. 11. ff. A-D
(1861); Krauss, l. c. p. 516. n. 86
(1879).
Thamnotrizon Litoralis, Brunn. Prodr. Eur.
Orth. p. 339. n. 12, pl. 9. f. 86 A, B
(1882); Tümp. l. c. pp. 226, 267
(1900).
Olynthoscelis Litoralis, Jacobs. & Bianchi,
l. c. p. 406 (1903).
Thamnotrizon Similis, Brunn. Verh. zool.-
bot. Ges. Wien, xi. p. 298, pl. 13. f. 12
A-E (1861); Friv. l. c. p. 121. n. 4, pl. 5.
ff. 2, 2a (1867).
- *17. **P. Transylvanica, Füss., Fisch.** (*Thamnotri- Hungary,*
zoon Transylvanicum) Verh. Mitth. Siebenb. Transyl-
Ver. Hermannstadt, iv. p. 42 (March vania,
1853). Servia,
Thamnotrizon Transsylvanicus, Fisch. l. c. Bosnia,
p. 264. n. 3, pl. 13. ff. 14, 14a (Nov. Bulgaria,
1853); Brunn. Prodr. Eur. Orth. p. 340. Herze-
n. 13 (1882). govina.
- Thamnotrizon Transylvanicus*, Friv. l. c.
p. 120. n. 3, pl. 4. ff. 6, 6a (1867).
Thamnotrizon Transsylvanicus, Brunn. l. c.
xi. p. 297, pl. 12. f. 10 A-E (1861).
Olynthoscelis Transsylvanica, Jacobs. & Bi-
anchi, l. c. p. 406 (1903).
- *18. **P. Frivaldskyi, Herm.** (*Thamnotrizon Hungary,*
Frivaldskyi) Verh. Mitth. Siebenb. Ver. Bosnia,
Nat. Hermannstadt, xxi. p. 35 (1871); Galicia,
Lomn. Mater. Faun. Szar. Gal. p. 5 Trans-
(1876). sylvania,
Thamnotrizon Frivaldskyi, Brunn. Prodr. Servia,
Eur. Orth. p. 341. n. 14 (1882). S. Russia.
Olynthoscelis Frivaldskyi, Jacobs. & Bianchi,
l. c. p. 407 (1903).

- *19. **P. Aptera, Fabr.** (*Locusta A.*) Ent. Syst. ii. p. 45. n. 43 (1795); Latr. Hist. Nat. Crust. Ins. xii. p. 134 (1804). S. France, Piedmont, S.E. Europe.
Thamnotrizon Apterus, Fisch. l. c. p. 262. n. 1, pl. 13. ff. 12, 12 a-c (1853); Türk. Wien. Ent. Mon. ii. p. 372 (1858); Brünn. Verh. zool.-bot. Ges. Wien, xi. p. 297. n. 9, pl. 12. f. 11 A-E (1861); Prodr. Eur. Orth. p. 341. n. 15 (1882); Gräber, Verh. zool.-bot. Ges. Wien, xvii. p. 266. n. 12 (1867); Friv. l. c. p. 120. n. 2 (1868); Herm. Verh. zool.-bot. Ges. Wien, xxiv. p. 210, pl. 6. ff. 89, 90, 93, 94, 97 (1874); Finot, Orth. France, pp. 111, 112 (1883); Faune France. Orth. pp. 201, 202 (1889); Tümp. l. c. p. 267 (1900).
Olynthoscelis Aptera, Jacobs. & Bianchi, l. c. p. 407 (1903).
Pterolepis Lugubris, Fieb. ll. cc. p. 168. n. 12 (1853); p. 44. n. 12 (1854).
Thamnotrizon Mikoi, Herm. Verh. Mitth. Siebenb. Ver. Nat. Hermannstadt, xxi. p. 35 (1871).
- *20. **P. Fallax, Fisch.** (*Thamnotrizon F.*) l. c. p. 265. n. 4, pl. 13. ff. 15, 15 a (1853); Krauss, l. c. p. 517. n. 89 (1879); Brunn. Prodr. Eur. Orth. p. 342. n. 16 (1882); Finot, ll. cc. pp. 111, 113 (1883); pp. 200, 201 (1889); Tümp. l. c. p. 266 (1900). S. Europe.
Olynthoscelis Fallax, Jacobs. & Bianchi, l. c. p. 407 (1903).
 || *Locusta Chabrieri*, Herr.-Schüff. (nec Charp.) Panzer, Ins. Germ. fasc. 157, pl. 15 (1838).
Thamnotrizon Austriacus, Türk. Wien. Ent. Mon. iv. p. 85 (1860); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 300. n. 14, pl. 14. f. 16 A-E (1861); Friv. l. c. p. 123, pl. 5. ff. 4, 4 a, b (1868).
- *21. **P. Femorata, Fieb.** (*Pterolepis Femoratus*) ll. cc. p. 153. n. 3 (1853); p. 44. n. 3 (1854). S. Europe, W. Asia.
Thamnotrizon Femoralis, Fieb. Wien. Ent. Mon. ii. pp. 194, 197 (1861).
Thamnotrizon Femoratus, Brunn. Prodr. Eur. Orth. p. 343. n. 17 (1889); Finot, ll. cc. pp. 112, 113 (1883); pp. 200, 202 (1889); Tümp. l. c. p. 266 (1900).

Olynthoscelis Femorata, Jacobs. & Bianchi,
l. c. p. 408 (1903).

|| *Thamnotrizon Fallax*, Vers. Ann. Soc. Ent.
France. (3) viii. p. 526, pl. 10. ff. 21-25
(1860); Brunn. Verh. zool.-bot. Ges. Wien,
xi. p. 293. n. 2, pl. 11. f. 7 A-C (1861);
Friv. l. c. p. 119. n. 1, pl. 4. ff. 5, 5 a, b
(1868).

|| *Thamnotrizon Chabrieri*, pt., Fisch. l. c.
pl. 13. f. 13 c (1853).

Thamnotrizon Noctivagus, Krauss, l. c. p. 512.
n. 83 (1879).

*22. **P. Griseoptera, De Geer**, (*Locusta G.*) Europe.

Mém. Ins. iii. p. 436. n. 5 (1773).

Thamnotrizon Griseopterus, Auriv. Ent.
Tidskr. xxi. p. 253 (1891).

Olynthoscelis Griseoptera, Jacobs. & Bianchi,
l. c. p. 408 (1903).

Gryllus Cinereus, Gmel. Syst. Nat. i. (4)
p. 2071. n. 28 (1789).

Locusta Cinerea, Zett. Orth. Succ. p. 70. n. 8
(1821); Hagenb. Symb. Faun. Ins. Helvet.
p. 30, ff. 17, 18 (1822).

Thamnotrizon Cinereus, Fisch. l. c. p. 265.
n. 5, pl. 13. ff. 16, 16 a, b, 17, 17*, 17 a
(1853); Türk, Wien. Ent. Mon. ii. p. 372.
n. 16 (1858); Brunn. l. c. xi. p. 301.
n. 15, pl. 17 A-E (1861); Prodr. Eur.
Orth. p. 343. n. 18 (1882); Friv. l. c.
p. 124 (1867); Rudow, Zeitschr. ges.
Naturw. xlii. p. 314. n. 62 (1873);
Finot, Il. cc. pp. 111, 113 (1883); pp. 200,
202 (1889); Burr, Brit. Orth. p. 55,
pl. 4. f. 12 (1897); Tiimp. l. c. p. 266,
pl. 21 (1900); Jacobs. & Bianchi, l. c.
pl. 8 (1903).

Pterolepis Cinerea, Fieb. Lotos, iii. p. 169.
n. 7 (1853); Syn. Eur. Orth. p. 45. n. 7
(1854).

Pholidoptera Cinerea, Selys, Ann. Soc. Ent.
Belg. vi. p. 113 (1862).

Olynthoscelis Cinerea, Bol. Ann. Sci. Nat.
Porto, vi. pp. 22, 23 (1900).

Locusta Clypeata, Panz. Faun. Ins. Germ.
ta-c. 33, pl. 4 (1796).

|| *Locusta Apteræ*, Charp. (nec Fabr.) Hor. Ent.
p. 117 (1825).

- || *Decticus Apterus*, Wesm. l. c. p. 592 (1838);
Burm. Handb. Ent. ii. p. 711. n. 10
(1838); Borek, Skand. Rätv. Ins. p. 78
(1848).
|| *Pterolepis Apteru*, Serv. Ins. Orth. p. 494.
n. 2 (1839).
|| *Micropteryx Aptera*, Steph. l. c. p. 12
(1835).
23. **P. Brevicollis**, **Costa**, (*Thamnotrizon* B.) Sardinia.
Atti Accad. Nap. ix. (11) p. 33 (1882).
24. **P. (?) Pustulipes**, **Fisch. Waldh.** (*Pterolepis* P.) Orth. Ross. p. 360 (1846); Crimea.
Jacobs. & Bianchi. l. c. p. 408 (1903).
Pterolepis Pustulosa, Fisch. Waldh. l. c.
pl. 33. f. 3 (1846).

Genus 153. **Chelidoptera**.* (*Type* no. 2.)

Wesm Bull. Acad. Brux. v. p. 591 (1838).

Platygeleis, Fieb., Kelch, Grundl. Kenntn. Orthopt. p. 2 (1852);
Lotos, iii. p. 149 (1853); Syn. Eur. Orth. p. 40 (1854);
Fisch. Orth. Eur. p. 269 (1853); Friv. Érték. Termész.
Kör. i. (12) p. 126 (1867); Herm. Verh. zool.-bot. Ges.
Wien, xxiv. pp. 199, 207 (1874); Bol. Ortópt. Españ.
pp. 236, 243 (1876); An. Soc. Españ. vi. pp. 318, 325
(1877); Ann. Sci. Nat. Porto, vi. p. 23 (1900); Brunn.
Prodr. Eur. Orth. pp. 248, 345 (1882); Ann. Mus. Genov.
xxxiii. p. 188 (1893); Finot, Orth. France, pp. 92, 114
(1883); Faune France, Orth. pp. 175, 203 (1889); Burr,
Brit. Orth. p. 56 (1897); Tümp. Geradfl. Mitteleuropas,
pp. 223, 225, 263 (1900); Jacobs. & Bianchi, Prem. i
Lozln. Ross. Imp. p. 408 (1903). (*Type* no. 2.)

Metrioptera Wesm., Bull. Acad. Brux. v. p. 591 (1838). (Type # 10).

1. **C. Truncata**, **Jacobs. & Bianchi**, l. c. Turkey,
p. 409 (1903). Greece,
Asia Minor.
 2. **C. Albopunctata**, **Goeze**, (*Tettigonia*
Albopunctatus) Ent. Beytr. ii. p. 89. n. 1
(1778). Europe,
Caucasus,
Asia Minor,
Syria,
Madeira.
- [Roes. Ins. Belust. ii. Henschrecken. p. 128,
pl. 20. f. 10.]
Locusta Grisea, Fabr. Spec. Ins. i. p. 359.
n. 22 (1781); Latr. Hist. Nat. Crust. Ins.
xii. p. 131. n. 3, pl. 98. f. 2 (1804); Zett.
Orth. Suec. p. 65 (1821); Hagenb. Symb.
Faun. Ins. Helv. p. 32. ff. 19, 20 (1822);
Charp. Hor. Ent. p. 120 (1825); Phil.
Orth. Berol. p. 22 (1830).

* Preoccupied in Asia in 1937.

Decticus Griseus, *Serr.* Ins. Orth. p. 488 (1839); *Burm.* Handb. Ent. ii. p. 710. n. 3 (1838); *Borck*, Skand. Rätv. Ins. p. 72 (1848); *Fisch.* Waldh. Orth. Ross. p. 165 (1846); *Rudow*, Zeitschr. ges. Naturw. xlii. p. 312. n. 55 (1873).

Decticus (Platygleis) Griseus, *Fisch.* l. c. p. 269. n. 1, pl. 13. ff. 3, 3 a-d (1853); *Türk.* Wien. Ent. Mon. ii. p. 373 (1858).

Platygleis Griseus, *Fieb.* ll. cc. p. 2 (1852); p. 149. n. 1 (1853); p. 40. n. 1 (1854); *Bol. Ortópt.* Españ. pp. 245, 247, pl. 5. f. 17 (1876); *An. Soc. Españ.* vi. pp. 327, 329, pl. 4. f. 17 (1877).

Platygleis Grisea, *Friv.* l. c. p. 126 (1867); *Brumm.* Prodr. Eur. Orth. p. 347. n. 1 (1882); *Finot*, ll. cc. pp. 114, 116 (1883); pp. 204, 205 (1889); *Burr.* l. c. p. 57, pl. 4. f. 13 (1897); *Bol. Ann. Sci. Nat. Porto*, vi. pp. 24, 26 (1900); *Tümp.* l. c. pp. 225, 263, pl. 21 (1900); *Jacobs. & Bianchi*, l. c. p. 409, pl. 8 (1903).

Locusta Striata, *Thunb.* Mém. Acad. Pétersb. v. p. 283 (1815).

Locusta Denticulata, *Panz.* Faun. Ins. Germ. Heft 33, pl. 5 (1796).

Locusta Falcata, *Zett.* l. c. p. 68 (1821).*

*3. **C. Bicolor**, **Phil.** (*Locusta B.*) Orth. Berol. p. 24. n. 9 (1830).

Decticus Bicolor, *Burm.* l. c. p. 711. n. 8 (1838); *Fisch.* Waldh. l. c. p. 173. n. 15 (1846); *Fisch.* Jahresh. Mannheim. Ver. Naturk. xv. p. 47 (1849).

Micropteryx Bicolor, *Fisch.* l. c. xvi. p. 36 (1850).

Decticus (Platygleis) Bicolor, *Fisch.* Orth. Eur. p. 273. n. 5, pl. 13. ff. 7, 7 a, b, 8, 8 a, b (1853); *Türk.* l. c. ii. p. 373. n. 20 (1858); *Rudow*, l. c. p. 313, n. 58 (1873).

Platygleis Bicolor, *Fieb.* Lotos, iii. p. 152. n. 10 (1853); *Syn. Eur. Orth.* p. 42. n. 10 (1854); *Friv.* l. c. p. 129 (1867); *Brumm.* l. c. p. 361. n. 22 (1882); *Finot*, ll. cc. pp. 116, 119 (1883); pp. 204, 212 (1889); *Bol. Ann. Sci. Nat. Porto*, vi. pp. 24, 26 (1900); *Tümp.* l. c. pp. 225, 364 (1900); *Jacobs. & Bianchi*, l. c. p. 416 (1903).

S., E. &
Centr.
Europe,
Amur.

* Now new, in *Tryblus (Tallignia) falcata falcata* *Scudder*, *Ann.*, Syst. New., ed. XIII, vol. I. p. 14, p. 2070 (1789).

- Decticus Abbreriatius*, *Serr.* l. c. p. 490. n. 9 (1839).
Locusta Viennensis, *Marsch.* Ann. Wien. Mus. i. p. 209, pl. 18. f. 1 (1835).
 Var. *Decticus Sieboldii*, *Fisch.* Jahresh. Mannheim. Ver. Naturh. xv. p. 46 (1849).
 || *Decticus Griseus*, *Fisch. Waldh.* l. c. pl. 10. f. 4 (1846).
4. **C. Carpetana**, **Bol.** (*Platygleis C.*) An. Spain.
 Soc. Españ. xvi. p. 106, pl. 4. f. 12 (1887); Ann. Sci. Nat. Porto, vi. pp. 24, 26 (1900).
5. **C. Taurica**, **Bol.** (*Platygleis T.*) Ann. Soc. Asia Minor.
 Ent. Belg. xliii. p. 603 (1899); Jacobs. & Bianchi, l. c. p. 413 (1903).
6. **C. Bonneti**, **Bol.** (*Platygleis B.*) An. Soc. Japan.
 Españ. xix. p. 326 (1890); Jacobs. & Bianchi, l. c. p. 415 (1903).
7. **C. Decorata**, **Fieb.** (*Platygleis Decoratus*) Spain, Portugal.
 ll. cc. p. 151. n. 8 (1853); p. 41. n. 8 (1854).
Platygleis Decorata, *Brunn.* Verh. zool.-bot. Ges. Wien, xi. p. 289, pl. 10. f. 4 A-F (1861); Prodr. Eur. Orth. p. 355. n. 13 (1882); Bol. Ann. Sci. Nat. Porto, vi. pp. 24, 26 (1900).
Platygleis Andalusicus, *Bol.* Ortópt. Españ. pp. 245, 249 (1876); An. Soc. Españ. vi. pp. 327, 331 (1877).
8. **C. Kabyla**, **Finot**, (*Platygleis K.*) Bull. Algeria.
 Soc. Ent. France, lxii. p. celi (1893).
- *9. **C. Intermedia**, **Serv.** (*Decticus Intermedius*) l. c. p. 488. n. 4 (1839). S. & E.
Platygleis Intermedia, *Fieb.* ll. cc. p. 150. Europe,
 n. 4 (1853); p. 40. n. 3 (1854); Herm. N. Africa,
 Verh. zool.-bot. Ges. Wien, xxiv. p. 207, W. & Centr.
 pl. v. ff. 59-63 (1874); Krauss. Sitz. Asia.
 Akad. Wiss. Wien, Math.-Nat. Cl. lxxviii. (1) p. 519. n. 92 (1879); Brunn. Prodr. Eur. Orth. p. 349. n. 2 (1882); Finot. Orth. France, pp. 115, 117 (1883); Faun. France, Orth. pp. 204, 205 (1889); Bol. Ann. Sci. Nat. Porto, vi. pp. 24, 26 (1900); Tümp. l. c. pp. 226, 269 (1900); Jacobs. & Bianchi, l. c. p. 409 (1903).
Platygleis Intermedius, *Bol.* Ortópt. Españ. pp. 245, 248 (1876); An. Soc. Españ. vi. pp. 327, 330 (1877).

- Decticus* (*Platypleis*) *Griseus*, var. *Major*,
Fisch. l. c. p. 270 (1853).
Decticus Krinickii, *Fisch. Waldh.* l. c. p. 164
 (1846); *Kittary*, *Bull. Mosc.* xxii. (2)
 p. 456 (1849).
Decticus Krinickii, *Fisch. Waldh.* l. c.
 p. 407 (1846).
 || *Decticus Tessellatus*, *Fisch. Waldh.* (*nec*
Charp.) l. c. pl. 10. f. 3 (1846).
10. **C. Umbilicata**, **Costa**, (*Platypleis* *U.*) Sardinia.
Bull. Soc. Ent. Ital. xvii. p. 242 (1885);
Atti Accad. Nap. (2) i. (13) p. 15 (1885).
11. **C. Laticauda**, **Brunn.** (*Platypleis* *L.*) l. c. Sicily,
 p. 349. n. 4 (1882); *Bol. Ann. Sci. Nat.* Spain,
Porto, vi. pp. 24, 25 (1900). Algeria.
12. **C. Affinis**, **Fieb.** (*Platypleis* *A.*) ll. cc. S. Europe,
 p. 150. n. 2 (1853); p. 40. n. 2 (1854); N. Africa,
Brunn. Verh. zool.-bot. Ges. Wien, W. Asia.
 xi. p. 289 (1861); *Prodr. Eur. Orth.*
 p. 349. n. 4 (1882); *Krauss*, l. c. p. 519.
 n. 93, pl. 4. ff. 2, 2 A, B (1879); *Bol.*
Ortópt. Españ. pp. 245, 246, pl. 6. ff. 6,
 6 a, b (1876); *Ann. Soc. Españ.* vi.
 pp. 327, 328, pl. 5. ff. 6, 6 a, b (1877);
Ann. Sci. Nat. Porto, vi. pp. 24, 25
 (1900); *Finot*, ll. cc. pp. 115, 117 (1883);
 pp. 204, 206 (1889); *Tümp.* l. c. pp. 226,
 263, pl. 21 (1900); *Jacobs. & Bianchi*,
 l. c. p. 410, pl. 8 (1903).
13. **C. Escaleraei**, **Bol.** (*Platypleis* *E.*) Ann. Asia Minor.
Soc. Ent. Belg. xliii. p. 603 (1899).
- *14. **C. Tessellata**, **Charp.** (*Locusta* *T.*) l. c. S. Europe,
 p. 121, pl. 3. f. 4 (1825). N. Africa.
Decticus Tessellatus, *Serr.* l. c. p. 489 (1839).
Decticus Tessellatus, *Zell. Stett. Ent. Zeit.*
 x. pp. 111, 113 (1849).
Decticus (*Platypleis*) *Tessellatus*, *Fisch.* l. c.
 p. 272. n. 3, pl. 13. ff. 6, 6 a-c (1853).
Platypleis Tessellatus, *Fieb.* ll. cc. p. 151.
 n. 7 (1853); p. 41. n. 7 (1854).
Platypleis Tessellatus, *Bol. Ortópt. Españ.*
 pp. 244, 245, pl. 5. f. 18 (1876); *An. Soc.*
Españ. vi. pp. 326, 327, pl. 4. f. 18
 (1877).
Platypleis Tessellata, *Tümp.* l. c. pp. 225,
 264 (1900).

- Platyceles Tessellata*, Krauss, l. c. p. 523. n. 95 (1879); Brunn. Prodr. Eur. Orth. p. 350. n. 5 (1882); Finot, ll. cc. pp. 114, 117 (1883); pp. 204, 206 (1889); Bol. Ann. Sci. Nat. Porto, vi. pp. 23, 25 (1900); Jacobs. & Bianchi, l. c. p. 410 (1903).
- Platyceles Vittata*, var. *Tessellata*, Friv. l. c. p. 129 (1867).
15. **C. Orina, Burr.** (*Platyceles O.*) Ent. Rec. xi. p. 20 (1899); Jacobs. & Bianchi, l. c. p. 410 (1903). Herzegovina.
- *16. **C. Vittata, Charp.** (*Locusta V.*) l. c. p. 115 (1825). S.E. Europe.
- Decticus Vittata*, Burm. l. c. p. 711. n. 9 (1838).
- Platyceles Vittata*, Fieb. ll. cc. p. 151. n. 9 (1853); p. 42. n. 9 (1854); Friv. l. c. p. 128. n. 4, pl. 6. ff. 2, 2 a (1867); Brunn. l. c. p. 351. n. 6 (1882); Tümp. l. c. pp. 226, 264 (1900); Jacobs. & Bianchi, l. c. p. 410 (1903).
- *17. **C. Nigrosignata, Costa**, (*Decticus (Platyceles) Nigrosignatus*) Atti Accad. Nap. i. (2) p. 30, pl. 3. ff. 3, 3 c, 4 (1863). Italy, Dalmatia, Greece, Corfu, Asia Minor.
- Platyceles Nigrosignata*, Brunn. l. c. p. 351. n. 7 (1882); Jacobs. & Bianchi, l. c. p. 411 (1903).
18. **C. Seniæ, Finot**, (*Platyceles S.*) Bull. Soc. Ent. France, lxii. p. ccli. n. 3 (1893). Oran.
19. **C. Incerta, Bol.** (*Platyceles I.*) l. c. p. 352. n. 8 (1882); Jacobs. & Bianchi, l. c. p. 411 (1903). Rhenish Prussia (?).
20. **C. Stricta, Zell.** (*Decticus Strictus*) l. c. x. p. 116 (1849). Italy, S.E. Europe.
- Decticus (Platyceles) Strictus*, Fisch. l. c. p. 273. n. 4, pl. 13. ff. 5, 5 a, b (1853).
- Platyceles Stricta*, Krauss, l. c. p. 520. n. 94, pl. 4. ff. 4, 4 A-E (1879); Brunn. l. c. p. 352. n. 9 (1882); Tümp. l. c. p. 264 (1900); Jacobs. & Bianchi, l. c. p. 411 (1903).
- Platyceles Assimilis*, Fieb. ll. cc. p. 150. n. 4 (1853); p. 41. n. 4 (1854).
- *21. **C. Montana, Koll.** (*Locusta M.*) Beitr. Landesk. Oesterr. iii. p. 79. no. 10 (1833). Germany, Italy, Austria, &c., S. Russia.
- Decticus (Platyceles) Montanus*, Fisch. l. c. p. 271. n. 2, pl. 13. ff. 4, 4 a-c (1853).

- Decticus Montanus*, Rudow, l. c. p. 312 (1873).
- Platyteleis Montanus*, Fieb. ll. cc. p. 150. n. 5 (1853); p. 41. n. 5 (1854).
- Platyteleis Montana*, Fric. l. c. p. 127. n. 3 (1867); Brunn. l. c. p. 353. n. 10, pl. 10. f. 87 A (1882); Tümp. l. c. pp. 225, 264 (1900); Jacobs. & Bianchi, l. c. p. 411 (1903).
- || *Locusta Tessellata*, Phil. l. c. p. 23. n. 8, pl. 1. f. 4 (1830).
- Decticus Tessellatus*, Burm. l. c. p. 710. n. 5 (1838).
- Decticus Tessellatus*, Fisch. Waldh. l. c. p. 167 (1846).
- Decticus Philippicus*, Zell. l. c. pp. 114, 116 (1849).
- Decticus Eversmanni*, Kittary, l. c. xxii. (2) p. 456, pl. 8. ff. 1, 2 (1849).
- Decticus Trockii*, Kittary, l. c. p. 459, pl. 8. f. 3 (1849).
- *22. **C. Sepium, Yers.** (*Decticus S.*) Bull. Soc. S. & E.
Vaud. iv. p. 68, pl. 2. ff. 6-12 (1854). Europe,
Asia Minor.
- Platyteleis Sepium*, Krauss, l. c. p. 526. n. 98 (1879); Brunn. l. c. p. 354. n. 11 (1882); Finot, Orth. France, pp. 115, 118 (1883); Fanne France, Orth. pp. 204, 207 (1889); Bol. Ann. Sci. Nat. Porto, vi. pp. 25, 27 (1900); Tümp. l. c. pp. 226, 265 (1900); Jacobs. & Bianchi, l. c. p. 411 (1903).
23. **C. Fedtschenkoi, Sauss.** (*Decticus (Platyteleis) F.*) Fedchenko, Reise Turk., Orth. Samarcand,
Syr Daria.
p. 45 (1874). 111
- Platyteleis Fedtschenkoi*, Jacobs. & Bianchi, l. c. p. 416 (1903).
- *21. **C. Modesta, Fieb.** (*Platyteleis Modestus*) Istria,
Dalmatia,
Croatia,
Herze-
govina,
Bosnia.
ll. cc. p. 153. n. 13 (1853); p. 43. n. 13 (1854).
- Platyteleis Modesta*, Krauss, l. c. p. 523. n. 97, pl. 4. ff. 5, 5 A-E (1879); Brunn. l. c. p. 354. n. 12 (1882); Tümp. l. c. p. 265 (1900); Jacobs. & Bianchi, l. c. p. 512 (1903).
- Decticus (Platyteleis) Vittatus*, Fisch. l. c. p. 276. n. 7, pl. 3. ff. 11, 11 a (1853).

25. **C. Kraussi, Padew.** (*Platygleis* K.) Glasnik. Narav. Drust. xi. p. 30. n. 117 & note (1900); Jacobs. & Bianchi, l. c. p. 412 (1903). Croatia.
- *26. **C. Brachyptera, Linn.** (*Gryllus Brachypterus*) Faun. Suec. (ed. 2) p. 237. n. 868 (1761). N., Centr., & E. Europe, Amur.
- Locusta Brachyptera*, De Geer, Mém. Ins. iii. pp. 433, 434. n. 4, pl. 22. ff. 2, 3 (1773); Fabr. Spec. Ins. i. p. 360. n. 26 (1781); Thunb. Mém. Acad. Pétersb. v. p. 284 (1815); Latr. Hist. Nat. Crust. Ins. xii. p. 133. n. 10 (1804); Zett. l. c. p. 66. n. 6 (1821); Hagenb. l. c. p. 28. ff. 15, 16 (1822); Charp. l. c. p. 113 (1825); Fisch. Waldh. Bull. Mosc. 1839 (2) p. 390, pl. 10. f. 3.
- Anisoptera Brachyptera*, Latr. Ouv. Règne Anim. (ed. 2) v. p. 181 note (1829).
- Decticus Brachypterus*, Burm. l. c. p. 711. n. 7 (1838); Wesm. l. c. v. p. 592. n. 3 (1838); Serv. l. c. p. 489. n. 7 (1839); Fisch. Waldh. Orth. Ross. p. 169, pl. 10. ff. 5, 6 (1846); Borek, l. c. p. 74 (1848).
- ~~*Micropteryx*~~ *Brachyptera* ~~Wesm.~~, *Bull. Acad. Bonn.*, vol. V, p. 592 (1838).
- Micropteryx Brachyptera*, Steph. Ill. Brit. Ent., Mand. vi. p. 13. n. 3 (1835).
- Platygleis Brachypterus*, Fieb. Kelch, Kenntn. Orth. p. 2. n. 4 (1852).
- Decticus (Platygleis) Brachypterus*, Fisch. l. c. p. 277. n. 8, pl. 13. ff. 10, 10 a, b (1853).
- Decticus Pachypterus*, Rudow, l. c. p. 314. n. 60 (1873).
- Platygleis Brachyptera*, Fieb. Lotos, iii. p. 152. n. 12 (1853); Syn. Eur. Orth. p. 43. n. 12 (1854); Brunn. Verb. zool.-bot. Ges. Wien, xi. p. 290 (1861); Prodr. Eur. Orth. p. 356. n. 15 (1882); Friv. l. c. p. 130. n. 7 (1867); Finot. Orth. France, pp. 116, 118 (1883); Faune France, Orth. pp. 204, 208 (1889); Burr. Brit. Orth. p. 57, pl. 5. f. 1 (1897); Tiimp. l. c. p. 265 (1900); Jacobs. & Bianchi, l. c. p. 412 (1903).
- Platygleis Alpinus*, Fieb. Il. cc. p. 151. n. 6 (1853); p. 41. n. 6 (1854).

- Var. *Locusta Marginata*, Thunb. l. c. p. 283 (1815).
Platyceis Brachyptera, var. *Macroptera*, Stal. Rec. Orth. ii. p. 111 (1874).
27. **C. Tamerlanus**, Sauss. (*Decticus (Platyceis) T.*) l. c. p. 46, n. 10, pl. 2. f. 18 (1874). Samarcand.
Platyceis Tamerlana, Jacobs. & Bianchi, l. c. p. 413 (1903). 0 - x 11
28. **C. Striata**, Kitt. (*Decticus Striatus*) Bull. Kirghis
Mosc. xxii. (2) p. 462, pl. 8. f. 4 (1849). Steppes.
Decticus (Platyceis) Striatus, Sauss. l. c. p. 47, n. 11 (1874).
29. **C. Tibialis**, Fisch. Waldh. (*Decticus T.*) Irkutsk.
l. c. p. 168, pl. 29. f. 5 (1846); Jacobs. & Bianchi, l. c. p. 417 (1903).
30. **C. Abbreviata**, Serv. (*Decticus Abbreviatus*) l. c. p. 490, n. 8 (1839). N. Spain,
Platyceis Saussuriana, Frey - Gessner, Pyrenees,
Mitth. Schweiz. ent. Ges. iv. p. 8, pl. 1. Jura, Alps,
f. 1 a, b (1872). Apennines.
Platyceis Saussureana, Brunn. Prodr. Eur. Orth. p. 357, n. 15 (1882); Finot, ll. cc. pp. 116, 118 (1883); pp. 204, 209 (1889); Bol. Ann. Sci. Nat. Porto, vi. pp. 25, 27 (1900); Jacobs. & Bianchi, l. c. p. 413 (1903).
Platyceis Saussurea, Tümp. l. c. pp. 226, 265 (1900).
Platyceis Noui, Sauley, Bull. Soc. d'Hist. Nat. Metz. (2) xvii. p. 190 (1887).
31. **C. Raia**, Burr, (*Platyceis R.*) l. c. p. 19 Herze-
(1899). govina.
32. **C. Fusca**, Brunn. (*Platyceis F.*) l. c. Greece.
p. 358, n. 16 (1882); Jacobs. & Bianchi, l. c. p. 413 (1903).
33. **C. Schereri**, Werner, (*Platyceis S.*) Asia
Jacobs. & Bianchi, l. c. p. 413 (1903). Minor.
34. **C. Prenjica**, Burr, (*Platyceis P.*) l. c. Herze-
p. 19 (1899); Jacobs. & Bianchi, l. c. govina.
p. 414 (1903).
35. **C. Pulchra**, Werner, (*Platyceis P.*) Asia
Jacobs. & Bianchi, l. c. p. 414 (1903). Minor.
36. **C. Azami**, Finot, (*Platyceis A.*) Bull. S. Francee.
Soc. Ent. France, lxi. p. xxxv (1892).
37. **C. Roeselii**, Hagenb. (*Locusta R.*) l. c. N., Cen-
p. 39, f. 24 (1822). tral. & E.
[Roesel, l. c. p. 128, pl. 20. f. 9.] Europe.

- Micropteryx Roeselii*, Steph. l. c. vi. p. 13. n. 2 (1835).
- Platyceis Roeselii*, Brunn. l. c. p. 358. n. 17 (1882); Finot, Orth. France, pp. 116, 119 (1883); Faune France, Orth. pp. 205, 209 (1889); Burr. Brit. Orth. pp. 56, 58, pl. 5. f. 2 (1897); Tümp. l. c. pp. 226, 261, pl. 21 (1900).
- Platyceis Roeseli*, Bol. Ann. Sci. Nat. Porto, vi. pp. 25, 26 (1900); Jacobs. & Bianchi. l. c. p. 414, pl. 8 (1903); Adel. Ann. Mus. Zool. Pétersb. viii. p. xxxv (1903).
- Locusta Breripennis*, Charp. l. c. p. 114 (1825); Phil. l. c. p. 25. n. 10 (1830).
- Decticus Breripennis*, Burm. l. c. p. 710 (1838); Serv. Ins. Orth. p. 490 (1839); Fisch. Waldh. l. c. p. 172. n. 14 (1846); Borek, Skand. Rätv. Ins. p. 77. n. 4 (1848).
- Decticus (Platyceis) Breripennis*, Fisch. l. c. p. 274. n. 6, pl. 13. ff. 9, 9 a, b (1853); Türk, l. c. ii. p. 373. n. 21 (1858); Rudow, l. c. p. 313 (1873).
- Platyceis Breripennis*, Fieb. II. cc. p. 152. n. 11 (1853); p. 42. n. 11 (1854); Selys, Ann. Soc. Ent. Belge, xi. p. 28 (1868); Friv. l. c. p. 130. n. 6 (1868).
- Decticus Sinuatus*, Fisch. l. c. p. 170. n. 12, pl. 29. f. 6 (1846).
- Var. *Locusta Diluta*, Charp. l. c. p. 116 (1825).
- Decticus Diluta*, Herr.-Schäff. Nomencl. Ent. ii. p. 12 (1840).
- Decticus Pellucidus*, Herr.-Schäff. l. c. (1840).
- Platyceis Roeselii*, var. *Macroptera*, Brunn. l. c. p. 359 (1882).
- Var. *Platyceis Roeseli*, var. *Bispina*, Bol. Ann. Soc. Ent. Belge, xliii. p. 602 (1899).
38. **C. Oporina**, Bol. (*Platyceis O.*) An. Soc. Españ. xvi. p. 108 (1887); Ann. Sci. Nat. Porto, vi. pp. 24, 26 (1900). Spain.
39. **C. Domogledi**, Brunn. (*Platyceis D.*) l. c. p. 360. n. 18 (1882); Jacobs. & Bianchi, l. c. p. 415 (1903). Hungary, Servia, Bulgaria.

- | | |
|--|----------------------------------|
| 40. C. Marqueti, Saulcy , (<i>Platyteleis</i> M.)
l. c. p. 81 (1887); Finot, Faune France,
Orth. pp. 205, 211, pl. 11. ff. 143, 143 <i>bis</i> ,
<i>ter</i> , 4 ^o (1889); Bol. Ann. Sci. Nat. Porto,
vi. pp. 25, 27 (1900). | Pyrenees. |
| 41. C. Buyssoni, Saulcy , (<i>Platyteleis</i> B.) l. c.
p. 190 (1887); Finot, l. c. pp. 205,
211 (1889); Bol. l. c. pp. 25, 27 (1900). | id., Alps,
Vosges,
Metz. |
| 42. C. Oblongicollis, Brunn. (<i>Platyteleis</i> O.)
l. c. p. 360. n. 19 (1882); Jacobs. &
Bianchi, l. c. p. 415 (1903). | Servia. |
| 43. C. Marmorata, Fieb. (<i>Platyteleis</i> M.)
ll. cc. p. 259 (1853); p. 76 (1854);
Brunn. l. c. p. 361. n. 20 (1882); Jacobs.
& Bianchi, l. c. p. 415 (1903). | Venetia,
Croatia,
Hungary. |
| 44. C. Amplipennis, Brunn. (<i>Platyteleis</i> A.)
l. c. p. 361. n. 21 (1882); Jacobs. &
Bianchi, l. c. p. 416 (1903). | Servia,
Hungary. |
| **45. C. Concinnus, Walk. (<i>Decticus</i> C.) Cat.
Derm. Salt. B. M. ii. p. 260. n. 31
(1869). | Nepal. |

Genus 151. **Tettigonia.** (*Type* no. 1.)

- Lin. Syst. Nat. (ed. x.) i. p. 429 (1758); Schrank, Enum.
Ins. Austr. p. 244 (1781); Kirb. Proc. R. Dublin Soc. vi.
p. 580 (1890).
- Decticus*, *Serr.* Ann. Sci. Nat. xxii. p. 155 (1831); Ins. Orth.
p. 484 (1839); Steph. Ill. Brit. Ent., Mand. vi. p. 16 (1835);
Westw. Mod. Classif. Ins. ii. Syn. Gen. p. 45 (1839);
Burm. Handb. Ent. ii. p. 709 (1838); Fisch. Waldh. Orth.
Ross. p. 153 (1846); Borek, Skand. Rätv. Ins. p. 67
(1848); Fisch. Orth. Eur. p. 268 (1853); Fieb. Lotos. iii.
p. 118 (1853); Syn. Eur. Orth. p. 39 (1854); Friv.
Érték. Termész. Kőr. i. (12) p. 124 (1867); Herm. Verh.
zool.-bot. Ges. Wien, xxiv. pp. 199, 206 (1874); Bol.
Ortópt. Españ. pp. 236, 239 (1876); An. Soc. Españ. vi.
pp. 318, 321 (1877); Ann. Sci. Nat. Porto, vi. p. 27
(1900); Brunn. Prodr. Eur. Orth. pp. 248, 362 (1882);
Ann. Mus. Genova, xxxiii. p. 188 (1893); Finot, Orth.
France, pp. 92, 120 (1883); Faune France, Orth. pp. 175,
213 (1889); Auriv. Ent. Tidskr. xxi. p. 252 (1900);
Burr, Brit. Orth. p. 59 (1897); Tümp. Geradfl. Mittel-
europas, pp. 223, 225, 262 (1900); Jacobs. & Bianchi,
Prem. i Lozhn. Ross. Imp. p. 418 (1903).
- Chelidoptera*, pt., *Wesm.* Bull. Acad. Brux. v. p. 591 (1838).

- *1. **T. Verrucivora**, Linn. (*Gryllus Tettigonia Verrucivorus*) Syst. Nat. (ed. x.) i. p. 431. n. 38 (1758); Schrank, l. c. p. 246. n. 468 (1781). Europe, N. & W. Asia.
- Gryllus Tettigonia Verrucivora*, Stoll. Spect. Sant. p. 42, pl. 23 b. f. 92 (1813).
- Gryllus Verrucivorus*, Linn. Faun. Suec. (ed. ii.) p. 237. n. 870 (1761); Scop. Ent. Carn. p. 108. n. 321 (1763); Ratzebl. Forst. Ins. iii. p. 276, pl. 14. f. 6 (1844).
- Locusta Verrucivora*, De Geer, Mém. Ins. iii. p. 430. n. 2, pl. 21. ff. 1, 2 (1773); Fabr. Syst. Ent. p. 286. n. 23 (1775); Rossi. Fauna Etrusca. i. p. 266. n. 647 (1790); Schrank, Fauna Boica. ii. p. 35. n. 1030 (1801); Latr. Hist. Nat. Crust. Ins. xii. p. 130. n. 2 (1804); Panz. Faun. Ins. Germ. fasc. 89. pls. 20, 21 (1805); Thunb. Mém. Acad. Pétersb. v. p. 283 (1815); Zett. Orth. Suec. p. 63. n. 4 (1821); Charp. Hor. Ent. p. 124 (1825); Phil. Orth. Berol. p. 21. n. 5 (1830).
- Decticus Verrucivorus*, Serr. ll. cc. p. 156. n. 1 (1831); p. 484. n. 1 (1838); Steph. l. c. p. 17. n. 1 (1835); Wesm. l. c. p. 591. n. 1 (1838); Burm. l. c. p. 710. n. 2 (1838); Fisch. Waldh. l. c. p. 156. n. 2, pl. 4. ff. 2, 3 (1846); Borek. l. c. p. 68. n. 1 (1848); Fisch. l. c. p. 280. n. 2, pl. 13. ff. 2, 2 a-m (1853); Türk. Wien. Ent. Mon. ii. p. 373. n. 24 (1858); Meyer-Dür. Neue Denkschr. Schweiz. Ges. (2) vii. (6) p. 22. n. 45 (1859); Friv. l. c. p. 125. n. 1 (1867); Gräber. Verh. zool.-bot. Ges. Wien, xvii. p. 264. n. 6 (1867); Rudow. Zeitschr. ges. Naturw. xlii. p. 312. n. 54 (1873); Bol. ll. cc. p. 240. n. 1 (1876); p. 322 (1877); p. 27. n. 1 (1900); Brunn. Prodr. Eur. Orth. p. 363. n. 1 (1882); Finot, ll. cc. p. 120 (1883); p. 213. pl. 11. f. 144 (1889); Auriv. l. c. p. 252. n. 1 (1900); Burr. l. c. p. 59, pl. 5. f. 3 (1897); Tümp. l. c. pp. 225, 262, pl. 22 (1900); Jacobs. & Bianchi. l. c. p. 419, pl. 9 (1903).

- Decticus Verrucivorus*, Fieb. ll. cc. p. 149. n. 2 (1853); p. 39. n. 2 (1854).
Acrida Verrucivora, Duncan, Jardine's Nat. Libr., Ins. i. p. 253, pl. 13. f. 2 (1840).
 Var. *Acrida Bingleii*, Curt. Brit. Ent. ii. pl. 82 (1825); Steph. l. c. p. 17. n. 2 (1835).
 * Var. *Decticus Verrucivorus*, var. *Buyssoni*, Azam, Rev. Sci. Bourbonn. xv. p. 237 (1902). / 4/0
- *2. **T. Albifrons**, Fabr. (*Locusta* A.) l. c. p. 286. n. 20 (1775); Cyr. Ent. Neap. pl. 10. f. 4 (1792); Latr. l. c. p. 133. n. 8 (1804); Charp. l. c. p. 125 (1825); Germ. Faun. Ins. Eur. fasc. 20. pl. 14 (1838).
Decticus Albifrons, Serr. Ins. Orth. p. 486 (1839); Burm. l. c. p. 709. n. 1 (1838); Fisch. Waldh. l. c. p. 154. n. 1, pl. 28. f. 1 (1846); Fisch. l. c. p. 278. n. 1, pl. 13. f. 1 (1853); Fieb. ll. cc. p. 148. n. 1 (1853); p. 39. n. 1 (1854); Herm. l. c. p. 206, pl. 5. ff. 54-58 (1874); Bol. ll. cc. p. 241. n. 2, pl. 5. ff. 16, 16 a, b (1876); p. 323, pl. 4. ff. 16, 16 a, b (1877); pp. 27, 28. n. 2 (1900); Marq. Bull. Soc. d'Hist. Nat. Toulouse, xi. p. 153 (1877); Brunn. l. c. p. 365. n. 2 (1882); Finot, ll. cc. pp. 120, 121 (1883); pp. 213, 214 (1889); Burr. l. c. p. 60 (1897); Tümp. l. c. p. 263 (1900); Jacobs. & Bianchi, l. c. p. 419 (1903).
 Var. *Decticus Monspeliensis*, Serr. l. c. p. 487 (1839).
3. **T. Assimilis**, Fieb. (*Decticus* A.) ll. cc. p. 149. n. 3 (1853); p. 39. n. 3 (1854); Brunn. l. c. p. 366. n. 3 (1882); Jacobs. & Bianchi, l. c. p. 419 (1903).
 ♀. *Decticus Syriacus*, Fieb. ll. cc. n. 4 (1853); p. 40. n. 4 (1854). Astrachan, Tiflis, Persia, Syria.
4. **T. (?) Stchukini**, Fisch. Waldh. (*Decticus* S.) l. c. p. 159, pl. 29. f. 4 (1846).
Decticus Stschukini, Jacobs. & Bianchi, l. c. p. 420 (1903). Dauria.
- *5. **T. Macrocephalus**, Fisch. Waldh. (*Decticus* M.) l. c. p. 162. n. 6, pl. 29. f. 1 (1846). Kirghis Steppes, Siberia.

6. **T. Japonica, Bol.** (*Decticus Japonicus*) Yezo.
An. Soc. Españ. xix. p. 327 (1890);
Jacobs. & Bianchi, l. c. p. 420 (1903).
7. **T. (?) Fuscescens, Blanch.** (*Decticus* Coquimbo.
F.) Gay, Hist. Chile, Zool. vi. p. 44
(1851).

Genus 155. **Psorodonotus.** (Type no. 1.)

- Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 290 (1861); Prodr.
Eur. Orth. pp. 248, 366 (1882); Ann. Mus. Genova,
xxxiii. p. 188 (1893); Herm. Verh. zool.-bot. Ges. Wien,
xxiv. pp. 200, 208 (1874); Bol. Ortópt. Españ. p. 236
(1876); An. Soc. Españ. vi. p. 318 (1877); Jacobs. &
Bianchi, Prem. i. Lozhn. Ross. Imp. p. 417 (1903).
- || *Peltastes*, Fisch. Waldh. (nec Rossi), Bull. Mosc. 1839 (1)
pp. 102, 111; Guér. Rev. Zool. 1839, p. 271.
- || *Pterolepis*, Fisch. Waldh. (nec Ramb.) Orth. Ross. p. 211
(1846).

- *1. **P. Venosus, Fisch. Waldh.** (*Peltastes* Irkutsk.
1.) Bull. Mosc. 1839 (1) p. 112, pl. 3.
ff. 2, 3; Orth. Ross. pl. 20. ff. 3, 4
(1846).
Pterolepis Venosa, Fisch. Waldh. Orth.
Ross. p. 212 (1846).
Pterolepis Venosus, Jacobs. & Bianchi, l. c.
p. 418 (1903).
2. **P. Fieberi, Fieb.** (*Pterolepis F.*) Lotos, Istria,
iii. p. 154, n. 11 (1853); Syn. Eur. Orth. Servia.
p. 44, n. 11 (1854). Bulgaria,
Psorodonotus Fieberi, Herm. l. c. p. 208. Armenia.
pl. 6. ff. 70-75 (1874); Brunn. Prodr.
Eur. Orth. p. 367, n. 1, pl. 10. f. 89
(1882); Jacobs. & Bianchi, l. c. p. 417
(1903).
P. Pancici, Brunn. Verh. zool.-bot. Ges.
Wien, xi. p. 291, pl. 10. f. 5 A, B (1874).
3. **P. Specularis, Fisch. Waldh.** (*Peltastes* Taurida,
S.) Bull. Mosc. 1839 (1) p. 112, n. 2; Tiflis,
Orth. Ross. pl. 20. f. 5 (1846). Crimea,
Pterolepis Specularis, Fisch. Waldh. Orth. Syria (?).
Ross. p. 213, pl. 20. f. 5 (1846).
P. Specularis, Brunn. Prodr. Eur. Orth.
p. 367, n. 2 (1882); Jacobs. & Bianchi,
l. c. p. 418 (1903).

4. **P. (?) Hastatus, Fisch. Waldh.** (*Peltastes H.*) Bull. Mosc. 1839 (1) p. 112. n. 3. Siberia.
Pterolepis Radiata, Fisch. Waldh. Orth. Ross. p. 214 (1846).
Peltastes Radiatus, Fisch. Waldh. l. c. pl. 20. f. 6 (1846).
Pterolepis Hastatus, Jacobs. & Bianchi, l. c. p. 418 (1903).

Genus 156. **Aprosphyllus.**

Pict. Mém. Soc. Genève, xxx. (6) p. 65 (1888).

1. **A. Hybridus, Pict.** l. c. p. 67, pl. 2. f. 22 | S. Africa.
 (1888).

SUBFAM. IX.

PHASGONURINÆ. = *peritricha*.

Genus 157. **Phasgonura.** (Type no. 1.)

- Steph. Ill. Brit. Ent., Mand. vi. p. 15 (1835); Westw. Mod. Class. Ins. ii. Syn. Gen. p. 45 (1840).
Tettigonia, pt., Linn. Syst. Nat. (ed. x.) i. p. 429 (1758); Schrank, Enum. Ins. Austr. p. 244 (1781); Rehn, Canad. Ent. xxxiii. pp. 120, 121 (1901).
 || *Locusta*, Geoffr. (nec Linn.) Hist. Ins. i. p. 396 (1762); De Geer, Mém. Ins. iii. p. 478 (1773); Fabr. Syst. Ent. p. 282 (1775); Rossi, Fauna Etrusca, i. p. 266 (1790); Latr. Hist. Nat. Crust. Ins. iii. p. 278 (1802), xii. p. 130. n. 1 (1804); Zett. Orth. Suec. p. 59 (1821); Phil. Orth. Berol. p. 17 (1830); Serv. Ann. Sci. Nat. xxii. p. 151 (1831); Ins. Orth. p. 527 (1839); Burm. Handb. Ent. ii. p. 713 (1838); Wesm. Bull. Acad. Brux. v. p. 592 (1838); Fisch. Waldh. Orth. Ross. p. 147 (1846); Borek, Skand. Rätv. Ins. p. 55 (1848); Fieb. Lotos, iii. p. 171 (1853); Syn. Eur. Orth. p. 47 (1884); Fisch. Orth. Eur. p. 250 (1853); Türk. Wien. Ent. Mon. ii. p. 371. n. 11 (1858); Friv. Érték. Termész. Kőr. i. (12) p. 113 (1868); Bol. Ortópt. Españ. pp. 237, 263 (1876); An. Soc. Españ. vi. pp. 319, 345 (1877); Actas Soc. Españ. xxii. p. 22 (1893); Ann.

Sci. Nat. Porto, vi. p. 12 (1900); Brunn. Prodr. Eur. Orth. p. 306 (1882); Finot, Orth. France, pp. 91, 103 (1883); Faune France, Orth. pp. 174, 191 (1889); Burr, Brit. Orth. p. 54 (1897); Auriv. Ent. Tidskr. xxi. p. 252 (1900); Tümp. Geradfl. Mitteleuropas, pp. 222, 225, 263 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 392 (1903).

|| *Aerida*, Kîrb. (nec Linn.) Zool. Journ. i. p. 432 (1825); Curt. Brit. Ent. ii. pl. 82 text (1825); Steph. Cat. Brit. Ins. i. p. 300 (1829).

Conocephalus, pt., Thunb. Mém. Acad. Pétersb. v. p. 278 (1815); Sam. Ent. Comp. p. 218 (1819).

Eumengymus, Pict. Mém. Soc. Genève, xxx. (6) p. 58 (1888). (Type no. 6.)

- *1. **P. Viridissima**, Linn. (*Gryllus Tettigonia Viridissimus*) Syst. Nat. (ed. x.) i. p. 430. n. 37 (1758); Schrank, Enum. Ins. Austr. p. 244. n. 466 (1781). Enrope, N. Africa, N. & W. Asia.
- Gryllus Tettigonia Viridissima*, Stoll, Spect. Saut. p. 42, pl. 23 b. f. 91 (1813).
- Gryllus Viridissimus*, Linn. Faun. Suec. (ed. ii.) p. 237. n. 369 (1761); Scop. Ent. Carn. p. 107 (1763); Ratzeb. Forst. Ins. iii. p. 276, pl. 14. f. 7 (1844).
- Locusta Viridis Cantatrix*, De Geer, l. c. p. 428. n. 1 (1773).
- Locusta Viridissima*, Fabr. l. c. p. 286. n. 22 (1775); Rossi, l. c. p. 266. n. 646 (1790); Schrank, Fauna Boica, ii. p. 34. n. 1028 (1801); Latr. l. c. xii. p. 129 (1804); Panz. Faun. Ins. Germ. fasc. 89. pls. 18, 19 (1805); Zett. l. c. p. 59. n. 1 (1821); Charp. Hor. Ent. p. 108 (1825); Phil. l. c. p. 18. n. 1 (1830); Serv. ll. cc. p. 152. n. 1 (1831); p. 529 (1839); Wesm. l. c. p. 593. n. 1 (1838); Burm. l. c. p. 713. n. 1 (1838); Fisch. Waldh. l. c. p. 148. n. 1, pl. 4. f. 1 (1846); Borek, l. c. p. 56, pl. 2. f. 2 (1848); Fieb. ll. cc. p. 171. n. 1 (1853); p. 47. n. 1 (1854); Fisch. l. c. p. 251. n. 1, pl. 14. ff. 5, 5a-f (1853); Löw, Verh. zool.-bot. Ges. Wien, vi. p. 407 (1861); Graber, Verh. zool.-bot. Ges. Wien, xvii. p. 264. n. 3 (1867); Friv. l. c. p. 114. n. 1 (1868); Rudow, Zeitschr. ges. Naturw. xlii. p. 315.

- n. 65 (1873); Bol. ll. cc. p. 263. n. 1, pl. 5. ff. 13, 13 *a* (1876); p. 345. n. 1, pl. 4. ff. 13, 13 *a* (1877); pp. 23, 24 (1893); p. 12. n. 1 (1900); Brunn. Prodr. Eur. Orth. p. 307. n. 1 (1882); Finot, ll. cc. p. 103 (1883); p. 191 (1889); Auriv. l. c. p. 252. n. 1 (1900); Burr. l. c. p. 54, pl. 4. f. 11 (1897); Tümp. l. c. pp. 225, 263, pl. 21 (1900); Jacobs. & Bianchi, l. c. p. 392, pl. 8 (1903).
- Conocephalus Viridissimus*, Thunb. l. c. p. 278 (1815); Sam. l. c. p. 218 (1819).
- Phasgonura Viridissima*, Steph. Ill. Brit. Ent., Mand. vi. p. 16. n. 1 (1825).
2. **P. Savignyi**, Luc. (*Locusta S.*) Expl. Alg. iii. p. 14. n. 25 (1849).
[Sav. Descr. Égypte, Orth. pl. 4. ff. 1', 1'']
- *3. **P. Caudata**, Charp. (*Locusta C.*) Orth. pl. 33 (1845); Fieb. ll. cc. p. 171. n. 2 (1853); p. 47. n. 2 (1854); Fisch. l. c. p. 252. n. 2, pl. 14. f. 7 (1853); Türk, Wien. Ent. Mon. ii. p. 372. n. 12 (1858); Löw, l. c. p. 407 (1861); Friv. l. c. p. 115. n. 2 (1867); Rudow, l. c. p. 315. n. 67 (1873); Sauss. Fedchenko, Reise Turk. p. 41. n. 3 (1874); Brunn. l. c. p. 308. n. 2, pl. 8. f. 72 A-E (1882); Bol. Actas Soc. Españ. xxii. pp. 23, 24. n. 2 (1893); Tümp. l. c. pp. 225, 262 (1900); Jacobs. & Bianchi, l. c. p. 393 (1903).
- Conocephalus Kolematii*, Fisch. Waldh. l. c. p. 145. n. 2, pl. 29. ff. 1, 2 (1846).
- Locusta Longicauda*, Eversm. Addit. p. 8, pl. A. ff. 2, 2 *a*, *b* (1848).
- Locusta Prasina*, Fieb. Kelch, Grundl. Orth. p. 3. n. 2 (1852).
- *4. **P. Cantans**, Fuessly (*Gryllus C.*) Verz. Schweiz. Ins. p. 23. n. 439. pl. 1. f. 5 *a*, *b* (1775); Gmel. Syst. Nat. iv. (1) p. 2069. n. 119 (1783).
- Locusta Cantans*, Charp. l. c. p. 109 (1825); Burr. l. c. p. 714. n. 2 (1838); Fisch. Waldh. l. c. p. 151. n. 3 (1846); Fieb. l. c. p. 172. n. 3 (1853); Fisch. l. c.

Algeria,
Egypt.

S.E.
Europe,
W. &
Central
Asia.

N. & E.
Europe,
Alps,
Pyrenees,
Irkutsk,
Armenia.

p. 253, pl. 14. f. 6 *a, b* (1853); Löw, l. c. p. 407 (1861); Türk, l. c. p. 372 (1861); Graber, l. c. p. 264. n. 4 (1867); Friv. l. c. p. 115. n. 3 (1867); Rudow, l. c. p. 315. n. 66 (1873); Bol. Ortópt. Españ. pp. 263, 264 (1776); An. Soc. Españ. vi. pp. 345, 346 (1777); Actas Soc. Españ. xxii. pp. 23, 24 (1893); Ann. Sci. Nat. Porto, vi. p. 12 (1900); Brunn. l. c. p. 309. n. 3 (1882); Finot, ll. cc. pp. 103, 104 (1883); pp. 191, 192 (1889); Tümp. l. c. p. 262, pl. 21 (1900); Jacobs. & Bianchi, l. c. p. 393, pl. 8 (1903).

Decticus Cantans, Fisch. Waldh. l. c. pl. 4. ff. 6, 7 (1846).

Locusta Gaverniensis, Serv. Ins. Orth. p. 530. n. 2 (1839).

5. **P. Hispanica**, **Bol.** (*Locusta H.*) Actas Soc. Españ. xxii. p. 24 (1893); Ann. Sci. Nat. Porto, vi. p. 12 (1900). Spain.

6. **P. Vaucheriana**, **Pict.** (*Eumecurus Vaucherianus*) l. c. p. 59, pl. 3. f. 36 (1888). Tangier.
Locusta Vaucheriana, Krauss, Zool. Jahrb. Syst. ix. p. 545. n. 54 (1896).

Locusta Maroccana, Bol. Actas Soc. Españ. xxii. pp. 23, 25. n. 5 (1893).

7. **P. Algerica**, **Bol.** (*Locusta A.*) l. c. pp. 24, 25. n. 6 (1893). Algeria.

- **8. **P. Marginifera**, **Walk.** (*Locusta M.*) Cat. Derm. Salt. B. M. ii. p. 284. n. 15 (1869). Africa.

Genus 158. **Calliphona.** (*Type* no. 1.)

Krauss, Zool. Anz. xv. p. 169 (1892).

1. **C. Koenigi**, **Krauss**, (*C. Köniqi*) l. c. p. 170 (1892). Tenerife.
2. **C. Alluaudi**, **Bol.** Actas Soc. Españ. xxii. p. 50. n. 25 (1893). Canaries.

Genus 159. **Amphiestris.**

Fieb. Lotos. iii. p. 187 (1853); Syn. Eur. Orth. p. 56 (1854);
 Bol. Ortópt. Españ. p. 219 (1876); An. Soc. Españ. vi.
 p. 301 (1877); Brunn. Prodr. Eur. Orth. p. 310 (1882).
 || *Barbitistes*, Ramb. (nec Charp.) Faune Andal. ii. p. 53 (1839);
 Fisch. Orth. Eur. p. 211 (1853).

- | | |
|---|------------|
| 1. A. Bætica , Ramb. (<i>Barbitistes B.</i>) l. c. | Andalusia. |
| p. 51, pl. 3. ff. 1, 2 (1839). | |
| <i>Barbitistes Bæticus</i> , Fisch. l. c. p. 211. n. 1, | |
| pl. 12. ff. 1, 1 a-e, 2 (1853). | |
| <i>Amphiestris Bætica</i> , Fieb. ll. cc. p. 188 | |
| (1853); p. 56 (1854); Lotos, iv. p. 272 | |
| (1854); Bol. ll. cc. p. 219, pl. 5. f. 10 | |
| (1876); p. 301, pl. 4. f. 10 (1877); | |
| Brunn. l. c. p. 310. n. 1, pl. 8. f. 73 (1882). | |

Genus 160. **Glyphonotus.**

Redt. Wien. Ent. Zeit. viii. p. 31 (1889); Jacobs. & Bianchi,
 Prem. i Lozhn. Ross. Imp. p. 392 (1903).

- | | |
|---|------------|
| *1. G. Thoracicus , Fisch. Waldh. (<i>Locusta</i> | Alatau, |
| <i>Thoracica</i>) Orth. Ross. p. 150, pl. 21. f. 5 | Turcomania |
| (1846). | Turkestan. |
| <i>G. Thoracicus</i> , Redt. l. c. p. 31 (1889); | |
| Jacobs. & Bianchi, l. c. p. 392 (1903). | |

Genus 161. **Onconotus.** (*Type* no. 3.)

Fisch. Waldh. Bull. Mosc. xii. (1) p. 106 (1839); Orth. Ross.
 p. 201 (1846); Fieb. Lotos. iii. p. 201 (1853), iv. p. 274
 (1851); Syn. Eur. Orth. p. 60 (1854); Fisch. Orth. Eur.
 p. 208 (1853); Friv. Értek. Termész. Kör. i. (12) p. 86
 (1867); Brunn. Prodr. Eur. Orth. p. 311 (1882); Ivan.
 Trud. Kharkov Univ. xxi. p. 313 (1888); Jacobs. &
 Bianchi, Prem. i Lozhn. Ross. Imp. p. 391 (1903).

- | | |
|---|------------|
| 1. O. Marginatus , Fabr. (<i>Locusta Mar-</i> | S. Russia. |
| <i>ginata</i>) Ent. Syst. Suppl. p. 193 (1798); | |
| Fisch. l. c. p. 210 (1853). | |
| <i>Bradyporus Marginatus</i> , Burm. Handb. | |
| Ent. ii. p. 678. n. 3 (1838). | |

2. **O. Servillei, Fisch. Waldh.** Orth. Ross. S.E.Europe.
 p. 204, pl. 25. ff. 4, 5 (1846); Fieb.
 Lotos, iv. p. 274. n. 2 (1854); Fisch.
 l. c. p. 208. n. 1, pl. 11. f. 8 *b* (1853);
 Friv. l. c. p. 87. n. 1, pl. 1. ff. 5, 5 *a, b*
 (1867); Brunn. l. c. p. 311. n. 1, pl. 9.
 ff. 74 A, B (1882); Jacobs. & Bianchi.
 l. c. p. 391 (1903).
O. Crassicaudus, Iran. l. c. p. 317 (1888).
Bradyporus Larmanni, Herr.-Schäff. (nec
Pall.) Panz. Faun. Ins. Germ. Heft clvi.
 pl. 18 (1838).
- *3. **O. Laxmanni, Pall.** (*Gryllus L.*) Reise. S. Russia,
 i. p. 468. n. 52 (1771); Spic. Zool. ix. Siberia.
 p. 19, pl. 2. ff. 2, 3 (1772).
Bradyporus Larmanni, Charp. Hor. Ent.
 p. 97 (1825); Burm. l. c. p. 677. n. 1
 (1838).
O. Larmanni, Fisch. Waldh. Bull. Mosc.
 xii. (1) p. 108 (1839); Orth. Ross.
 p. 203. n. 1, pl. 9. f. 7 (1846); Fieb.
 Lotos, iv. p. 274. n. 1 (1854); Fisch. l. c.
 p. 209 note (1853); Jacobs. & Bianchi,
 l. c. p. 391, pl. 10 (1903).
O. Tenuicaudus, Iran. l. c. p. 319 (1888).
O. Eversmanni, Fisch. Waldh. Orth. Ross.
 p. 205, pl. 31. f. 8 (1846); Fieb. l. c.
 p. 274. n. 3 (1854); Fisch. l. c. p. 210
 (1853).
O. Motchulskii, Fisch. Waldh. l. c. p. 206,
 pl. 31. f. 7 (1846); Fieb. l. c. p. 274. n. 4
 (1854).
O. Coriaceus, Fisch. Waldh. l. c. p. 207. n. 5.
 pl. 31. f. 9 (1846); Fieb. l. c. p. 274. n. 5
 (1854).
O. Boschnakii, Fisch. Waldh. l. c. p. 208. n. 6,
 pl. 31. f. 6 (1846).
O. Boschniakii, Fisch. l. c. p. 210 (1853);
 Fieb. l. c. p. 275. n. 6 (1854).

SUBFAM. X.

SAGINÆ.

Genus 162. **Terpandrus.**

Stal, Rec. Orth. ii. p. 103 (1874); Sauss. Ann. Soc. Ent. France, lxi. pp. 6, 7 (1892); Brunn. Ann. Mus. Genova, xxxiii. p. 183 (1893).

- *1. **T. Horridus, Burm.** (*Hexacentrus H.*) | Australia.
 Handb. Ent. ii. p. 714. n. 2 (1838).
T. Horridus, Stål. l. c. p. 107 (1874);
 Sauss. l. c. p. 8 (1892).
Locusta Vigentissima, Serv. Ins. Orth.
 p. 530 (1839); McCoy, Prodr. Zool.
 Victoria, ii. (11) p. 37, pl. 109 (1885);
 Frogg. Agric. Gaz. N. S. Wales, xv.
 p. 737 (1904).
Locusta Bicolor, Walk. Cat. Derm. Salt.
 B. M. ii. p. 286. n. 18 (1869).

Genus 163. **Emptera.**

Sauss. Ann. Soc. Ent. France, (6) viii. p. 148 (1888).

1. **E. Indica, Herbst,** (*Locusta L.*) Fuessly, | India (?).
 Arch. Ins. p. 193. n. 7, pl. 53. f. 2
 (1786).
Saga Indica, Burm. Handb. Ent. ii. p. 714.
 n. 4 (1838).
E. Indica, Sauss. l. c. p. 149 (1888).

Genus 164. **Saga.** (*Type* no. 1.)

Charp. Hor. Ent. p. 95 (1825); Brullé, Hist. Ins. ix. p. 158 (1835); Burm. Handb. Ent. ii. p. 716 (1838); Serv. Ann. Sci. Nat. xxii. p. 163 (1831); Ins. Orth. p. 538 (1839); Fisch. Waldh. Orth. Ross. p. 181 (1846); Fieb. Lotos, iii. p. 171 (1853); Fisch. Orth. Eur. p. 241 (1853); Costa, Faun. Nap., Ort. Locust. pp. 4, 7 (1871); Friv. Érték. Termész. Kör. i. (12) p. 108 (1867); Stal, Rec. Orth. ii. p. 104 (1874); Bol. Ortópt. Españ. pp. 237, 265 (1876); An. Soc. Españ. vi. pp. 319, 347 (1877); Krauss, Sitz. Akad. Wiss. Wien, Math.-Nat. Cl. lxxviii. (1) p. 506 (1879); Brunn. Prodr. Eur. Orth. p. 407 (1882); Ann. Mus. Genova, xxxiii. p. 183 (1893); Sauss. Ann. Soc. Ent. France, (6) viii. p. 129 (1888); Finot, Orth. France, p. 93 (1883); Faune France, Orth. pp. 175, 224 (1889); Tümp. Geradfl. Mitteleuropas, pp. 223, 227, 272 (1900); Werner, Zool. Anz. xxvi. p. 529 (1903); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 388 (1903).

Tettigopsis, Fisch. Waldh. Notice sur le *Tettigopsis*, p. 13 (1830); Bull. Mosc. vi. p. 361 (1833). (*Type* no. 1.)

*1. **S. Pedo, Pall.** (*Gryllus P.*) Reise, i. S. Europe, p. 467. n. 51 (1771). N. & W.

Tettigopsis Pedo, Fisch. Waldh. ll. cc. p. 15. Asia. n. 1 (1830); p. 373. n. 2 (1833).

S. Pedo, Jacobs. & Bianchi, l. c. p. 388 (1903).

Gryllus Tettigonia Giganteus, Vill. Linn. Ent. i. p. 451. n. 29, pl. 3. f. 7 (1789).

Locusta Serrata, Fabr. Ent. Syst. ii. p. 43. n. 37 (1793); Latr. Hist. Nat. Crust. Ins. xii. p. 134. n. 11 (1804).

Saga Serrata, Charp. l. c. p. 95 (1825); Brullé, Expéd. Morée, Ins. Orth. p. 87. n. 54 (1833); p. 159, pl. 16 (1835); Burm. l. c. p. 716. n. 1 (1838); Fisch. Waldh. Orth. Ross. p. 183, pl. 5. f. 1 (*nec* 2) (1846); Fisch. l. c. p. 242. n. 1, pl. 14. ff. 9, 9 *a-f* (1853); Fieb. Lotos, iv. p. 224. n. 3 (1854); Türk. Wien. Ent. Mon. ii. p. 371. n. 9 (1858); Friv. l. c. p. 109, pl. 5. f. 1 (1867); Bol. ll. cc.

- p. 265. n. 1. pl. 6. ff. 6, 6 a, b (1876) ; p. 347 (1877) ; Marq. Bull. Soc. Toulouse. xi. p. 155 (1877) ; Krauss. l. c. p. 506. n. 79. pl. 3. ff. 4, 4 A-C (1879) ; Brunn. Prodr. Eur. Orth. p. 408. n. 1 (1882) ; Finot, l. c. p. 127 (1883) ; p. 224 (1889) ; Sauss. l. c. pp. 130, 132. n. 1 (1888) ; Werner, l. c. p. 530 (1893) ; Tümp. l. c. p. 272, pl. 22 (1900) ; Jacobs. & Bianchi, l. c. pl. 9 (1903).
- Tettigopsis Serrata*, Fisch. Waldh. Notice sur le Tettigopsis, p. 15. n. 2 (1830).
- || *Gryllus Tettigonia Onos*, ♀, Stoll (nec Pall.), Spectres, Saut. p. 24, pl. 11 a. f. 43 (1813).
- Tettigopsis Nudipes*, Fisch. Waldh. l. c. p. 15. n. 3 (1830) ; Bull. Mosc. vi. p. 374 (1833), larva.
2. **S. Cappadocia**, Werner, l. c. pp. 529, 530 (1903). Asia Minor.
3. **S. Lucasii**, Sauss. l. c. pp. 132, 135 (1888). Syria.
S. Lucasi, Jacobs. & Bianchi, l. c. p. 388 (1903).
4. **S. Longicaudata**, Krauss, l. c. p. 508. n. 2 (1779) ; Sauss. l. c. pp. 130, 131, 138. n. 10 (1888) ; Werner, l. c. p. 530 (1903) ; Jacobs. & Bianchi, l. c. p. 308 (1903). Asia Minor.
5. **S. Puella**, Werner, l. c. pp. 529, 530 (1903) ; Jacobs. & Bianchi, l. c. p. 389 (1903). id.
- *6. **S. Ornata**, Burm. l. c. p. 717. n. 2 (1838) ; Krauss. l. c. p. 510 (1879) ; Sauss. l. c. p. 137. n. 9 (1888). Egypt.
 [Savigny, Deser. de l'Égypte, Ins. Orth. pl. 4. f. 11.]
S. Savignyi, Sauss. l. c. p. 132. n. 8 (1888).
7. **S. Kraussi**, Kirb. (n. n.). Syria,
 || *S. Ornata*, Krauss (nec Burm.) l. c. p. 508. n. 3 (1879) ; Werner, l. c. pp. 529, 530 (1903) ; Jacobs. & Bianchi, l. c. p. 389 (1903). Asia Minor.
8. **S. Ledereri**, Sauss. l. c. pp. 131, 134 (1888) ; Jacobs. & Bianchi, l. c. p. 389 (1903). Syria.

- *9. **S. Vittata, Fisch. Waldh.** (*Tettigopsis Vittata*) Notice sur le *Tettigopsis*, p. 16. n. 4, plate (1830); Bull. Mosc. vi. p. 373. n. 1 (1833); Orth. Ross. pl. 6 (1846).
S. Vittata, Fisch. Waldh. Orth. Ross. p. 184. n. 2 (1846); Fisch. l. c. p. 243. n. 2 (1853); Krauss, l. c. pp. 509, 511. n. 6 (1879); Brunn. l. c. p. 409. n. 2 (1882); Sauss. l. c. pp. 130, 132. n. 2 (1888); Jacobs. & Bianchi, l. c. p. 389 (1903).
 || *Tettigopsis Serrata*, ♂, *Fisch. Waldh.* l. c. pl. 5. f. 2 (1846).
Saga Italica, Costa, l. c. p. 7, pl. 12. f. 1 (1871).
- *10. **S. Ehippiger, Fisch. Waldh.** l. c. p. 185. n. 3, pl. 30. ff. 1, 2 (1846); Fieb. Lotos, iv. p. 223. n. 1 (1854); Krauss, l. c. pp. 509, 510. n. 4 (1879); Sauss. l. c. pp. 132, 134. n. 6 (1888); Werner, l. c. pp. 529, 530 (1903); Jacobs. & Bianchi, l. c. p. 389 (1903).
 11. **S. Syriaca, Luc.** Bull. Soc. Ent. France, (4) iv. p. 5 (1864); Sauss. l. c. p. 132. n. 9, p. 136. n. 8 (1888); Jacobs. & Bianchi, l. c. p. 390 (1903).
S. Monstrosa, Krauss, l. c. pp. 509, 510. n. 5 (1879).
12. **S. Brunneri, Sauss.** l. c. pp. 131, 133 (1888); Werner, l. c. pp. 529, 530 (1903); Jacobs. & Bianchi, l. c. p. 390 (1903).
- *13. **S. Natoliæ, Serv.** Ins. Orth. p. 541. n. 2 (1839); Krauss, l. c. pp. 509, 511. n. 7 (1879); Brunn. l. c. p. 409. n. 3, pl. 10. f. 93, A. B (1882); Sauss. l. c. pp. 131, 133. n. 4 (1888); Werner, l. c. pp. 529, 530 (1903); Jacobs. & Bianchi, l. c. p. 390 (1903).
 || *Gryllus Tettigonia Onos, Stoll (nec Pall.)*, Spectres, Saut. p. 24, pl. 11 a. f. 42 (1813).
Saga Synophrys, Charp. Germar, Zeitschr. Ent. iii. p. 319 (1841); Fisch. l. c. p. 244. n. 3, pl. 14. ff. 8, 8 a, b (1853).
 || *S. Gigantea, Herr.-Schäff. (nec Vill.)* Nomencl. Ent. ii. Orth. p. 15 (1840); Fieb. Lotos, iv. p. 224. n. 2 (1854).

S.E. Europe,
Otranto,
Palestine.

Caucasus,
Caspian,
Syria.

Syria,
Palestine.

Syria,
Asia Minor,
Samos,
Balkans,
Balkans,
Dalmatia,
Bulgaria,
Asia Minor,
Syria.

|| *Locusta* (*Saga*) *Pedo*, *Haan* (*nec Pall.*),
Temminck, Verhandel., Orth. pp. 208, 209.
n. 5 (1842).

14. **S. (?) Quadrisignata**, **Phil.** Zeitschr. ges. Chile.
Naturw. xxi. p. 235 (1863).

Genus 165. **Clonia**. (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xii. p. 352 (1855); Rec. Orth.
ii. pp. 104, 117 (1874); Sauss. Ann. Soc. Ent. France, (6)
viii. pp. 129, 138 (1888), lxi. p. 14 (1892).

- | | |
|---|------------------------------|
| <p>*1. C. Wahlbergi, Stål, ll. cc. p. 352 (1855);
p. 118. n. 1 (1874); Sauss. ll. cc. p. 147.
n. 6 (1888); p. 15. n. 1 (1892); Distant,
Naturalist in Transvaal, p. 83, fig. (1892).</p> <p>*2. C. Vittata, Thunb. (<i>Locusta</i> L.) Nov.
Spec. Ins. v. p. 102 (1789); Mém. Acad.
Pétersb. v. p. 280 (1815).
<i>C. Vittata</i>, Stål, Rec. Orth. ii. p. 119. n. 2
(1874).</p> <p>** <i>Saga Maculosa</i>, Walk. Cat. Derm. Salt.
B. M. ii. p. 294. n. 16 (1869).
<i>C. Maculosa</i>, Sauss. l. c. p. 146. n. 5
(1888).</p> | <p>S. Africa.</p> <p>id.</p> |
|---|------------------------------|

Genus 166. **Hemiclonia**, **Kirb.** (n. n.). (*Type* no. 1.)

Clonia, a. a, **Stål**, Rec. Orth. ii. p. 120 (1874).

Clonia, sect. 1, **Sauss.** Ann. Soc. Ent. France, (6) viii. p. 141
(1888).

- | | |
|---|-------------------|
| <p>*1. H. Melanoptera, Linn. (<i>Gryllus Tetti-</i>
<i>gonia Melanopterus</i>) Syst. Nat. (ed. x.) i.
p. 430. n. 34 (1758); Mus. Ludov. Ulr.
p. 134. n. 28 (1764).
<i>Locusta Melanoptera</i>, Fabr. Syst. Ent.
p. 285. n. 18 (1776).
<i>C. Melanoptera</i>, Stål, l. c. p. 120. n. 3 (1874);
Sauss. l. c. p. 141. n. 1 (1888).
<i>Locusta</i> (<i>Saga</i>) <i>Melanoptera</i>, Haan, Tem-
minck, Verhandel., Orth. pp. 208, 209.
n. 2 (1842).</p> | <p>S. Africa.</p> |
|---|-------------------|

- Gryllus Tettigonia Azurea*, Stoll, Spectres, Saut. p. 27, pl. 13 a. f. 53 (1813).
Saga Azurea, Serr. Ins. Orth. p. 540. n. 1 (1838); Burm. Handb. Ent. ii. p. 717. n. 3 (1838).
Conocephalus Spinigerus, Thunb. Mém. Acad. Pétersb. v. p. 277 (1815).
Saga Elegans, Blanch. Hist. Ins. iii. p. 29. n. 1 (1840).
- *2. **H. Lalandæi, Sauss.** (*Clonia L.*) l. c. S. Africa.
 p. 142. n. 2 (1888).
Clonia Lalandei, Sauss. l. c. lxi. p. 15. n. 3 (1892).
 || *Saga Azurea*, var. (?), Walk. (nec Stoll) Cat. Derm. Salt. B. M. ii. p. 291. n. 11 (1869).
- *3. **H. Tessellata, Sauss.** (*Clonia Tessellata*) id.
 l. c. (6) viii. p. 143. n. 3 (1888).
C. Tessellata, Sauss. l. c. lxi. p. 15. n. 2 (1892).
4. **H. Minuta, Haan**, (*Locusta (Saga) M.*) id.
 l. c. pp. 208, 209. n. 3 (1842).
C. Minuta, Sauss. l. c. (6) viii. p. 144. n. 4 (1888).

 Genus 167. **Peringueyella.** (Type no. 1.)

Sauss. Ann. Soc. Ent. France, (6) viii. p. 150 (1888).
Peringueyella, Bruun. Ann. Mus. Genova, xxxiii. p. 184 (1893).

1. **P. Jocosa, Sauss.** l. c. p. 152, pl. 5. S. Africa.
 ff. 1, 2 (1888).
- *2. **P. Macrocephala, Schaum**, (*Saga M.*) Mozambique.
 Ber. Akad. Wiss. Berlin, 1853, p. 778.
 n. 14; Peters' Reise Mossamb. v. p. 128,
 pl. 7. f. 13 (1862).
P. Macrocephala, Sauss. l. c. p. 153. n. 2 (1888).
3. **P. Prædatoria, Dist.** (*Hemisaga P.*) Transvaal.
 Naturalist in Transvaal, pp. 63, 258, plate (1892).

Genus 168. **Hemisaga.** (*Type* no. 2.)

Sauss. Ann. Soc. Ent. France, (6) viii. p. 148 (1888), lxi. p. 12 (1892); Brunn. Ann. Mus. Genova, xxxiii. p. 183 (1893).
Xiphosaga, Sauss. l. c. (6) viii. p. 154 (1888). (*Type* no. 2.)
 (?) *Terpandrus*, Brunn. l. c. p. 183 (1893) (*absque typ.*).

- | | |
|---|-------------------|
| <p>***1. H. Denticulata, White, (<i>Saga D.</i>) Grey,
 Exped. Austral. ii. p. 469 (1841); Walk.
 Cat. Derm. Salt. B. M. ii. p. 292. n. 13
 (1869).
 <i>Clonia</i> (?) <i>Denticulata</i>, Sauss. l. c. (6) viii.
 p. 145. n. 5 (1888).
 <i>H. Denticulata</i>, Sauss. l. c. lxi. p. 13 (1892).
 <i>H. Hastata</i>, Sauss. l. c. (6) viii. p. 149. n. 1
 (1888).</p> | <p>Australia.</p> |
| <p>***2. H. Lutea, Walk. (<i>Saga L.</i>) l. c. p. 292.
 n. 14 (1869).
 <i>Xiphosaga Lutea</i>, Sauss. l. c. p. 154 (1888).
 <i>H. Denticulata</i>, var. <i>Lutea</i>, Sauss. l. c. lxi.
 p. 14 (1892).</p> | <p>id.</p> |

Genus 169. **Pachysaga.**

Brunn. Ann. Mus. Genova, xxxiii. p. 183 (1893).

- | | |
|----------------------------|----------------------------------|
| <p>1. <i>sp. ined.</i></p> | <p>Lord Howe's
I., Java.</p> |
|----------------------------|----------------------------------|

Genus 170. **Miosaga.**

Sauss. Ann. Soc. Ent. France, lxi. pp. 6, 7, 10 (1892).

- | | |
|---|-------------------|
| <p>***1. M. Orthoxipha, Sauss. l. c. p. 11 (1892).</p> | <p>Australia.</p> |
|---|-------------------|

SUBFAM. XI.

TYMPANOPHORINÆ.

Genus 171. **Tympanophora.**

White, Grey, Journ. Exped. Austral. ii. p. 468 (1841).

- **1. **T. Pellucida, White**, l. c. p. 468 (1841); | Australia,
 Brunn. Ann. Mus. Genova, xxxiii. pp. 182, |
 183, f. 5 (1841).

SUBFAM. XII.

CONOCEPHALINÆ.

Genus 172. **Panacanthus.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. ii. p. 332 (1869);
 Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 328, 334 (1891).

- **1. **P. Varius, Walk.** l. c. p. 333. n. 1 Quito.
 (1869); Redt. l. c. p. 335. n. 1 (1891).
 2. **P. Spinus, Redt.** l. c. n. 2, pl. 3. f. 1 Panama.
 (1891).

Genus 173. **Storniza.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. ii. p. 333 (1869).
Martinezia, Bol. An. Soc. Españ. x. p. 494 (1881); Viaje
 al Pacif., Ins. p. 82 (1884). (*Type* no. 1.)

1. **S. Cuspidata, Haan**, (*Locusta* (*Cono-* Brazil,
cephalus) C.) Temminck, Verhandel., Ecuador.
 Orth. p. 212. n. 1 (1842).
Martinezia Cuspidata, Bol. II. cc. p. 494. pl. 8.
 f. 5 (1881); p. 84. pl. 2. f. 7 (1884).
Panacanthus Cuspidatus, Redt. Verh. zool.-
 bot. Ges. Wien, xli. p. 336. n. 3 (1891);
 Giglio-Tos. Boll. Mus. Torino, xiii. (311)
 p. 85 (1898).

- **2. **S. Pallicornis**, Walk. l. c. p. 334. n. 1 | Bogota.
(1869).
3. **S. Tuberculata**, Redt. (*Paracanthus Tu-* | Medellin.
berculatus) l. c. p. 336. n. 4 (1891).

Genus 174. **Rhynchocerus**.

Karsch, Entom. Nachr. xxii. p. 347 (1896).

1. **R. Quinqueductus**, Karsch, l. c. p. 348 | Sumatra.
(1896).

Genus 175. **Loboscelis**.

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 328, 337 (1891).

- *1. **L. Pilipes**, Redt. l. c. p. 338, pl. 3. | Brazil.
f. 2 a, b (1891).

Genus 176. **Dædalus**. (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 328, 338 (1891).

1. **D. Apterus**, Redt. l. c. p. 338, pl. 3. f. 3 | Venezuela.
(1891).
2. **D. Porteri**, Bol. (*Dadaleus P.*) Revista | Brazil.
Chilena, vii. p. 142 (1903).

Genus 177. **Copiphora**. (*Type* no. 7.)Serv. Ann. Sci. Nat. xxii. p. 147 (1831) ; Ins. Orth. p. 512
(1839).*Copidophora*, Agass. Zool. Nomencl. Ind. Univ. p. 98 (1846).*Copiophora*, Burm. Handb. Ent. ii. p. 702 (1838) ; Stål, Öfvy.
Vet.-Akad. Förh. xxx. (4) p. 50 (1873) ; Rec. Orth. ii.
pp. 97, 104 (1874) ; Pict. Mém. Soc. Genève, xxx. (6) p. 44
(1888) ; Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 339
(1891) ; Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 376
(1898).

- *1. **C. Cultricornis, Pict.** (*Copiophora C.*) Panama.
l. c. p. 47. n. 9, pl. 2. f. 23 (1888);
Redt. l. c. pp. 340, 341. n. 3 (1891);
Sauss. & Pict. l. c. p. 377. n. 1, pl. 19.
ff. 33, 34 (1898).
- *2. **C. Monoceros, Sauss. & Pict.** l. c. Guatemala.
p. 378. n. 2 (1898).
3. **C. Cochleata, Redt.** (*Copiophora C.*) Panama.
l. c. p. 341. n. 2, pl. 3. f. 4 (1891); Sauss.
& Pict. l. c. pp. 376, 378. n. 3 (1898).
- *4. **C. Cornuta, De Geer,** (*Locusta C.*) Mém. Costa Rica,
Ins. iii. p. 441. n. 3, pl. 37. f. 7 (1773); Guiana,
Blanch. Hist. Ins. iii. p. 26. n. 3 (1840). Brazil.
C. Cornuta, Serr. Ins. Orth. p. 514. n. 2,
pl. 10. f. 7 (1839).
Copiophora Cornuta, Burm. l. c. p. 703.
n. 2 (1838); Charp. Orthopt. pl. 43
(1843); Stål, Rec. Orth. ii. p. 104. n. 1
(1874); Redt. l. c. p. 340. n. 1 (1891);
Sauss. & Pict. l. c. pp. 376, 378. n. 4 (1898).
- *5. **C. Rhinoceros, Pict.** (*Copiophora R.*) Nicaragua,
l. c. p. 48, pl. 2. f. 25 (1888); Redt. l. c. Panama.
p. 342. n. 5 (1891).
6. **C. Producta, Bol.** (*Copiocera P.*) Revista Paraguay.
Chilena, vii. p. 143 (1903).
- *7. **C. Longicauda, Serv.** Ann. Sci. Nat. Guiana,
xxii. p. 147 (1831); Ins. Orth. p. 513. Brazil.
n. 2 (1839).
Copiophora Longicauda, Burm. l. c. p. 703.
n. 3 (1838); Redt. l. c. pp. 340, 343.
n. 6 (1891); Sauss. & Pict. l. c. pp. 376,
378. n. 6 (1898).
Copiophora Conspersa, Stål, l. c. p. 101.
n. 2 (1874).
C. Licornis, Pict. l. c. pp. 44, 45, pl. 2.
ff. 24, 24a (1888); Stål, l. c. p. 104.
n. 2 (1874).
8. **C. Gracilis, Scudd.** (*Copiophora G.*) Napo.
Proc. Bost. Soc. N. H. xii. p. 339 (1869);
Pict. l. c. pp. 44, 46. n. 5 (1888).
- *9. **C. Azteca, Sauss. & Pict.** (*Copiophora Mexico.*
A.) l. c. p. 379. n. 7, pl. 19. f. 1 (1898).
10. **C. Mucronata, Thom.** (*Copiophora M.*) Washington
Hayden, Rep. Geol. Surv. Montana, 1871. (introd.).
p. 444 (1872); Canad. Ent. iv. p. 16
(1872); Glover, Ill. N. Amer. Orth.
pl. 7. f. 8, pl. 8. f. 11 (1872).

- *11. **C. Capito, Stål**, (*Copiophora C.*) l. c. p. 105. n. 3 (1874); Pict. l. c. pp. 44, 45. n. 3 (1888); Redt. l. c. pp. 340, 342. n. 4 (1891); Sauss. & Pict. l. c. pp. 377, 379. n. 8 (1898).
Copiophora Carinata, Pict. l. c. pp. 44, 46. n. 8 (1888). Centr. Amer., Brazil.
- **12. **C. (?) Flavoscripta, Walk.** (*Copiophora F.*) Cat. Derm. Salt. B. M. ii. p. 332. n. 7 (1869). Venezuela.
13. **C. Cephalotes, Sauss. & Pict.** (*Copiophora C.*) l. c. p. 380. n. 9, pl. 19. f. 2 (1898). Rio Janeiro.
- *14. **C. Brevicornis, Redt.** (*Copiophora B.*) l. c. pp. 340, 343. n. 7 (1891); Sauss. & Pict. l. c. p. 376 (1898); Bol. l. c. p. 144 (1903). Pern, Antilles.
15. **C. Borellii, Giglio-Tos**, (*Copiophora B.*) Boll. Mus. Torino, ix. (184) p. 40 (1894). Paraguay.
16. **C. Festæ, Giglio-Tos**, (*Copiophora F.*) l. c. xiii. (311) p. 85 (1898). Ecuador.
17. **C. Subulata, Stoll**, (*Gryllus Tettigonia S.*) Spectres, Saut. p. 27, pl. 13 a. f. 51 (1813), larva. Cape (?).
18. **C. Coronata, Redt.** (*Copiophora C.*) l. c. p. 344. n. 9 (1891); Pict. & Sauss. l. c. p. 377 (1898). Amazons.

Genus 178. **Lamniceps.**

Bol. Rev. Chilena, vii. p. 144 (1903).

1. **L. Giglio-Tosi, Bol.** l. c. p. 145 (1903). | Paraguay.

Genus 179. **Lirometopum.** (*Type* no. 1.)

Scudd. Proc. Bost. Soc. N. H. xvii. p. 457 (1875); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 345 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 380 (1898).

- *1. **L. Coronatum, Scudd.** l. c. p. 458, p. 456. N. Granada, Central America.
 fl. 1, 2 (1875); Redt. l. c. p. 345, pl. 3. f. 6 a, b (1891); Sauss. & Pict. l. c. p. 380. n. 1, pl. 19. f. 3 (1898).

- *2. **L. (?) Brevirostris, Stål**, (*Copiophora B.*) (Efy. Vet.-Akad. Förh. xiii. (4) p. 50 (1873); Redt. l. c. p. 344. n. 8, pl. 3. f. 5 (1891); Sauss. & Pict. l. c. pp. 377, 380. n. 10 (1898). | N. Granada, Panama, Dominica, Sta. Lucia.

Genus 180. **Montesa.**

Walk. Cat. Derm. Salt. B. M. ii. p. 300 (1869).

- **1. **M. Nigridens, Walk.** l. c. n. 1 (1869). | Tapajos, Santarem (eadem?).

Genus 181. **Basileus.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 385 (1898).

- **1. **B. Repandus, Walk.** (*Locusta Repanda*) | Pernambuco, Cayenne.
Cat. Derm. Salt. B. M. ii. p. 284. n. 16 (1869).
B. Diadematus, Sauss. & Pict. l. c. p. 385. n. 1, pl. 19. ff. 11, 12 (1898).

Genus 182. **Exocephala.** (*Type no. 1.*)

- Serv. Ann. Sci. Nat. xxii. p. 160 (1831); Ins. Orth. p. 507 (1839); Burm. Handb. Ent. ii. p. 723 (1838); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 345 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 381 (1898).
Monchea, Walk. Cat. Derm. Salt. B. M. ii. p. 289 (1869). (*Type no. 1.*)
Vestria, Stål, Rec. Orth. ii. pp. 97, 105 (1874). (*Type no. 2.*)

- *1. **E. Bisulca, St. Farg. & Serv.** (*Locusta B.*) Encycl. Méth., Ins. x. p. 342. n. 4 (1825). | S. & Centr. Amer.
E. Bisulca, Serv. ll. cc. p. 160. n. 1 (1831); p. 508 (1839); Redt. l. c. p. 346. n. 1, pl. 3. f. 7 (1891); Sauss. & Pict. l. c. p. 381. n. 1 (1898).
***Monchea Pretiosa*, Walk. l. c. p. 289. n. 1 (1869).
2. **E. Nigricauda, Stål**, (*Vestria N.*) l. c. | S. Amer.(?).
p. 105. n. 1 (1874).
E. Nigricauda, Redt. l. c. p. 347. n. 2 (1891).

- | | |
|--|--------------------|
| 3. E. Viridis , Redt. l. c. p. 347. n. 3
(1891). | Santarem,
Pern. |
| 4. E. Parva , Bol. (<i>Escorephala</i> P.) Revista
Chilena, vii. p. 145 (1903). | Paraguay. |
| **5. E. Spinifrons , Sauss. & Pict. l. c.
pp. 381, 382. n. 2 (1898). | Cayenne. |
| *6. E. Punctata , Redt. l. c. p. 348. n. 4 (1891). | Chiriqui. |
| 7. E. Elegans , Giglio-Tos, Boll. Mus.
Torino, xiii. (311) p. 86 (1898). | Ecuador. |

Genus 183. **Eriolus**. (*Type* no. 5.)

Bol. Mém. Soc. Zool. France, i. p. 150 (1888); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 348 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 382 (1898).

- | | |
|--|-----------------------|
| 1. E. Spiniger , Redt. l. c. p. 349. n. 1,
pl. 3. f. 8 (1891); Sauss. & Pict. l. c.
p. 382 (1898). | Cayenne. |
| 2. E. Mexicanus , Sauss. (<i>Copiophora Mexi-
cana</i>) Rev. Zool. (2) xi. p. 207 (1859).
<i>E. Mexicanus</i> , Sauss. & Pict. l. c. p. 383.
n. 1, pl. 19. ff. 4, 5 (1898). | Mexico. |
| **3. E. Consobrinus , Sauss. & Pict. l. c.
p. 384. n. 2, pl. 19. ff. 6, 7 (1898). | Guatemala,
Panama. |
| 4. E. Frater , Redt. l. c. p. 350. n. 4 (1891). | S. Amer. (?) |
| 5. E. Caraibeus , Bol. l. c. p. 151 (1888);
Redt. l. c. p. 350. n. 3 (1891). | Cuba. |
| 6. E. Falcatus , Sauss. & Pict. l. c. p. 384.
n. 3, pl. 19. f. 8 (1898). | Guatemala. |
| **7. E. Acutipennis , Sauss. & Pict. l. c.
p. 384. n. 4, pl. 19. ff. 9, 10 (1898). | Panama. |
| 8. E. Longipennis , Redt. l. c. p. 350. n. 2
(1891); Sauss. & Pict. l. c. p. 385. n. 5
(1898). | Costa Rica. |
| 9. E. Brevipennis , Redt. l. c. p. 351. n. 5
(1891); Sauss. & Pict. l. c. pp. 383, 385
(1898). | Guatemala. |

Genus 184. **Gryporhynchus**.

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 351 (1891).

- | | |
|---|---------|
| 1. G. Acutipennis , Redt. l. c. p. 352. pl. 3.
f. 9 (1891). | Brazil. |
|---|---------|

Genus 185. **Mygalopsis.**

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 352 (1891).

- **1. **M. Pauperculus, Walk.** (*Pseudorhynchus* (?) *P.*) Cat. Derm. Salt. B. M. ii. p. 331. n. 5 (1869).
M. Ferruginea, Redt. l. c. p. 353, pl. 3. f. 10 (1891). | Swan River.

Genus 186. **Acanthacara.**

Scudd. Proc. Bost. Soc. Nat. Hist. xii. p. 335 (1869).

1. **A. Acuta, Scudd.** l. c. p. 336. n. 12 Quito. (1869). |

Genus 187. **Belocephalus.**

Scudd. Proc. Bost. Soc. Nat. Hist. xvii. p. 458 (1875);
 Redt. Verh. zool.-bot. Ges. Wien, xli. p. 353 (1891).

1. **B. Subapterus, Scudd.** l. c. p. 459 (1875); Redt. l. c. p. 353 (1891). | Florida.
 || *Acanthacara Acuta, Glor. (nec Scudd.)* Ill. N. Amer. Orth. pl. 16. f. 17 (1874); Thom. Bull. U.S. Surv. Territ. i. p. 71 (1874). |

Genus 188. **Poascirtus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 618 (1899).

1. **P. Voeltzkowi, Sauss.** l. c. p. 619, pl. 37. Nossi Bé. ff. 13-16 (1899). |

Genus 189. **Eurymetopa.**

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 354 (1891).

1. **E. Obesa, Redt.** l. c. p. 354, pl. 3. f. 11 (1891). | Peru.

Genus 190. **Liostethus.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 355 (1891).

1. **L. Gladius, Redt.** l. c. n. 1, pl. 3. f. 12 (1891). | Upper
 2. **L. Pugio, Redt.** l. c. p. 356. n. 2 (1891). | Amazonas,
 | Venezuela,
 | Bahia.

Genus 191. **Oxyprora.** (Type no. 4.)

Stål, Öfv. Vet.-Akad. Förh. xiii. (4) p. 50 (1873) ; Rec. Orth. ii. pp. 98, 106 (1874) ; Redt. Verh. zool.-bot. Ges. Wien, xli. p. 358 (1891).

- | | |
|--|--|
| <p>**1. O. Ascendens, Walk. (<i>Conocephalus A.</i>)
Cat. Derm. Salt. B. M. ii. p. 305. n. 13
(1869).</p> <p>*2. O. Surinamensis, Redt. l. c. p. 359. n. 1
(1891).</p> <p>*3. O. Acanthoceras, Haan, (<i>Locusta (Conocephalus) A.</i>) Temminck, Verhandel., Orth. p. 212. n. 12 (1842).
 <i>O. Acuminata, Redt. (nec Linn.)</i> l. c. p. 359.
n. 2 (1891).</p> <p>4. O. Acuminata, Linn. (<i>Gryllus Tettigonia Acuminatus</i>) Syst. Nat. (ed. x.) i. p. 429.
n. 29 (1758) ; (ed. xii.) i. (2) p. 696. n. 23
(1767) ; Mus. Lud. Utr. p. 130 (1764).
<i>Locusta Acuminata, De Geer, Mém. Ins.</i> iii.
p. 442. n. 4, pl. 37. f. 8 (1773).
(?) <i>O. Acuminatus, Stål, Rec. Orth.</i> ii. p. 106.
n. 1 (1874).</p> <p>*5. O. Rostrata, Redt. l. c. p. 360. n. 3
(1891).</p> <p>6. O. Flavicornis, Redt. l. c. n. 4 (1891).</p> <p>7. O. Curvirostris, Redt. l. c. p. 361. n. 5
(1891).</p> | <p>Jamaica.</p> <p>Surinam,
Brazil.
Brazil.</p> <p>id.</p> <p>id.</p> <p>Bahia.
Iquitos.</p> |
|--|--|

Genus 192. **Oxyprorella.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 69 (1898).

1. **O. Dives, Giglio-Tos,** l. c. p. 70 (1898). | Ecuador.

Genus 193. **Pedinostethus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 361 (1891).

1. **P. Exiguus, Redt.** l. c. p. 362, pl. 3. f. 15 | Madagascar
(1891).

Genus 194. **Xestophrys.**

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 362 (1891).

1. **X. Javanicus, Redt.** l. c. pl. 3. f. 16 | Java.
(1891).

Genus 195. **Lanista.**

Bol. Journ. Sci. Lisboa, (2) i. p. 223 (1890); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 363 (1891); Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 139 (1893).

- **1. **L. Annulicornis**, Walk. (*Conocephalus* A.) Cat. Derm. Salt. B. M. ii. p. 312. n. 35 (1869). E., W., & Centr. Africa.
L. Annulicornis, Bol. l. c. p. 223. n. 208, pl. 1. f. 11 (1890); (?) Redt. l. c. p. 363, pl. 3. f. 17 (1891).
 ***Pseudorhynchus Africanus*, Walk. l. c. v. p. 38 (1871).

Genus 196. **Clasma.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 139 (1893).

1. **C. Parvispinosa**, Karsch, l. c. p. 140. n. 116, fig. (1893). Togo.

Genus 197. **Plastocorypha.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 353 (1896).

- *1. **P. Nigrifrons**, Redt. (*Pseudorhynchus* N.) Verh. zool.-bot. Ges. Wien, xli. p. 368. n. 6 (1891). Cameroons.
 2. **P. Vandicana**, Karsch, l. c. p. 354. n. 124 (1896). W. & E. C. Africa.

Genus 198. **Pseudorhynchus.** (*Type* no. 3.)

Serv. Ins. Orth. p. 509 (1839); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 329, 364 (1891); Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 139, 140 (1893); Jacobs. & Bianchi, Prem. i Lozln. Ross. Imp. pp. 325, 337, 382 (1902-3).

- *1. **P. Pungens**, Schaum, (*Conocephalus* P.) Ber. Akad. Berlin, 1853, p. 778. n. 13; Peters' Reise Mossamb. v. p. 127, pl. 7. f. 12 (1862); Gerst. Decken, Reisen Ost-Afr. iii. (2) p. 30. n. 43 (1873). E. & Centr. Africa.
P. Pungens, Redt. l. c. p. 365. n. 1, pl. 3. f. 18 (1891).

- **2. **P. Lanceolatus, Fabr.** (*Locusta Lanceolata*) Syst. Ent. p. 284. n. 12 (1775).
Conocephalus Lanceolatus, Burm. Handb. Ent. ii. p. 704. n. 1 (1838).
Pyrgocorypha Hastata, Bol. Journ. Sci. Lisboa, (2) i. p. 222. n. 207 (1890).
P. Hastatus, Redt. l. c. p. 366. n. 2 (1891).
3. **P. Sicarius, Serv.** Ins. Orth. p. 510. n. 1 (1839); Redt. l. c. p. 367. n. 3 (1891).
- *4. **P. Hastifer, Schaum,** (*Conocephalus H.*) ll. cc. p. 778. n. 12 (1853); p. 126, pl. 7. f. 11 (1862).
 || *P. Hastifer, Redt. l. c. p. 367. n. 4 (1891).*
- **5. **P. Porrigens, Walk.** (*Conocephalus P.*) Cat. Derm. Salt. B. M. ii. p. 313. n. 36 (1869).
- *6. **P. Flavescens, Serv.** (*Conocephalus F.*) Ann. Sci. Nat. xxii. p. 148. n. 1 (1831).
P. Flavescens, Serv. Ins. Orth. p. 511. n. 2 (1839).
- *7. **P. Lessonii, Serv.** l. c. n. 3 (1839).
 ***Conocephalus Alienus, Walk. l. c. ii. p. 324. n. 14 (1869).*
- **8. **P. Nobilis, Walk.** (*Conocephalus N.*) l. c. p. 326. n. 73 (1869).
Conocephalus Princeps, Bol. Viaje al Pacifico, Ins. p. 89 note (1884).
P. Princeps, Redt. l. c. p. 369. n. 7 (1891).
- *9. **P. Crassiceps, Haan,** (*Locusta (Conocephalus) C.*) Temminck, Verhandel., Orth. p. 212. n. 16 (1842).
 ***Conocephalus Strenuus, Walk. l. c. ii. p. 319 n. 52 (1869).*
P. Acuminatus, Redt. l. c. p. 371. n. 11 (1891).
10. **P. Antennalis, Stål,** (*Pyrgocorypha A.*) Eff. Vet.-Akad. Förh. xxxiv. (10) p. 46 (1877).
Pseudorhynchus Antennalis, Redt. l. c. p. 369. n. 8, pl. 3. ff. 19, 20 (1891); Jacobs. & Bianchi, l. c. pp. 337, 382 (1902-3).
11. **P. Gigas, Redt.** l. c. p. 370. n. 9 (1891).
- **12. **P. Concisus, Walk.** (*Conocephalus C.*) l. c. ii. p. 322. n. 58 (1869).
13. **P. Minor, Redt.** l. c. p. 370. n. 10 (1891).
- *14. **P. Flavolineatus, Redt.** l. c. p. 368. n. 5 (1891).
- W. Africa.
- Africa (?).
- Mozambique,
 Senaar,
 S. Africa.
 Natal.
- Java.
- Java,
 Christmas I.
 Australia.
- India,
 China,
 Burma.
- Japan,
 India,
 Burma,
 Java,
 Sumatra.
- Philippines,
 Burma,
 Japan.
- Burma.
- China.
- Philippines,
 Celebes.
- India,
 Siam.

- *15. **P. Froggatti, Kirb.** (n. n.) | Australia.
 || *P. Lessonii, Frogg. (nec Serr.)* Agrie Gaz.
 N. S. Wales, xv. p. 737, f. 4 (1904).

Genus 199. **Pyrgocorypha.** (*Type* no. 7.)

Stål, Öefv. Vet.-Akad. Förh. xiii. (4) p. 50 (1873); Rec. Orth.
 ii. pp. 98, 107 (1874); Redt. Verh. zool.-bot. Ges. Wien,
 xli. pp. 329, 371 (1891); Scudd. Guide N. Amer. Orth.
 p. 54 (1897); Sauss. & Pict. Biol. Centr.-Amer., Orth. i.
 p. 386 (1898).

1. **P. Nigridens, Burm.** (*Conocephalus N.*) | Brazil (?).
 Handb. Ent. ii. p. 704. n. 2 (1838).
- *2. **P. Sallei, Sauss.** (*Conocephalus S.*) Rev. | Mexico.
 Zool. (2) xi. p. 207 (1859).
P. Sallei, Redt. l. c. p. 372. n. 1 (1891);
 Sauss. & Pict. l. c. p. 386. n. 1, pl. 19.
 ff. 15, 16 (1898).
- **3. **P. Rogersi, Sauss. & Pict.** l. c. p. 387. | Costa Rica.
 n. 2, pl. 19. ff. 13, 14 (1898).
- *4. **P. Uncinata, Harr.** (*Conocephalus Unci-* | Southern
natus) Ins. Injur. Veget. p. 132 (1841); | States,
 (ed. iii.) p. 164 (1862); Scudd. Bost. | Mexico,
 Journ. Nat. Hist. vii. p. 450. n. 4 (1862). | Guatemala,
P. Uncinata, Redt. l. c. pp. 372, 373. n. 2 | Cuba.
 (1891); Sauss. & Pict. l. c. pp. 386, 387.
 n. 3 (1898).
- *5. **P. Hamata, Scudd.** (*Conocephalus Ha-* | Mexico,
matus) Proc. Bost. Soc. Nat. Hist. xx. | Centr.
 p. 87 (1879). | Amer.
P. Hamata, Redt. l. c. pp. 372, 373. n. 3,
 pl. 3. f. 21 (1891); Sauss. & Pict. l. c.
 pp. 386, 387. n. 4 (1898).
6. **P. Inermis, Sauss. & Pict.** l. c. pp. 386, | Costa Rica.
 387. n. 5, pl. 19. f. 17 (1898).
7. **P. Subulata, Thunb.** (*Conocephalus Subu-* | China,
latus) Mém. Acad. Pétersb. v. p. 271 | Burma,
 (1815). | Java,
P. Subulata, Stål, Recens. Orth. ii. p. 107. | Sumatra,
 n. 1 (1874); Redt. l. c. pp. 372, 374. n. 4, | Borneo.
 pl. 3. f. 22 (1891).
- ** *Conocephalus Dorsalis, Walk.* Cat. Derm.
 Salt. B. M. ii. p. 319. n. 51 (1869).
- ** *Conocephalus Spatulatus, Walk.* l. c. p. 322.
 n. 57 (1869).
- Conocephalus Jaramicus, Bol. Viaje al Pacif.,*
 Ins. p. 88 note (1884).

- | | |
|--|-----------|
| 8. P. Velutina , Redt, l. c. pp. 372, 374. n. 5
(1891). | Cambodia. |
| 9. P. Planispina , Haan, (<i>Locusta</i> (<i>Conocephala</i>) <i>P.</i>) Temminck, Verhandel.,
Orth. p. 212. n. 15 (1842). | Java. |

Genus 200. **Dorycoryphus**.

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 329, 375 (1891).

- | | |
|---|---------|
| 1. D. Longirostris , Redt. l. c. p. 375, pl. 3.
f. 23 (1891). | Brazil. |
|---|---------|

Genus 201. **Coryphodes**.

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 329, 375 (1891).

- | | |
|--|----------|
| 1. C. Acuta , Redt. l. c. p. 376, pl. 3. f. 24
(1891). | Bolivia. |
|--|----------|

Genus 202. **Ruspolia**.

Schulth.-Schindl. Ann. Mus. Genova, xxxix. p. 207 (1898).

- | | |
|---|---------|
| 1. R. Pygmæa , Schulth.-Schindl. l. c.
p. 208. n. 1 (1895). | Somali. |
|---|---------|

Genus 203. **Caulopsis**. (*Type* no. 4.)Redt. Verh. zool.-bot. Ges. Wien, xli. p. 376 (1891);
Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 388 (1898).

- | | |
|--|-------------------------------|
| *1. C. Gracillima , Walk. (<i>Conocephalus</i>
<i>Gracillimus</i>) Cat. Derm. Salt. B. M. ii.
p. 307. n. 22 (1869). | Brazil. |
| *2. C. Cuspidata , Scudd. (<i>Conocephalus</i>
<i>Cuspidatus</i>) Proc. Boston Soc. Nat. Hist.
xx. p. 88. n. 93 (1879).
<i>C. Cuspidata</i> , Redt. l. c. p. 377. n. 2 (1891). | Surinam,
Cayenne,
Cuba. |
| 3. C. Prora , Scudd. (<i>Conocephalus P.</i>) l. c.
p. 89. n. 94 (1879). | Nicaragua. |
| *4. C. Gracilis , Redt. l. c. p. 377. n. 1, pl. 3.
f. 25, <i>a, b</i> (1891). | Mexico,
Venez. Cuba |
| 5. C. Acutula , Scudd. (<i>Conocephalus Aeu-</i>
<i>tulus</i>) l. c. p. 89. n. 95 (1879). | California. |
| 6. C. Oberthuri , Bol. Revista Chilena, vii.
p. 146 (1903). | Paraguay. |
| 7. C. Sponsa , Stoll, (<i>Locusta Tettigonia S.</i>)
Spectres, Saut. p. 21, pl. 9 <i>a, f.</i> 36 (1813). | Surinam(?). |

see
Cuspidata
Haan

Genus 204. **Conocephaloides.** (Type no. 125.)

Perkins, Fauna Hawaiiensis, Orth. p. 13 (1899).

|| *Conocephalus*, *Serv.* (nec *Thunb.*) Ann. Sci. Nat. xxii. p. 148 (1831); Ins. Orth. p. 514 (1839); Burm. Handb. Ent. ii. p. 704 (1838); Fisch. Waldh. Orth. Ross. p. 143 (1846); Fisch. Orth. Eur. p. 245 (1853); Fieb. Lotos, iv. p. 222 (1854); Friv. Érték. Termész. Kör. i. (12) p. 110 (1867); Stal, Rec. Orth. ii. pp. 99, 108 (1874); Bol. Ortópt. Españ. pp. 235, 238 (1876); An. Soc. Españ. vi. pp. 317, 320 (1877); Viaje al Pacif., Ins. p. 87 (1884); Brunn. Prodr. Eur. Orth. pp. 246, 304 (1882); Finot, Orth. France, p. 91 (1883); Faune France, Orth. pp. 174, 189 (1889); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 330, 377 (1891); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 279 (1894); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 388 (1898); Tümp. Geradfl. Mitteleuropas, pp. 222, 225, 260 (1901); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 325, 337, 382 (1902-3); Blateld. Rep. Indiana Dept. Geol. xxvii. p. 363 (1903).

1. **C. Aduncus, Scudd.** (*Conocephalus A.*) Cuba.
Proc. Boston Soc. Nat. Hist. xx. p. 87.
n. 92 (1879); Redt. l. c. pp. 378, 386,
n. 1, pl. 3. f. 26 (1891).
2. **C. Flavirostris, Redt.** (*Conocephalus F.*) Brazil.
l. c. pp. 378, 386. n. 2, pl. 3. f. 27 (1891).
3. **C. Subulatus, Bol.** (*Conocephalus S.*) An. Ecuador,
Soc. Españ. x. p. 498 (1881); Viaje al Peru.
Pacif., Ins. p. 99 (1884); Redt. l. c.
pp. 379, 387. n. 3 (1891).
- *4. **C. Monoceros, Stoll,** (*Gryllus Locusta* Cayenne,
M.) Spectres, Saut. p. 34. pl. 17 b. f. 65 Santarem.
(1813).
Locusta Niphias, St. Farg. & Serr. Encycl.
Méth., Ins. x. p. 342. n. 1 (1825).
Conocephalus Niphias, Serv. Ins. Orth. p. 516.
n. 1 (1839).
5. **C. Lancifer, Burm.** (*Copiophora Lanci-* Bahia.
fera) l. c. p. 703. n. 4 (1838).
Conocephalus (Copiophora) Lancifera, Haan,
Temminck, Verhandel., Orth. p. 211. n. 4
(1842).
Conocephalus Lancifer, Redt. l. c. pp. 379,
387. n. 4, pl. 3. f. 28 (1891).
6. **C. Carinatus, Redt.** (*Conocephalus C.*) Fonte Boa.
l. c. pp. 379, 388. n. 5 (1891).

7. **C. Puiggarii, Bol.** (*Conocephalus P.*) Brazil.
Viaje al Pacif., Ins. p. 91 note, pl. 2. f. 81 (1884).
Conocephalus Puiggarii, Redt. l. c. pp. 379, 388, n. 6 (1891).
8. **C. Nigricans, Redt.** (*Conocephalus N.*) id.
l. c. pp. 379, 388, n. 7, pl. 3. f. 29 (1891).
9. **C. Procerus, Redt.** (*Conocephalus P.*) Buenos Aires.
l. c. pp. 379, 389, n. 8 (1891).
- *10. **C. (?) Colorificus, Walk.** (*Pseudorhynchus (?) C.*) Cat. Derm. Salt. B. M. ii. Brazil.
p. 330, n. 4 (1869).
- *11. **C. Truncatirostris, Redt.** (*Conocephalus T.*) id.
l. c. pp. 379, 389, n. 9, pl. 3. f. 30 (1891).
12. **C. Lyristes, Rehn,** (*Conocephalus L.*) Florida.
Proc. Acad. Nat. Sci. Philad. lvii. p. 45, pl. 1. ff. 8, 9 (1905).
13. **C. Bruneri, Blatchl.** (*Conocephalus B.*) Indiana.
l. c. pp. 364, 367, n. 91, f. 90 (1903).
14. **C. Nigromaculatus, Redt.** (*Conocephalus N.*) Argentina, &c.
l. c. pp. 379, 390, n. 10, pl. 3. f. 31 (1891).
- **15. **C. Purpurascens, Walk.** (*Conocephalus P.*) Demerara.
l. c. p. 309, n. 27 (1869).
16. **C. Crassus, Bol.** (*Conocephalus C.*) An. Ecuador,
Soc. Españ. x. p. 499 (1881); Viaje al Cayenne,
Pacif., Ins. p. 102, pl. 3. f. 6 (1884); Surinam.
Redt. l. c. pp. 379, 390, n. 11 (1891).
17. **C. Ichneumoneus, Bol.** (*Conocephalus L.*) Brazil.
Viaje al Pacif., Ins. p. 90 (1884);
Redt. l. c. pp. 379, 391, n. 12 (1891).
- *18. **C. Nigropunctatus, Redt.** (*Conocephalus N.*) S. America,
l. c. pp. 380, 391, n. 13, pl. 3. f. 32 Cuba.
(1891).
- *19. **C. Guttatus, Serv.** (*Conocephalus G.*) Mexico,
Ins. Orth. p. 518, n. 3 (1839); Guér. S. & Centr.
Ramon de la Sagra, Hist. Cuba, Ins. America,
p. 355 (1857); Bol. Mém. Soc. Zool. W. Indies.
France, i. p. 149, n. 106 (1888); *Redt.* l. c.
p. 392, n. 14, pl. 3. f. 33 (1891); Griff.
Boll. Mus. Torino, xi. (232) p. 26 (1896);
Sauss. & Piet. l. c. p. 390, n. 1 (1898).
Conocephalus Guttata, Haan, l. c. p. 212.
n. 21 (1842).
Gryllus Locusta Fenestratus, pt., *Stoll,* l. c.
p. 33, pl. 17 b. f. 64 (1813).

- *20. **C. Pichinchæ, Bol.** (*Conocephalus P.*) Ecuador,
An. Soc. Españ. x. p. 498 (1881); Viaje Cuba.
al Pacif., Ins. p. 100 (1884); Redt. l. c.
p. 319. n. 15 (1891); Sauss. & Pict. l. c.
pp. 388, 390. n. 2 (1898).
21. **C. Elongatus, Redt.** (*Conocephalus E.*) Peru.
l. c. p. 393. n. 16 (1891).
- *22. **C. Tuberculatus, De Geer,** (*Locusta Tu-* id.,
berculata) Mém. Ins. iii. p. 444. n. 5, pl. 38. Ecuador,
f. 1 (1773). Brazil.
- Conocephalus Tuberculatus, Stål, Recens.*
Orth. ii. p. 110. n. 5 (1874).
- Gryllus Tettigonia Orycephala, Stoll,* l. c.
p. 19. pl. 8 a. ff. 30-32 (1813).
- Conocephalus Irroratus, Burm.* l. c. p. 705.
n. 4 (1838); Bol. Viaje al Pacif., Ins. p. 101
(1884); Redt. l. c. p. 394. n. 18 (1891);
Sauss. & Pict. l. c. pp. 389, 390. n. 3.
pl. 19. ff. 18-20 (1898).
- Conocephalus Dentifrons, Sauss. Rev. Zool.*
(2) xi. p. 207 (1859).
- ** *Conocephalus Alligatus, Walk.* l. c. ii. p. 308.
n. 25 (1869).
- **23. **C. Exaltatus, Walk.** (*Conocephalus E.*) Venezuela,
l. c. p. 311. n. 30 (1869). Bogota,
Conocephalus Pustulatus, Redt. l. c. p. 395. Thereso-
n. 20, pl. 3. f. 34 (1891). polis.
- *24. **C. Mexicanus, Sauss.** (*Conocephalus M.*) Southern
l. c. p. 208 (1859); Redt. l. c. p. 395. States,
n. 21 (1891); Sauss. & Pict. l. c. pp. 389, Mexico,
390, pl. 19. f. 21 (1898). S. & Centr.
America.
- ** *Conocephalus Contingens, Walk.* l. c. p. 304.
n. 10 (1869).
25. **C. Tristani, Sauss. & Pict.** (*Cono-* Costa Rica.
cephalus T.) l. c. pp. 389, 391. n. 6,
pl. 19. f. 22 (1898).
- **26. **C. Aztecus, Sauss. & Pict.** (*Cono-* Mexico,
cephalus A.) l. c. pp. 389, 391. n. 7 (1898). Costa Rica.
- *27. **C. Maxillosus, Fabr.** (*Locusta Muri-* S. & Centr.
losa) Syst. Ent. p. 284. n. 8 (1775); America.
Blanch. Hist. Nat. Ins. iii. p. 25. n. 2 W. Indies.
(1840).
- Conocephalus Muriillosus, Serr.* Ann. Sci. Nat.
xxii. p. 149. n. 3 (1831); Ins. Orth. p. 520
(1839); Redt. l. c. p. 396. n. 22 (1891).
- || *Locusta Lanceolata, Beauv. (nec Fabr.)* Ins.
Afr. Amér. p. 219, pl. 7. f. 4 (1805).

- Locusta Affinis*, Beauv. l. c. f. 5 (1805).
 ** *Conocephalus Viridator*, Walk. l. c. ii. p. 308. n. 24 (1869).
 ** *Conocephalus Abbreviatus*, Walk. l. c. p. 327. n. 75 (1869).
Conocephalus Muticus, Redt. l. c. p. 393. n. 17 (1891).
 28. **C. Maculosus**, Redt. (*Conocephalus M.*) l. c. p. 396. n. 23 (1891). Brazil.
 *29. **C. Brevis**, Redt. (*Conocephalus B.*) l. c. p. 397. n. 24 (1891). Montevideo, Theresopolis Florida.
 30. **C. Malivolans**, Scudd. (*Conocephalus M.*) Proc. Bos. Soc. Nat. Hist. xx. p. 90 (1878).
 *31. **C. Obscurellus**, Redt. (*Conocephalus O.*) l. c. pp. 380, 397. n. 25 (1891): Sauss. & Pict. l. c. pp. 389, 392. n. 8 (1898). New Orleans to Venezuela Antilles.
 *32. **C. Infuscatus**, Scudd. (*Conocephalus I.*) l. c. xvii. p. 265 (1875). Peru.
 33. **C. Colligatus, Walk. (*Conocephalus C.*) l. c. p. 309. n. 26 (1869). S. America, Antilles.
 ¶ *Conocephalus Heteropus*, Brunn. (nec Bol.) Proc. Zool. Soc. Lond. 1892, pp. 200, 215. n. 6.
 *34. **C. Fratellus**, Griff. (*Conocephalus F.*) Miscell. Ent. vii. p. 5 (1899). Panama, S. America, Antilles.
 ¶ *Conocephalus Frater*, Redt. (nec Kirb.) l. c. pp. 381, 399. n. 29 (1891); Griff. Boll. Mus. Torino, xi. (232) p. 26 (1896); Sauss. & Pict. l. c. pp. 389, 392. n. 10 (1898).
 *35. **C. Saturatus**, Griff. (*Conocephalus S.*) Miscell. Ent. vii. p. 5 (1899). S. America. Antilles.
 ¶ *Conocephalus Infuscatus*, Redt. (nec Scudd.) l. c. pp. 380, 398. n. 26 (1891).
 36. **C. Vittipennis, Walk. (*Conocephalus V.*) l. c. ii. p. 327. n. 74 (1869). Brazil, Montevideo.
Conocephalus Fuscomarginatus, Redt. l. c. pp. 383, 398. n. 27 (1891).
 37. **C. Fuscostriatus**, Redt. (*Conocephalus F.*) l. c. pp. 380, 399. n. 28 (1891); Sauss. & Pict. l. c. pp. 389, 392. n. 9 (1898). S. States, Mexico, Antilles.
 38. **C. Brachypterus**, Redt. (*Conocephalus B.*) l. c. pp. 381, 400. n. 31 (1898). Brazil.

39. **C. Heteropus, Bol.** (*Conocephalus H.*) Brazil,
An. Soc. Españ. x. p. 496 (1881); Viaje
al Pacifico, Ins. p. 94 (1884); Redt. l. c.
pp. 381, 400. n. 30 (1891). Peru, Chile.
40. **C. Conifrons, Redt.** (*Conocephalus C.*) Brazil.
l. c. pp. 381, 401. n. 33 (1891).
- *41. **C. Globifer, Redt.** (*Conocephalus G.*) id.,
l. c. pp. 381, 401. n. 34, pl. 3. f. 35 Honduras.
(1891).
42. **C. Nigrolimbatus, Redt.** (*Conocephalus N.*) Cuba.
l. c. pp. 381, 401. n. 35 (1891).
- *43. **C. Macropterus, Redt.** (*Conocephalus M.*) Mexico,
l. c. pp. 381, 402. n. 36 (1891); S. & Centr.
Sauss. & Pict. l. c. pp. 389, 392. n. 11 America,
(1898). Antilles.
44. **C. Aries, Scudd.** (*Conocephalus A.*) Proc. Mexico.
Boston Soc. N. H. xx. p. 91 (1878).
45. **C. Necessarius, Redt.** (*Conocephalus N.*) id.
l. c. pp. 381, 402. n. 37 (1891);
Sauss. & Pict. l. c. pp. 389, 393. n. 12
(1898).
- *46. **C. Robustus, Scudd.** (*Conocephalus R.*) Massa-
Boston Journ. Nat. Hist. vii. p. 449. n. 2 chusetts.
(1862); Bent. l. c. p. 280, pl. 6. f. 9
(1894); Blatchl. l. c. pp. 364, 368, 369,
f. 91 (1903).
- *47. **C. Ensiger, Harr.** (*Conocephalus E.*) N. America.
Rep. Ins. Mass. p. 131 (1841); (ed. 3)
pp. 163, 164, f. 79 (1862); Glover, Ill.
N. Amer. Orth. pl. 4. f. 12 (1872);
Redt. l. c. pp. 381, 403. n. 39 (1891);
Bent. l. c. p. 281, pl. 6. f. 8 (1894); Blatchl.
l. c. pp. 364, 365. n. 89, ff. 88, 89 (1903).
|| *Gryllus Tettigonia Acuminata*, pt., Stoll (nec
Linn.), l. c. p. 18, pl. 8 a. f. 27 (1813).
48. **C. Nebrascensis, Brunn.** (*Conocephalus N.*) Nebraska,
Canad. Ent. xxiii. p. 72 (1891); Indiana.
Blatchl. l. c. pp. 364, 366. n. 90 (1903).
49. **C. Exiliscanorus, Davis,** (*Conocephalus E.*) Staten I.
Canad. Ent. xix. p. 57 (1887); Bent.
l. c. p. 280, pl. 7. ff. 1, 2 (1894).
- **50. **C. Restrictus, Walk.** (*Conocephalus R.*) Hab. — ?
l. c. ii. p. 329. n. 78 (1869).
- *51. **C. Testaceus, Redt.** (*Conocephalus T.*) Mexico,
l. c. pp. 381, 403. n. 40 (1891); Sauss. Brazil
& Pict. l. c. pp. 389, 393. n. 13 (1898). (eadem?).

52. **C. Crepitans, Scudd.** (*Conocephalus C.*) Texas,
l. c. p. 450. n. 5 (1862); Brun, Bull. Nebraska,
Washburn Coll. i. p. 128. n. 22 (1885); Missouri,
Redt. l. c. pp. 381, 404. n. 41 (1891); Kansas,
Sauss. & Pict. l. c. pp. 389, 393. n. 14 Arkansas.
(1898).
- **53. **C. Bilineatus, Thunb.** (*Conocephalus B.*) St. Domingo
l. c. p. 275 (1815); Walk. l. c. ii. p. 306.
n. 14 (1869). *larva. (2 as yet section)*
54. **C. Palustris, Blatchley,** (*Conocephalus P.*) Indiana.
Canad. Ent. xxv. p. 89 (1893); Rep.
Indiana Dept. Geol. xxvii. pp. 364, 370.
n. 93, f. 92 a, b (1903).
55. **C. Rufescens, Redt.** (*Conocephalus R.*) Brazil.
l. c. pp. 382, 404. n. 42 (1891).
56. **C. Triops, Linn.** (*Gryllus Tettigonia T.*) N. America.
Syst. Nat. (ed. x.) i. p. 430. n. 30 (1758);
Mus. Ulr. p. 131 (1764).
Conocephalus Triops, Thunb. Mém. Acad.
Pétersb. v. p. 272 (1815); Stål, Recens.
Orth. ii. p. 110. n. 4 (1874).
Conocephalus Obtusus, Burm. l. c. p. 705.
n. 5 (1838).
Conocephalus Dissimilis, Serr. Ins. Orth.
p. 518. n. 4 (1839); Harr. II. cc. p. 132
note (1841); p. 164 note (1862); Redt.
l. c. pp. 382, 405. n. 43 (1891); Beut.
l. c. p. 281, pl. 7. ff. 3, 4 (1894).
57. **C. Retusus, Scudd.** (*Conocephalus R.*) Georgia.
Proc. Boston Soc. Nat. Hist. xx. p. 93.
n. 99 (1878).
- *58. **C. Nieti, Sauss.** (*Conocephalus N.*) Rev. Texas,
Zool. (2) xi. p. 208 (1859). Mexico,
Conocephalus Nietoi, Bol. Viaje al Pacif., Guatemala,
Ins. p. 92 (1884); Mém. Soc. Zool. Antilles.
France, i. p. 150. n. 109 (1888); Redt.
l. c. pp. 382, 405. n. 44 (1891); Sauss. &
Pict. l. c. pp. 389, 393. n. 16, pl. 19.
ff. 23, 24 (1898).
59. **C. Hebes, Scudd.** (*Conocephalus H.*) Mexico,
l. c. p. 92 (1878); Bol. Mém. Soc. Zool. Antilles.
France, i. p. 150. n. 108 (1888). N. Orleans.
60. **C. Exilis, Kirb.** (n. n.). Galapagos.
|| *Conocephalus Insulanus, Scudd. (nec Redt.)*
Bull. Mus. Harvard Coll. xxv. p. 21,
pl. 3. ff. 2, 3 (1893).

61. **C. Tenuicauda, Scudd.** (*Conocephalus* Napo.
T.) Proc. Boston Soc. Nat. Hist. xii.
p. 333 (1869).
- *62. **C. Argentinus, Redt.** (*Conocephalus* A.) Buenos
l. c. pp. 382, 406. n. 45 (1891). Aires.
63. **C. Gladiator, Redt.** (*Conocephalus* G.) Mexico.
l. c. pp. 382, 406. n. 46 (1891) ; Sauss.
& Piet. l. c. pp. 389, 394. n. 17 (1898).
64. **C. Atlanticus, Brund.** (*Conocephalus* A.) E. United
Entom. News, x. p. 38 (1899). States.
65. **C. Vittifrons, Redt.** (*Conocephalus* V.) Buenos
l. c. pp. 382, 406. n. 47, pl. 3. f. 37 Aires.
(1891).
- *66. **C. Simulator, Walk.** (*Conocephalus* S.) Brazil,
l. c. ii. p. 310. n. 28 (1869). Cuba.
Conocephalus *Adustus*, Redt. l. c. pp. 381,
400. n. 32 (1891).
67. **C. Parvus, Redt.** (*Conocephalus* P.) l. c. Uruguay.
pp. 382, 407. n. 48 (1891).
- *68. **C. Alienus, Walk.** (*Conocephalus* A.) Guayaquil. = Ecuador
69. **C. Anodon, Redt.** (*Conocephalus* A.) l. c. Brazil.
pp. 382, 407. n. 49, pl. 3. f. 38 (1891).
70. **C. Scudderii, Bol.** (*Conocephalus* S.) An. Ecuador,
Soc. Españ. x. p. 497 (1881). Upper
Conocephalus *Scudderii*, Bol. Viaje al Pacif., Amazons.
Ins. p. 98 (1884) ; Redt. l. c. pp. 382,
407. n. 50 (1891).
71. **C. Macroxiphus, Redt.** l. c. pp. 384, Cayenne.
417. n. 73 (1891).
72. **C. Conspersus, Redt.** (*Conocephalus* C.) Brazil.
l. c. pp. 384, 418. n. 76 (1891).
73. **C. Occidentalis, Sauss.** (*Conocephalus* Haiti.
O.) Rev. Zool. (2) xi. p. 208 (1859) : Cuba,
(?) Bol. Viaje al Pacif., Ins. p. 96 (1884) ; Ecuador.
Mém. Soc. Zool. France, i. p. 150. n. 107
(1888).
74. **C. Meridionalis, Kirb.** (n. n.). S. Brazil.
|| *Conocephalus* *Occidentalis*, Redt. (nec Sauss.) Argentina.
l. c. pp. 384, 419. n. 77 (1891).
- *75. **C. Spiniger, Redt.** (*Conocephalus* S.) l. c. Brazil.
pp. 384, 419. n. 78 (1891). Argentina.
76. **C. Viridis, Redt.** (*Conocephalus* V.) l. c. Brazil.
pp. 384, 419. n. 79 (1891).
77. **C. Kraussi, Redt.** (*Conocephalus* K.) l. c. id.
pp. 384, 420. n. 80 (1891).

78. **C. Cocanus, Bol.** (*Conocephalus C.*) An. Ecuador.
Soc. Españ. x. p. 497 (1881); Viaje al
Pacif., Ins. p. 97 (1884); Redt. l. c.
pp. 384, 420. n. 81 (1891).
79. **C. Proximus, Redt.** (*Conocephalus P.*) Brazil.
l. c. pp. 384, 420. n. 82 (1891).
80. **C. Rugosicollis, Bol.** (*Conocephalus R.*) Chile.
ll. cc. p. 496 (1881); p. 93 (1884);
Redt. l. c. pp. 384, 421. n. 83, pl. 3.
f. 44 (1891).
- *81. **C. Laticeps, Redt.** (*Conocephalus L.*) Bogota,
l. c. pp. 385, 421. n. 84, pl. 3. f. 45 (1891); Costa Rica.
Sauss. & Pict. l. c. pp. 389, 394, pl. 19.
f. 25 (1898).
82. **C. Clausus, Scudd.** (*Conocephalus C.*) Mexico.
Proc. Bost. Soc. Nat. Hist. xx. p. 94 (1878). 0-101 (1878).
- *83. **C. Ensifer, Bol.** (*Conocephalus Ensiferus*) Peru.
Viaje al Pacif., Ins. p. 88 note, pl. 2. f. 9
(1884).
Conocephalus Ensifer, Redt. l. c. pp. 385,
422. n. 86 (1891).
84. **C. Hoplomachus, Rehn,** (*Conocephalus* Florida.
II.) Proc. Acad. Nat. Sci. Philad. lvi.
p. 46, pl. 1. ff. 10, 11 (1905).
- **85. **C. Punctipes, Redt.** (*Conocephalus P.*) St. Vincent.
l. c. pp. 385, 422. n. 87 (1891).
86. **C. Brunneri, Redt.** (*Conocephalus B.*) Brazil,
l. c. pp. 385, 423. n. 88 (1891). Argentina.
87. **C. Prasinus, Redt.** (*Conocephalus P.*) Mexico.
l. c. pp. 385, 423. n. 89 (1901); Sauss. &
Pict. l. c. pp. 389, 394. n. 19 (1898).
- *88. **C. Surinamensis, Redt.** (*Conocephalus* Surinam,
S.) l. c. pp. 385, 423. n. 90 (1891); Antilles.
Sauss. & Pict. l. c. pp. 389, 394. n. 20
(1898).
89. **C. Carbonarius, Redt.** (*Conocephalus C.*) Cuba.
l. c. pp. 385, 424. n. 91 (1891).
- *90. **C. Vernalis, Kirb.** (*Conocephalus V.*) Fernando
Journ. Linn. Soc. Lond., Zool. xx. p. 534 Noronha.
(1890).
Var. *Frater, Kirb.* l. c. (1890). id.
- *91. **C. Bolivari, Redt.** (*Conocephalus B.*) l. c. Buenos
pp. 385, 425. n. 95 (1891). Aires.
92. **C. Fuscinervis, Redt.** (*Conocephalus F.*) Cuba.
l. c. pp. 385, 427. n. 91 (1891).
93. **C. Gracilipes, Bol.** (*Conocephalus G.*) Surinam.
Viaje al Pacif., Ins. p. 87 note (1884).

- *94. **C. Indicus, Redt.** (*Conocephalus I.*) l. c. pp. 382, 408. n. 51 (1891). India, China, Java, &c.
95. **C. Blandus, Serv.** (*Conocephalus B.*) Ins. Orth. p. 521 (1839) ; Redt. l. c. pp. 382, 408. n. 52 (1891).
Conocephalus Macro, Haan, l. c. pp. 211, 212. n. 14 (1842). Java.
96. **C. Coniceps, Redt.** (*Conocephalus C.*) l. c. pp. 382, 408. n. 53, pl. 3. f. 39 (1891). Borneo.
- *97. **C. Lineatipes, Bol.** (*Conocephalus L.*) J. Sci. Lisboa, (2) i. p. 225 (1890) ; Redt. l. c. pp. 382, 509. n. 54 (1891). Angola, Borneo, Australia &c.
98. **C. Saussurei, Redt.** (*Conocephalus S.*) l. c. pp. 382, 409. n. 55 (1891). Sumatra.
99. **C. Pyrifer, Redt.** (*Conocephalus P.*) l. c. pp. 383, 410. n. 56, pl. 3. f. 40 (1891). Borneo.
100. **C. Picteti, Redt.** (*Conocephalus P.*) l. c. pp. 383, 410. n. 57 (1891). Sumatra.
101. **C. Ustulatus, Redt.** (*Conocephalus U.*) l. c. pp. 383, 411. n. 58 (1891). id.
- *102. **C. Troudeti, Le Guill.** (*Conocephalus T.*) Rev. Zool. 1841, p. 294. Australia, N. Guinea.
- *103. **C. Cornutus, Redt.** (*Conocephalus C.*) l. c. pp. 383, 411. n. 59 (1891). Amboina, Australia &c.
104. **C. Mimeticus, Redt.** (*Conocephalus M.*) l. c. pp. 383, 411. n. 60 (1891). Sydney.
- *105. **C. Coarctatus, Redt.** (*Conocephalus C.*) l. c. pp. 383, 412. n. 61 (1891) ; Fritze, Rev. Suisse Zool. vii. p. 340 (1899). Sumatra.
- *106. **C. Veruger, Serv.** (*Conocephalus V.*) l. c. p. 520. n. 6 (1839) ; Jacobs. & Bianchi, l. c. p. 382 (1903). Java, Japan.
Locusta (Conocephalus) Verrugera, pt., *Haan*, l. c. pp. 212, 213. n. 20 (1842).
Conocephalus Verruger, Redt. l. c. pp. 383, 412. n. 62 (1891).
- **107. **C. Clarus, Walk.** (*Conocephalus C.*) l. c. ii. p. 324. n. 65 (1869). Sumatra.
108. **C. Longiceps, Redt.** (*Conocephalus L.*) l. c. pp. 383, 412. n. 63 (1891). New Caledonia.
109. **C. Sobrinus, Bol.** (*Conocephalus S.*) Viaje al Pacif. Ins. p. 88 note (1884) ; Redt. l. c. pp. 383, 413. n. 64 (1891). Java, Borneo, Celebes.
110. **C. Brachixiphus, Redt.** (*Conocephalus B.*) l. c. pp. 383, 413. n. 65 (1891). China, Java, &c.
- **111. **C. Varius, Walk.** (*Conocephalus V.*) l. c. ii. p. 320. n. 53 (1869). Japan, China,

- || *Conocephalus Lanceolatus*, Thunb. (nec Fabr.) Mém. Pétersb. xv. p. 272 (1815). Philippines, Silhet.
- || *Conocephalus Acuminatus*, Burm. (nec Linn.) l. c. p. 705. n. 3 (1838). ~~Java &c.~~
- || *Conocephalus Thunbergii*, Stål (nec Montr.), Recens. Orth. ii. p. 109. n. 2 (1874).
Conocephalus Thunbergi, Redt. l. c. pp. 383, 414. n. 66 (1891); Jacobs. & Bianchi, l. c. p. 382 (1903).
112. **C. Ultimius, Krausze**, (*Conocephalus U.*) Ins. Börse. 1904, p. 213. Tonkin.
- *113. **C. Pallidus, Redt.** (*Conocephalus P.*) l. c. pp. 383, 414. n. 67 (1891). India, Java, &c.
- *114. **C. Roberti, Le Guill.** (*Conocephalus R.*) l. c. p. 294. n. 18 (1841). Friendly & Navigators' Isl.
 ** *Conocephalus Insularis*, Walk. l. c. ii. p. 325. n. 70 (1869).
115. **C. (?) Thunbergi, Montr.** (*Conocephalus Thunbergii*) Ann. Sci. Phys. Nat. Lyon, (2) vii. p. 88 (1855). Woodlark I.
- **116. **C. Extensor, Walk.** (*Conocephalus E.*) l. c. ii. p. 329. n. 79 (1869). Penang, Australia, Pacific Islands.
Conocephalus Australis, Bol. l. c. p. 90 note (1884); Redt. l. c. pp. 383, 415. n. 68, pl. 3. f. 41 (1891).
117. **C. Cristovallensis, Montr.** (*Conocephalus C.*) l. c. p. 88 (1855). Woodlark I.
118. **C. Gracilis, Redt.** (*Conocephalus G.*) l. c. pp. 383, 415. n. 69 (1891). Penang, Borneo, &c.
- *119. **C. Insulanus, Redt.** (*Conocephalus I.*) l. c. pp. 383, 416. n. 70 (1891). Borneo.
- *120. **C. Nasutus, Thunb.** (*Conocephalus N.*) Mém. Acad. Pétersb. xv. p. 273 (1815). China, Japan, India, Siam, Java.
 || *Locusta Acuminata*, Don. (nec Linn.) Ins. China, pl. 11. f. 2 (1798).
 || *Conocephalus Acuminatus*, Redt. l. c. pp. 384, 416. n. 71 (1891); Jacobs. & Bianchi, l. c. p. 383 (1903).
- **121. **C. Turpis, Walk.** (*Conocephalus T.*) l. c. ii. p. 323. n. 63 (1869). Philippines.
- **122. **C. Rosaceus, Walk.** (*Conocephalus R.*) l. c. p. 321. n. 56 (1869); Jacobs. & Bianchi, l. c. p. 384 (1903). N. China.
- **123. **C. Femoralis, Walk.** (*Conocephalus F.*) l. c. p. 321. n. 55 (1869). China (?).

- **124. **C. Incertus, Walk.** (*Conocephalus L.*) India,
l. c. p. 320. n. 54 (1869).
Conocephalus Breviceps, Redt. l. c. pp. 384,
417. n. 72. pl. 3. f. 42 (1891).
- **125. **C. Remotus, Walk.** (*Conocephalus R.*) Hawaiian
l. c. p. 326. n. 71 (1869).
Islands.
***C. Hawaiiensis, Perk.* l. c. p. 13. pl. 1.
f. 8 (1899).
126. **C. Halmaheræ, Brunn.** (*Conocephalus*
II.) Abhandl. Senckenb. Ges. xxiv.
p. 265 (1898). Gilolo.
- **127. **C. Lineosus, Walk.** (*Conocephalus L.*) China,
l. c. ii. p. 318. n. 50 (1869). Japan.
***Conocephalus Latipennis, Walk.* l. c. p. 328.
n. 77 (1869). India,
Conocephalus Fascipes, Redt. l. c. pp. 385, Ceylon,
421. n. 85 (1891); Jacobs. & Bianchi, Burma.
l. c. p. 383 (1903).
128. **C. Dubius, Redt.** (*Conocephalus D.*) Japan.
l. c. pp. 385. 424. n. 92 (1891); Jacobs.
& Bianchi. l. c. p. 383 (1903).
- **129. **C. Interruptus, Walk.** (*Conocephalus*
L.) l. c. ii. p. 318. n. 49 (1869). N. India.
Conocephalus Brevipennis, Redt. l. c. Japan.
pp. 385, 425. n. 93 (1891); Jacobs. &
Bianchi. l. c. p. 383 (1903).
130. **C. Vaginalis, Redt.** (*Conocephalus V.*) Australia.
l. c. pp. 385. 426. n. 98 (1891).
131. **C. Affinis, Redt.** (*Conocephalus A.*) Madagascar
l. c. pp. 380, 394. n. 19 (1891).
- **132. **C. Abruptus, Walk.** (*Conocephalus A.*) id.
l. c. ii. p. 317. n. 45 (1869).
Conocephalus Madagassus, Redt. l. c.
pp. 384, 417. n. 74. pl. 3. f. 43
(1891).
133. **C. Lemur, Redt.** (*Conocephalus L.*) id.
l. c. pp. 384, 418. n. 75 (1891).
- **134. **C. Indicator, Walk.** (*Conocephalus L.*) Natal.
l. c. p. 313. n. 37 (1869).
- **135. **C. Amplus, Walk.** (*Conocephalus A.*) id.
l. c. p. 315. n. 40 (1869); Redt.
l. c. pp. 385, 425. n. 94, pl. 3. f. 46
(1891).
- *136. **C. Longipennis, Redt.** (*Conocephalus*
L.) II. cc. n. 96. pl. 3. f. 47 (1891). E. Africa.
137. **C. Albidonervis, Redt.** (*Conocephalus*
A.) l. c. pp. 385, 426. n. 97 (1891). Madagascar

- *138. **C. Nitidulus, Scop.** (*Gryllus N.*) Del. S. Europe,
 Flor. Faun. Insubr. i. p. 62, pl. 24 B Africa,
 (1786); Griff. Boll. Mus. Torino, xi. W. Asia.
 (220) p. 1 (1896).
Conocephalus Nitidulus, Griff. l. c. p. 2
 (1896); Jacobs. & Bianchi, l. c. p. 383
 (1903).
 || *Gryllus Tetigonia Acuminatus, Sulz. (nec*
Lin.) Gesch. Ins. p. 83, pl. 9. f. 1 (1776).
 || *Locusta Tuberculata, Rossi (nec De Geer),*
 Fauna Etrusca, i. p. 269. n. 651 (1790);
 Mant. p. 103 (1792); Latr. Hist. Nat.
 Crust. Ins. xii. p. 132. n. 7 (1804).
 || *Conocephalus Tuberculatus, Fieb. Lotos, iv.*
 p. 223. n. 1 (1854).
Locusta Erythrosoma, St. Farg. & Serr.
 Encycl. Méth., Ins. x. p. 342. n. 2 (1825).
Locusta Mandibularis, Charp. Hor. Ent.
 p. 106 (1825); Germ. Faun. Ins. Eur.
 fasc. xv. pl. 10 (1817?).
Conocephalus Mandibularis, Serr. Ann.
 Sci. Nat. xxii. p. 149 (1831); Ins.
 Orth. p. 521. n. 9 (1839); Burm. l. c.
 p. 705. n. 6 (1838); Fisch. Waldh. l. c.
 p. 144. n. 1, pl. 8. f. 5 (1846); Luc.
 Expl. Alg., Zool. iii. p. 13, iv. Orth. pl. 2.
 f. 6 (1849); Fisch. Orth. Eur. p. 245.
 n. 1, pl. 14. ff. 1, 1 a-d (1853); Friv.
 Értek. Termés. Kőr. i. (12) p. 110 (1868);
 Stål, Recens. Orth. ii. p. 109. n. 3
 (1874); Bol. Ortópt. Españ. p. 238. n. 1,
 pl. 5. f. 15 (1876); An. Soc. Españ. vi.
 p. 320, pl. 4. f. 15 (1877); Marq. Bull.
 Soc. Toulouse, vi. p. 152 (1877); Brunn.
 Prodr. Eur. Orth. p. 304. n. 1, pl. 8.
 f. 71 A, B (1882); Finot, Orth. France,
 p. 102 (1883); Faun. France, Orth.
 p. 190, pl. 9. f. 128 (1889); Redt. l. c.
 pp. 386, 427. n. 101 (1891); Griff. l. c.
 vii. (133) p. 3 (1892), viii. (141) p. 16
 (1893); Tümp. Geradfl. Mitteleurop.
 pp. 225, 260 (1901).
Locusta Brericaula, Brullé, Barth. &
Webb, Hist. Nat. Canar., Ins. p. 76,
 pl. 5. f. 5 (1838).
Locusta Lineata, Bris. Bull. Soc. Ent.
 France. (2) vii. p. lxxx (1849); (2) ix.
 p. lxxvi (1851).

- ** *Conocephalus Consobrinus*, Walk. l. c. ii. p. 315. n. 41 (1869).
 ** *Conocephalus Vicinus*, Walk. l. c. p. 316. n. 42 (1869).
 ** *Conocephalus Subcittatus*, Walk. l. c. n. 43 (1869).
Conocephalus Ambiguus, var. *Subcittata*, Bol. Jorn. Sci. Lisboa, (2) i. p. 225 (1890).
Conocephalus Ambiguus, Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 62 (1876); Bol. l. c. p. 224 (1890).
Conocephalus Ambiguus, var. *Minor*, Bol. l. c. p. 224 (1890).
Conocephalus Ambiguus, var. *Macropterus*, Bol. l. c. p. 125 (1890).
 139. **C. Diversus, Walk. (*Conocephalus D.*) S. Africa.
 l. c. p. 314. n. 38 (1869).
 140. **C. Obscurus, Walk. (*Conocephalus O.*) Sierra Leone.
 l. c. n. 39 (1869).
 141. **C. Intactus, Walk. (*Conocephalus I.*) Hab. — ?
 l. c. p. 328. n. 76 (1869).
 142. **C. Differens, Serv. (*Conocephalus D.*) Mauritius,
 Ins. Orth. p. 519. n. 5 (1839); Butl. Bourbon,
 Phil. Trans. clxviii. p. 547 (1879). Rodriguez.
 143. **C. Breviceps**, Walk. (*Conocephalus B.*) Hab. — ?
 l. c. v. p. 37 (1871).

Genus 205. **Bucrates**. (Type no. 1.)

Burm. Handb. Ent. ii. p. 708 (1838); Stål, Recens. Orth. ii. p. 99 (1874); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 330, 429 (1891).

- *1. **B. Capitatus**, De Geer, (*Locusta Capitata*) Mém. Ins. iii. p. 455. n. 15, pl. 40. f. 1 (1773).
B. Capitatus, Burm. l. c. p. 709 (1838); Redt. l. c. p. 429. n. 1, pl. 3. f. 48 *a, b* (1891); Griff. Boll. Mus. Torino, xi. (232) p. 26 (1896).
 ** *Conocephalus* (?) *Latifrons*, Walk. Cat. Derm. Salt. B. M. ii. p. 310. n. 29 (1869).
 2. **B. Cocanus**, Bol. An. Soc. Españ. x. Ecuador.
 p. 495 (1881); Viaje al Pacif., Ins. p. 85. pl. 3. f. 4 (1884); Redt. l. c. p. 430. n. 2 (1891).

Genus 206. **Parabucrates.**

Scudd. Proc. Bost. Soc. N. H. xxvii. p. 211 (1894).

1. **P. Brevicauda, Scudd.** (*Conocephalus B.*) | Napo.
l. c. xii. p. 333 (1869). |

Genus 207. **Banza.** (*Type no. 1.*)

Walk. Cat. Derm. Salt. B. M. iii. p. 477 (1870).

Microsaga, Sauss. Ann. Soc. Ent. France, (6) viii. p. 154 (1888);
lxi. p. 15 (1892). (*Type no. 1.*)

Brachymetopa, Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 330,
430 (1891); Perkins, Fauna Haw., Orth. p. 8 (1899).
(*Type no. 1.*)

- **1. **B. Parvula, Walk.** (*Saga P.*) l. c. ii. Honolulu,
p. 293. n. 15 (1869). Oahu,
***B. Nigriifrons, Walk.* l. c. iii. p. 477. n. 1 Loo-Choo(?)
(1870).
Brachymetopa Discolor, Redt. l. c. p. 431.
n. 1, pl. 3. f. 49 (1891); Perk. l. c. p. 9.
n. 1, pl. 1. ff. 1, 10, pl. 2. ff. 1, 1 a (1899).
*2. **B. Blackburni, Borm.** (*Conocephalus B.*) Honolulu,
Ann. Mus. Genova, xviii. p. 346 (1882). Oahu.
Brachymetopa Blackburni, Redt. l. c. p. 431.
n. 2 (1891); Perk. l. c. p. 9. n. 2, pl. 1.
f. 2 (1899).
3. **B. Nitida, Brunn. (*Brachymetopa N.*) Hawaii.
Proc. Zool. Soc. Lond. 1895, p. 894;
Perk. l. c. p. 9. n. 3, pl. 1. ff. 3, 3 a, b,
pl. 2. ff. 2, 2 a (1899).
Brachymetopa Nitida, var. Hiloensis, Perk.
l. c. p. 10 (1899).
Brachymetopa Nitida, var. Punc, Perk. l. c.
(1899).
Brachymetopa Nitida, var. Crassipes, Perk.
l. c. (1899).
4. **B. Kauaiensis, Perk. (*Brachymetopa K.*) Kauai.
l. c. p. 10. n. 4 (1899).
5. **B. Unica, Perk. (*Brachymetopa U.*) l. c. Honolulu,
p. 10. n. 5, pl. 1. f. 4 (1899). Oahu.
6. **B. Affinis, Perk. (*Brachymetopa A.*) l. c. Kauai.
p. 11. n. 6 (1899).
7. **B. Brunnea, Perk. (*Brachymetopa Par-* West
vula, var. Brunnea) l. c. p. 11, pl. 1. f. 6 a Maui.
(1899).
Var. || *Brachymetopa Parvula, Perk.* (nec
Walk.) l. c. p. 11, pl. 1. f. 6 (1899).

- **8. **B. Mauiensis, Perk.** (*Brachymetopa M.*) Maui.
 l. c. p. 12, pl. 1. f. 5, pl. 2. ff. 4, 4 a
 (1899).
Brachymetopa Mauiensis, var. *Ochracea*,
Perk. l. c. p. 12 (1899).
- **9. **B. Molokaiensis, Perk.** (*Brachymetopa M.*) Molokai.
 l. c. p. 12, n. 9 (1899).
- **10. **B. Deplanata, Brunn.** (*Brachymetopa D.*) Lanai.
 l. c. p. 894 (1895); *Perk.* l. c. p. 12.
 n. 10, pl. 1. f. 7, pl. 2. ff. 3, 3 a (1899).

SUBFAM. XIII.

AGRÆCINÆ.

Genus 208. **Hyperomerus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 330, 432 (1891).

1. **H. Crassipes, Redt.** l. c. p. 432, pl. 3. | Upper
 f. 50 (1891). | Amazons.

Genus 209. **Liosternus.**

Brongn. Bull. Soc. Ent. France, 1897, p. 80.

1. **L. Vittatus, Brongn.** l. c. (1897). | Australia.

Genus 210. **Erechthis.**

Bol. Mém. Soc. Zool. France, i. p. 151 (1888).

1. **E. Gundlachi, Bol.** l. c. (1888). | Cuba.
Subria Gundlachi, Redt. Verh. zool.-bot.
 Ges. Wien, xli. p. 434, n. 1 (1891). |

Genus 211. **Subria.** (Type no. 1.)

Stål. Recens. Orth. ii. p. 101 (1874); Redt. Verh. zool.-bot. Ges.
 Wien, xli. pp. 331, 433 (1891); Brongn. Bull. Soc. Ent.
 France, 1897, p. 83.

- **1. **S. Grandis, Walk.** (*Xiphidium Grande*) Demerara,
 Cat. Derm. Salt. B. M. ii. p. 270, n. 11 | Colombia,
 (1869). | Upper
 ***Xiphidium Præcipuum*, Walk. l. c. p. 271. | Amazons.
 n. 12 (1869). |

- S. Amazonica*, Redt. l. c. pp. 433, 434. n. 2 (1891); Bol. Actas Soc. Españ. xxv. p. 18 (1896).
S. Nitida, Stål, l. c. p. 114 (1874); Redt. l. c. pp. 434, 435. n. 3 (1891).
 2. **S. Concolor**, Redt. l. c. pp. 434, 435. n. 3 (1891). Amboina.
 *3. **S. Sulcata**, Redt. l. c. pp. 434, 435. n. 5, pl. 3. f. 51 (1891). Ind., Barm., Java, &c.
 4. **S. Microcephala**, Brongn. l. c. p. 84 (1897). *argentea* n.

Genus 212. **Episattus**.

Brongn. Bull. Soc. Ent. France, 1897, p. 82.

1. **E. Marmoratus**, Brongn. l. c. p. 83 (1897). Madagascar

Genus 213. **Scytocera**.

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 436 (1891).

1. **S. Longicornis**, Redt. l. c. p. 436, pl. 3. f. 52 (1891). Mindanao.

Genus 214. **Æthiomerus**. (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 437 (1891).

1. **Æ. Madacassus**, Redt. l. c. p. 437. n. 1, pl. 3. f. 53 *a-c* (1891). Madagascar
 2. **Æ. Adelphus**, Redt. l. c. pp. 437, 438. n. 2 (1891); Griff. Boll. Mus. Torino, viii. (144) p. 3 (1893). id.
 3. **Æ. Stenorhinus**, Sauss. Abhandl. Senckenb. Ges. xxi. p. 620, pl. 37. f. 17 (1899). Zanzibar.

Genus 215. **Allomenus**.

Sauss. Abhandl. Senckenb. Ges. xxi. p. 621 (1899).

1. **A. Bimacula**, Sauss. l. c. p. 622, pl. 37. f. 10 (1899). Madagascar

Genus 216. **Anelytra.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 438 (1891).

1. **A. Nigrifrons**, Redt. l. c. pp. 438, 439. Australia.
n. 1, pl. 3. f. 54 (1891).
2. **A. Punctata**, Redt. ll. cc. n. 2 (1891). Burma.
3. **A. Lateralis**, Erichs. (*Agracia* L.) Arch. Tasmania.
f. Naturg. viii. p. 249. n. 242 (1842).
1. *Lateralis*, Redt. ll. cc. n. 3 (1891).
4. **A. Concolor**, Redt. l. c. pp. 438, 440. Bombay.
n. 4 (1891).

 Genus 217. **Ischnophyllus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 440 (1891).

1. **I. Viridipennis**, Redt. l. c. p. 440, pl. 3. Ceylon.
f. 55 (1891).

 Genus 218. **Oxystethus.** (*Type* no. 1.)

 Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 441 (1891);
Brongn. Bull. Soc. Ent. France, 1897, p. 80.

1. **O. Intermedius**, Redt. l. c. p. 441. n. 1. Java.
(1891).
2. **O. Pulcher**, Bol. An. Soc. Ent. France, S. India.
lxviii. p. 776, pl. 11. ff. 17, 17 a
(1900).
3. **O. Subapterus**, Redt. l. c. pp. 441, 442. Burma.
n. 2 (1891).
4. **O. Lobatus**, Redt. ll. cc. n. 3 (1891). id.
5. **O. Brevipennis**, Redt. l. c. pp. 441, 443. Java.
n. 4 (1891).
6. **O. Homœacanthus**, Redt. ll. cc. n. 5. id.
pl. 3. f. 56 (1891).
7. **O. Heteracanthus**, Redt. l. c. pp. 441, Cambodia.
443. n. 6 (1891).
8. **O. Geniculatus**, Bol. Actas Soc. Españ. Borneo.
1898, p. 142.
9. **O. Harmandi**, Brongn. l. c. p. 82 Bangkok.
(1897).

Genus 219. **Liara.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 444 (1891).

1. **L. Rufescens**, Redt. l. c. p. 444, pl. 3. | Burma.
f. 57 (1891).

Genus 220. **Psacadonotus.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 445 (1891).

- *1. **P. Seriatus**, Redt. l. c. p. 445. n. 1. | West
pl. 3. f. 58 *a, b* (1891). | Australia.
2. **P. Irregularis**, Redt. l. c. n. 2 (1891) | id.
(*larva*).

Genus 221. **Acrodonta.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 446 (1891);
Bol. Ann. Soc. Ent. France, lxxviii. p. 777 (1900).

1. **A. Subaptera**, Redt. l. c. p. 446, pl. 3. | Ceylon.
f. 59 (1891); Bol. l. c. p. 777 (1900).
2. **A. Nigrospinosa**, Bol. l. c. p. 778, | Madura.
pl. 11. ff. 18, 18 *a* (1900).

Genus 222. **Oxylakis.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 447 (1891).

- *1. **O. Punctipennis**, Redt. l. c. p. 447, pl. 4. | Borneo,
f. 60 (1891). | Singapore.
2. **O. Truncatipennis**, Bol. Ann. Soc. Ent. | Madura.
France, lxxviii. p. 778 (1900).

Genus 223. **Eppia.**

Stål, Bihang Vet.-Akad. Handl. iii. (14) p. 42 (1876);
Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 447 (1891).

1. **E. Truncatipennis**, Stål, l. c. p. 42 | Guatemala,
(1876); Redt. l. c. p. 448, pl. 4. f. 61 | Chiriqui.
(1891).

Genus 221. **Eschatocerus.** (Type no. 3.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 448 (1891).

1. **E. Bipunctatus, Bol.** (*Agræcia Bipunctata*) Viaje al Pacif., Ins. p. 103, pl. 3. f. 7 (1884).
E. Bipunctatus, Redt. l. c. p. 449. n. 1 (1891). Upper Amazons, Napo.
2. **E. Nigrovittatus, Bol.** (*Agræcia Nigrovittata*) l. c. p. 105. n. 2, pl. 3. f. 8 (1884).
E. Nigrovittatus, Redt. l. c. p. 449. n. 2 (1891). Ecuador.
3. **E. Dorsatus, Redt.** l. c. p. 450. n. 3, pl. 4. f. 62 (1891). Upper Amazon.
4. **E. Spinifrons, De Geer, (Locusta S.)** Mém. Ins. iii. p. 456. n. 16, pl. 40. f. 2 (1773).
Agræcia Spinifrons, Stål, Rec. Orth. ii. p. 115. n. 1 (1874). Surinam, Demerara.
E. Spinifrons, Redt. l. c. p. 450. n. 4 (1891).
5. **E. Punctifrons, Redt.** l. c. p. 451. n. 5 (1891). Upper Amazons.
6. **E. Virescens, Redt.** l. c. n. 6 (1891). Fonte Boa.

Genus 225. **Agroecia.** (Type no. 7.)

Agræcia, Serv. (errore) Ann. Sci. Nat. xxii. p. 152 (1831);
Ins. Orth. p. 525 (1839).

Agræcia, Burm. Handb. Ent. ii. p. 707 (1838); Stål, Recens.
Orth. ii. p. 101 (1874); Redt. Verh. zool.-bot. Ges. Wien,
xli. pp. 330, 331, 451 (1891).

1. **A. Viridipennis, Redt.** l. c. pp. 452, 453. n. 1 (1891). Brazil.
2. **A. Subulata, Redt.** ll. cc. n. 2 (1891). id.
3. **A. Nigrifrons, Redt.** ll. cc. n. 3 (1891). id.; Bahia
4. **A. Sansibara, Redt.** l. c. pp. 452, 454. n. 4 (1891). Zanzibar.
5. **A. Vittata, Redt.** ll. cc. n. 5 (1891) Colombia.
(larva).
6. **A. Vittipes, Redt.** ll. cc. n. 6 (1891). Brazil.

7. **A. Punctata**, **St. Farg. & Serv.** (*Loecusta P.*) Encycl. Méth., Ins. x. p. 342. n. 5 (1825). Brazil; Bahia.
Agræcia Punctata, **Serr.** Ann. Sci. Nat. xxii. p. 153 (1832); Ins. Orth. p. 526, pl. 11. f. 3 (1839).
Agræcia Punctata, **Burm.** l. c. p. 707 (1839); **Redt.** l. c. pp. 452, 455. n. 7 (1891).
 *8. **A. Maculata**, **Redt.** ll. cc. n. 8, pl. 4. f. 63 (1891). Theresopolis
 9. **A. Festæ**, **Griff.** Boll. Mus. Torino. xi. (232) p. 28 (1896); **Sauss. & Pict.** Biol. Centr.-Amer., Orth. i. p. 395. n. 2 (1898). Darien.
 10. **A. Abbreviata**, **Redt.** l. c. pp. 452, 456. n. 9 (1891). Brazil.
 *11. **A. Differens**, **Redt.** ll. cc. n. 10 (1891). Australia.

Genus 226. **Habetia**, **Kirb.** (n. n.).

Orthoxiphus, **Dohrn** (*nec Sauss.*), Stett. Ent. Zeit. lxvi. p. 240 (1905).

1. **H. Spada**, **Brunn.** (*Agræcia S.*) Abhandl. Senckenb. Ges. xxiv. p. 266, pl. 20. f. 51 (1898); **Dohrn**, l. c. (1905). N. Guinea.

Genus 227. **Coptaspis.** (*Type* no. 2.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 456 (1891).

1. **C. Crassinervosa**, **Redt.** l. c. p. 457. n. 1 (1891). New Caledonia.
 2. **C. Brevipennis**, **Redt.** l. c. n. 2, pl. 4. f. 64 (1891). Sydney.

Genus 228. **Loja.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 88 (1898).

1. **L. Lævis**, **Giglio-Tos**, l. c. (1898). | Ecuador.

Genus 229. **Secsiva.**

Walk. Cat. Derm. Salt. B. M. ii. p. 301 (1869).

- **1. **S. Univitta, Walk.** l. c. n. 1 (1869). | N. Australia.

Genus 230. **Nicsara.** (*Type* no. 6.)

Walk. Cat. Derm. Salt. B. M. ii. p. 286 (1869).

Lobaspis, Redt. Verh. zool.-bot. Ges. Wien. xli. pp. 332, 458 (1891); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 267 (1898). (*Type* no. 5.)

- *1. **N. Nigrifrons, Brunn.** (*Lobaspis N.*) Lombok.
l. c. pp. 267, 268. n. 1 (1898).
2. **N. Inflata, Brunn.** (*Lobaspis I.*) ll. cc. S. Celebes.
n. 2 (1898).
3. **N. Strigatipes, Bol.** (*Lobaspis S.*) Actas Now
Soc. Españ. 1898, p. 140. Guinea.
4. **N. Multispinosa, Bol.** (*Lobaspis M.*) id.
l. c. p. 141 (1898).
*5. **N. Bifasciata, Redt.** (*Lobaspis B.*) l. c. N. Australia.
pp. 458, 459. n. 1, pl. 4. f. 65 (1891);
Brunn. l. c. p. 267. n. 3 (1898).
6. **N. Trigonalis, Walk. l. c. ii. p. 287. n. 1 Australia.
(1869).
7. **N. Inferior, Brunn.** (*Lobaspis I.*) l. c. S. Celebes.
pp. 267, 269. n. 4 (1869).
8. **N. Cornuta, Redt.** (*Lobaspis C.*) ll. cc. Lord
n. 2 (1891); Brunn. l. c. p. 267. n. 5 Howe's I.
(1898).
9. **N. Quadrituberculata, Redt.** (*Lobaspis* Australia.
Q.) l. c. pp. 458, 460. n. 4 (1891).
10. **N. Spuria, Redt.** (*Lobaspis S.*) ll. cc. id.
n. 3 (1891); Brunn. l. c. p. 267. n. 7
(1898).
11. **N. Bimaculata, Redt.** (*Lobaspis B.*) l. c. Gilolo.
pp. 459, 462. n. 7 (1891); Brunn. l. c.
p. 267. n. 8 (1898).
12. **N. Moluccana, Redt.** (*Lobaspis M.*) Amboina.
ll. cc. n. 8 (1891); Brunn. l. c. p. 267.
n. 9 (1898).
13. **N. Tuberculata, Redt.** (*Lobaspis T.*) l. c. Cape York.
pp. 458, 461. n. 5 (1891); Brunn. l. c.
p. 267. n. 11 (1898).

- | | |
|--|--|
| 14. N. Falcata, Redt. (<i>Lobaspis F.</i>) l. c. | Peak
Downs.
New
Guinea.
Sumba.
Obi. |
| pp. 458, 461. n. 6 (1891). | |
| 15. N. Hageni, Dohrn, (<i>Lobaspis H.</i>) Stett. | |
| Ent. Zeit. lxvi. p. 238 (1905). | |
| 16. N. Minuta, Dohrn, (<i>Lobaspis M.</i>) l. c. | |
| p. 239 (1905). | |
| 17. N. Thoracica, Dohrn, (<i>Lobaspis T.</i>) l. c. | |
| (1905). | |

Genus 231. **Paralobaspis.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 89 (1898).

- | | |
|---|----------|
| 1. P. Picta, Giglio-Tos, l. c. (1898). | Ecuador. |
|---|----------|

Genus 232. **Veria.**

Walk. Cat. Derm. Salt. B. M. ii. p. 394 (1869).

Alphopteryx, Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 463 (1891).

- | | |
|---|------------|
| **1. V. Colorata, Walk. l. c. p. 394. n. 1 | Australia. |
| (1869). | |
| <i>Alphopteryx</i> 10-maculata, Redt. l. c. p. 463,
pl. 4. f. 66 (1891). | |

Genus 233. **Metholce.**

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 28 (1871).

Glaphyronotus, Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 464 (1891).

- | | |
|---|----------------------------|
| **1. M. Nigritarsis, Walk. l. c. p. 29. n. 1 | Moreton
Bay,
Sydney. |
| (1871), <i>immature</i> . | |
| <i>Glaphyronotus</i> <i>Roseipennis</i> , Redt. l. c.
p. 464, pl. 4. f. 68 (1891). | |

Genus 234. **Encalypta.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 465 (1891).

- | | |
|--|------------|
| 1. E. Cucullata, Redt. l. c. p. 465, pl. 4. | Madagascar |
| f. 67 (1891). | |

Genus 235. **Nannagrœcia.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 466 (1891).

1. **N. Gracilipes**, Redt. l. c. p. 466 (1891). | Tapajos.
2. **N. Wattenwylia**, Griff. Boll. Mus. Torino, | Ecuador.
xiii. (323) p. 2 (1898).

Genus 236. **Anthracites.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 466 (1891).

1. **A. Nitidus**, Redt. l. c. p. 467, pl. 4. f. 70 | Mindanao.
(1891). *Macrosiph. Coelocceph.*
2. **A. Geniculatus**, Dohrn, Stett. Ent. Zeit. | id.
lxvi. p. 241 (1905).
3. **A. Femoralis**, Dohrn, l. c. (1905). | Minahassa.
4. **A. Bloyeti**, Brongn. Bull. Soc. Ent. E. Africa.
France, 1897, p. 87.

Genus 237. **Uchucha.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 89 (1898).

1. **U. Grisea**, Giglio-Tos, l. c. p. 90 (1898). | Ecuador.

SUBFAM. XIV.

SALOMONINÆ.Genus 238. **Dicranocercus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 467 (1891);
Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 125 (1896).

1. **D. Niger**, Redt. l. c. p. 468, pl. 4. f. 71 | Sunda I.,
(1891); Brongn. l. c. p. 126, f. 1 (1896). | Sulu.

Genus 239. **Macroxiphus.** (*Type* no. 2.)

Pict. Mém. Soc. Genève, xxx. (6) p. 52 (1888); Redt. Verh.
zool.-bot. Ges. Wien, xli. pp. 332, 468 (1891); Brongn.
Bull. Soc. Philom. (8) viii. pp. 124, 127 (1896); Dohrn,
Stett. Ent. Zeit. lxvi. p. 242 (1905).

- | | |
|---|------------------------------|
| 1. M. Sumatranus, Haan, (<i>Locusta Sumatranæ</i>) Temminck, Verhandel., Orth. pp. 215, 216. n. 3, pl. 19. f. 2 (1842).
<i>M. Sumatranus, Dohrn,</i> l. c. pp. 242, 244. n. 3 (1905). | Sumatra. |
| *2. M. Nasicornis, Pict. l. c. p. 54. n. 2, pl. 2. ff. 26, 26 a (1888).
 <i>M. Sumatranus, Redt. (nec Haan)</i> l. c. pp. 468, 469. n. 2. pl. 4. f. 72 (1891); Brongn. l. c. pp. 127, 128. n. 2 (1896). | Java,
Borneo,
Sumatra. |
| 3. M. Vaginatus, Pict. l. c. p. 53. n. 1, pl. 2. f. 27 (1888); Redt. l. c. p. 468. n. 1 (1891); Brongn. l. c. pp. 127, 129. n. 2 (1896); Dohrn, l. c. pp. 242, 243. n. 2 (1905). | Java,
N. Borneo. |
| *4. M. Megapterus, Brongn. l. c. pp. 127, 130. n. 3, f. 2 (1896). | N. Borneo. |
| 5. M. (?) Loboensis, Haan, (<i>Locusta L.</i>) l. c. pp. 215, 216. n. 2 (1842). | New
Guinea. |
| 6. M. Atomarius, Dohrn, l. c. pp. 242, 243. n. 1 (1905). | N. Borneo. |
| 7. M. Pictipes, Dohrn, l. c. pp. 243, 245. n. 4 (1905). | id. |
| 8. M. Nigrifrons, Dohrn, l. c. pp. 242, 246. n. 5 (1905). | Sumatra. |

Genus 240. **Gallienia.**

Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 131 (1896).

- | | |
|--|------------|
| 1. G. Elegans, Brongn. l. c. p. 132, ff. 3, 4 (1896). | Madagascar |
|--|------------|

Genus 241. **Salomona.** (*Type* no. 4.)

Blanch. Voy. Pole Sud. Zool. iv. p. 361 (1855); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 469 (1891); Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 133 (1896).

- | | |
|--|---------------------|
| **1. S. Rugifrons, Walk. (<i>Agracia R.</i>) Cat. Derm. Salt. B. M. ii. p. 297. n. 7 (1869).
<i>S. Rugifrons, Redt.</i> l. c. pp. 470, 471. n. 1, pl. 4. f. 73 (1891); Brongn. l. c. pp. 136, 140. n. 1, ff. 5-8 (1896). | Fiji,
N. Guinea. |
|--|---------------------|

- S. Marmorata*, Blanch. (♀ nec ♂) l. c. p. 362 (1855).
Acanthodis Marmorata, ♀, Blanch. l. c. Orth. pl. 2. f. 6 (1853).
2. **S. Antennata**, Redt. l. c. pp. 470, 472. Fiji.
 n. 2 (1891).
3. **S. Brongniarti**, Brunn. Abhandl. Senckenb. Ges. xxiv. p. 270. n. 1 (1898). id.
4. **S. Marmorata**, Blanch. (*Acanthodis M.*, ♂ nec ♀) l. c. pl. 2. f. 5 (1853). Solomon Islands.
S. Marmorata, Blanch. (♂ nec ♀) l. c. p. 362 (1855).
5. **S. Gamma**, Redt. l. c. pp. 470, 473. n. 5 (1891); Brongn. l. c. pp. 136, 146. n. 3, ff. 14, 15 (1896). New Guinea.
6. **S. Godeffroyi**, Pict. (*Agracia G.*, ♂ nec ♀) Mém. Soc. Genève. xxx. (6) p. 50, pl. 2. ff. 29, 29 a (1888). N. Britain.
S. Sigma, Redt. l. c. pp. 470, 473. n. 6 (1891); Brongn. l. c. pp. 136, 147. n. 4 (1896). N. Ireland, Duke of York I.
- **7. **S. Solida**, Walk. (*Agracia S.*) l. c. ii. p. 295. n. 5 (1869). Australia, N. Zealand, Pacific Isl.
- ***Agracia Phacopsis*, Walk. l. c. p. 299. n. 11 (1869), larva.
Agracia Godeffroyi, ♀ (nec ♂), Pictet, l. c. p. 50. n. 2 (1888).
S. Godeffroyi, Redt. l. c. pp. 471, 475. n. 9 (1891); Brongn. l. c. pp. 137, 157. n. 13 (1896).
8. **S. Lævifrons**, Redt. l. c. pp. 470, 472. N. Guinea.
 n. 3 (1891); Brongn. l. c. pp. 137, 148. n. 5 (1896).
9. **S. Ustulata**, Redt. l. c. pp. 470, 472. id.
 n. 4 (1891); Brongn. l. c. pp. 137, 148. n. 6 (1896).
10. **S. Suturalis**, Redt. l. c. pp. 471, 474. Samoa.
 n. 7 (1891); Brongn. l. c. pp. 137, 149. n. 6 (1896).
11. **S. Françoisi**, Brongn. l. c. pp. 137, 149. Hab. —? n. 8 (1896).
12. **S. Megacephala**, Haan, (*Locusta M.*) Temminck, Verhandel., Orth. p. 209. N. Guinea, Aru, Bouru.
 pl. 19. f. 1 (1842).
S. Megacephala, Redt. l. c. pp. 471, 474. n. 8 (1891); Brongn. l. c. pp. 137, 150. n. 9 (1896).

13. **S. Truncata**, Redt. l. c. pp. 471, 475. n. 10 (1891) ; Brongn. l. c. pp. 137, 151. n. 10, ff. 16-18 (1896). Pelew I., Dorey, N. Hebrides.
- *14. **S. Haani**, Brongn. l. c. pp. 137, 154, ff. 19-20 (1896). New Hebrides.
 || *Agracia Marmorata*, Walk. (nec Blanch.) l. c. p. 296. n. 6 (1869).
 (?) *S. Marmorata*, Redt. l. c. p. 471, 476. n. 13 (1891) ; Brongn. l. c. pp. 136, 143. n. 2, ff. 9-13 (1896).
15. **S. Laticeps**, Haan, (*Locusta* L.) l. c. p. 210 (1842). Amboina.
S. Laticeps, Redt. l. c. pp. 471, 476. n. 12 (1891) ; Brongn. l. c. pp. 137, 157 (1896).
16. **S. Ornata**, Brunn. l. c. p. 270. n. 2, pl. 20. f. 52 (1898). Gilolo.
17. **S. Redtenbacheri**, Brongn. l. c. pp. 138, 159. n. 14, ff. 24, 25 (1896). New Hebrides.
18. **S. Picteti**, Brongn. l. c. pp. 138, 161, 162. n. 15, ff. 21-23 (1896). New Guinea.
19. **S. Coriacea**, Redt. l. c. pp. 471, 476. n. 11 (1891) ; Brongn. l. c. pp. 138, 164. n. 16 (1896). Moluccas, Aru, Batchian.
20. **S. Pallidifrons**, Brunn. l. c. p. 271. n. 3 (1898). N. Guinea.
21. **S. Raffrayi**, Brongn. l. c. pp. 138, 165. n. 17, f. 26 (1896). id.
22. **S. Semicruciata**, Brunn. l. c. p. 272. n. 4 (1898). id.
- *23. **S. Pupus**, Pict. (*Agracia* P.) l. c. p. 49. n. 1, pl. 2. ff. 28, 28 a (1888). N. Britain, N. Ireland, N. Guinea.
S. Pupus, Redt. l. c. pp. 471, 477. n. 14 (1891) ; Brongn. l. c. pp. 131, 166. n. 18 (1896).
24. **S. Inusta**, Brunn. l. c. p. 273. n. 5 (1898). N. Guinea.
- **25. **S. Vittifrons**, Walk. (*Agracia* V.) l. c. p. 298. n. 8 (1869). Philippines.
S. Dohrni, Redt. l. c. pp. 471, 477. n. 15 (1891) ; Brongn. l. c. p. 138. n. 19 (1896).
S. Dohrni, Brongn. l. c. p. 167. n. 19 (1896).
26. **S. Conspersa**, Stål, (Efv. Vet.-Akad. Förh. xxxiv. (10) p. 46 (1877). id.

27. **S. Triangularis, Brunn.** l. c. p. 273. n. 6 | Lombok.
(1898).
- **28. **S. Tetra, Walk.** (*Agracia T.*) l. c. p. 299. | Philippines.
n. 10 (1869).
29. **S. Javanica, Redt.** l. c. pp. 471, 478. | Java.
n. 16 (1891); Brongn. l. c. pp. 138, 168.
n. 20 (1896).
30. **S. Obscura, Gieb.** (*Agracia O.*) Zeitschr. | id.
ges. Naturw. xviii. p. 117 (1861).
31. **S. Sparsa, Walk.** (*Agracia S.*) l. c. ii. | Sarawak.
p. 298. n. 9 (1869).
32. **S. Saussurei, Brongn.** l. c. pp. 138, 169. | Hab. — ?
n. 21 (1896).
33. **S. Maculifrons, Stål,** l. c. p. 46 (1877); | Philippines.
Redt. l. c. pp. 471, 478. n. 17 (1891);
Brongn. l. c. pp. 138, 170. n. 22 (1896).
34. **S. Brevicollis, Stål,** l. c. p. 46 (1877); | id.
Redt. l. c. pp. 471, 478. n. 18 (1891);
Brongn. l. c. pp. 138, 170. n. 23 (1896).
35. **S. Liturata, Redt.** l. c. pp. 471, 479. | New Cale-
n. 19 (1891); Brongn. l. c. pp. 138, 171. | donia.
n. 24 (1896).
36. **S. (?) Macrocephala, Montr.** (*Locusta* | Woodlark I.
M.) Ann. Soc. Phys. Nat. Lyon, (2) vii.
(1) p. 87 (1855).

Genus 242. **Rhytidaspis.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 479 (1891);
Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 172
(1896).

1. **R. Picta, Redt.** l. c. p. 480, pl. 4. f. 74 | New
(1891); Brongn. l. c. p. 173, ff. 27-32 | Guinea.
(1896).

Genus 243. **Centrocephalus.**

Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 176 (1896).

1. **C. Viridis, Brongn.** l. c. p. 177, ff. 33, 34 | Madagascar
(1896).

Genus 244. **Odontolakis.** (*Type* no. 7.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 480 (1891);
 Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 178 (1896).

1. **O. Varia**, Redt. l. c. p. 481. n. 1 (1891); Madagascar
 Brongn. l. c. pp. 179, 180. n. 1 (1896).
2. **O. Speculata**, Brongn. l. c. pp. 179, 181. id.
 n. 2, ff. 35, 36 (1896).
3. **O. Armata**, Redt. l. c. pp. 481, 482. n. 2 id.
 (1891); Brongn. l. c. pp. 179, 183. n. 3
 (1896).
4. **O. Lanzti**, Brongn. l. c. pp. 179, 183. id.
 n. 4 (1896).
5. **O. Hastata**, Redt. l. c. pp. 481, 482. id.
 n. 3 (1891); Brongn. l. c. pp. 179, 185.
 n. 5 (1896).
6. **O. Bicolor**, Brongn. l. c. pp. 179, 185. id.
 n. 6 (1896).
7. **O. Megacephala**, Burm. (*Copiophora M.*) l. St.
 Handb. Ent. ii. p. 703. n. 1 (1838). Johanna,
Conocephalus Megacephala, Haan, Tem- Mozam-
 minck, Verhandel. Orth. p. 211. n. 5 (1842). bique.
O. Megacephala, Redt. l. c. pp. 481, 483.
 n. 4, pl. 4. f. 75 (1891); Brongn. l. c.
 pp. 179, 186. n. 7 (1896).
8. **O. Sexpunctata**, Serv. (*Conocephalus* Madagascar
Sexpunctatus) Ins. Orth. p. 517 (1839).
Conocephalus Sexpunctata, Haan, l. c. p. 211.
 n. 9 (1842).
Copiophora Sexpunctata, D'Orb. Dict.
 d'Hist. Nat. xi. Orth. pl. 3. f. 1 (1848).
O. Sexpunctata, Redt. l. c. pp. 481, 483.
 n. 5 (1891); Brongn. l. c. pp. 180, 187.
 n. 8 (1896).
9. **O. Tibialis**, Redt. l. c. pp. 481, 484. n. 6 Nossi Bé,
 (1891); Brongn. l. c. pp. 180, 189. n. 9 Madagascar
 (1896).
10. **O. Alluaudi**, Brongn. l. c. pp. 180, 190. Madagascar
 n. 10 (1896).
11. **O. Brunneri**, Brongn. l. c. pp. 179, 190. id.
 n. 11 (1896).
- *12. **O. Nigripes**, Redt. l. c. pp. 481, 485. id.
 n. 7 (1891); Brongn. l. c. pp. 180, 192.
 n. 12 (1896).
13. **O. Virescens**, Redt. l. c. pp. 481, 485. id.
 n. 8 (1891); Brongn. l. c. pp. 180, 192.
 n. 13 (1896).

Genus 245. **Euconchophora.** (Type no. 1.)

Brongn. Bull. Soc. Philom. (8) viii. pp. 125, 193 (1896).

|| *Conchophora*, Redt. (nec Gray) Verh. zool.-bot. Ges. Wien, xli. pp. 333, 486 (1891).

- | | |
|--|------------|
| * 1. E. Spinigera , Redt. (<i>Conchophora</i> S.) | Madagascar |
| l. c. p. 486. n. 1, pl. 4. f. 76 a (1891). | |
| <i>E. Spinigera</i> , Brongn. l. c. p. 194. n. 1 (1896). | |
| 2. E. Infuscata , Brongn. l. c. pp. 194, 195. | id. |
| n. 2 (1896). | |
| 3. E. Subulata , Redt. (<i>Conchophora</i> S.) l. c. | id. |
| pp. 486, 487. n. 2 (1891). | |
| <i>E. Subulata</i> , Brongn. l. c. pp. 194, 196. | |
| n. 3 (1896). | |

Genus 246. **Amblylakis.** (Type no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 487 (1891);

Brongn. Bull. Soc. Philom. (8) viii. pp. 125, 196 (1896).

Amblyakis, Sauss. Abhandl. Senckenb. Ges. xxi. p. 622 (1899).

- | | |
|---|------------|
| 1. A. Nigrolimbata , Redt. l. c. pp. 487. | Madagascar |
| 488. pl. 4. f. 76 b (1891); Brongn. l. c. | |
| p. 197. n. 1 (1896). | |
| * 2. A. Inermis , Redt. l. c. pp. 487, 488. n. 2 | id. |
| (1891); Brongn. l. c. pp. 197, 198. n. 2 | |
| (1896). | |
| <i>Amblyakis Inermis</i> , Sauss. Abhandl. | |
| Senckenb. Ges. xxi. p. 625. n. 2 (1899). | |
| 3. A. Leprosipes , Sauss. (<i>Amblyakis</i> L.) | id. |
| l. c. n. 1, pl. 37. f. 22 (1899). | |

Genus 247. **Dicranacrus.** (Type no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 489 (1891);

Sauss. Abhandl. Senckenb. Ges. xxi. p. 622 (1899).

Dicranacrus, Brongn. Bull. Soc. Philom. (8) viii. pp. 125, 199 (1896).

- | | |
|--|------------|
| 1. D. Fuscifer , Redt. l. c. p. 489. n. 1, pl. 4. | Nossi Bé. |
| f. 77 (1891). | Madagascar |
| <i>Dicranacrus Fuscifer</i> , Brongn. l. c. pp. 199, | |
| 200. n. 1 (1896). | |

- | | |
|---|------------|
| 2. D. Nasutus, Sauss. l. c. p. 623, n. 1,
pl. 37. f. 19 (1899). | Madagascar |
| 3. D. Voeltzkowi, Sauss. l. c. n. 2, pl. 37.
f. 20 (1899). | id. |
| 4. D. Piceus, Redt. l. c. pp. 489, 490. n. 2
(1891).
<i>Dicranurus Piceus, Brongn.</i> l. c. pp. 199,
202. n. 2 (1896). | id. |
| 5. D. Variegatus, Redt. l. c. pp. 489, 490.
n. 3 (1891).
<i>Dicranurus Variegatus, Brongn.</i> l. c. pp. 199,
204. n. 3 (1896). | id. |
| 6. D. Furcatus, Sauss. l. c. p. 624, pl. 37.
f. 21 (1899). | id. |

Genus 248. **Oncodopus.** (*Type* no. 1.)

Brongn. Bull. Soc. Philom. (8) viii. pp. 125, 205 (1896);
Sauss. Abhandl. Senckenb. Ges. xxi. pp. 622, 626 (1899).

- | | |
|---|------------|
| *1. O. Zenatus, Brongn. l. c. pp. 206, 207,
ff. 37-39 (1896); Sauss. l. c. p. 626,
pl. 27. f. 23 (1899). | Madagascar |
| *2. O. Redtenbacheri, Brongn. l. c. pp. 207,
208 (1896). | id. |

Genus 249. **Cestrophorus.**

Redt. Verh. zool.-bot. Ges. Wien. xli. pp. 333, 491 (1891);
Brongn. Bull. Soc. Philom. (8) viii. pp. 125, 209 (1896).

- | | |
|--|------------|
| 1. C. Paradoxus, Redt. l. c. p. 491, pl. 4.
f. 78 (1891); Brongn. l. c. p. 210 (1896). | Madagascar |
|--|------------|

Genus 250. **Colossopus.**

Sauss. Abhandl. Senckenb. Ges. xxi. pp. 622, 627 (1899).

- | | |
|---|------------|
| 1. C. Grandidieri, Sauss. l. c. p. 628, pl. 27.
ff. 24-27 (1899). | Madagascar |
|---|------------|

SUBFAM. XV.

XIPHIDIINÆ.

Genus 251. **Teratura.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 492 (1891).

1. **T. Monstrosa**, Redt. l. c. p. 492, pl. 4. | Burma.
f. 79 *a, b* (1891).

Genus 252. **Paraxiphidium.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 493 (1891).

1. **P. Versicolor**, Redt. l. c. p. 493, pl. 4. | Peru.
f. 79 *c* (1891).

Genus 253. **Orchelimum.** (*Type* no. 15.)

Serv. Ins. Orth. p. 522 (1839); Prov. Faune Ent. Canad. ii. p. 53 (1883); Seudd. Guide N. Amer. Orth. p. 55 (1897); McNeill, Canad. Ent. xxxii. p. 77 (1900).

Xiphidium, subg. *Orchelimum*, Redt. Verh. zool.-bot. Ges. Wien, xli. p. 494 (1891); Bent. Bull. Amer. Mus. Nat. Hist. vi. pp. 281, 289 (1894); Sauss. & Piet. Biol. Centr.-Amer., Orth. i. p. 396 (1898); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 363, 381 (1903).

1. **O. Delicatum**, Brun. Ent. News, iii. Nebraska.
p. 265 (1892); McNeill, l. c. pp. 77, 80
(1900); Blatchl. l. c. pp. 382, 389, n. 107
(1903).
|| *O. Gracile*, Brun. (*nec* Harr.) Canad. Ent.
xxiii. p. 70 (1891).
Xiphidium Gracilimum, Griff. Miscell. Ent.
vii. p. 5 (1899).
2. **O. Gladiator**, Brun. l. c. p. 71 (1891); id.
McNeill, l. c. pp. 77, 81 (1900); Blatchl.
l. c. pp. 382, 390, n. 108 (1903).
3. **O. Minor**, Brun. l. c. p. 72 (1891); Colombia,
McNeill, l. c. pp. 77, 81 (1900); Davis, New Jersey.
Canad. Ent. xxxvi. p. 132 (1904).
4. **O. Vulgare**, Harr. Rep. Ins. Mass. N. America.
p. 130 (1841); (ed. 3) p. 162, f. 77 (1862);
Prov. l. c. p. 54 (1883); Bent. l. c.

- p. 282, pl. 6. ff. 4, 5 (1894); McNeill, l. c. pp. 78, 81 (1900); Howard, Insect Book, pp. 336, 337. f. 224 (1902); Blatchl. l. c. pp. 382, 383. n. 102, f. 96 (1903).
- || *Xiphidium Agile*, Redt. (*nec De Geer*) l. c. pp. 495, 500. n. 2, pl. 4. f. 80 (1891).
- || *Orchelimum Agile*, Morgan, Bull. U. S. Dept. Agric. Ent. n. s. xxx. p. 30, f. 18 (1901).
5. **O. Gracile**, Harr. ll. cc. p. 131 (1841); p. 163, f. 78 (1862); McNeill, l. c. pp. 78, 81 (1900). Massachusetts, New Jersey.
6. **O. Robustum**, Redt. (*Xiphidium R.*) l. c. pp. 494, 499. n. 1 (1891); McNeill, l. c. pp. 78, 81 (1900). New Orleans.
7. **O. Campestre**, Blatchl. Canad. Ent. xxv. p. 91 (1893); Rep. Indiana Dept. Geol. xxvii. pp. 382, 386. n. 104 (1903); McNeill, l. c. pp. 78, 81 (1900). Indiana.
- *8. **O. Glaberrimum**, Burm. (*Xiphidium G.*) Handb. Ent. ii. p. 707. n. 1 (1838); Redt. l. c. pp. 495, 501. n. 3 (1891). N. America.
- O. Glaberrimum*, Scudd. Bost. Journ. N. Hist. vii. p. 453. n. 3 (1862); Brun. Bull. Washb. Coll. i. p. 128 (1885); McNeill, l. c. pp. 78, 81 (1900); Psyche, vi. p. 25. n. 36 (1891); Blatchl. l. c. pp. 382, 385. n. 103 (1903); Hanc. Psyche, xi. p. 69, pl. 5 (1904).
9. **O. Longipenne**, Scudd. (*O. Longipennis*) l. c. p. 453. n. 5 (1862). Texas, Kansas, Nebraska.
- O. Longipenne*, McNeill, ll. cc. pp. 79, 82 (1900); p. 25. n. 37 (1891).
- Xiphidium Iverme*, Redt. l. c. pp. 495, 501. n. 4 (1891).
10. **O. Concinnum**, Scudd. l. c. p. 452. n. 2 (1862); McNeill, ll. cc. pp. 79, 82 (1900); p. 25. n. 38 (1891); Bent. l. c. p. 282 (1894). United States.
- Xiphidium Concinnum*, Redt. l. c. pp. 495, 502. n. 5 (1891).
11. **O. Herbaceum**, Serv. l. c. p. 521. n. 3 (1839). N. America.
12. **O. Indianense**, Blatchl. Canad. Ent. xxv. p. 90 (1893); Proc. Indiana Acad. Sci. 1892, p. 137 (1894); Rep. Indiana Dept. Geol. xxvii. pp. 382, 388. n. 106, f. 97 (1903); McNeill, Canad. Ent. xxxii. pp. 79, 82 (1900). Indiana.

13. **O. Silvaticum, McNeill**, Psyche, vi. p. 26. Illinois,
n. 40 (1891). Indiana.
O. Sylvaticum, Blatchl. Proc. Indiana Acad.
Sci. 1892, p. 136 (1894); McNeill, Canad.
Ent. xxxii. pp. 79, 82 (1900).
14. **O. Spinulosum, Redt.** (*Xiphidium S.*) N. Carolina.
l. c. pp. 495, 503. n. 9 (1891).
O. Spinulosum, McNeill, l. c. p. 79 (1900);
Howard, l. c. pl. 35. f. 3 (1902).
O. Spinulorum, McNeill, l. c. p. 82 (1900).
15. **O. Cuticulare, Serv.** l. c. p. 523. n. 1 Texas.
(1839); McNeill, l. c. pp. 79, 82 (1900).
Xiphidium Cuticulare, Redt. l. c. pp. 495,
503. n. 7 (1891).
16. **O. Agile, De Geer**, (*Locusta Agilis*) United
Mém. Ins. iii. p. 457. n. 16, pl. 40. f. 3 States.
(1773); Harr. ll. cc. p. 130 (1841); p. 162
(1862).
Xiphidium Agile, Burm. l. c. p. 707. n. 2 (1838).
O. Agile, Scudd. l. c. p. 453. n. 4 (1862);
McNeill, l. c. pp. 79, 82 (1900).
O. Glaucum, Serv. l. c. p. 524. n. 2 (1839).
- **17. **O. Validum, Walk.** (*Xiphidium V.*) Cat. Texas.
Derm. Salt. B. M. ii. p. 277. n. 33 (1869). Missouri,
O. Nigripes, Scudd. Proc. Bost. Soc. Nat. Colorado,
Hist. xvii. p. 459. n. 14 (1875); McNeill, Kansas,
l. c. pp. 80, 83 (1900); Blatchl. Rep. Indiana,
Indiana Dept. Geol. xxvii. pp. 382, 387. Nebraska.
n. 105 (1903).
Xiphidium Nigripes, Redt. l. c. pp. 495, 502.
n. 6 (1891).
18. **O. Nitidum, Redt.** (*Xiphidium N.*) l. c. Georgia.
pp. 495, 503. n. 8 (1891); McNeill, l. c.
pp. 80, 83 (1900).
19. **O. Bruneri, Blatchl.** Canad. Ent. xxv. Indiana.
p. 92 (1893); Proc. Indiana Acad. Sci.
1892, p. 139 (1894); McNeill, l. c. pp. 80,
83 (1900).
20. **O. Volantum, McNeill**, Psyche, vi. p. 26 Illinois.
(1891); Canad. Ent. xxxii. pp. 80, 83
(1900); Blatchl. Rep. Indiana Dept.
Geol. xxvii. pp. 382, 390 (1903).
21. **O. Laticauda, Redt.** (*Xiphidium L.*) l. c. New
pp. 495, 504. n. 10 (1891). Orleans.
O. Laticauda, McNeill, Canad. Ent. xxxii.
pp. 80, 83 (1900).

- | | |
|--|------------------|
| 22. O. Ortoni , Scudd. l. c. xvii. p. 459 (1875). | Pern. |
| 23. O. Senegalense , Krauss, Sitzungs-b.
Akad. Wien. Math.-Nat. Cl. lxxvi. (1)
p. 60, pl. 1. f. 12 (1877).
<i>Xiphidium Senegalense</i> , Redt. l. c. pp. 495,
504. n. 11 (1891); Sjöst. Bih. Svenska
Akad. xxvii. (4:3) p. 40 (1902). | Senegambia |
| 24. O. Sphagnorum , Walk. (<i>Decticus</i> S.)
l. c. ii. p. 258. n. 27 (1869). | Hudson's
Bay. |

Genus 254. **Anisoptera.** (*Type* no. 76.)

- Latr. Cuv. Règne Anim. (ed. ii.) v. p. 184 note (1829); Serv.
Ann. Sci. Nat. xxii. p. 156 (1831); Fisch. Bull. Mosc. vi.
p. 372 (1833); Wesm. Bull. Acad. Brux. v. p. 593 (1838).
Conocephalus, Thunb. Mém. Acad. Pétersb. v. p. 214 (1815),
nom. spec. (*Type* no. 47.)
- Xiphidion*, Serr. l. c. p. 159 (1831); Ins. Orth. p. 505 (1839);
Steph. Ill. Brit. Ent., Mand. vi. p. 13 (1835); Westw. Mod.
Classif. Ins. ii. Syn. Gen. p. 45 (1839); Blanch. Hist. Nat.
Ins. iii. p. 25 (1840); Fisch. Waldh. Orth. Ross. p. 138
(1846); Finot, Orth. France. pp. 90, 101 (1883); Faune
France, Orth. pp. 174, 187 (1889). (*Type* no. 16.)
- Xiphidium*, Burm. Handb. Ent. ii. p. 707 (1838); Herr.-
Schäff. Nomencl. Ent., Orth. p. 3 (1840); Fisch. Waldh.
l. c. p. 177 (1846); Borek, Skand. Rätv. Ins. p. 60 (1848);
Fisch. Orth. Eur. p. 246 (1853); Friv. Érték. Termész.
Kör. i. (12) p. 111 (1867); Stål, Recens. Orth. ii. pp. 100,
111 (1874); Bol. Ortópt. Españ. pp. 237, 260 (1876);
An. Soc. Españ. vi. pp. 319, 342 (1877); Ann. Sci. Nat.
Porto. vi. p. 10 (1900); Brunn. Prodr. Eur. Orth. pp. 246,
300 (1882); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333,
493 (1891); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 283
(1894); Burr, Brit. Orth. pp. 50, 53 (1897); Scudd.
Guide N. Amer. Orth. p. 55 (1897); Canad. Ent. xxx.
p. 183 (1898); Giglio-Tos, Boll. Mus. Torino, xiii. (311)
p. 91 (1898); Auriv. Ent. Tidskr. xxi. pp. 249, 252 (1900);
Tümp. Geradtl. Mitteleuropas, pp. 222, 225, 260 (1900);
Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 325,
338, 384 (1902-3); Blatchl. Rep. Indiana Dept. Geol.
xxvii. p. 371 (1903).
- Asphidium*, Fieb. Lotos, iii. p. 170 (1853); Syn. Eur. Orth.
p. 46 (1854).
- Palitta*, Walk. Cat. Derm. Salt. B. M. ii. p. 249 (1869).
(*Type* no. 42.)

1. **A. Vitticollis, Blanch.** (*Locusta Vitticollis*) Gay, Faun. Chil., Zool. vi. p. 46 : [Orth. pl. 2. f. 5] (1854) ; Phil. Zeitschr. ges. Naturw. xxi. p. 234 (1863).
Xiphidium Vitticollis, Redt. l. c. pp. 495, 504, n. 12 (1891).
- *2. **A. Longipes, Redt.** (*Xiphidium L.*) l. c. pp. 495, 505, n. 13, pl. 4. f. 18 (1891). S. Brazil, Argentina.
3. **A. Attenuatum, Scudd.** (*Xiphidium A.*) Trans. Amer. Ent. Soc. ii. p. 305 (1869) ; Illinois, Kansas.
Canad. Ent. xxx. p. 183 (1898) ; Redt. l. c. pp. 495, 505, n. 14 (1891) ; Brun. Canad. Ent. xxiii. p. 57 (1891) ; Blatchl. l. c. pp. 372, 379, n. 101, f. 95 (1903).
4. **A. Nigropleurum, Brun.** (*Xiphidium N.*) l. c. p. 58 (1891). Kansas.
Xiphidium Nigropleurum, Blatchl. l. c. pp. 372, 376, n. 98 (1903).
5. **A. Gracillimum, Morse,** (*Xiphidium G.*) Florida.
Canad. Ent. xxxiii. p. 236 (1891).
6. **A. Spinosum, Morse,** (*Xiphidium S.*) California.
l. c. p. 201 (1891).
7. **A. Occidentale, Morse,** (*Xiphidium O.*) id., Oregon.
l. c. p. 202 (1891).
Var. *Xiphidium Occidentale Canurum*, Morse, l. c. p. 202 (1891).
Var. *Xiphidium Occidentale Caudatum*, Morse, l. c. p. 203 (1891).
8. **A. Vicinum, Morse,** (*Xiphidium V.*) l. c. California, Oregon, Washington.
p. 203 (1891).
Var. *Xiphidium Vicinum*, var. *Productum*, Morse, l. c. p. 204 (1891).
- *9. **A. Fasciatum, De Geer,** (*Locusta Fasciata*) Mém. Ins. iii. p. 458, pl. 40. f. 4 (1773). America.
Xiphidium Fasciatum, Serr. Ann. Sci. Nat. xxii. p. 159 (1831).
Xiphidium Fasciatum, Burm. l. c. p. 708, n. 4 (1838) ; Prov. Faune Ent. Canad. ii. p. 29 (1883) ; Redt. l. c. pp. 495, 506, n. 15, pl. 4. f. 82 (1891) ; Beut. l. c. p. 283, pl. 6. f. 7 (1894) ; Griff. Boll. Mus. Torino, xi. (232) p. 30 (1896) ; Sauss. & Piet. Biol. Centr.-Amer., Orth. i. pp. 396, 398, n. 7 (1898) ; Blatchl. l. c. pp. 371, 372, n. 94 (1903).

10. **A. Cinereum, Thunb.** (*Conocephalus Cinereus*) Mém. Acad. Pétersb. v. p. 273 (1815).
Xiphidium Cinereum, Stål, Recens. Orth. ii. p. 113. n. 6 (1874). Jamaica.
- *11. **A. Saltator, Sauss.** (*Xiphidium S.*) Rev. Zool. (2) xi. p. 208 (1859); Redt. l. c. pp. 496, 507. n. 16 (1891); Sauss. & Pict. l. c. pp. 396, 399. n. 10, pl. 19. f. 28 (1898). Panama, S. America, W. Indies.
Xiphidium Fasciatum, var. *Saltator*, Griff. l. c. p. 30 (1896); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 91 (1898).
12. **A. Equatoriale, Giglio-Tos,** (*Xiphidium E.*) l. c. pp. 91, 92 (1898). Ecuador.
- **13. **A. Resinum, Sauss. & Pict.** (*Xiphidium R.*) l. c. p. 398. n. 8, pl. 19. ff. 26, 27 (1898). Mexico.
- **14. **A. Unispina, Sauss. & Pict.** (*Xiphidium U.*) l. c. n. 9 (1898). id.
- *15. **A. Versicolor, Redt.** (*Xiphidium V.*) l. c. pp. 496, 507. n. 17 (1891); Giglio-Tos, l. c. pp. 91, 92 (1898). Fonte Boa, Ecuador.
- *16. **A. Fuscum, Fabr.** (*Locusta Fusca*) Ent. Syst. ii. p. 43. n. 38 (1793); Panz. Faun. Ins. Germ. fasc. xxxiii. pl. 2 (1796); Coqueb. Icon. p. 6. pl. 1. f. 3 (1799); Latr. Hist. Nat. Crust. Ins. iii. p. 101 (1802), xii. p. 132. n. 6 (1804); Charp. Hor. Ent. p. 111 (1825); Phil. Orth. Berol. p. 19. n. 2, pl. 1. f. 2 (1830). S. & Centr. Europe, N. Africa, Centr. Asia, Amur.
Xiphidium Fuscum, Serv. Ann. Sci. Nat. xxii. p. 157 (1831); Ins. Orth. p. 506. n. 1 (1839); Blanch. l. c. p. 25 (1840); Finot, ll. cc. p. 101 (1883); p. 187, pl. 9. f. 127 (1889).
Xiphidium Fusca, Steph. l. c. p. 14. n. 2 (1835); Westw. l. c. p. 45 (1839).
Xiphidium Fuscum, Burm. l. c. p. 708. n. 3 (1838); Fisch. Waldh. l. c. p. 178. n. 1, pl. 8. f. 3 (1846); Borek, l. c. p. 61 note (1848); Fisch. l. c. p. 247. n. 1, pl. 14. ff. 2, 2 a-d, ff. 3, 3 a-d (1853); Friv. l. c. p. 111 (1867); Sauss. Fedchenko, Reise Turk., Orth. p. 40. n. 1 (1874); Marq. Bull. Soc. Touloune, xi. p. 155

(1877); Brunn. l. c. pp. 500, 301. n. 1
(1882); Redt. l. c. pp. 496, 508, pl. 4.
f. 83 (1891); Tümp. l. c. pp. 225, 261
(1900); Jacobs. & Bianchi, l. c. p. 384,
f. 41 (1903).

Xiphidium Fusca, Herr.-Schäff. l. c. p. 14
(1840).

Xyphidium Fuscum, Fieb. ll. cc. p. 170.
n. 3 (1853); p. 46. n. 3 (1854).

Conocephalus Discolor, Thunb. l. c. p. 275
(1815).

17. **A. Thoracicum, Fisch. Waldh.** (*Xiphidium T.*) l. c. p. 179. n. 2, pl. 8. f. 4
(1846); Fisch. l. c. p. 249. n. 3 (1853);
Brunn. l. c. p. 301. n. 2 (1882).

S. Russia,
Spain.

Xyphidium Thoracicum, Fieb. Lotos, iv.
p. 223. n. 5 (1854).

|| *Xiphidium Concolor*, Bol. (nec Burm.)
Ortópt. Españ. p. 261. n. 1, pl. 5. f. 14,
pl. 6. ff. 10, 10 a (1876); An. Soc. Españ.
vi. p. 343. n. 1, pl. 4. f. 14, pl. 5. ff. 10,
10 a (1877).

18. **A. Chinense, Redt.** (*Xiphidium C.*) l. c. pp. 426, 509. n. 19, pl. 4. f. 85 (1891);
Jacobs. & Bianchi, l. c. p. 385 (1903).

Amur.

- ** 19. **A. Exemptum, Walk.** (*Xiphidium E.*)
Cat. Derm. Salt. B. M. ii. p. 274. n. 19
(1869); Jacobs. & Bianchi, l. c. p. 386
(1903).

Corea.

20. **A. Posticum, Walk.** (*Xiphidium P.*) l. c.
p. 274. n. 20 (1869).

Silhet.

- 20 bis. **A. Modestum, Redt.** (*Xiphidium M.*)
l. c. pp. 496, 510. n. 20, pl. 4. f. 86
(1891).

Australia,
N. Guinea,
Fiji, &c.

21. **A. Concolor, Burm.** (*Xiphidium C.*) l. c.
p. 708. n. 6 (1838); Redt. l. c. pp. 496,
510. n. 21 (1891).

Egypt.

Xyphidium Concolor, Fieb. Lotos, iv. p. 223.
n. 1 (1854).

[Savigny, Descr. Égypte, Orth. pl. 4.
ff. 31, 32.]

22. **A. Stramineum, Haan**, (*Locusta* (*Xiphidium*) *Straminea*), Temminck, Verhandel.
Orth. pp. 188, 189. n. 2 (1842).

id.

23. **A. Flavum, Redt.** (*Xiphidium F.*) l. c. pp. 496, 511. n. 22 (1891).

Celebes.

24. **A. Melænum, Haan**, (*Locusta* (*Xiphidium*) *Melana*) l. c. pp. 188, 189. n. 9 (1842).
Xiphidium Melanum, Redt. l. c. pp. 496, 511. n. 23 (1891). Java, Sumatra, Borneo, Celebes.
25. **A. Nigrogeniculatum, Redt.** (*Xiphidium N.*) l. c. pp. 496, 511. n. 24 (1891). Borneo.
26. **A. Infumatum, Redt.** (*Xiphidium I.*) l. c. pp. 496, 512. n. 25 (1891). Mioko.
- *27. **A. Longipenne, Haan**, (*Locusta* (*Xiphidium*) *Longipennis*) l. c. pp. 188, 189. n. 3 (1842). India, Ceylon, Penang, Sumatra, Aru, &c.
28. **A. Longicorne, Redt.** (*Xiphidium L.*) l. c. pp. 496, 513. n. 27 (1891). Java, Borneo, &c.
- **29. **A. Maoricum, Walk.** (*Xiphidium M.*) l. c. ii. p. 276. n. 30 (1869). N. Zealand, Aru (?).
Xiphidium Antipodum, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 460 (1875).
Xiphidium Vittatum, Redt. l. c. pp. 497, 513. n. 28 (1891).
- **30. **A. Albescens, Walk.** (*Xiphidium A.*) l. c. ii. p. 275. n. 29 (1869). S. Australia.
31. **A. Oceanicum, Le Guill.** (*Xiphidion O.*) Rev. Zool. 1841. p. 294. n. 17. Hamoa, Aru.
32. **A. Spinipes, Stål**, (*Xiphidium S.*) Cefv. Vet.-Akad. Förh. xxxiv. (10) p. 47 (1877). Philippines.
33. **A. Affne, Redt.** (*Xiphidium A.*) l. c. pp. 497, 513. n. 29 (1891). id., Fiji, Aru, Samoa.
34. **A. Armatipes, Karsch**, (*Xiphidium A.*) Berlin. Ent. Zeitschr. xxxviii. p. 142 (1893). W. Africa.
35. **A. Gladiatum, Redt.** (*Xiphidium G.*) l. c. pp. 497, 514. n. 30, pl. 4. f. 8 (1891); Jacobs. & Bianchi. l. c. p. 38 (1903). Japan.
36. **A. Borneense, Redt.** (*Xiphidium B.*) l. c. pp. 497, 514. n. 31 (1891). Borneo.
- *37. **A. Lætum, Redt.** (*Xiphidium L.*) ll. cc. n. 32. pl. 4. f. 87 (1891). N. Australia.
- *38. **A. Maculatum, Le Guill.** (*Xiphidium M.*) l. c. p. 294. n. 16 (1841); Redt. l. c. pp. 497, 515. n. 33 (1891); Jacobs. & Bianchi. l. c. p. 385 (1903). Africa, S. & E. Asia; Malay Archipelago.
- **39. **A. Sinense, Walk.** (*Xiphidium S.*) l. c. v. Suppl. p. 35 (1871). Hong Kong.

40. **A. Brevicorne, Karsch, (*Xiphidium B.*)** W. Africa
l. c. xxxviii. p. 142 (1893). (Adeli).
- **41. **A. Continuum, Walk. (*Xiphidium C.*)** Sierra Leone.
l. c. ii. p. 271. n. 13 (1869).
(?) || *Xiphidium Maculatum*, pt., Redt. (nec Le Guill.) l. c. pp. 497, 515. n. 33 (1891);
Karsch. l. c. p. 141 (1893).
- *42. **A. Iris, Serv. (*Xiphidium I.*)** Ins. Orth. E. & W.
p. 506. n. 2 (1839). Africa,
Xiphidium Iris, Stal. Eugenes Resa. Orth. Madagascar,
p. 323. n. 64 (1860); Recens. Orth. ii. Mauritius,
p. 112. n. 1 (1874); Redt. l. c. pp. 497, Rodriguez.
515. n. 34 (1891).
- ** *Palotta Inornata*, Walk. l. c. ii. p. 250. n. 1
(1869).
- **43. **A. Tenellum, Walk. (*Xiphidium T.*)** l. c. Natal.
ii. p. 272. n. 16 (1869).
- **44. **A. Punctipenne, Walk. (*Xiphidium P.*)** S. Africa.
l. c. n. 14 (1869).
45. **A. Aberrans, Redt. (*Xiphidium A.*)** l. c. Rio Grande
pp. 497, 516. n. 35 (1891). do Sul.
46. **A. Africanum, Redt. (*Xiphidium A.*)** Gaboon.
l. c. pp. 497, 516. n. 36 (1891).
47. **A. Bituberculatum, Redt. (*Xiphidium B.*)** Australia.
l. c. pp. 497, 517. n. 37 (1891).
- *48. **A. Conocephalus, Linn. (*Gryllus Tettigonia C.*)** Syst. Nat. (ed. xii.) i. (2) p. 696. Spain,
n. 19 (1767). Africa.
Locusta Conocephala, Fabr. Syst. Ent.
p. 285. n. 14 (1775).
Conocephalus Hemipterus, Thunb. Mém.
Acad. Petersb. v. p. 272 (1815).
Locusta Ethiopica, Thunb. Nov. Insect.
Spec. v. p. 103 (1789); Diss. Acad. iii.
p. 222 (1801); Mém. Acad. Petersb. v.
p. 280 (1815).
Xiphidium Ethiopicum, Stal. Recens. Orth.
ii. p. 113. n. 4 (1874); Bol. Ortópt.
Españ. p. 262. n. 2. pl. 6. ff. 9, 9a
(1876); An. Soc. Españ. vi. p. 344. n. 2.
pl. 5. ff. 11, 11a (1877); An. Sci. Nat.
Porto, vi. p. 11 (1900); Brunn. l. c.
pp. 300, 303. n. 4 (1882); Redt. l. c.
pp. 497, 517. n. 38 (1891).
Xiphidium Concolor, Burm. l. c. p. 708.
n. 6 (1838).

- Xyphidium Concolor*, Fieb. Lotos, iv. p. 223.
n. 1 (1854).
[Sav. Descr. Égypte, Orth. pl. 4. ff. 2, 3.]
- **49. **A. Tenue, Walk.** (*Xyphidium T.*) l. c. S. Africa.
ii. p. 272. n. 15 (1869).
50. **A. Hecticum, Gerst.** (*Xyphidium H.*) Senegal,
Arch. f. Nat. xxxv. p. 214 (1869); Mombasa.
Decken's Reisen Ost-Afrika, Ins. p. 31
(1873).
51. **A. Lugubre, Redt.** (*Xyphidium L.*) l. c. Egypt.
pp. 497, 518. n. 39 (1891).
52. **A. Guineense, Redt.** (*Xyphidium G.*) Gaboon.
l. c. n. 40 (1891).
53. **A. Strictum, Scudd.** (*Xyphidium S.*) United
Proc. Boston Soc. Nat. Hist. xvii. p. 460. States.
n. 15 (1875); Canad. Ent. xxx. p. 183
(1898); Redt. l. c. pp. 497, 519. n. 41
(1891); Sauss. & Pict. l. c. pp. 396, 399.
n. 11 (1898); Blatchl. l. c. pp. 372, 378.
n. 100 (1903).
- *54. **A. Scudleri, Blatchl.** (*Xyphidium S.*) Indiana.
Canad. Ent. xxiv. p. 26 (1892); Scudd.
Canad. Ent. xxx. p. 183 (1898).
- *55. **A. Natalense, Redt.** (*Xyphidium N.*) l. c. Natal.
pp. 498, 519, pl. 4. f. 90 (1891).
- **56. **A. Caudale, Walk.** (*Xyphidium C.*) l. c. id.
ii. p. 273. n. 17 (1869).
57. **A. Somali, Burr,** (*Xyphidium S.*) Proc. Somali.
Zool. Soc. Lond. 1900, p. 45.
- *58. **A. Hastatum, Charp.** (*Locusta Hastata*) S.E. Europe,
Hor. Ent. p. 113 (1825); Fisch. l. c. W. Asia,
p. 249 (1853). Kashmir.
Xyphidium Hastatum, Fieb. l. c. p. 223.
n. 2 (1854).
Xyphidium Hastatum, Friv. l. c. p. 112. n. 2
(1867); Brunn. Prodr. Eur. Orth. p. 303.
n. 5, pl. 8. f. 70 (1882); Redt. l. c.
pp. 498, 519. n. 43, pl. 4. f. 89 (1891);
Jacobs. & Bianchi, l. c. p. 386 (1903).
59. **A. Saltans, Scudd.** (*Xyphidium S.*) Rep. Nebraska,
U.S. Geol. Surv. Nebraska, p. 249 (1871); Kansas,
Canad. Ent. xxx. p. 184 (1898); Blatchl. Texas.
l. c. pp. 372, 377. n. 99, f. 94 (1903).
Xyphidium Modestum, Brun. Canad. Ent.
xxiii. p. 56 (1891).
Xyphidium Turniatum, Redt. l. c. pp. 498,
520. n. 44 (1891).

60. **A. Gossypii, Scudd.** (*Xiphidium G.*) Southern
Proc. Bost. Soc. Nat. Hist. xvii. p. 462 United
(1875); Canad. Ent. xxx. p. 184 States.
(1898).
- *61. **A. Brevipenne, Scudd.** (*Xiphidium B.*) N. America,
Canad. Nat. vii. p. 285 (1862); Canad. Cuba.
Ent. xxx. p. 184 (1898); Glover, Ill.
N. Amer. Orth. pl. 4. f. 11 (1872); Redt.
l. c. pp. 498, 520. n. 45, pl. 4. f. 91
(1891); Sauss. & Pict. l. c. pp. 397, 399.
n. 13 (1898); Blatchl. l. c. pp. 372, 373.
n. 95, f. 93 (1903).
Xiphidium Brevipennis, Scudd. Bost. Journ.
Nat. Hist. vii. p. 451 (1862); Prov.
Faune Ent. Canad. ii. p. 29 (1883);
Beut. l. c. p. 283, pl. 6. f. 6 (1894).
- *62. **A. Ictum, Scudd.** (*Xiphidium I.*) Proc. Mexico.
Boston Soc. Nat. Hist. xvii. p. 461 (1875); Guatemala.
Redt. l. c. pp. 498, 521. n. 46 (1891);
Sauss. & Pict. l. c. pp. 397, 400. n. 14
(1898).
63. **A. Meridionale, Scudd.** (*Xiphidium M.*) Brazil.
l. c. xvii. p. 460 (1875).
64. **A. Truncatum, Redt.** (*Xiphidium T.*) id.
l. c. pp. 498, 522. n. 47 (1891).
65. **A. Nemorale, Scudd.** (*Xiphidium N.*) United
l. c. p. 462 (1875); Beut. l. c. p. 284 States.
(1894); Canad. Ent. xxx. p. 184
(1898); Blatchl. l. c. pp. 372, 374. n. 96
(1903).
Xiphidium Curtipenne, Redt. l. c. pp. 498,
522. n. 48 (1891).
66. **A. Exitiosum, McNeill,** (*Xiphidium E.*) Galapagos.
Proc. Washington Acad. Sci. iii. pp. 501.
502, f. 42 (1901).
- *67. **A. Propinquum, Redt.** (*Xiphidium P.*) Cent. Amer.,
l. c. pp. 498, 522. n. 49 (1891); Sauss. Venezuela,
& Pict. l. c. pp. 397, 400. n. 15 Antilles.
(1903).
68. **A. Brachypterum, Redt.** (*Xiphidium B.*) S. America.
l. c. pp. 498, 523. n. 50 (1891).
69. **A. Borellii, Giglio-Tos,** (*Xiphidium B.*) Bolivia.
Boll. Mus. Torino, xii. (302) p. 41
(1897).
- *70. **A. Ensiferum, Scudd.** (*Xiphidium En-* Texas,
sifer) Bost. Journ. Nat. Hist. vii. p. 451. Illinois,
n. 3 (1862). Iowa.

Xiphidium Fusiferum, Redt. l. c. pp. 498, 523. n. 51 (1891); Scudd. Canad. Ent. xxx. p. 183 (1898); Blatchl. l. c. pp. 372, 375. n. 97 (1903).

71. **A. Caizanum, Giglio-Tos**, (*Xiphidium C.*) l. c. xii. (302) p. 42 (1897). Bolivia.
- *72. **A. Mexicanum, Sauss.** (*Xiphidium M.*) Mexico, Rev. Zool. (2) xi. p. 208 (1859); Redt. Guatemala. l. c. pp. 498, 524. n. 52 (1891); Sauss. & Piet. l. c. pp. 397, 400. n. 17 (1898).
73. **A. Angustifrons, Redt.** (*Xiphidium A.*) Colombia, l. c. pp. 498, 524. n. 53 (1891); Griff. Panama. l. c. xi. (232) p. 29 (1896); Sauss. & Piet. l. c. pp. 397, 400. n. 18 (1898).
74. **A. Festæ, Giglio-Tos**, (*Xiphidium F.*) Ecuador. l. c. xiii. (311) pp. 91, 92 (1898).
75. **A. Japonicum, Redt.** (*Xiphidium J.*) l. c. Japan. pp. 498, 525. n. 54 (1891).

- *76. **A. Dorsale, Latr.** (*Locusta Dorsalis*) Hist. Europe. Nat. Crust. Ins. xii. p. 133. n. 9 (1804); Charp. Hor. Ent. p. 112, pl. 2. f. 4 (1825); Phil. Orth. Berol. p. 19. n. 3, pl. 1. f. 8 (1830); Wesm. Bull. Acad. Brux. v. p. 593 (1838).

Xiphidium Dorsale, Burm. l. c. p. 708. n. 5 (1838); Borek, l. c. p. 60 (1848); Fisch. l. c. p. 248. n. 2, pl. 14. f. 4 a-d (1853); Friv. l. c. p. 113 (1867); Brunn. l. c. pp. 300, 302. n. 3 (1882); Redt. l. c. pp. 499, 525. n. 55 (1891); Burr, l. c. p. 53, pl. 4. f. 10 (1897); Burr & Harwood. Proc. Ent. Soc. Lond. 1900, p. 5; Ent. Rec. xii. pp. 128, 129 (1900); Bol. Ann. Sci. Nat. Porto. vi. p. 11. n. 2 (1900); Auriv. Ent. Tidskr. xxi. p. 252 (1900); Tümp. l. c. p. 261 (1900); Jacobs. & Bianchi, l. c. p. 286 (1903).

Xiphidium Dorsalis, Steph. l. c. p. 14. n. 2 (1835).

Xiphidium Dorsale, Finot, ll. cc. pp. 101, 102 (1883); pp. 187, 189 (1889).

Xiphidium Dorsata, Herr.-Schäff. l. c. p. 14 (1840).

Xiphidium Dorsale, Fieb. Lotos, iii. p. 170. n. 4 (1853); Syn. Eur. Orth. p. 46. n. 4 (1858).

Xiphidium dorsale Latr. Regn. Anim., V, P. 184-note (1829)

- || *Locusta Fuscæ*, Zett. (*nec Fabr.*) Orth. Succ.
p. 60. n. 2 (1821).
Conocophulus Discolor, ♀, Thunb. l. c.
p. 275 (1815).
77. **A. Javanicum**, Redt. (*Xiphidium J.*) l. c. Java.
pp. 499, 526. n. 56 (1891).
78. **A. Amabile**, Stål, (*Xiphidium A.*) Euge-
nies Resa, Orth. p. 323 (1860). Manila.
79. **A. Latifrons**, Redt. (*Xiphidium L.*) l. c. Australia.
pp. 499, 526. n. 57 (1891).
- *80. **A. Bilineatum**, Erichs. (*Xiphidium B.*) Australia,
Arch. f. Nat. viii. p. 249. n. 213 (1842). Tasmania.
- ***Decticus Semivittatus*, Walk. l. c. ii. p. 263. N. Zealand.
n. 36 (1869). Moluccas.
- Xiphidium Gemiculare*, Redt. l. c. pp. 499,
527. n. 58 (1891).
81. **A. Trivittatum**, Stål, (*Xiphidium T.*) Tahiti.
l. c. p. 323. n. 65 (1860).
82. **A. Cognatum**, Redt. (*Xiphidium C.*) l. c. Borneo.
pp. 499, 527. n. 59 (1891).
83. **A. Honorei**, Bol. (*Xiphidium H.*) Ann. Madura.
Soc. Ent. France, lxxiii. p. 779 (1900).
84. **A. Pictum**, Redt. (*Xiphidium P.*) l. c. Calcutta,
pp. 499, 528. n. 60 (1891). larra. Burma.
85. **A. Signatum**, Redt. (*Xiphidium S.*) ll. cc. Ceylon.
n. 61 (1891).
86. **A. Trifasciatum**, Redt. (*Xiphidium T.*) id.
ll. cc. n. 62 (1891).
87. **A. Vestitum**, Redt. (*Xiphidium V.*) l. c. Philippines.
pp. 499, 529. n. 63 (1891).
88. **A. Adustum**, Redt. (*Xiphidium A.*) ll. cc. Amboina.
n. 64 (1891).
89. **A. Formosum**, Redt. (*Xiphidium F.*) l. c. Java.
pp. 499, 530. n. 65 (1891).
90. **A. Bivittatum**, Bol. (*Xiphidium B.*) l. c. Madura.
p. 780 (1900).
91. **A. Carbonarium**, Redt. (*Xiphidium C.*) W. Africa.
l. c. pp. 499, 530. n. 66. pl. 4. f. 92 Accra.
(1891).

Genus 255. **Odontoxiphidium.**

Morse, Can. Ent. xxxiii. p. 129 (1891).

1. **O. Apterum**, Morse, l. c. (1891). | Florida.

Genus 256. **Lipotactes.**

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 274 (1898).

1. **L. Alienus**, Brunn. l. c. pl. 20. f. 53 | Borneo.
(1898).

SUBFAM. XVI.

LISTROCELINÆ.

Genus 257. **Xiphidiopsis.** (*Type* no. 4.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 531 (1891).

- **1. **X. Straminula**, Walk. (*Locusta* (?) *S.*) | Bombay,
Cat. Derm. Salt. B. M. v. Suppl. p. 36 | Ceylon.
(1871).
X. Citrina, Redt. l. c. pp. 531, 532. n. 1
(1891).
2. **X. Militaris**, Bol. (*Xyphidiopsis M.*) Ann. | Madura.
Soc. Ent. France, lxviii. p. 781 (1900). *b* 3-7
3. **X. Capreola**, Redt. l. c. pp. 531, 532. | Java.
n. 2, pl. 4. f. 93 (1891).
4. **X. Fallax**, Redt. ll. cc. n. 3 (1891). | id., Borneo,
Sumatra.
5. **X. Distincta**, Redt. l. c. pp. 531, 533. | Java.
n. 4 (1891).
6. **X. Forficata**, Bol. (*Xyphidiopsis F.*) l. c. | Madura.
p. 782, pl. 12. f. 19 (1900). *c* 2, 3, 7

Genus 258. **Phlugis.** (*Type* no. 3.)

Stål, Eugénies Resa, Orth. p. 324 (1860).

Pilugis, Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 15 (1871).
(*Type* no. 5.)

Thysdrus, Stål, Recons. Orth. ii. p. 102 (1874); Redt. Verh.
zool.-bot. Ges. Wien, xli. pp. 333, 533 (1891); Sauss. &
Pict. Biol. Centr.-Amer., Orth. i. p. 400 (1898). (*Type*
no. 1.)

1. **P. Coriaceus**, Redt. (*Thysdrus C.*) l. c. | Brazil.
p. 534. n. 1 (1891).
2. **P. Nemoptera**, Bol. Mém. Soc. Zool. | id.
France, i. p. 153 (1888).
Thysdrus Nemoptera, Redt. l. c. pp. 534,
535. n. 2, pl. 4. f. 94 (1891).

3. **P. Teres, De Geer**, (*Locusta T.*) Mém. Ins. iii. p. 458. n. 18 (1773). Panama,
S. America.
Thysdrus Teres, Stål, Recens. Orth. ii. p. 116. n. 1 (1874); Redt. l. c. pp. 534, 535. n. 3 (1891); Griff. Bol. Mus. Torino, xi. (232) p. 30 (1896); Sauss. & Pict. l. c. p. 401. n. 1 (1898).
4. **P. Cephalotes, Bol.** l. c. p. 154 (1888). Brazil.
Thysdrus Cephalotes, Redt. l. c. pp. 534, 536. n. 4 (1891).
- *5. **P. Mantispa, Bol.** l. c. p. 154 (1888). Mexico,
Panama,
S. America.
Thysdrus Mantispa, Redt. l. c. pp. 534, 536. n. 5 (1891); Sauss. & Pict. l. c. p. 401. n. 3 (1898).
¶ *Pilugis Teres*, Walk. (*nec De Geer*) l. c. v. Suppl. p. 15 (1871).
6. **P. Marginatus, Redt.** (*Thysdrus M.*) l. c. pp. 534, 537. n. 6 (1891). Upper
Amazons.
7. **P. Caudatus, Redt.** (*Thysdrus C.*) ll. cc. n. 7 (1891). id.
- *8. **P. Virens, Thunb.** (*Conocephalus V.*) Mém. Acad. Pétersb. v. p. 274 (1815). Mexico,
Panama,
S. America,
Cuba.
Thysdrus Virens, Stål, l. c. p. 117. n. 2 (1874); Redt. l. c. pp. 534, 538. n. 8 (1891); Sauss. & Pict. l. c. p. 401. n. 2, pl. 19. f. 29 (1898).
P. Chrysopa, Bol. l. c. p. 152. n. 114 (1888).
- *9. **P. Abnormis, Redt.** (*Thysdrus A.*) l. c. pp. 534, 538. pl. 4. f. 95 (1891). "Reta-
lulen."
10. **P. Macilentus, Redt.** (*Thysdrus M.*) l. c. pp. 534, 539. n. 10 (1891). Colombia.
- **11. **P. Mexicanus, Sauss. & Pict.** (*Thysdrus M.*) l. c. pp. 401, 402. n. 4 (1898). Mexico,
Cent. Amer.
- **12. **P. Infirmus, Sauss. & Pict.** (*Thysdrus I.*) ll. cc. n. 5, pl. 19. ff. 30-32 (1898). Guatemala,
Cayenne.
- **13. **P. Spinipes, Fabr.** (*Locusta S.*) Syst. Ent. p. 283. n. 7 (1775). Brazil.
Locusta (Xiphidium) Spinipes, Haan, Temminck, Verhandel., Orth. pp. 188, 190. n. 10 (1842).
Thysdrus Tener, Stål, l. c. p. 117. n. 3 (1874); Redt. l. c. pp. 534, 539 (1891).

Genus 259. **Phisis.** (*Type* no. 3.)

Stål, *Eugenies Resa*, Orth. p. 324 (1860) ; Walk. Cat. Derm. Salt. B. M. iii. p. 469 (1870).

Teuthras, Stål, Recens. Orth. ii. pp. 102, 116 (1874) ; Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 540 (1891).

Nocera, Walk. l. c. i. pp. 101, 214 (1869). (*Type* no. 3.)

1. **P. Dumosus**, Karsch, (*Teuthras D.*) W. Africa,
Stettin. Ent. Zeit. lvii. p. 354 (1896). Togo.
- **2. **P. Spinifera**, Butl. Ann. Nat. Hist. (4) Rodriguez.
xvii. p. 410 (1876) ; Phil. Trans. clxviii.
p. 547, pl. 54. ff. 1, 1a (1879).
Teuthras Spinifer, Redt. l. c. pp. 540, 541.
n. 2 (1891).
- *3. **P. Pectinata**, Guér. Voy. Coquille, Ins. Nicobar,
p. 150, pl. 10. f. 1 (1830) ; Serv. Ins. Ceylon,
Orth. p. 398. n. 3 (1839). Borneo,
Locusta Pectinata, Haan, Temminck, Ver- Bouru,
handel, Orth. pp. 216, 217. n. 12 (1842). Tahiti,
Teuthras Pectinatus, Stål, Recens. Orth. ii. Samoa, &c.
p. 116. n. 1 (1874) ; Redt. l. c. pp. 540,
542. n. 4, pl. 4. f. 96a, b (1891).
- ***Nocera Pallida*, Walk. l. c. i. p. 101. n. 1
(1869).
4. **P. Gracilipes**, Stål, (*Teuthras G.*) Æfv. Philippines.
Vet.-Akad. Förh. xxxiv. (10) p. 46
(1877) ; Redt. l. c. pp. 540, 542. n. 5
(1891).
- **5. **P. Listeri**, Kirb. Proc. Zool. Soc. Lond. Christmas
1888, p. 547 ; Mon. Christmas I. p. 149, Isl.
pl. 13. f. 6 (1900).
6. **P. Echinata**, Redt. (*Teuthras Echinatus*) Fiji.
l. c. p. 540. n. 1, pl. 4. f. 96 (1891).
7. **P. Rapax**, Redt. (*Teuthras R.*) l. c. id.
pp. 540, 541. n. 3 (1891).
8. **P. (?) Pogonopoda**, Montr. (*Locusta* Woodlark I.
Pogonopoda) Ann. Soc. Agric. Lyon.
(2) vii. (1) p. 88 (1855).

Genus 260. **Axylus.**

Stål, Æfv. Vet.-Akad. Förh. xxxiv. (10) p. 46 (1877) ;
Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 542 (1891).

1. **A. Castaneus**, Stål, l. c. p. 46 (1877) ; Philippines.
Redt. l. c. p. 543 (1891).

Genus 261. **Decolya.**

Bol. An. Soc. Ent. France, lxxiii. p. 782 (1900).

1. **D. Visenda**, Bol. l. c. p. 783, pl. 12. | S. India.
f. 20 a-c (1900). |

 Genus 262. **Hexacentrus.** (*Type* no. 9.)

Serv. Ann. Sci. Nat. xxii. p. 145 (1831); Burm. Handb. Ent. ii. p. 714 (1838); Stål, Recens. Orth. ii. p. 102 (1874); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 547 (1891).

Piura, Walk. Cat. Derm. Salt. B. M. ii. p. 281 (1869). (*Type* no. 8.)

Tedla, Walk. l. c. p. 393 (1869). (*Type* no. 8.)

1. **H. Pusillus**, Redt. l. c. p. 548. n. 1 Java.
(1891).
2. **H. Inflatus**, Redt. l. c. p. 549. n. 2. pl. 4. Gaboon.
f. 98 (1891).
- *3. **H. Dorsatus**, Redt. l. c. n. 3 (1891). id.,
Cameroons.
- *4. **H. Australis**, Redt. l. c. p. 550. n. 4 Fiji.
(1891).
5. **H. Stæli**, Krausze, (*H. Stæli*) Insekten- Tonkin.
Börse, 1904. p. 213.
6. **H. Elegans**, Redt. l. c. p. 550. n. 5 Cambodia.
(1891).
7. **H. Major**, Redt. l. c. p. 551. n. 6 India.
(1891).
- **8. **H. Munda**, Walk. (*Piura* M.) l. c. ii. Japan,
p. 282. n. 1 (1869). China,
Tedla Sellata, Walk. l. c. p. 393. n. 1 India,
(1869). Philippines,
♀. *Tedla Simplex*, Walk. l. c. iii. p. 484 Moluccas.
(1870).
- H. Annulicornis*, Stål, Öfv. Vet.-Akad.
Förh. xxxiv. (10) p. 46. n. 1 (1877);
Redt. l. c. pp. 548, 551. n. 7, pl. 4. f. 99
(1891).
- *9. **H. Unicolor**, Serv. l. c. p. 146. n. 1 Amoy,
(1831); Redt. l. c. pp. 458, 552. n. 8 Singapore,
(1891). Java,
Locusta Unicolor, Serv. Ins. Orth. p. 531. Borneo.
n. 4, pl. 9. f. 4 (1839).

- H. Plantaris*, *Burm.* l. c. p. 714. n. 1 (1838).
Locusta Plantaris, *Haan*, Temminck, Verhandel. Orth. pp. 215, 216. n. 8 (1842).
 10. **H. Bilineata**, **Montr.** (*Locusta B.*) Ann. Sci. Nat. Phys. Lyon, (2) vii. p. 87 (1855). Woodlark I.
 11. **H. Fruhstorferi**, **Dohrn**, Stett. Ent. Zeit. lxvi. p. 237 (1905). Tonkin.
 12. **H. Femoralis**, **Dohrn**, l. c. p. 238 (1905). Sumatra.

Genus 263. **Monocerophora.**

Walk. Cat. Derm. Salt. B. M. i. p. 157 (1869).

- *1. **M. Longispina**, **Burm.** (*Listrosceles L.*) Handb. Ent. ii. p. 715. n. 3 (1838); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 544. n. 1, pl. 4. f. 97 (1891). Brazil.
 ***M. Minax*, *Walk.* l. c. i. p. 158 (1869).

Genus 264. **Cerberodon.**

Perty, Del. Anim. Art. p. 119 (1832).

- *1. **C. Viridis**, **Perty**, l. c. p. 120, pl. 23. f. 10 (1832). Brazil.
Listrosceles Viridis, *Burm.* Handb. Ent. ii. p. 715. n. 1 (1838); Serv. Ins. Orth. p. 397. n. 2 (1839); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 544. n. 2 (1891).

Genus 265. **Listrosceles.** (*Type* no. 2.)Serv. Ann. Sci. Nat. xxii. p. 160 (1831); Ins. Orth. p. 396 (1839); *Burm.* Handb. Ent. ii. p. 715 (1838); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 543 (1891).

- *1. **L. Atrata**, **Redt.** l. c. pp. 544, 545. n. 3 (1891). Brazil.
 *2. **L. Armata**, **Serv.** ll. cc. p. 161. n. 1 (1831); p. 398. n. 2, pl. 11. f. 1 (1839); *Burm.* l. c. p. 715. n. 2 (1838); Sauss. Rev. Zool. (2) xi. p. 208 (1859); Redt. ll. cc. n. 4 (1891). id., Cayenne.
 *3. **L. Ferruginea**, **Redt.** l. c. pp. 544, 546. n. 5 (1891). Brazil.
 4. **L. Arachnoides**, **Redt.** ll. cc. n. 6 (1891). Colombia.

SUBFAM. XVII.

EUMEGALODONTINÆ.

Genus 266. **Lesina.** (Type no. 2.)

Walk. Cat. Derm. Salt. B. M. ii. p. 231 (1869).

|| *Megalodon*, Brullé (nec Sowerby), Hist. Nat. Ins. ix. p. 156 (1835); Burm. Handb. Ent. ii. p. 724 (1838); Serv. Ins. Orth. p. 536 (1839); Blanch. Hist. Nat. Ins. iii. p. 28 (1840); Haan, Temminck, Verhandel., Orth. p. 210 (1842); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 329, 356 (1891).

- * 1. **L. Ensifer**, Brullé, (*Megalodon E.*) l. c. Java,
 p. 157, pl. 15. f. 4 (1835); Burm. l. c. Borneo,
 p. 724 (1838); Serv. l. c. p. 537. n. 1 Sumatra,
 (1839); Blanch. l. c. p. 28 (1840); India
 Charp. Orth. pl. 9 (1841); Westw. Cab. (eadem?).
 Orient. Ent. p. 33, pl. 16. f. 2 (1845).
 Maindron, La Nature, xv. p. 129, fig.
 (1887); Redt. l. c. p. 357, n. 1 (1891).
Locusta (Megalodon) Ensifer, Haan, l. c.
 p. 210 (1842).
Eumegalodon Ensifer, Brongn. N. Arch.
 Mus. (3) iii. p. 279, pl. 12. ff. 1-4
 (1892).

- ** 2. **L. Lutescens**, Walk. l. c. p. 232. n. 1 Amboina.
 (1869), larva.

Genus 267. **Eumegalodon.**

Brongn. Bull. Soc. Ent. France, lx. p. clxxvi (1892);
 N. Arch. Mus. (3) iii. p. 279 (1892).

- * 1. **E. Blanchardi**, Brongn. (*Megalodon B.*) Borneo.
 Le Naturaliste, xii. pp. 286-288, fig.
 (1890); Bull. Soc. Ent. France, (6) x.
 p. clxxiii (1891); Redt. Verh. zool.-bot.
 Ges. Wien, xli. p. 357, n. 2, pl. 3. f. 13 a, b
 (1891).
Eumegalodon Blanchardi, Brongn. N. Arch.
 Mus. (3) iii. p. 282, pl. 12. ff. 5-8 (1892).

SUBFAM. XVIII.

PROPHALANGOPSINÆ.

Genus 268. **Prophalangopsis.**

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 116 (1871).

|| *Tarraga*, Walk. (nec Walk., Blatt.) l. c. i. p. 100 (1869);

Sauss. Rev. Suisse Zool. v. p. 241 (1898).

- **1. **P. Obscura**, Walk. (*Tarraga* O.) l. c. India.
p. 100. n. 1 (1869); Sauss. l. c. p. 244.
n. 1, pl. 9. f. 8 (1898).

SUBFAM. XIX.

PSEUDOPHYLLINÆ.

Genus 269. **Mustius.** (Type no. 1.)

Stål, Recens. Orth. ii. p. 50 (1874); Karsch. Ent. Nachr. xvi.
p. 272 (1890); Berlin. Ent. Zeitschr. xxxvi. p. 79 (1891);
xxxviii. p. 136 (1893); Pict. & Sauss. Icon. Saut. Vertes,
p. 6 (1892); Brunn. Mon. Pseudoph. pp. 9, 24 (1895).

- | | |
|--|-------------------------------------|
| <p>*1. M. Afzelii, Stål, (<i>Pseudophyllus</i> A.)
Öfvers. Vet.-Akad. Förh. xxx. (4) p. 48
(1873).
<i>Mustius Afzelii</i>, Stål, Recens. Orth. ii. p. 67
(1874); Karsch, Berlin. Ent. Zeitschr.
xxxvi. p. 81, pl. 2. ff. 1, 1a (1891);
Brunn. l. c. pp. 24, 25. n. 1, pl. 1. f. 1
(1895); Obs. Color. Ins. p. 5, pl. 4. f. 41
(1897).</p> | <p>Sierra
Leone,
Adeli.</p> |
| <p>2. M. Eurypterus, Karsch, Stettin. Ent.
Zeit. lvii. p. 347 (1896).</p> | <p>Cameroons.</p> |
| <p>3. M. Inversus, Brunn. Mon. Pseudoph.
pp. 24, 25. n. 2 (1895).</p> | <p>id.</p> |
| <p>**4. M. Vittifer, Walk. (<i>Pseudophyllus</i> V.)
Cat. Derm. Salt. B. M. v. Suppl. p. 43
(1871).</p> | <p>Sierra
Leone.</p> |

- *5. **M. Serrulatus**, **Bol.** An. Soc. Españ. xv. p. 345 (1880); Brunn. l. c. pp. 24, 26. n. 3 (1895). Ashanti.
6. **M. Superbus**, **Sjöst.** Bihang Svensk. Cameroons. Akad. xxvii. (4:3) p. 29 (1902).

Genus 270. **Zabalius.** (Type no. 1.)

Bol. An. Soc. Españ. xv. p. 346 (1886).

Mateus, *Karsch.* Ent. Nachr. xvi. p. 272 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 76, 82 (1891); Brunn. Mon. Pseudoph. pp. 9, 26 (1895). (Type no. 3.)

Phyllotribonia, *Pict. & Sauss.* Icon. Saut. Vertes, p. 10 (1892). (Type no. 3.)

- *1. **Z. Lineolatus**, **Stål**, (*Pseudophyllus* L.) Guinea, Æfvers. Vet.-Akad. Förh. xxx. (4) p. 48 (1873). Cameroons, Congo, Angola, Uganda.
Cratylus Lineolatus, *Stål*, Recens. Orth. ii. p. 68 (1874).
Pseudophyllus Aridus, ♀, *Walk.* Cat. Derm. Salt. B. M. ii. p. 399. n. 1 (1869).
Mustius (Zabalius) Guineensis, **Bol.** An. Soc. Españ. xv. p. 342 (1886).
Mateus Guineensis, *Brunn.* l. c. pp. 27, 28. n. 1, pl. 1. f. 2 (1895).
Mateus Longipennis, *Karsch.* Berlin. Ent. Zeitschr. xxxvi. pp. 83, 84. n. 1 (1891).
Mateus Cazamance, *Pict. & Sauss.* l. c. p. 23, pl. 3. f. 13 (1892).
2. **Z. Latipennis**, **Karsch.** (*Mateus* L.) l. c. Guinea, pp. 83, 84. n. 2 (1891); Brunn. l. c. Gaboon, pp. 27, 28. n. 2 (1895). Lagos, &c.
3. **Z. Apicalis**, **Bol.** (*Mustius* A.) l. c. p. 346 (1886). Ashanti, Adeli.
Mateus Apicalis, *Brunn.* l. c. pp. 27, 28. n. 3 (1895).
Mateus Granulicollis, *Karsch.* Ent. Nachr. xvi. p. 266. n. 9 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 83, 85, pl. 2. f. 2 (1891).
 Var. *Phyllotribonia Verruculosa*, *Pict. & Sauss.* l. c. p. 23, pl. 3. f. 17 (1892). Central Africa.
Mateus Apicalis, var. *Major*, *Brunn.* l. c. p. 29 (1895).

- **1. **Z. Aridus**, Walk. (*Pseudophyllus A.*, ♂
nec ♀) l. c. p. 399, n. 1 (1869). Congo,
Pseudophyllus Ophthalmicus, Walk. l. c. Natal,
p. 400, n. 2 (1869). Benguela.
Mustius Amplipennis, Bol. l. c. p. 345
(1886).
Mateus Amplipennis, Brunn. l. c. pp. 27,
29, n. 4 (1895).
5. **Z. Sumatranus**, Brunn. (*Mateus S.*) Sumatra,
l. c. pp. 27, 29, n. 5 (1895). Java.
6. **Z. Orientalis**, Karsch, (*Mateus O.*) Usambara,
Berlin. Ent. Zeitschr. xxxvi. pp. 83, 85. Zanzibar.
n. 4 (1891); Brunn. l. c. pp. 27, 30, n. 6
(1895).
7. **Z. Acinaces**, Karsch, (*Mateus A.*) l. c. Cameroons.
pp. 83, 85, n. 5 (1891); Brunn. l. c.
pp. 27, 30, n. 7 (1895).
- *8. **Z. Bocagei**, Bol. (*Mustius B.*) J. Sci. Congo.
Lisboa, (2) i. p. 221, n. 204 (1890).
Mateus Bocagei, Brunn. l. c. pp. 27, 30,
n. 8 (1895).
9. **Z. Ampulla**, Brunn. (*Mateus A.*) l. c. Gaboon.
pp. 28, 31, n. 9 (1895).
10. **Z. Albifasciatus**, Karsch, (*Mateus A.*) Cameroons.
Stett. Ent. Zeit. lvii. p. 347 (1896).

Genus 271. **Opisthodictus**.

Karsch, Ent. Nachr. xvi. p. 272 (1890); Berlin. Ent. Zeitschr.
xxxvi. pp. 76, 86 (1891); Brunn. Mon. Pseudoph. pp. 9,
31 (1895).

1. **O. Cochlearistylus**, Karsch, Berlin. Cameroons.
Ent. Zeitschr. xxxvi. p. 87, n. 1, pl. 2.
f. 4 (1891); Brunn. l. c. p. 32, pl. 1. f. 3
(1895).

Genus 272. **Liocentrum**.

Karsch, Ent. Nachr. xvi. p. 272 (1890); Berlin. Ent. Zeitschr.
xxxvi. pp. 76, 87 (1891); Brunn. Mon. Pseudoph. pp. 9,
32 (1895).

- *1. **L. Aduncum**, Karsch, Berlin. Ent. Cameroons,
Zeitschr. xxxvi. p. 88, no. 1, pl. 2. f. 3 Gaboon,
(1891); Brunn. l. c. p. 32, n. 1 (1895). Sierra
Leone.

Genus 273. **Oxyaspis.** (*Type* no. 2.)

Brunn. Mon. Pseudoph. pp. 10, 33 (1895).

1. **O. Senegalensis, Bol.** (*Mustius S.*) An. | Senegal.
Soc. Españ. xv. p. 346 (1886).
O. Senegalensis, Brunn. l. c. p. 33. n. 1
(1895).
2. **O. Congensis, Brunn.** l. c. pp. 33, 34. | Congo.
n. 2, pl. 1. f. 5 (1895).

Genus 274. **Micta.**

Karsch, Stettin. Ent. Zeit. lvii. p. 348 (1896).

1. **M. Spinulosa, Karsch,** l. c. n. 117 | Togoland.
(1896).

Genus 275. **Cratylus.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 51 (1874); Pict. & Sauss. Leon. Saut.
Vertes, p. 6 (1892); Brunn. Mon. Pseudoph. pp. 10, 34
(1895).

- *1. **C. Fenestratus, Stoll,** (*Gryllus Tetti-* Amboina,
gonia F.) Spectres, Saut. p. 12, pl. 5 a. Ceylon,
f. 13 (1813). Sumatra,
Locusta (Pseudophyllus) Fenestrata, Haan, Java.
Temminck, Verhandel., Orth. p. 203. n. 2
(1842).
C. Fenestratus, Pict. & Sauss. l. c. p. 14,
pl. 1. ff. 5, 5 a (1892); Brunn. l. c. p. 34.
n. 1, pl. 1. f. 6 (1895).
Conocephalus Inflatus, Thunb. Mém. Acad.
Pétersb. v. p. 276 (1815).
Cratylus Inflatus, Stål, l. c. p. 68 (1874).
Pseudophyllus Myops, Serr. Ins. Orth.
p. 468. n. 4 (1839).
2. **C. Elongatus, Brunn.** l. c. pp. 34, 35. Palawan.
n. 2 (1895).

Genus 276. **Pseudophyllus.** ^{*Chloracris*} (Type no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 143 (1831); Ins. Orth. p. 464 (1839); Brullé, Hist. Nat. Ins. ix. p. 136 (1835); Blanch. Hist. Nat. Ins. iii. p. 21 (1840); Haan, Temminck, Verhandel., Orth. p. 203 (1842); Brunn. Mon. Pseudoph. pp. 10, 36 (1895).

Chloracris, Pict. & Sauss. Icon. Saut. Vertes, p. 10 (1892). (Type no. 2.)

- | | |
|--|------------------|
| *1. P. Prasinus , Pict. & Sauss. (<i>Chloracris Prasina</i>) l. c. p. 22, pl. 3. ff. 14, 14 b (1892). | China,
Java. |
| <i>P. Neriifolius</i> , Serv. (nec Stoll) ll. cc. p. 143. n. 1 (1831); p. 466 (1839); Blanch. l. c. p. 21. n. 1 (1840); Brunn. l. c. p. 36. n. 1, pl. 1. f. 7 a, b (1895).
<i>Locusta</i> (<i>Pseudophyllus</i>) <i>Neriifolia</i> , Haan, l. c. p. 203. n. 1 (1842). | |
| *2. P. Brullei , Pict. & Sauss. (<i>Chloracris B.</i>) l. c. p. 22. n. 2 (1892).
<i>P. Brullei</i> , Brunn. l. c. pp. 36, 37. n. 2 (1895). | Java,
Silhet. |
| <i>P. Neriifolius</i> , Brullé (nec Stoll), l. c. p. 137, pl. 12 (1835). | |
| 3. P. Harrisoni , Rehn, Proc. Acad. Philad. liv. p. 21 (1902). | Sumatra. |

Genus 277. **Rhomboptera.** (Type no. 2.)

Brunn. Mon. Pseudoph. pp. 10, 38 (1895).

- | | |
|---|--------------------|
| **1. R. Teter , Walk. (<i>Pseudophyllus T.</i>) Cat. Derm. Salt. B. M. ii. p. 411. n. 26 (1869). | Philippines. |
| 2. R. Honorabilis , Brunn. l. c. p. 38. n. 1, pl. 1. f. 8 (1895). | Burma,
Sumatra. |

Genus 278. **Cleandrus.** ^{*Pseudophyllus*} (Type no. 1.)

Stal, Recens. Orth. ii. p. 50 (1874); Pict. & Sauss. Icon. Saut. Vertes, p. 6 (1892); Brunn. Mon. Pseudoph. pp. 10, 38 (1895).

- *1. **C. Neriifolius**, **Stoll**, (*Gryllus Tetti-
gonia Neriifolia*) Spectres, Saut. p. 11,
pl. 4 a. f. 11 (1813).
Java, Sumatra,
Borneo,
Mindanao.
- *Pseudophyllus Graüger*, **Serr.** Ins. Orth.
p. 467. n. 2 (1839); Karsch, Ent. Nachr.
xiii. p. 259 (1887).
C. Graüger, **Stål**, l. c. p. 67. n. 1 (1874);
Pict. & Sauss. l. c. p. 13. n. 2, pl. 1.
ff. 3, 4 (1892); Brunn. l. c. p. 39. n. 1,
pl. 1. f. 9 (1895).
- 2. **C. Uninotatus**, **Serv.** (*Pseudophyllus U.*) Java.
l. c. p. 468. n. 3 (1839).
- 3. **C. Ligatus**, **Brunn.** l. c. pp. 39, 40. n. 2 Sikkim,
(1895).
- **4. **C. Titan**, **White**, (*Pseudophyllus T.*) Silhet,
Ann. Nat. Hist. xviii. p. 24 (1846).
Burma,
Cambodia,
Canton,
Sumatra,
|| *C. Neriifolius*, **Pict. & Sauss.** (*nec Stoll*)
l. c. p. 12. n. 1, pl. 1. ff. 1, 1 a, b, 2, 2 a
(1892).
Burma,
N. Cale-
donia.
- *C. Rex*, **Brunn.** Ann. Mus. Genova, xxxiii.
p. 172. n. 1 (1893); Mon. Pseudoph.
pp. 39, 40. n. 3 (1895).
- 5. **C. Latipennis**, **Brunn.** l. c. pp. 39, 40. Philippines,
n. 4 (1895). Celebes.
- **6. **C. Fortis**, **Walk.** (*Pseudophyllus F.*) Cat. Philippines.
Derm. Salt. B. M. ii. p. 413. n. 28
(1869), larva.
Cratylus Obesus, **Stål**, Æfv. Vet.-Akad.
Förh. xxxiv. (10) p. 44. n. 1 (1877);
Brunn. l. c. pp. 34, 35. n. 3 (1895).
- **7. **C. Tener**, **Walk.** (*Pseudophyllus T.*) l. c. Ceylon.
p. 402. n. 10 (1869).

Genus 279. **Climacoptera.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 10, 41 (1895).

- **1. **C. Venosus**, **Walk.** (*Pseudophyllus V.*) Silhet,
Cat. Derm. Salt. B. M. ii. p. 403. n. 11 Darjiling,
(1869). Assam.
- ♂. *Pseudophyllus Concinnus*, **Walk.** l. c.
p. 404. n. 13 (1869).
- C. Procera*, **Brunn.** l. c. pp. 41, 42. n. 1,
pl. 1. f. 10 (1895).

- **2. **C. Paralleius**, **Walk.** (*Pseudophyllus* Java.
P.) l. c. p. 412. n. 27 (1869).
C. Ornata, **Brunn.** l. c. p. 42. n. 2 (1895).
 3. **C. Superba**, **Bol.** Ann. Soc. Ent. France, S. India.
 lxxviii. p. 773 (1900).

Genus 280. **Onomarchus.** (*Type* n. 1.)

Stål, Recens. Orth. ii. p. 51 (1874); Pict. & Sauss. Icon. Saut.
 Vertes, p. 6 (1892); Brunn. Mon. Pseudoph. pp. 10, 42
 (1895).

- *1. **O. Leuconotus**, **Serv.** (*Pseudophyllus* L.) Java.
 Ins. Orth. p. 469. n. 5 (1839).
O. Leuconotus, **Stål**, l. c. p. 68. n. 1 (1874); Malacca.
 Brunn. l. c. p. 43. n. 1, pl. 1. f. 11 Cambodia,
 (1895). Mindanao.
 Var. *Pseudophyllus Cretaceus*, **Serv.** l. c. Java.
 p. 470. n. 6 (1839).
O. Cretaceus, **Pict. & Sauss.** l. c. p. 15. n. 2,
 pl. 2. ff. 8, 8 a (1892).
 Var. *O. Latipennis*, **Pict. & Sauss.** l. c. China.
 n. 1, pl. 2. ff. 6, 7, 7 a (1892).
 Var. *O. Mandarinus*, **Pict. & Sauss.** l. c. Tonkin.
 p. 16. n. 3 (1892).
 Var. *Pseudophyllus Tenebrosus*, **Walk. Cat. Burma.
 Derm. Salt. B. M. ii. p. 410. n. 25
 (1869).
 2. **O. Submuticus**, **Brunn.** l. c. pp. 43, 44. Sumatra.
 n. 2 (1895).
 3. **O. Nobilis**, **Brunn.** ll. cc. n. 3 (1895). id.

Genus 281. **Brunnea.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 10, 44 (1895).

1. **B. Cincticollis**, **Brunn.** l. c. p. 45. n. 1, Perak,
 pl. 2. f. 12 (1895). Sumatra.
 *2. **B. Vraxi**, **Bol.** Actas Soc. Españ. 1898, Borneo.
 p. 111.

Genus 282. **Temnophyllus.**

Brunn. Mon. Pseudoph. pp. 10, 46 (1895).

1. **T. Speciosus, Brunn.** l. c. p. 46. n. 1. | Malacca,
pl. 2. f. 13 (1895). | Borneo.

Genus 283. **Microprion.** (*Type* no. 2.)

Pict. & Sauss. Icon. Saut. Vertes, pp. 8, 17 (1892).

1. **M. Philippinensis, Pict. & Sauss.** l. c. | Philippines.
p. 18. n. 1 (1892).
- *2. **M. Elliptifolia, Pict. & Sauss.** l. c. n. 2, | Java.
pl. 2. ff. 11, 11 *a, b* (1892).
3. **M. Atrosignatus, Brunn.** (*Temnophyllus* | id.
A.) Mon. Pseudoph. pp. 46, 47. n. 2
(1895).
- **4. **M. Assimilis, Walk.** (*Pseudophyllus A.*) | Silhet.
Cat. Derm. Salt. B. M. ii. p. 401. n. 9
(1869).

Genus 284. **Hemigyryus.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 175 (1893);
Mon. Pseudoph. pp. 10, 47 (1895).

1. **H. Amplus, Brunn.** ll. cc. p. 175. n. 1, | Burma.
pl. 6. f. 61 (1893); p. 47. n. 1, pl. 2.
f. 14 (1895).
2. **H. Acutifolius, Brunn.** l. c. pp. 47, 48. | Hab. — ?
n. 2 (1895).

Genus 285. **Brochopeplus.** (*Type* no. 1.)

Pict. & Sauss. Icon. Saut. Vertes, p. 12 (1892);
Brunn. Mon. Pseudoph. pp. 10, 48 (1895).

- **1. **B. Exaltatus, Walk.** (*Zumala Exaltata*) | Ceylon.
Cat. Derm. Salt. B. M. ii. p. 414. n. 2
(1869).
- B. Reticulatus, Pict. & Sauss.* l. c. p. 25.
n. 1, pl. 3. ff. 20, 20 *a, b* (1892); Brunn.
Ann. Mus. Genova, xxxiii. p. 176 (1893);
Mon. Pseudoph. p. 49. n. 1, pl. 2. f. 15
(1895).

- **2. **B. Mutilatus, Walk.** (*Zumala Mutilata*) | Ceylon.
 l. c. p. 415. n. 3 (1869).
B. Pumilio, Brunn. l. c. p. 49. n. 2 (1895).

Genus 286. **Zumala.**

Walk. Cat. Derm. Salt. B. M. ii. p. 413 (1869).

- **1. **Z. Robusta, Walk.** l. c. n. 1 (1869). | Ceylon.

Genus 287. **Astralia, Kirb.** (n. n.).

- **1. **A. Albisellata, Walk.** (*Aprion Albisellatum*) Cat. Derm. Salt. B. M. iii. p. 429. | Amboina.
 n. 13 (1870).

Genus 288. **Scutotribonia.** (Type no. 2.)

Pict. & Sauss. Icon. Saut. Vertes, p. 11 (1892);
 Brunn. Mon. Pseudoph. p. 49 (1895).

- **1. **S. Cingalensis, Walk.** (*Zumala C.*) Cat. | Ceylon.
 Derm. Salt. B. M. ii. p. 415. n. 4 (1869).
 2. **S. Humbertiana, Pict. & Sauss.** l. c. | id.
 p. 24, pl. 3. ff. 18, 18 *a, b* (1892); Brunn.
 l. c. p. 50. n. 1, pl. 2. f. 16 (1895).

Genus 289. **Mioacris.** (Type no. 2.)

Pict. & Sauss. Icon. Saut. Vertes, p. 7 (1892).

Chlorotribonia, Pict. & Sauss. l. c. (1892); Brunn. Mon.
 Pseudoph. pp. 11, 50 (1895). (Type no. 1.)

1. **M. Brevifolia, Haan,** (*Locusta (Aprion)* | Java,
B.) Temminck, Verhandel., Orth. p. 207. | Sumatra.
 n. 9, pl. 19. f. 3 (1842).
Chlorotribonia Brevifolia, Brunn. l. c. p. 50.
 n. 1, pl. 2. f. 17 (1895).
M. Jarana, Pict. & Sauss. l. c. p. 16. n. 1
 (1892).
Chlorotribonia Acutipennis, Pict. & Sauss.
 l. c. p. 16. n. 1, pl. 2. ff. 9, 9 *a-c* (1892).
 2. **M. Major, Brunn.** (*Chlorotribonia M.*) | Kina Balu.
 l. c. pp. 50, 51. n. 2 (1895).

Genus 290. **Promeca.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 11, 52 (1895).

- | | |
|--|---|
| <p>*1. P. Fuscescens, Haan, (<i>Locusta</i> (<i>Aprion</i>)
F.) Temminck, Verhandel., Orth. pp. 205,
206. n. 7 (1842).
<i>P. Vittata, Brunn.</i> l. c. p. 52. n. 1, pl. 2.
f. 18 (1895).</p> <p>2. P. Junghuhni, Gieb. (<i>Pseudophyllus</i> J.)
Zeitschr. ges. Naturw. xviii. p. 120
(1861).</p> <p>3. P. Unicolor, Brunn. l. c. p. 52. n. 2
(1895).</p> <p>4. P. Quadripunctata, Brunn. l. c. p. 53.
n. 3 (1895).</p> <p>**5. P. (?) Productum, Walk. (<i>Aprion</i> P.)
Cat. Derm. Salt. B. M. iii. p. 428. n. 11
(1870).</p> <p>6. P. (?) Longicaudus, Burm. (<i>Pseudophyl-</i>
<i>lus</i> L.) Handb. Ent. ii. p. 698. n. 2 (1838).</p> | <p>Java.</p> <p>id.</p> <p>Kina Balu.</p> <p>Java.</p> <p>Ceylon.</p> <p>Singapore.</p> |
|--|---|

Genus 291. **Phyllomimus.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 44 (1873); Recens.
Orth. ii. p. 52 (1874); Brunn. Mon. Pseudoph. pp. 11, 53
(1895).

- | | |
|---|---|
| <p>**1. P. Detersus, Walk. (<i>Pseudophyllus</i> D.)
Cat. Derm. Salt. B. M. ii. p. 406. n. 15
(1869).</p> <p>**<i>Pseudophyllus Sinensis, Walk.</i> l. c. n. 16
(1869).</p> <p><i>P. Granulosus, Stål,</i> ll. cc. p. 48. n. 1
(1873); p. 69 (1874); Brunn. l. c. pp. 54,
55. n. 1 (1895).</p> <p><i>P. Truncatifolia, Pict. & Sauss.</i> Icon. Saut.
Vertes, p. 19, pl. 2. f. 10 (1892).</p> <p>2. P. Acutipennis, Brunn. l. c. pp. 54, 55.
n. 2 (1895).</p> <p>3. P. Amplipennis, Brunn. l. c. pp. 54, 56.
n. 3 (1895).</p> <p>4. P. Rufatus, Brunn. ll. cc. n. 4 (1895).</p> | <p>China,
Philippines,
Java,
Celebes,
Moluccas.</p> <p>Philippines.</p> <p>id.</p> <p>id.</p> |
|---|---|

- | | | |
|---|------------------------|--------------|
| 5. P. Apterus , Brunn. | Il. cc. n. 5 | Assam, |
| (1895). | | Calcutta. |
| *6. P. Pallidus , Brunn. | l. c. pp. 54, 57. n. 6 | Borneo, |
| (1895). | | Sumatra, |
| <i>P. Pallidus</i> , var. <i>Major</i> , Brunn. | l. c. p. 57 | Singapore, |
| (1895). | | &c. |
| *7. P. Inversus , Brunn. | l. c. pp. 54, 57. n. 7 | Java, |
| (1895). | | Sumatra. |
| 8. P. Reticulosus , Stål , Cefv. Vet.-Akad. | | Philippines. |
| Förh. xxxiv. (10) p. 45. n. 1 (1877); | | |
| Brunn. l. c. pp. 54, 58. n. 8 (1895). | | |
| 9. P. Inquinatus , Brunn. | l. c. pp. 55, 58. | Penang. |
| n. 9 (1895). | | |
| 10. P. Major , Brunn. | Il. cc. n. 10 (1895). | Sumatra. |
| 11. P. Truncatus , Brunn. | Ann. Mus. Genova, | Burma. |
| xxxiii. p. 173. n. 1, pl. 6. f. 59 (1893); | | |
| Mon. Pseudoph. pp. 55, 59. n. 11 (1895). | | |
| 12. P. Mutilatus , Brunn. | Mon. Pseudoph. | Philippines. |
| pp. 55, 59. n. 12 (1895). | | |
| 13. P. Nodulosus , Bol. | Ann. Soc. Ent. | S. India. |
| France, lxxviii. p. 774 (1900). | | |

Genus 292. **Phyllozelus.** (*Type* no. 2.)

Pict. & Sauss. Icon. Saut. Vertes, p. 11 (1892); **Brunn.** Ann. Mus. Genova, xxxiii. p. 174 (1893); Mon. Pseudoph. pp. 11, 60 (1895).

- | | |
|---|-----------|
| **1. P. Siccus , Walk. (<i>Pseudophyllus S.</i>) Cat. | India, |
| Derm. Salt. B. M. ii. p. 403. n. 12 (1869). | Burma, |
| <i>P. Infumatus</i> , Brunn. Il. cc. p. 174. n. 1, | Ceylon, |
| pl. 6. f. 60 (1893); p. 60. n. 1, pl. 2. f. 20 | Sumatra |
| (1895). | (eadem?). |
| 2. P. Genicularis , Pict. & Sauss. l. c. | Hab. — ? |
| p. 24. n. 1, pl. 3. f. 16 (1892); Brunn. | |
| Mon. Pseudoph. p. 60. n. 2 (1895). | |
| **3. P. Signatus , Walk. (<i>Pseudophyllus S.</i>) | India. |
| l. c. p. 407. n. 17 (1869). | |
| **4. P. Breviusculus , Walk. (<i>Pseudophyllus</i> | Ceylon. |
| <i>B.</i>) l. c. p. 405. n. 15 (1869). | |

Genus 293. **Micropion.** (Type no. 1.)

Brunn. Mon. Pseudoph. p. 11²⁸⁰ (1895).

|| *Micropion*, Brunn. (nec *Pict.* & *Sauss.*) l. c. p. 61 (1895).

- | | |
|--|----------------|
| <p>**1. M. Opacus, Walk. (<i>Pseudophyllus</i> O.)
 Cat. Derm. Salt. B. M. ii. p. 409. n. 20
 (1869).
 <i>M. Ceylonicus</i>, Brunn. l. c. p. 61. n. 1, pl. 2.
 f. 21 (1895).</p> | <p>Ceylon.</p> |
| <p>**2. M. Lituratus, Walk. (<i>Pseudophyllus</i> L.)
 l. c. p. 408. n. 18 (1869).</p> | <p>id.</p> |

Genus 294. **Tomias.**

Karsch, Ent. Nachr. xvi. p. 272 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 76, 89 (1891); Brunn. Mon. Pseudoph. pp. 11, 62 (1895).

- | | |
|--|-------------------|
| <p>1. T. Stenopterus, Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 90. n. 1, pl. 2. f. 5
 (1891); Brunn. l. c. p. 62. n. 1 (1895).</p> | <p>Cameroons.</p> |
|--|-------------------|

Genus 295. **Semiophygas.** (Type no. 1.)

Karsch, Stett. Ent. Zeit. lvii. p. 349 (1896).

- | | |
|--|-------------------|
| <p>1. S. Arescus, Karsch, l. c. n. 118. f. 42
 (1896).</p> | <p>Togoland.</p> |
| <p>2. S. Hadrus, Karsch, l. c. p. 350. n. 119
 (1896).</p> | <p>Cameroons.</p> |

Genus 296. **Gonyatopus.** (Type no. 4.)

Brunn. Mon. Pseudoph. pp. 11, 62 (1895).

- | | |
|--|---------------------|
| <p>1. G. Integer, Stål, (<i>Phyllomimus</i> L.)
 Öfvers. Vet.-Akad. Förh. xxxiv. (10)
 p. 45 (1877); Brunn. l. c. p. 63. n. 1
 (1895).</p> | <p>Philippines.</p> |
| <p>**2. G. Pustulatus, Walk. (<i>Aprion Pustulatum</i>)
 Cat. Derm. Salt. B. M. iii. p. 429.
 n. 12 (1870).</p> | <p>Ceylon.</p> |
| <p>3. G. Inquinatus, Brunn. l. c. p. 63. n. 2
 (1895).</p> | <p>id.</p> |
| <p>4. G. Pilosus, Brunn. l. c. pp. 63, 64, pl. 3.
 f. 23 (1895).</p> | <p>Java.</p> |

Genus 297. **Timanthes.** (Type no. 2.)

Stål, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 45 (1877) ;
 Brunn. Mon. Pseudoph. pp. 11, 64 (1895).

- | | |
|--|--|
| <p>*1. T. Lobifolia, Haan, (<i>Locusta</i> (Aprion) L.) Temminck, Verhandel., Orth. pp. 205, 206. n. 6, pl. 18. ff. 11, 12 (1842).
 <i>T. Lobifolius, Brunn.</i> l. c. pp. 64, 65. n. 1, pl. 3. f. 24 (1895).</p> <p>2. T. Signatipennis, Stål, l. c. p. 45 (1877).</p> <p>3. T. Latifolius, Brunn. l. c. p. 65. n. 2 (1895).</p> <p>**4. T. Sublaturatus, Walk. (<i>Pseudophyllus</i> S.) Cat. Derm. Salt. B. M. ii. p. 408. n. 19 (1869).</p> <p>5. T. Javanicus, Brunn. l. c. p. 65. no. 3 (1895).</p> | <p>Sumatra,
Java.</p> <p>Philippines.
Calcutta.</p> <p>India.</p> <p>Java.</p> |
|--|--|

Genus 298. **Lacipoda.**

Brunn. Mon. Pseudoph. pp. 11, 66 (1895).

- | | |
|---|----------------|
| <p>1. L. Immunda, Brunn. l. c. p. 66. n. 1, pl. 3. f. 25 (1895).</p> | <p>Borneo.</p> |
|---|----------------|

Genus 299. **Aprion.** (Type no. 1.)

Serv. Ins. Orth. p. 471 (1839).

|| *Tympanoptera, Brunn. (nec Pict. & Sauss.)* Mon. Pseudoph. pp. 11, 66 (1895), *eadem* ?

- | | |
|---|---|
| <p>1. A. Virescens, Serv. l. c. p. 472. n. 1 (1839).</p> <p>**2. A. Porrectus, Walk. (<i>A. Porrectum</i>) Cat. Derm. Salt. B. M. iii. p. 427. n. 10 (1870).</p> <p>3. A. Extraordinarius, Brunn. (<i>Tympanoptera Extraordinaria</i>) l. c. p. 67. n. 1, pl. 3. f. 26 a (1895).</p> <p>4. A. Atroterminatus, Brunn. (<i>Tympanoptera Atroterminatum</i>) l. c. n. 2, pl. 3. f. 26 b, c (1895).</p> <p>5. A. (?) Semivitreus, Serv. (<i>A. (?) Semivitreum</i>) l. c. p. 473. n. 2 (1839).</p> <p>6. A. (?) Arcuifolia, Haan, (<i>Locusta</i> (Aprion) A.) Temminck, Verhandel., Orth. pp. 204, 205. n. 2 (1842).</p> | <p>Java.</p> <p>Silhet.</p> <p>Borneo.</p> <p>id.</p> <p>Java.</p> <p>Padang.</p> |
|---|---|

Genus 300. **Despœna.** (*Type* no. 1.)*Despœna*, Brunn. Mon. Pseudoph. pp. 12, 68 (1895).

1. **D. Superba**, Brunn. (*Despœna* S.) l. c. | Borneo.
p. 68. n. 1, pl. 3. f. 27 *a, b* (1895).
2. **D. Spinosa**, Brunn. (*Despœna* S.) l. c. | id.
pp. 68, 69. n. 2, pl. 3. f. 27 *c* (1895).

Genus 301. **Stenampyx.**

Karsch, Ent. Nachr. xvi. p. 273 (1890) ; Berlin. Ent. Zeitschr. xxxvi. pp. 77, 92 (1891) ; Brunn. Mon. Pseudoph. pp. 12, 69 (1895).

1. **S. Annulicornis**, Karsch, Berlin. Ent. | W. Africa.
Zeitschr. xxxvi. p. 93, pl. 3. f. 7 (1891) ;
xxxviii. p. 137. n. 113 (1893) ; Brunn.
l. c. p. 70. n. 1, pl. 3. f. 28 (1895).

Genus 302. **Stizoscepa.**

Karsch, Stettin. Ent. Zeitschr. lvii. p. 350 (1895).

1. **S. Basinotata**, Karsch, l. c. p. 351. | Cameroons.
n. 120, f. 43 (1895).

Genus 303. **Tympanoptera.** (*Type* no. 1.)

Pict. & Sauss. Icon. Saut. Vertes, pp. 8, 19 (1892). (*Type* no. 1.)

Oryscelus, Brunn. Mon. Pseudoph. pp. 12, 70 (1895).

1. **T. Grioleti**, Pict. & Sauss. l. c. p. 20. | Moluccas,
n. 1, pl. 3. f. 15 (1892). | Java,
Oryscelus Grioleti, Brunn. l. c. p. 71. n. 1, | Mindanao.
pl. 3. f. 29 (1895).
2. **T. Angustipennis**, Brunn. (*Oryscelus* | N. Guinea.
A.) l. c. n. 2 (1895).

Genus 304. **Lagarodes.**

Karsch, Ent. Nachr. xvi. p. 272 (1890) ; Berlin. Ent. Zeitschr. xxxvi. pp. 77, 90 (1891) ; Brunn. Mon. Pseudoph. pp. 12, 71 (1895).

1. **L. Facetus**, Karsch, Berlin. Ent. Zeitschr. | Cameroons.
xxxvi. p. 91. n. 1, pl. 2. f. 6 (1891) ;
Brunn. l. c. p. 72. n. 1 (1895).

Genus 305. **Morsimus.** (Type no. 14.)

Stål. Œfvy. Vet.-Akad. Förh. xxxiv. (10) p. 44 (1877).

|| *Aprion*, *Haan* (nec *Serr.*), *Temminck*, *Verhandel.*, *Orth.* p. 204 (1842); *Pict. & Sauss. Icon. Saut. Vertes*, pp. 9, 20 (1892); *Brunn. Mon. Pseudoph.* pp. 12, 72 (1895).*Acanthoprion*, *Pict. & Sauss.* l. c. pp. 12, 26 (1892). (Type no. 13.)

- | | |
|---|--------------------------------|
| 1. M. Confinis , Brunn. (<i>Aprion</i> C.) l. c. pp. 73, 74. n. 1 (1895). | Moluccas. |
| *2. M. Acutelaminatus , Brunn. (<i>Aprion</i> A.) l. c. pp. 73, 75. n. 2 (1895). | Sumatra. |
| **3. M. Carinatus , Walk. (<i>Aprion Carinatum</i>) <i>Cat. Derm. Salt. B. M.</i> iii. p. 426. n. 8 (1870). | India,
Ceylon. |
| ** <i>Aprion Gracile</i> , <i>Walk.</i> l. c. n. 9 (1870). | |
| ** <i>Aprion Strictum</i> , <i>Walk.</i> l. c. v. <i>Suppl.</i> p. 45 (1871). | |
| <i>Aprion Oculatum</i> , <i>Pict. & Sauss.</i> l. c. p. 21. n. 1 (1892); <i>Brunn.</i> l. c. pp. 73, 75. n. 3 (1895). | |
| 4. M. Ampullacea , Haan , (<i>Locusta</i> (<i>Aprion</i>) A.) l. c. p. 205. n. 3 (1842). | Padang. |
| 5. M. Oleifolia , Fabr. (<i>Locusta</i> O.) <i>Ent. Syst.</i> ii. p. 35. n. 6 (1793). | Tranquebar,
Java. |
| <i>Pseudophyllus Oleifolius</i> , <i>Serr.</i> <i>Ins. Orth.</i> p. 470. n. 7 (1839). | |
| <i>Locusta</i> (<i>Aprion</i>) <i>Oleifolia</i> , <i>Haan</i> , l. c. p. 205. n. 4 (1842). | |
| 6. M. Maculifolia , Pict. & Sauss. (<i>Aprion</i> M.) l. c. p. 21. n. 2, pl. 3. f. 19 (1892). | Sumatra,
Malacca, |
| <i>Aprion Maculifolius</i> , <i>Brunn.</i> l. c. pp. 73, 75. n. 4 (1895). | |
| 7. M. Obliquevenosus , Brunn. (<i>Aprion</i> O.) l. c. pp. 74, 76. n. 5 (1895). | Java. |
| **8. M. Curviferus , Walk. (<i>Aprion Curviferum</i>) l. c. v. <i>Suppl.</i> p. 45 (1871). | India,
Ceylon. |
| <i>Aprion Robustus</i> , <i>Brunn.</i> l. c. pp. 74, 76. n. 6 (1895). | |
| 9. M. Rhodei , Brunn. (<i>Aprion</i> R.) ll. cc. n. 7 (1895). | N. Guinea. |
| *10. M. Suspectus , Brunn. (<i>Aprion</i> S.) l. c. pp. 74, 77. n. 8 (1895); (?) <i>Bol. Ann. Soc. Ent. France</i> , lxxviii. p. 775 (1900). | Ceylon,
Madura
(eadem?). |

- | | |
|--|-----------------------|
| 11. M. Inversus , Brunn. (<i>Aprion</i> I.) l. c. pp. 74, 77. n. 9 (1895). | N. Guinea. |
| 12. M. Immunis , Brunn. (<i>Aprion</i> I.) ll. cc. n. 10 (1895). | id. |
| 13. M. Aztecus , Pict. & Sauss. (<i>Acanthoprion Aztecum</i>) l. c. p. 26, pl. 3. f. 21 (1892).
<i>Aprion Aztecus</i> , Brunn. l. c. pp. 74, 77. n. 11 (1895). | Mexico (?) |
| 14. M. Areatus , Stål, l. c. p. 44. n. 1 (1877). | Philippines. |
| * 15. M. Oceanicus , Pict. & Sauss. (<i>Tympnoptera Oceanica</i>) l. c. p. 20. n. 2, pl. 2. f. 12 (1892).
<i>Aprion Oceanicus</i> , Brunn. l. c. pp. 74, 78. n. 13, pl. 3. f. 31 (1895). | Fiji. |
| 16. M. Serraticollis , Bol. An. Soc. Españ. xix. p. 325 (1890).
<i>Aprion Serraticollis</i> , Brunn. l. c. pp. 74, 78. n. 12 (1895). | N. Guinea,
Waigiu. |

Genus 306. **Chondrodera**. (*Type* no. 1.)

Karsch, Ent. Nachr. xvi. pp. 266, 273 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 77, 93 (1891); Brunn. Mon. Pseudoph. pp. 12, 79 (1895).

- | | |
|---|-------------------|
| 1. C. Notatipes , Karsch, ll. cc. p. 267. n. 10 (1890); p. 94. n. 1, pl. 3. f. 8 (1891); Brunn. l. c. p. 79. n. 1 (1895). | Gaboon. |
| 2. C. Subvitrea , Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 95. n. 2 (1891); Brunn. l. c. p. 80. n. 2 (1895). | Gaboon,
Niger. |
| 3. C. Rubromarginata , Haan, (<i>Locusta</i> (<i>Aprion</i>) R.) Temminck, Verhandel., Orth. pp. 205, 206. n. 5 (1842). | Borneo. |
| 4. C. Borneensis , Brunn. l. c. pp. 79, 80. n. 3, pl. 3. f. 32 (1895). | id..
Sumatra. |

Genus 307. **Acauloplax**. (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 77, 95 (1891); Brunn. Mon. Pseudoph. pp. 12, 80 (1895).

- | | |
|---|--------------------|
| 1. A. Exigua , Karsch, l. c. p. 95. n. 1, pl. 3. f. 9 (1891); Brunn. l. c. p. 81. n. 1 (1895). | Kiliman-
djaru. |
| 2. A. Asiatica , Brunn. l. c. n. 2 (1895). | Celebes. |

Genus 308. **Cymatomera.** (*Type* no. 1.)

Schaum, Ber. Akad. Berlin, 1853, p. 777; Peters, Reise Mosamb. v. p. 122 (1862); Stål, Recens. Orth. ii. pp. 53, 69 (1874); Karsch, Ent. Nachr. xvi. p. 274 (1890); Berlin, Ent. Zeitschr. xxxvi. pp. 77, 96 (1891); Brunn. Mon. Pseudoph. pp. 12, 82 (1895).

- | | |
|--|---|
| <p>*1. C. Denticollis, Schaum, ll. cc. p. 778. n. 10 (1853); p. 123, pl. 7. f. 9 (1862); Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 97. n. 1 (1891); Brunn. l. c. p. 83. n. 1 (1895).
 <i>C. Schaumi</i>, Stål, Öfv. Vet.-Akad. Förh. xiii. p. 170 (1856).</p> <p>2. C. Pallidipes, Brunn. l. c. pp. 83, 84. n. 2 (1895).</p> <p>*3. C. Paradoxa, Gerst. Arch. f. Naturg. xxxv. p. 214. n. 42 (1869); Decken, Reisen in Ost-Afrika, ii. p. 29. n. 42. pl. 2. f. 4 (1873); Karsch, l. c. pp. 97, 98. n. 2 (1891); Brunn. l. c. p. 84. n. 3 (1895).</p> <p>4. C. Modesta, Brunn. l. c. pp. 83, 84. n. 4 (1895).</p> <p>5. C. Hyperborea, Rehn, Proc. Acad. Philad. liii. p. 380 (1901).</p> <p>6. C. Brunneri, Brancs. Jahresh. Ver. Trenesin. Com. xvii.-xviii. p. 257, pl. 9. f. 2 (1897).</p> <p>*7. C. Spinosa, Brunn. l. c. pp. 83, 85. n. 5 (1895).</p> <p>*8. C. Argillata, Karsch, l. c. pp. 97, 98. pl. 3. f. 10 (1891); Brunn. l. c. pp. 83, 85. n. 6 (1895).</p> <p>**9. C. Spilophora, Walk. Cat. Derm. Salt. B. M. iii. p. 455. n. 3 (1870).
 <i>C. Brancsiki</i>, Brunn. l. c. pp. 83, 86. n. 7, pl. 4. f. 34 (1895).</p> | <p>E. Africa.</p> <p>Loanda.</p> <p>E. Africa.</p> <p>id.,
Madagascar
Gallaland.</p> <p>Ashanti (?).</p> <p>E. Africa.</p> <p>W. Africa,
Mombasa.</p> <p>E. Africa.</p> |
|--|---|

Genus 309. **Sathrophyllia.** (*Type* no. 2.)

Stål, Recens. Orth. ii. pp. 54, 70 (1874);
 Brunn. Mon. Pseudoph. pp. 13, 86 (1895).

- | | |
|--|---------------------------|
| <p>*1. S. Rugosa, Linn. (<i>Gryllus Tettigonia Rugosus</i>) Syst. Nat. (ed. x.) i. p. 430. n. 31 (1758); Mus. Ludov. Ulr. p. 132. n. 23 (1761).</p> | <p>India,
Ceylon.</p> |
|--|---------------------------|

- Conocephalus Rugosus*, Thunb. Mém. Acad. Pétersb. v. p. 278 (1815).
Acanthodis Rugosa, Serr. Ins. Orth. p. 454 (1839).
Locusta Rugosa, Haan, Temminck, Verhandel., Orth. p. 201. n. 1 (1842).
S. Rugosa, Stål, l. c. p. 70. n. 1 (1874); Brunn. l. c. p. 87. n. 1, pl. 4. f. 35 (1895).
2. **S. Fuliginosa**, Stål, l. c. p. 70. n. 2 (1874); Brunn. l. c. pp. 87, 88. n. 2 (1895). India.
- *3. **S. Cornuta**, Thunb. (*Conocephalus Cornutus*) l. c. p. 277 (1815). Ceylon.
S. Rugosa, var. *b*, Stål, l. c. p. 70 (1874).
- *4. **S. Marmorata**, Stål, l. c. p. 71. n. 3 (1874); Brunn. l. c. pp. 87, 88. n. 3 (1895). Ind., Ceyl., Burm., &c.
- *5. **S. Torrida**, Stål, l. c. p. 71. n. 4 (1874). India.
- *6. **S. Femorata**, Fabr. (*Locusta F.*) Mant. id.,
 Ins. i. p. 233. n. 12 (1787); Haan, l. c. Cambodia,
 p. 202. n. 2 (1842). Java,
 (?) *Gryllus Tettigonia Femorata*, Stoll, Borneo,
 Spectres, Saut. p. 16, pl. 6 a. f. 22 Sumatra.
 (1813).
Pseudophyllus Fenestratus, Burm. Handb. Ent. ii. p. 698. n. 3 (1838).
S. Femorata, Stål, l. c. p. 72. n. 5 (1874); Brunn. l. c. p. 88. n. 4 (1895).

Genus 310. **Platenia.**

- Dohrn, Stettin. Ent. Zeit. xlix. p. 353 (1888);
 Brunn. Mon. Pseudoph. pp. 13, 89 (1895).
1. **P. Semialata**, Dohrn, l. c. p. 354, pl. 2. Palawan.
 f. 4 a-c (1888); Brunn. l. c. p. 89. n. 1 (1895).

Genus 311. **Tegra.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 439 (1870).

Tarphe. Stål, Recens. Orth. p. 54 (1874); Brunn. Mon. Pseudoph. pp. 13, 90 (1895). (*Type* no. 1.)

- | | |
|--|---|
| <p>*1. T. Novæ-Hollandiæ, Haan, (<i>Locusta</i> N.) Temminck, Verhandel., Orth. pp. 201, 202. n. 4, pl. 19. f. 4 (1842).
 <i>Tegra Novæ-Hollandiæ</i>, Walk. l. c. p. 439. n. 1 (1870).
 <i>Tarphe Novæ-Hollandiæ</i>, Stål, l. c. p. 72. n. 1 (1870); Brunn. l. c. p. 90. n. 1, pl. 4. f. 37 (1895).</p> <p>*2. T. Viridinotata, Stål, (<i>Tarphe</i> V.) l. c. n. 2 (1870); Brunn. l. c. pp. 91, 92. n. 2 (1895).</p> <p>3. T. Longepilosa, Brunn. (<i>Tarphe</i> L.) l. c. pp. 90, 91. n. 3 (1895).</p> <p>4. T. Angustata, Stoll, (<i>Locusta Tettigonia</i> A.) Spectres, Saut. p. 14, pl. 5 a. f. 17 (1813).</p> <p>**5. T. Viridivitta, Walk. (<i>Cymatomera</i> V.) l. c. iii. p. 456. n. 5 (1870).</p> <p>6. T. Fasciata, Brunn. (<i>Tarphe</i> F.) l. c. pp. 90, 91. n. 4 (1895).</p> <p>7. T. Immunis, Brunn. (<i>Tarphe</i> I.) Ann. Mus. Genova, xxxiii. p. 177. n. 2, pl. 6. f. 62 (1893); Mon. Pseudoph. pp. 90, 92. n. 5 (1895).</p> | <p>India,
Malacca,
Java,
Borneo,
Australia.</p> <p>India,
Siam,
Java.</p> <p>Sumatra.</p> <p>Java.</p> <p>Malabar.</p> <p>Silhet,
Sikkim.</p> <p>Burma.</p> |
|--|---|

Genus 312. **Olcinia.** (*Type* no. 2.)

Stål, Öfvers. Vet.-Akad. Förh. xxxiv. (10) p. 45 (1877); Brunn. Mon. Pseudoph. pp. 13, 92 (1895).

- | | |
|---|--|
| <p>1. O. Crenifolia, Haan, (<i>Locusta</i> C.) Temminck, Verhandel., Orth. pp. 201, 202. n. 3, pl. 19. f. 6 (1842).
 <i>O. Crenifolia</i>, Brunn. l. c. pp. 92, 93. n. 1, pl. 4. f. 38 (1905).</p> <p>2. O. Erosifolia, Stål, l. c. p. 45. n. 1 (1877); Brunn. l. c. pp. 92, 93. n. 2 (1895).</p> | <p>Java,
Borneo.</p> <p>Philippines.</p> |
|---|--|

சாநா

Genus 313. **Sanna.** (Type no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 438 (1870).

Termera, Stål, Recens. Orth. ii. p. 54 (1874); Brunn. Mon.

Pseudoph. pp. 13, 93 (1895). (Type no. 1.)

- **1. **S. Imperialis, White,** (*Locusta* (*Acanthodis*) *L.*) Ann. Nat. Hist. xviii. p. 23, pl. 1. f. 1 (1846). N. India.

Acanthodis Imperialis, Westw. Cab. Orient. Ent. p. 51, pl. 5. f. 1 (1848).

Termera Imperialis, Stål, l. c. p. 72. n. 1 (1874); Brunn. l. c. p. 94. n. 1 (1895).

2. **S. Regalis, Brunn.** (*Termera* *R.*) l. c. Sikkim. n. 2, pl. 4. f. 39 (1895).

Genus 314. **Typhoptera, Kirb.** (n. n.). (Type no. 1.)

|| *Capnoptera*, Brunn. (nec Loew) Mon. Pseudoph. pp. 13, 94 (1895); Annandale, Proc. Zool. Soc. Lond. 1900, pp. 854, 855.

1. **T. Quadrituberculata, Westw.** (*Pseudophyllus 4-tuberculatus*) Cab. Orient. Ent. p. 34, pl. 16. f. 3 (1848). P. Wales I., Cochin China, Borneo.
Capnoptera Quadrituberculata, Brunn. l. c. p. 95. n. 1 (1895).
2. **T. Unicolor, Brunn.** (*Capnoptera* *U.*) l. c. pp. 95, 96. n. 2 (1895). Malacca.
- *3. **T. Pfeifferæ, Brunn.** (*Capnoptera* *P.*) l. c. pp. 95, 96. n. 3 (1895). Borneo.
4. **T. Pallidemaculata, Brunn.** (*Capnoptera* *P.*) ll. cc. n. 4 (1895). "Umara."
5. **T. Donovanii, Don.** (*Gryllus* *D.*) Nat. Repository, ii. pl. lxix. (1834). India (?).
Acanthodis Donovanii, Westw. l. c. p. 51. pl. 25. f. 2 (1848).
Capnoptera Donovanii, Brunn. l. c. pp. 95, 97. n. 5 (1895).
6. **T. Staudingeri, Brunn.** (*Capnoptera* *S.*) ll. cc. n. 6, pl. 4. f. 40 (1895). Borneo.
7. **T. Fusca, Fritze,** (*Capnoptera* *F.*) Rev. Suisse Zool. vii. p. 340. pl. 16. f. 2 (nec 3!) (1899). id.

Genus 315. **Pantecphylus.**

Karsch, Ent. Nachr. xvi. p. 274 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 78, 99 (1891); Brunn. Mon. Pseudoph. pp. 13, 98 (1895).

- | | |
|--|------------|
| 1. P. Cerambycinus, Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 100. n. 1, pl. 3. f. 11 <i>a</i> , <i>b</i> (1891); Brunn. l. c. p. 98. n. 1, pl. 4. f. 41 (1895). | Cameroons. |
|--|------------|

Genus 316. **Callimenellus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 25 (1871).
Phanerotus, Brunn. Ann. Mus. Genova, xxxiii. p. 178 (1893);
 Mon. Pseudoph. pp. 13, 99 (1895). (*Type* no. 3.)

- | | |
|---|----------------------------------|
| *1. C. Fumidus, Walk. l. c. p. 25. n. 1 (1871). | China. |
| 2. C. Opacus, Brunn. (<i>Phanerotus O.</i>) ll. cc. p. 178. n. 1, pl. 6. f. 63 (1893); p. 99. n. 1, pl. 4. f. 42 (1895). | Tenasserim. |
| *3. C. Ferrugineus, Brunn. (<i>Phanerotus F.</i>) Mon. Pseudoph. p. 99. n. 2 (1895). | Hongkong,
Luzon,
Cambodia. |
| 4. C. Personatus, Pict. (<i>Cocconotus Personata</i>) Mém. Soc. Genève, xxx. (6) p. 17. n. 1, pl. 1. f. 6 (1888). | Hab. — ? |

Genus 317. **Aphractus.** (*Type* n. 1.)

Brunn. Mon. Pseudoph. pp. 14, 100 (1895).

- | | |
|--|--------|
| 1. A. Acuminatus, Brunn. l. c. p. 100. n. 1, pl. 4. f. 43 (1895). | Chile. |
| 2. A. Abbreviatus, Brunn. l. c. n. 2 (1895). | id. |

Genus 318. **Polycleptis.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvii. pp. 100, 105 (1891);
 Brunn. l. c. pp. 14, 101 (1895).

- | | |
|--|---------------------|
| 1. P. Scutellifera , Karsch, l. c. pp. 101, 106, ff. 3, 4 (1891); Brunn. l. c. p. 101. n. 1 (1895). | } Chile.

id. |
| 2. P. Inermis , Karsch, l. c. p. 107 (1891); Brunn. l. c. pp. 101, 102, pl. 4. f. 44 (1895). | |

Genus 319. **Xerophyllopteryx.**

Rehn, Ent. News. xvi. p. 180 (1905).

|| *Xeropteryx*, Brunn. (*nec* Butl.) Mon. Pseudoph. pp. 14, 102 (1895).

- | | |
|--|---|
| * 1. X. Fumosa , Brunn. (<i>Xeropteryx F.</i>) l. c. p. 103. n. 1, pl. 5. f. 45 (1895). | } Guadeloupe
Dominica,
Santa Lucia. |
| | |

Genus 320. **Championica.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 405 (1898).

- | | |
|---|-------------|
| ** 1. C. Montana , Sauss. & Pict. l. c. n. 1, pl. 20. f. 1 (1898). | } Chiriqui. |
| | |

Genus 321. **Tetragonomera.** (*Type* no. 3.)

Stål, Recens. Orth. ii. pp. 60, 76 (1874);
 Brunn. Mon. Pseudoph. pp. 14, 103 (1895).

- | | |
|---|-------------------------------|
| 1. T. Obtusa , Brunn. l. c. p. 104. n. 1 (1895). | } Bahia. |
| 2. T. Inconspicua , Brunn. l. c. n. 2 (1895). | |
| * 3. T. Marmorata , Burm. (<i>Acanthodis M.</i>) Handb. Ent. ii. p. 701. n. 8 (1838).
<i>T. Marmorata</i> , Brunn. l. c. pp. 104, 105, pl. 5. f. 46 (1895).
<i>Acanthodis Immaculipennis</i> , Serv. Ins. Orth. p. 453. n. 2 (1839). | } Surinam.
id.,
Brazil. |
| 4. T. Circumcincta , Serv. (<i>Acanthodis C.</i>) l. c. p. 456. n. 6 (1839). | |

Hab. — ?

Genus 322. **Schochia.**

Brunn. Mon. Pseudoph. pp. 14, 105 (1895).

1. **S. Lævis, Brunn.** l. c. p. 105. n. 1, pl. 5. | Bahia.
f. 47 (1895).

Genus 323. **Tetanopus.**

Brunn. Mon. Pseudoph. pp. 14, 106 (1895).

1. **T. Nitidus, Brunn.** l. c. p. 106. n. 1, pl. 5. | Chiriqui,
f. 48 (1895). | Ecuador.

Genus 324. **Sagephorus.**

Brunn. Mon. Pseudoph. pp. 14, 106 (1895).

1. **S. Spinus, Brunn.** l. c. p. 107. n. 1, | Mexico.
pl. 5. f. 49 (1895).

Genus 325. **Polyglochis.** (*Type* no. 1.)

Karsch, Ent. Nachr. p. 275 (1890); Berlin. Ent. Zeitschr.
xxxvi. p. 100 (1891); Brunn. Mon. Pseudoph. pp. 15, 107
(1895).

- *1. **P. Peculiaris, Karsch,** Berlin. Ent. | Sierra
Zeitschr. xxxvi. p. 101. n. 1, pl. 3. f. 12 | Leone.
(1891); Brunn. l. c. p. 108. n. 1 (1895).
2. **P. Herinaceus, Karsch,** Stettin. Ent. | Cameroons.
Zeit. lvii. p. 352. n. 121 (1896).

Genus 326. **Batodromeus.**

Karsch, Stettin. Ent. Zeit. lvii. p. 352 (1896).

1. **B. Subulo, Karsch,** (*Polyglochis* S.) | Cameroons.
Entom. Nachr. xix. p. 198 (1893); Brunn.
Mon. Pseudoph. p. 108. n. 2 (1895).

Genus 327. **Orpacophora, Kirb.** (n. n.). (*Type* no. 1.)

Acanthodis, pt., *Serv.* Ann. Sci. Nat. xxii. p. 150 (1831); *Ins.* Orth. p. 450 (1839); *Burm.* Handb. Ent. ii. p. 699 (1838); *Blanch.* Hist. Nat. *Ins.* iii. p. 21 (1840); *Stål*, *Efv. Vet. Akad. Förh.* xxx. (4) p. 46 (1873); *Recens. Orth.* ii. pp. 63, 81 (1874); *Brunn.* Mon. Pseudoph. pp. 15, 108 (1895), *nec Brullé*.

1. **O. Coronata, Linn.** (*Gryllus Tettigonia Coronatus*) *Syst. Nat.* (ed. x.) i. p. 430. n. 32 (1758). S. America.
Locusta Coronata, De Geer, *Mém. Ins.* iii. p. 448. n. 9, pl. 38. f. 5 (1773); *Fabr.* *Syst. Ent.* p. 285. n. 17 (1775).
Acanthodis Coronata, Serv. ll. cc. p. 151. n. 4 (1831); p. 458. n. 9 (1839); *Burm.* l. c. p. 702. n. 9 (1838); *Blanch.* l. c. p. 21. n. 2 (1840); *Stål*, *Recens. Orth.* ii. p. 81. n. 1 (1874); *Brunn.* l. c. pp. 109, 110. n. 1 (1895).
2. **O. Attenuata, Brunn.** (*Acanthodis A.*) Bahia.
ll. cc. n. 2, pl. 5. f. 51 (1895).
3. **O. Bicuspidata, Brunn.** (*Acanthodis B.*) Colombia.
ll. cc. n. 3 (1895).
4. **O. Humilis, Brunn.** (*Acanthodis H.*) ll. cc. Costa Rica (?)
pp. 109, 111. n. 4 (1895).
5. **O. Unispinosa, Brunn.** (*Acanthodis U.*) Guatemala.
ll. cc. n. 5 (1895).
- *6. **O. Cristulata, Brunn.** (*Acanthodis C.*) Nicaragua, Panama.
l. c. pp. 109, 112. n. 6 (1895); *Sauss. & Piet. Biol. Centr.-Amer.* Orth. i. p. 407. n. 4, pl. 20. ff. 2, 3 (1898).
7. **O. Speculifera, Bol.** (*Acanthodis S.*) Ecuador.
An. Soc. Españ. x. p. 485, pl. 9. f. 2 (1881); *Viaje al Pacif., Artr.* p. 63, pl. 1. f. 7, pl. 2. f. 1 (1884); *Brunn.* l. c. pp. 109, 112. n. 7 (1895).
8. **O. Variegata, Brunn.** (*Acanthodis V.*) Mexico.
ll. cc. n. 8 (1895).
9. **O. Modesta, Brunn.** (*Acanthodis M.*) Colombia.
l. c. pp. 109, 113. n. 9 (1895).
10. **O. Repanda, Stål**, (*Pleminia R.*) Mexico.
Recens. Orth. ii. p. 78. n. 2 (1874).
Acanthodis Repanda, Brunn. l. c. pp. 109, 113. n. 10 (1895).
11. **O. Antennata, Scudd.** (*Acanthodis ?*) Napo.
Antennatus) *Proc. Bost. Soc. Nat. Hist.* xii. p. 332. n. 5 (1869).

Genus 328. **Calamoptera.**

Sauss. Rev. Zool. (2) xiii. p. 130 (1861).

1. **C. Imhoffiana, Sauss.** (*Acanthodis (Calamoptera) I.*) l. c. (1861). | Mexico.

Genus 329. **Adeclus.** (Type no. 2.)

Brunn. Mon. Pseudoph. pp. 15, 114 (1895).

1. **A. Brevipennis, Brunn.** l. c. p. 114. n. 1 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 408. n. 1 (1898). | Mexico.
- *2. **A. Spiculatus, Stål,** (*Acanthodis Spiculata*) Cefv. Vet.-Akad. Förh. xxx. (4) p. 49 (1873). | Colombia.
- A. Spiculatus, Brunn.* l. c. p. 114. n. 2, pl. 5. f. 52 (1895).
3. **A. (?) Cuspidatus, Stål,** (*Acanthodis Cuspidata*) Recens. Orth. ii. p. 83. n. 3 (1874). | id.

Genus 330. **Apereisis.**

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 46 (1871).

- **1. **A. Albidifer, Walk.** l. c. n. 1 (1871). | Brazil.

Genus 331. **Hæmodiasma.**

Brunn. Mon. Pseudoph. pp. 15, 115 (1895).

- *1. **H. Tessellata, Brunn.** l. c. p. 115. n. 1, pl. 5. f. 53 (1895); Obs. Color. Ins. p. 8, pl. 6. f. 74 (1897). | Chiriqui.

Genus 332. **Diacanthodis.** (Type no. 1.)Walk. Cat. Derm. Salt. B. M. iii. p. 454 (1870);
Brunn. Mon. Pseudoph. pp. 15, 115 (1895).

- *1. **D. Formidabilis, Serv.** (*Acanthodis F.*) | Brazil.
Ins. Orth. p. 459. n. 10 (1839).
D. Formidabilis, Walk. l. c. p. 455. n. 1
(1870); Brunn. l. c. p. 116. n. 1 (1895). |

2. **D. Aberrans, Brunn.** l. c. pp. 116, 117. N. S.
n. 2 (1895). Wales (?).
3. **D. Reflexa, Brunn.** ll. cc. n. 3. pl. 5. f. 54 Bahia.
(1895).
4. **D. Granosa, Brunn.** ll. cc. n. 4 (1895). Cayenne.

Genus 333. **Dasyscelus.** (*Type* no. 5.)

Brunn. Mon. Pseudoph. pp. 15, 118 (1895).

1. **D. Atrifrons, Brunn.** l. c. pp. 118, 119. Colombia.
n. 1 (1895).
- *2. **D. Normalis, Brunn.** l. c. p. 119. n. 2 Uruguay,
(1895). B. Aires.
3. **D. Demigratus, Brunn.** l. c. n. 3 (1895). B. Aires ;
Gaboon (?).
4. **D. Minimus, Brunn.** l. c. n. 4 (1895). Bolivia.
5. **D. Planiusculus, Brunn.** l. c. pp. 119, Brazil.
120, pl. 5. f. 55 (1895).
- *6. **D. Dilatatus, Brunn.** ll. cc. n. 6 (1895). Theresopolis

Genus 334. **Anonistus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 46 (1871).

Phyllostachys, Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 45
(1873) ; Recens. Orth. ii. pp. 61, 76 (1874) ; Brunn. Mon.
Pseudoph. pp. 15, 120 (1895). (*Type* no. 1.)

- *1. **A. Scariosa, Burm.** (*Acanthodis* S.) Brazil.
Handb. Ent. ii. p. 700. n. 1 (1838).
Phyllostachys Scariosa, Stål, ll. cc. p. 45
(1873) ; p. 76. n. 1 (1874) ; Brunn. l. c.
p. 121. n. 1, pl. 5. f. 56 (1895).
Acanthodis Humilis, Serr. Ins. Orth. p. 455.
n. 5 (1839).
- ***Anonistus Obliterans*, Walk. l. c. p. 47
(1871).
2. **A. Scops, Burm.** (*Acanthodis* S.) l. c. Bahia.
p. 702. n. 10 (1838).
Phyllostachys Scops, Brunn. l. c. p. 121.
n. 2 (1895).
Phyllostachys Nitidula, Stål, ll. cc. p. 48.
n. 1 (1873) ; p. 76. n. 2 (1874).

Genus 335. **Pleminia.** (Type no. 1.)

Stål, Recens. Orth. ii. pp. 61, 77 (1874);
Brunn. Mon. Pseudoph. pp. 15, 122 (1895).

- | | |
|--|---------------------|
| 1. P. Brachyptera, Burm. (<i>Acanthodis B.</i>) | Brazil. |
| Handb. Ent. ii. p. 700. n. 2 (1838). | |
| <i>P. Brachyptera, Stål</i> , l. c. p. 77. n. 1 (1874); | |
| Brunn. l. c. pp. 122, 123. n. 1, pl. 6. f. 57 (1895). | |
| <i>Acanthodis Microptera, Serv.</i> Ins. Orth. p. 456. n. 7 (1839). | |
| **2. P. Ruficornis, Walk. (<i>Meroncidius R.</i>) | Hab. — ? |
| Cat. Derm. Salt. B. M. iii. p. 451. n. 32 (1870). | |
| **3. P. Marginifer, Walk. (<i>Meroncidius M.</i>) | Brazil. |
| l. c. p. 452. n. 35 (1870). | |
| <i>P. Sellata, Brunn.</i> l. c. pp. 123, 124. n. 6 (1895). | |
| 4. P. Marginata, Walk. (<i>Meroncidius Marginatus</i>) l. c. p. 450. n. 31 (1870). | Para. |
| 5. P. Modesta, Brunn. l. c. pp. 122, 123. n. 2 (1895). | Brazil. |
| 6. P. Brachyxipha, Brunn. ll. cc. n. 3 (1895). | Bahia. |
| *7. P. Vicina, Brunn. l. c. pp. 123, 124. n. 5 (1895). | Brazil. |
| **8. P. Inficita, Walk. (<i>Meroncidius I.</i>) l. c. p. 447. n. 25 (1870). | Hab. — ? |
| 9. P. Mutica, Brunn. ll. cc. n. 7 (1895). | Upp. Amaz. |
| 10. P. Miserabilis, Blanch. (<i>Acanthodis M.</i>) | Chile. |
| Gay, Hist. Chil., Zool. vi. p. 54. n. 1 [Ort. pl. 3. f. 4, ined. ?] (1854); Phil. Zeitschr. ges. Naturw. xxi. p. 235 (1863). | |
| 11. P. Argentina, Berg, Comun. Mus. Nac. B. Aires, i. p. 264 (1900). | B. Aires, Paraguay. |
| 12. P. (?) Personata, Sjöst. Bihang Svenska Akad. xxvii. (4:3) p. 31 (1902). | Cameroons. |

Genus 336. **Habrocomes.**

Karsch, Ent. Nachr. xvi. p. 275 (1890);
Berlin. Ent. Zeitschr. xxxvi. pp. 78, 102 (1891).

- | | |
|--|---------------|
| 1. H. Lanosus, Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 103. n. 1, pl. 3. f. 13 (1891). | Sierra Leone. |
| <i>Pleminia Lanosa, Brunn.</i> Mon. Pseudoph. pp. 122, 124. n. 1 (1895). | |

Genus 337. **Lichenochrus.** (Type no. 17.)

Karsch, Ent. Nachr. xvi. pp. 268, 275 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 79, 105 (1891); Brunn. Mon. Pseudoph. pp. 16, 125 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 409 (1898).

1. **L. Infumatus**, Brunn. l. c. pp. 125, 126. Rio Janeiro.
n. 1 (1895).
- *2. **L. Longixiphus**, Brunn. l. c. pp. 125, Bahia.
127. n. 2 (1895).
3. **L. Fuscoalatus**, Brunn. ll. cc. n. 3 Theresopolis.
(1895).
4. **L. Vulturinus**, De Geer, (*Locusta Vulturina*) Mém. Ins. iii. p. 451. n. 11, pl. 39. Surinam,
f. 2 (1773). Tapajos.
Brisilis Vulturina, Stål, Recens. Orth. ii.
p. 80. n. 3 (1874).
Lichenochrus Vulturinus, Brunn. l. c. pp. 125,
127. n. 4 (1895).
Conocephalus Tripidus, Thunb. Mém. Acad.
Pétersb. v. p. 277 (1815).
5. **L. Malleolatus**, Brunn. l. c. pp. 125, 128. Guiana.
n. 5 (1895).
- **6. **L. Viridinervis**, Kirb. (*Meronecidius* 17.) Fernando
Journ. Linn. Soc. Lond., Zool. xx. p. 536 Noronha.
(1894).
7. **L. Variabilis**, Brunn. l. c. pp. 126, 128. Pernam-
buco.
n. 6 (1895). Colombia.
8. **L. Vaginalis**, Sauss. & Pict. l. c. p. 409. Guatemala.
n. 2 (1898).
9. **L. Brevistylus**, Sauss. & Pict. l. c. Mexico.
pp. 409, 410. n. 3 (1898).
10. **L. Decoloratus**, Brunn. l. c. pp. 126, 128. Gaboon.
n. 7 (1895).
11. **L. Modestus**, Brunn. ll. cc. pp. 126, 129. Colombia.
n. 8 (1895).
12. **L. Hilaris**, Brunn. ll. cc. n. 9 (1895). Brazil.
13. **L. Nigrifrons**, Sauss. & Pict. l. c. p. 410. Mexico.
n. 5 (1898).
14. **L. Marmoratus**, Sjöst. Bilang Svenska Cameroons.
Akad. xxvii. (4 : 3) p. 32 (1902).
15. **L. Maculosus**, Sjöst. l. c. p. 34, pl. 2. f. 2 id.
(1902).
16. **L. Flavifrons**, Sjöst. l. c. p. 35 (1902). id.

- | | |
|--|--|
| <p>17. L. Osorioi, Bol. (<i>Platyphyllum O.</i>) An.
Soc. Españ. xv. p. 346 (1886).
<i>L. Osorioi</i>, Brunn. l. c. pp. 126, 129. n. 10,
pl. 6. f. 58 (1895).
<i>L. Crassipes</i>, Karsch, ll. cc. p. 269. n. 11
(1890); p. 107. n. 1, pl. 4. f. 15 (1891).</p> <p>18. L. Turpis, Brunn. l. c. pp. 126, 130.
n. 11 (1895).</p> <p>19. L. Castaneus, Brunn. ll. cc. n. 12
(1895).</p> <p>20. L. Nitidus, Brunn. l. c. pp. 126, 131. n. 13
(1895).</p> <p>21. L. Tessellatus, Brunn. ll. cc. n. 14
(1895).</p> <p>22. L. Muticus, Brunn. ll. cc. n. 15 (1895).</p> | <p>W. Africa.</p> <p>Guinea.</p> <p>S. America.</p> <p>Jamaica.</p> <p>Venezuela.</p> <p>Chiriqui.</p> |
|--|--|

Genus 338. **Acanthodis.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 150 (1831); Ins. Orth. p. 450
(1839); Brullé, Hist. Nat. Ins. ix. p. 138 (1835); Burm.
Handb. Ent. ii. p. 699 (1838); Blanch. Hist. Nat. Ins. iii.
p. 21 (1840), *nee Stål*.

Brisilis, *Stål*, *Œfvers. Vet.-Akad. Förh.* xxx. (4) p. 46 (1873);
Recens. Orth. ii. pp. 62, 78 (1874); **Brunn.** Mon. Pseudoph.
pp. 16, 132 (1895). (*Type* no. 1.)

- | | |
|---|--------------------|
| <p>*1. A. Aquilina, Linn. (<i>Gryllus Tettigonia</i>
<i>Aquilinus</i>) Syst. Nat. (ed. x.) i. p. 430.
n. 33 (1758); Mus. Ludov. Utr. p. 133.
n. 24 (1764).
<i>Gryllus Tettigonia Aquilina</i>, <i>Stoll</i>, Spectres,
Saut. p. 20, pl. 9 a. f. 34 (1813).
<i>Locusta Aquilina</i>, <i>De Geer</i>, Mém. Ins. iii.
p. 450. n. 10, pl. 36. f. 6, pl. 39. f. 1
(1773).
<i>Acanthodis Aquilina</i>, <i>Serr.</i> ll. cc. p. 151.
n. 5 (1831); p. 451. n. 1 (1839); Burm.
l. c. p. 701. n. 7 (1838); Blanch. l. c.
p. 21. n. 1 (1840).
<i>Meroneidius Aquilinus</i>, <i>Walk.</i> Cat. Derm.
Salt. B. M. iii. p. 441. n. 2 (1870).
<i>Brisilis Aquilina</i>, <i>Stål</i>, Recens. Orth. ii.
p. 79. n. 2 (1874); Brunn. l. c. pp. 131,
132. n. 1, pl. 6. f. 59 (1895).
<i>Conocephalus Armatus</i>, <i>Thunb.</i> Mém.
Acad. Pétersb. v. p. 276 (1815).</p> | <p>S. America.</p> |
|---|--------------------|

2. **A. Curvidens, Stål**, (*Brisilis C.*) Bihang Svenska Akad. iii. (14) p. 39 (1876); Brunn. l. c. pp. 132, 133. n. 2 (1895). Chiriqui.
3. **A. Longicauda, Stål**, (*Brisilis L.*) Recens. Orth. ii. p. 79. n. 1 (1874); Brunn. ll. cc. n. 3 (1895). Para, Tapajos.
4. **A. Tenebrosa, Brunn.** (*Brisilis T.*) l. c. pp. 132, 134. n. 4 (1895). Bolivia.
5. **A. Unicolor, Brunn.** (*Brisilis U.*) ll. cc. n. 5 (1895). Surinam, Venezuela.
6. **A. Grisea, Giglio-Tos**, (*Brisilis G.*) Boll. Mus. Torino, xiii. (311) p. 93 (1898). Ecuador.

Genus 339. **Pristes**. (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 16, 135 (1895).

- *1. **P. Tuberosus, Stål**, (*Platyphyllum Tuberosum*) Bihang Svenska Akad. iii. (14) p. 39 (1876). Nicaragua, Costa Rica, Panama, Colombia, Upper Amazons.
- Pristes Tuberosus*, Brunn. l. c. p. 135. n. 1, pl. 6. f. 60 (1895); Griff. Boll. Mus. Torino, xi. (232) p. 16, (234) p. 1, fig. (1896); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 411. n. 1 (1898).
2. **P. Minor, Brunn.** l. c. pp. 135, 136. n. 2 (1895). Venezuela.

Genus 340. **Stenoschema**. (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 16, 136 (1895).

1. **S. Gracile, Brunn.** l. c. pp. 136, 137. n. 1, pl. 6. f. 61 (1895). Upper Amazons.
2. **S. Brevipenne, Brunn.** l. c. p. 137. n. 2 (1895). Pernambuco.

Genus 341. **Leurophyllum, Kirb.** (n. n.).

(Type no. 8.)

|| *Platyphyllum*, pt., *Serr.* Ins. Orth. p. 443 (1839); Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 46 (1873); *Recens. Orth.* ii. pp. 62, 81 (1874); *Brunn. Mon. Pseudoph.* pp. 16, 137 (1895), *nec Serr.* 1831; *nec Burm.*

- | | |
|---|------------|
| 1. L. Transiens, Brunn. (<i>Platyphyllum</i> T.) | Peru, |
| l. c. pp. 138, 139. n. 1 (1895). | Bolivia. |
| 2. L. Unicolor, Brunn. (<i>Platyphyllum</i> U.) | Tapajos, |
| ll. cc. n. 2 (1895). | Ucayali. |
| 3. L. Granulosum, Brunn. (<i>Platyphyllum</i> G.) | Bolivia. |
| ll. cc. n. 3 (1895). | |
| 4. L. Plemnioides, Brunn. (<i>Platyphyllum</i> P.) | Amazons, |
| l. c. pp. 138, 140. n. 4 (1895). | Surinam. |
| 5. L. Guttatum, Brunn. (<i>Platyphyllum</i> G.) | Amazons. |
| ll. cc. n. 5 (1895). | |
| 6. L. Brevixiphum, Brunn. (<i>Platyphyllum</i> B.) | Upper |
| ll. cc. n. 6 (1895). | Amazons. |
| 7. L. Angustixiphum, Brunn. (<i>Platyphyllum</i> A.) | Bolivia. |
| l. c. pp. 138, 141. n. 7 (1895). | |
| 8. L. Consanguineum, Serv. (<i>Acanthodis</i> <i>Consanguinea</i>) | Brazil, |
| Ins. Orth. p. 454. n. 3 (1839). | Cayenne, |
| <i>Platyphyllum Consanguineum</i> , Stål, <i>Recens.</i> | Ecuador. |
| <i>Orth.</i> ii. p. 81. n. 2 (1874); Bol. <i>Viaje</i> | |
| <i>al Pacif.</i> , Artr. p. 62 (1884); <i>Brunn.</i> | |
| l. c. pp. 138, 141. n. 8 (1895); <i>Sauss. &</i> | |
| <i>Pict. Biol. Centr.-Amer.</i> , <i>Orth.</i> i. p. 412. | |
| n. 3, pl. 20. ff. 36, 37 (1898). | |
| <i>Acanthodis Regina</i> , <i>Sauss.</i> <i>Rev. Zool.</i> (2) xi. | |
| p. 207 (1859). | |
| 9. L. Luridum, Brunn. (<i>Platyphyllum</i> L.) | Surinam, |
| l. c. pp. 138, 142. n. 9 (1895). | Guatemala. |
| 10. L. Toltecum, Sauss. (<i>Acanthodis</i> <i>Tolteca</i>) | Mexico, |
| l. c. p. 206 (1859). | Vera Cruz. |
| <i>Platyphyllum Toltecum</i> , <i>Brunn.</i> l. c. pp. 139, | |
| 142. n. 10 (1895); <i>Sauss. & Pict.</i> l. c. | |
| p. 412. n. 2, pl. 20. ff. 33-35 (1898). | |
| 11. L. Unispinulosum, Brunn. (<i>Platyphyllum</i> U.) | Surinam. |
| l. c. pp. 139, 142. n. 11 (1895). | |
| *12. L. Maculipenne, Serv. (<i>Platyphyllum</i> M.) | Brazil, |
| l. c. p. 447. n. 5 (1839); <i>Brunn.</i> l. c. | Guiana, |
| pp. 139, 143. n. 12, pl. 6. f. 62 (1895). | Peru, &c. |

- ** *Meroncidius Macularis*, Walk. Cat. Derm. Salt. B.M. iii. p. 445. n. 21 (1870).
Brisilis Gladius, Bol. An. Soc. Españ. x. p. 486, pl. 9. f. 3 (1881); Viaje al Pacif., Ins. p. 60 (1884).
 13. **L. Regimbarti, Griff.** (*Platyphyllum R.*) Peru.
 Boll. Mus. Torino, xiii. (328) p. 1 (1898).
 ** 14. **L. Varius, Walk.** (*Meroncidius V.*) l. c. Santarem.
 p. 446. n. 22 (1870).

Genus 342. **Platyphyllum.** (Type no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 145 (1831); Ins. Orth. p. 443 (1839); Brullé, Hist. Nat. Ins. ix. p. 138 (1835); Blanch. Hist. Nat. Ins. iii. p. 22 (1840); Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 46 (1873); Recens. Orth. ii. p. 62 (1874).
 (?) *Platyphyllus*, Burm. Handb. Ent. ii. p. 699 (1838).
Lissophyllum, Brunn. Mon. Pseudoph. pp. 16, 143 (1895).
 (Type no. 1.)

1. **P. Viridifolium, St. Farg. & Serv.** Brazil.
 (*Locusta Viridifolia*) Encycl. Méth., Ins. x. p. 342. n. 3 (1825).
Platyphyllum Viridifolium, Serv. ll. cc. p. 145. n. 1 (1831); p. 445. n. 2, pl. 10. f. 1 (1839).
 ? || *Platyphyllus Camellifolius*, Burm. (nec Fabr.) l. c. p. 699 (1838).
 ? || *Lissophyllum Camellifolium*, Brunn. l. c. p. 144. n. 1, pl. 6. f. 63 (1895).
2. **P. Intermedium, Brunn.** (*Lissophyllum* id.,
I.) l. c. pp. 144, 145. n. 2 (1895). Paraguay.
3. **P. Exiguum, Brunn.** (*Lissophyllum E.*) Peru.
 ll. cc. n. 3 (1895).
4. **P. Spinulosum, Brunn.** (*Lissophyllum S.*) Jamaica.
 ll. cc. n. 4 (1895).
5. **P. Granulosum, Brunn.** (*Lissophyllum* Peru.
G.) l. c. pp. 144, 146. n. 5 (1895).
6. **P. Angustixiphum, Brunn.** (*Lissophyllum A.*) ll. cc. n. 6 (1895). Bogota.

Genus 343. **Jamaicana.** (Type no. 1.)

Brunn. Mon. Pseudoph. pp. 16, 146 (1895).

- | | |
|--|---|
| <p>**1. J. Subguttata, Walk. (<i>Meroncidius Subguttatus</i>) Cat. Derm. Salt. B. M. iii. p. 445. n. 20 (1870).
 <i>J. Vittata, Brunn.</i> l. c. p. 147. n. 2, pl. 6. f. 64 (1895).
 *2. J. Unicolor, Brunn. l. c. n. 1 (1895).
 3. J. Lativittata, Walk. (<i>Meroncidius Lativittatus</i>) l. c. p. 448. n. 27 (1870).</p> | <p>Jamaica.

id.
Santarem.</p> |
|--|---|

Genus 344. **Meroncidius.** (Type no. 5.)

Serv. Ann. Sci. Nat. xxii. p. 149 (1831); Ins. Orth. p. 448 (1839); Burm. Handb. Ent. ii. p. 700 (1838); Stål, Recens. Orth. ii. pp. 64, 83 (1874); Brunn. Mon. Pseudoph. pp. 17, 148 (1895).

Meroncidium, Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 46 (1873).

- | | |
|---|---|
| <p>1. M. Glabratus, Burm. (<i>Acanthodis Glabrata</i>) l. c. p. 700. n. 3 (1838).
 <i>M. Glabratus, Brunn.</i> l. c. p. 149. n. 1 (1895).
 2. M. Fuscus, Brunn. l. c. pp. 149, 150. n. 2 (1895).
 3. M. Ochraceus, Stoll, (<i>Gryllus Tettigonia Ochracea</i>) Spectres, Saut. p. 27, pl. 13 a. f. 52 (1813).
 <i>Acanthodis Ochracea, Burm.</i> l. c. p. 701. n. 5 (1838).
 <i>M. Ochraceus, Brunn.</i> l. c. pp. 149, 150. n. 3 (1895).
 4. M. Alutaceus, Stål, Recens. Orth. ii. p. 84. n. 2 (1874).
 5. M. Obscurus, Serv. ll. cc. p. 150. n. 1 (1831); p. 449. n. 1. pl. 10. f. 2 (1839).
 *6. M. Flavolimbatus, Brunn. l. c. pp. 149, 150. n. 4 (1895).
 <i>M. Obscurus</i>, var. (?), Walk. (ucc. Serv.) Cat. Derm. Salt. B. M. iii. p. 441. n. 1 (1870).</p> | <p>Brazil.

Guatemala.

Brazil,
Paraguay,
Montevideo.

Brazil.

Cayenne.

Brazil,
Paraguay.</p> |
|---|---|

- | | |
|---|-----------------|
| **7. M. Marginatus , Walk. l. c. p. 450. n. 31
(1870). | Para. |
| **8. M. Inornatus , Walk. l. c. p. 453. n. 37
(1870). | Monte
Video. |
| *9. M. Intermedius , Brunn. l. c. pp. 149,
150. n. 5, pl. 6. f. 66 (1895). | Brazil. |
| 10. M. Major , Brunn. l. c. pp. 149, 151. n. 6
(1895). | S. America. |
| 11. M. Conspersus , Scudd. (<i>Meroncidium</i>
<i>Conspersum</i>) Proc. Boston Soc. Nat. Hist.
xii. p. 332. n. 6 (1869). | Napó (?). |

Genus 345. **Triencentrus**. (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 17, 151 (1895).

- | | |
|--|-------------------|
| 1. T. Amazonicus , Brunn. l. c. p. 152. n. 1,
pl. 6. f. 67 (1895). | Upper
Amazons. |
| 2. T. Fratellus , Brunn. l. c. n. 2 (1895). | Peru. |

Genus 346. **Adenes**. (*Type* no. 1.)Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 79, 112 (1891);
Brunn. Mon. Pseudoph. pp. 17, 152 (1895).

- | | |
|--|-------------|
| 1. A. Obesus , Karsch, l. c. p. 113. n. 1,
pl. 4. f. 18 (1891); Brunn. l. c. p. 153.
n. 1 (1895). | Gold Coast. |
| 2. A. Gravidus , Karsch, l. c. p. 113. n. 2
(1891). | Adafoah. |
| 3. A. Albifrons , Brunn. l. c. p. 153. n. 2
(1895). | Guinea. |

Genus 347. **Mormotus**. (*Type* no. 2.)Karsch, Ent. Nachr. xvi. pp. 269, 276 (1890); Berlin. Ent.
Zeitschr. xxxvi. p. 109 (1891); Brunn. Mon. Pseudoph.
pp. 17, 153 (1895).

- | | |
|---|------------|
| *1. M. Montesi , Bol. (<i>Platyphyllum M.</i>) An.
Soc. Españ. xv. p. 347 (1886).
<i>M. Obtusatus</i> , Brunn. l. c. pp. 151, 155.
n. 3 (1895). | W. Africa. |
|---|------------|

- | | |
|---|--|
| <p>*2. M. Nigrospinosus, Karsch, ll. cc. p. 270.
n. 12 (1890) ; pp. 110, 111, pl. 4. ff. 17,
17 a (1891).
 <i>M. Montesi</i>, Brunn. (<i>nec Bol.</i>) l. c. pp. 154,
155. n. 1 (1895) ; Sjöst. Bihang Svensk.
Akad. xxvii. (4 : 3) p. 37 (1902).</p> <p>3. M. Angustus, Brunn. ll. cc. n. 2 (1895).</p> <p>*4. M. Clavaticercus, Karsch, Berlin. Ent.
Zeitschr. xxxvi. pp. 110, 111. n. 2 (1891);
Brunn. l. c. pp. 154, 155. n. 4 (1895).</p> <p>*5. M. Rastricercus, Karsch, l. c. pp. 110,
111. n. 3, pl. 4. f. 17 b (1891) ; Brunn. l. c.
pp. 154, 156. n. 5, pl. 7. f. 69 (1895).</p> <p>6. M. Curvicauda, Brunn. ll. cc. n. 6
(1895).</p> <p>7. M. Insignis, Brunn. ll. cc. n. 7 (1895).</p> <p>8. M. Erectistylus, Karsch, Stett. Ent.
Zeit. lvii. p. 352. n. 122 (1896).</p> | <p>W. Africa.</p> <p>Cameroons.
Sierra
Leone.</p> <p>W. Africa.</p> <p>Gaboon.</p> <p>Cameroons.
Togo.</p> |
|---|--|

Genus 348. **Orchestridioptera.**

Sjöst. Bihang Svensk. Akad. xxvii. (4 : 3) p. 36 (1902).

- | | |
|---|-------------------|
| <p>1. O. Rufipes, Sjöst. l. c. p. 37, pl. 1.
f. 1 a, b (1902).</p> | <p>Cameroons.</p> |
|---|-------------------|

Genus 349. **Tympanocompus.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 79, 107 (1891) ;
Brunn. Mon. Pseudoph. pp. 17, 157 (1895).

- | | |
|---|-------------------|
| <p>1. T. Acclivis, Karsch, l. c. p. 108. n. 1,
pl. 4. f. 16 (1891) ; Brunn. l. c. p. 157.
n. 1, pl. 7. f. 70 (1895).</p> | <p>Cameroons.</p> |
|---|-------------------|

Genus 350. **Hoplidostylus.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 136, 138 (1893) ;
Brunn. Mon. Pseudoph. pp. 17, 157 (1895).

- | | |
|--|--------------|
| <p>1. H. Argillatus, Karsch, l. c. p. 138.
n. 115, f. 20 (1893) ; Brunn. l. c. p. 158.
n. 1 (1895).</p> | <p>Togo.</p> |
|--|--------------|

Genus 351. **Adapantopsis.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 136 (1893).

- | | |
|---|------------|
| 1. A. Transmarinus, Krauss, (<i>Meronecidius</i> T.) Zool. Jahrb. Syst. v. p. 664. n. 18, pl. 45. ff. 10, 10 B (1890).
<i>Adapantus Transmarinus, Brunn.</i> Mon. Pseudoph. p. 159. n. 1 (1895).
<i>Platyphyllum Osorioi, Bol.</i> An. Soc. Españ. xv. p. 346 (1886).
<i>Adapantopsis Ossorioi, Karsch,</i> l. c. xxxviii. p. 137. n. 114 (1893).
<i>Adapantus Egeus, Karsch,</i> l. c. xxxvi. p. 105. n. 2 (1891). | W. Africa. |
|---|------------|

Genus 352. **Adapantus.**Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 79, 103 (1891);
Brunn. Mon. Pseudoph. pp. 17, 158 (1895).

- | | |
|--|------------|
| 1. A. Bardus, Karsch, l. c. p. 105. n. 1, pl. 4. ff. 14, 14 a (1891); Brunn. l. c. p. 159. n. 2 (1895). | Cameroons. |
|--|------------|

Genus 353. **Brachyauchenus.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 17, 160 (1895).

- | | |
|--|---------|
| 1. B. Castaneus, Brunn. l. c. p. 160. n. 1, pl. 7. f. 73 (1895). | Bogota. |
| 2. B. Amœnus, Brunn. l. c. pp. 160, 161. n. 2 (1895). | Peru. |
| 3. B. Atrosignatus, Brunn. ll. cc. n. 3 (1895). | Quito. |
| 4. B. Festæ, Griff. Boll. Mus. Torino, xi. (232) p. 16 (1896); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 413. n. 2 (1898). | Panama. |

Genus 354. **Chæroparnops.** (*Type* no. 3.)

Dohrn, Stett. Ent. Zeit. xlix. p. 359 (1888).

Echinacris, Pict. Mém. Soc. Genève, xxx. (6) p. 19 (1888);
Brunn. Mon. Pseudoph. pp. 18, 162 (1895). (*Type* no. 2.)

- | | |
|--|-------|
| ** 1. C. Tuberculata, Walk. (<i>Panoplosechis</i> T.) Cat. Derm. Salt. B. M. iii. p. 136. n. 2 (1870). | Para. |
|--|-------|

- | | |
|--|-----------------------|
| 2. C. Hispida , Pict. (<i>Echinacris</i> II.) l. c. p. 20, pl. 1. ff. 5, 5 a (1888); Brunn. l. c. p. 162. n. 1, pl. 7. f. 74 (1895). | Upper Amazons. |
| 3. C. Hahneli , Dohrn , l. c. p. 360. n. 1 (1888). | Fonteboa. |
| 4. C. Garleppi , Dohrn , l. c. n. 2, pl. 2. f. 3 a, b (1888). | Ucayali. |
| 5. C. Platythorax , Dohrn , l. c. n. 3 (1888). | Huallaga. |
| * * 6. C. Tuberculosa , Walk. (<i>Panoploscelis</i> (?) T.) l. c. p. 436. n. 3 (1870). | Ega. |
| 7. C. Fulvus , Dohrn , l. c. p. 360. n. 3 (1888).
<i>Echinacris Fulva</i> , Brunn. l. c. pp. 162, 163. n. 2 (1895). | Manaos. |
| 8. C. Alata , Brunn. (<i>Echinacris</i> A.) ll. cc. n. 3 (1895); (?) Giglio-Tos, <i>Boll. Mus. Torino</i> , xiii. (311) p. 94 (1898). | Iquitos : Ecuador (?) |

Genus 355. **Gongrocnemis.** (*Type* no. 3.)

Brunn. Mon. Pseudoph. pp. 18, 163 (1895);
Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 414 (1898).

- | | |
|---|--------------------|
| * 1. G. Tibialis , Brunn. l. c. pp. 164, 165. n. 1 (1895). | Panama, Colombia. |
| * * 2. G. Dentipes , Sauss. & Pict. l. c. p. 415. n. 2 (1898). | Costa Rica. |
| * 3. G. Pallidespinosa , Brunn. l. c. pp. 164, 165. n. 2, pl. 7. f. 75 (1895); Sauss. & Pict. l. c. p. 416. n. 3 (1898). | Mexico, Guatemala. |
| * 4. G. Deminuta , Brunn. l. c. pp. 164, 166. n. 3 (1895); Sauss. & Pict. l. c. n. 4 (1898). | Guatemala. |
| * * 5. G. Fissa , Sauss. & Pict. l. c. p. 417. n. 5, pl. 20. f. 4 (1898). | id. |
| 6. G. Bivittata , Brunn. l. c. pp. 164, 166. n. 4 (1895). | Mexico, Guatemala. |
| * * 7. G. Zendala , Sauss. & Pict. l. c. p. 418. n. 7 (1898). | Mexico. |
| * 8. G. Incerta , Brunn. l. c. pp. 165, 167. n. 5 (1895). | Mexico, Guatemala. |
| 9. G. Nigrospinosa , Brunn. ll. cc. n. 6 (1895). | Mexico. |
| 10. G. Accola , Brunn. ll. cc. n. 7 (1895); Sauss. & Pict. l. c. p. 418. n. 10, pl. 20. f. 5 (1898). | Guatemala. |

11. **G. Atrosignata**, Brunn. l. c. pp. 165, 168. n. 8 (1895). Peru.
12. **G. Unicolor**, Brunn. ll. cc. n. 9 (1895). Brazil.
- * 13. **G. Circumdata**, Walk. (*Meroncidius Circumdatatus*) l. c. iii. p. 446. n. 23 (1870). Mexico.
G. Mutica, Brunn. l. c. pp. 165, 168. n. 10 (1895); Sauss. & Pict. l. c. p. 419. n. 11, pl. 20. f. 6 (1898).
14. **G. Parva**, Brunn. l. c. pp. 165, 169. n. 11 (1895). Brazil.
- ** 15. **G. Tenebrosa**, Walk. (*Meroncidius Tenebrosus*) l. c. p. 447. n. 24 (1870). Mexico.
G. Azteca, Sauss. & Pict. l. c. p. 419. n. 12 (1898).
16. **G. Munda**, Brunn. l. c. pp. 165, 169. n. 12 (1895). id.
17. **G. Brevicauda**, Sauss. & Pict. l. c. p. 420. n. 14 (1898). Costa Rica.
18. **G. Truncatistyla**, Brunn. l. c. pp. 165, 169. n. 13 (1895). Amazons.
19. **G. Davidis**, Griff. Boll. Mus. Torino. xi. (232) p. 17 (1896); Sauss. & Pict. l. c. p. 420. n. 15 (1898). Panama.

Genus 356. **Anchiptolis.** (Type no. 1.)

Brunn. Mon. Pseudoph. pp. 18, 170 (1895);
 Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 421 (1898).

- * 1. **A. Mexicana**, Sauss. (*Acanthodis M.*) Mexico, Guatemala.
 Rev. Zool. (2) xi. p. 206 (1859).
Anchiptolis Mexicana, Sauss. & Pict. l. c. p. 421. n. 1, pl. 20. ff. 8-10 (1898).
 ♀. *Acanthodis Azteca*, Sauss. l. c. p. 296 (1859).
Anchiptolis Inconstans, Brunn. l. c. p. 170. n. 1 (1895).
 || *Meroncidius Specularis*, var. (?), Walk. (nec Fabr.) Cat. Derm. Salt. B. M. iii. p. 442. n. 4 (1870).
- ** 2. **A. Gaumeri**, Sauss. & Pict. l. c. p. 422. Mexico.
 n. 2, pl. 20. f. 11 (1898).
- ** 3. **A. Subconspersa**, Sauss. & Pict. l. c. Guatemala.
 n. 3 (1898).

- | | |
|---|--|
| <p>* 4. A. Tenuistylus, Sauss. & Pict. l. c. n. 4 (1898).</p> <p>5. A. Peruviana, Sauss. & Pict. l. c. p. 423. n. 5, pl. 20. f. 12 (1898).</p> <p>6. A. Pleminioides, Brunn. l. c. p. 170. n. 2 (1895).</p> <p>7. A. Obtusus, Brunn. l. c. pp. 170, 171. n. 3 (1895).</p> <p>8. A. Excelsior, Brunn. ll. cc. n. 4 (1895).</p> <p>9. A. Atrifrons, Giglio-Tos, Boll. Mus. Torino, xv. (377) p. 7 (1900).</p> | <p>Guatemala.</p> <p>Peru.</p> <p>Amazons.</p> <p>id.,
Bolivia.</p> <p>Amazons.</p> <p>Urucum.</p> |
|---|--|

Genus 357. **Idiarthron**. (*Type* no. 3.)

Brunn. Mon. Pseudoph. pp. 18, 173 (1895);
Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 423 (1893).

- | | |
|---|--|
| <p>* 1. I. Incurvum, Stål, (<i>Meroncidius Incurvus</i>) Bihang Svenska Akad. iii. (14) p. 41 (1876).</p> <p><i>I. Incurvum</i>, Brunn. l. c. p. 172. n. 1, pl. 7. f. 77 c (1895); Sauss. & Pict. l. c. p. 425. n. 1, pl. 20. ff. 13-15 (1898).</p> <p>** 2. I. Furcatum, Sauss. & Pict. l. c. p. 425. n. 2, pl. 20. ff. 16-19 (1898).</p> <p>* 3. I. Atrispinus, Stål, (<i>Meroncidius A.</i>) Recens. Orth. ii. p. 84 (1874).</p> <p><i>I. Atrispinus</i>, Brunn. l. c. pp. 172, 173. n. 2, pl. 7. f. 77 a, b (1895); Sauss. & Pict. l. c. p. 426. n. 3, pl. 20. ff. 20, 21 (1898).</p> <p>4. I. Clavicercum, Rehn, Trans. Amer. Ent. Soc. xxix. p. 27 (1902).</p> <p>** 5. I. Subquadratum, Sauss. & Pict. l. c. p. 426. n. 4, pl. 20. ff. 22, 23 (1898).</p> <p>6. I. Subnotatum, Brunn. l. c. pp. 172, 173. n. 3 (1895); Sauss. & Pict. l. c. p. 426. n. 5 (1898).</p> | <p>Panama,
Venezuela,
Amazons.</p> <p>Costa Rica.</p> <p>id.,
Guatemala,
Costa Rica.</p> <p>Guatemala.</p> <p>id.</p> <p>Bogota,
Costa Rica.</p> |
|---|--|

Genus 358. **Drepanoxiphus**.

Brunn. Mon. Pseudoph. pp. 18, 173 (1895).

- | | |
|--|------------------|
| <p>1. D. Minutus, Brunn. l. c. p. 174. n. 1, pl. 7. f. 78 (1895).</p> | <p>Chiriqui.</p> |
|--|------------------|

Genus 359. **Enthacanthodes.**

Brunn. Mon. Pseudoph. pp. 18, 174 (1895).

1. **E. Semimuticus**, Brunn. l. c. p. 174. n. 1. | Brazil.
pl. 7. f. 79 (1895). |

Genus 360. **Nesœcia.** (Type no. 2.)

Scudd. Bull. Mus. Harvard Coll. xxv. p. 20 (1893).

|| *Liparoscelis*, McNeill (nec Stål), Proc. Washington Acad. Sci.
iii. p. 496 (1901).

- *1. **N. (?) Nigrispina**, Stål, (*Liparoscelis N.*) Mexico.

Öfvy. Vet.-Akad. Förh. xxx. (4) p. 49. n. 2
(1873); Recens. Orth. ii. p. 86. n. 2
(1874).

Liparoscelis Nigrispinis, Brunn. Mon.
Pseudoph. p. 175. n. 1 (1895).

- **2. **N. Cooksoni**, Butl. (*Agrœcia C.*) Proc. Galapagos :
Zool. Soc. Lond. 1877, p. 87. Charles Is.

N. Cooksoni, Scudd. l. c. p. 21, pl. 3. ff. 9.
10 (1893).

Liparoscelis Cooksoni, Brunn. l. c. pp. 175,
176. n. 2 (1895); McNeill, l. c. p. 497.
f. 38 (1901).

3. **N. Ensifer**, McNeill, (*Liparoscelis Cook-* Galapagos :
soni Ensifer) l. c. p. 498, f. 39 (1901). Hood I.

4. **N. Paludicola**, McNeill, (*Liparoscelis* iid.
P.) l. c. p. 499, f. 40 (1901).

5. **N. Pallida**, McNeill, (*Liparoscelis Pal-* Galapagos :
lidus) l. c. p. 500, f. 41 (1901). Barrington I.

Genus 361. **Liparoscelis.** (Type no. 1.)

Stål, Öfvy. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens.
Orth. ii. p. 64 (1874); Brunn. Mon. Pseudoph. pp. 18, 174
(1895).

- *1. **L. Pallidispina**, Stål, ll. cc. p. 49. n. 1 Mexico.

(1873); p. 85. n. 1 (1874); Brunn. l. c.
pp. 175, 176. n. 3, pl. 7. f. 80 (1895).

2. **L. Modesta**, Brunn. ll. cc. n. 1 (1895). Colombia.

Genus 362. **Trichotettix.**

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens. Orth. ii. p. 64 (1874); Brunn. Mon. Pseudoph. pp. 18, 177 - (1895).

- | | |
|---|-----------|
| 1. T. Pilosula , Stål, Öfv. Vet.-Akad. Förh. | Colombia. |
| xxx. (4) p. 49. n. 1 (1873). | |
| <i>T. Pilosulus</i> , Stål, Recens. Orth. ii. p. 87. | |
| n. 1 (1874). | |
| <i>T. Pilosus</i> , Brunn. l. c. p. 177. n. 1 (1895). | |

Genus 363. **Gnathoclitia.** (Type no. 1.)

Haan, Temminck, Verhandel., Orth. p. 208 (1842);
Brunn. Mon. Pseudoph. pp. 19, 178 (1895).

- | | |
|---|----------|
| 1. G. Vorax , Stoll, (<i>Gryllus Acheta</i> L.) | Surinam. |
| Spectres, Gryll. Achet. p. 8, pl. 4 c. | |
| ff. 19, 20 (1813). | |
| <i>Auostostoma Vorax</i> , Serv. Ins. Orth. p. 389, | |
| pl. 8. f. 3 (1839). | |
| <i>Locusta</i> (<i>Gnathoclitia</i>) <i>Vorax</i> , Haan, l. c. | |
| p. 208 (1842). | |
| <i>G. Vorax</i> , Brunn. l. c. p. 179. n. 1, pl. 7. | |
| f. 82 (1895). | |
| 2. G. Sodalıs , Brunn. l. c. n. 2 (1895). | Hab. — ? |

Genus 364. **Dicranostomus.** (Type no. 1.)

Dohrn, Stett. Ent. Zeit. xlix. p. 361 (1888);
Brunn. Mon. Pseudoph. pp. 19, 179 (1895).

- | | |
|--|-------|
| 1. D. Monoceros , Dohrn, l. c. p. 362, | Peru. |
| pl. 2 a, b (1888). | |
| <i>D. Monocerus</i> , Brunn. l. c. p. 180. n. 1 | |
| (1895). | |
| * 2. D. Nitidus , Brunn. l. c. n. 2, pl. 7. f. 83 | id. |
| (1895). | |

Genus 365. **Bliastes.** (Type no. 28.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens. Orth. ii. p. 65 (1874); Brunn. Mon. Pseudoph. pp. 19, 180 (1895).

1. **B. Denticulatus, Brunn.** l. c. pp. 181, 183. n. 1 (1895). S. America.
- **2. **B. Longelaminatus, Brunn.** ll. cc. n. 2 (1895). W. Indies, Grenada.
3. **B. Salomonoides, Brunn.** l. c. pp. 181, 184. n. 3 (1895). Martinique.
- **4. **B. Superbus, Redt.** Proc. Zool. Soc. Lond. 1892, p. 211, pl. 16. f. 12 : Brunn. l. c. pp. 181, 184. n. 4 (1895). W. Indies, St. Vincent.
5. **B. Triguttatus, Brunn.** l. c. pp. 181, 185. n. 5 (1895). Venezuela.
6. **B. Lineolatus, Brunn.** ll. cc. n. 6 (1895). Colombia.
7. **B. Scabrifrons, Brunn.** l. c. pp. 182, 187. n. 9 (1895). S. America.
8. **B. Lineatifrons, Brunn.** ll. cc. n. 10 (1895) ; Sauss. & Piet. Biol. Centr.-Amer., Orth. i. pp. 428, 429. n. 3 (1898). Honduras.
9. **B. Lævifrons, Brunn.** l. c. pp. 182, 187. pl. 7. f. 84 (1895). Venezuela.
10. **B. Ochraceus, Brunn.** l. c. pp. 182, 188. n. 12 (1895). Ecuador.
11. **B. Bivittatus, Brunn.** ll. cc. n. 13 (1895). Surinam.
12. **B. Pallidenotatus, Brunn.** l. c. pp. 182, 189. n. 15 (1895). Amazons.
- **13. **B. Submarginatus, Walk.** (*Meroncidius* S.) Cat. Derm. Salt. B. M. iii. p. 450. n. 30 (1870). Para.
B. Limbatus, Brunn. l. c. pp. 182, 190. n. 16 (1895).
14. **B. Verrucosus, Brunn.** ll. cc. n. 17 (1895). Peru.
- **15. **B. Vittifrons, Walk.** (*Meroncidius* F.) l. c. v. Suppl. p. 45 (1871). Chontales, Guatemala.
**♀. *B. Taniatifrons, Sauss. & Piet.* Biol. Centr.-Amer., Orth. i. pp. 428, 429. n. 4, pl. 20. f. 25 (1898).
- *16. **B. Atrifrons, Brunn.** l. c. pp. 182, 190. n. 18 (1895) ; Sauss. & Piet. l. c. pp. 428, 429. n. 5, pl. 20. f. 24 (1898). Chiriqui.
17. **B. Venustus, Brunn.** l. c. pp. 182, 191. n. 19 (1895). Upper Amazons.
18. **B. Viridifolius, Brunn.** ll. cc. n. 20 (1895). Amazons.
19. **B. Granosus, Brunn.** l. c. pp. 183, 192. n. 21 (1895). id. ; Peru.

- | | |
|--|-----------------------|
| 20. B. Connexus , Brunn. l. c. pp. 183, 192.
n. 22 (1895). | Cayenne,
Ucayali. |
| 21. B. Fasciatus , Brunn. ll. cc. n. 23 (1895). | Costa Rica. |
| 22. B. Acuminatus , Brunn. l. c. pp. 183,
193. n. 24 (1895). | Amazons. |
| 23. B. (?) Specularis , Fabr. (<i>Locusta</i> S.)
Syst. Ent. p. 284. n. 10 (1775). | America. |
| 24. B. (?) Reticulatus , Fabr. (<i>Locusta</i> <i>Reticulata</i>) Ent. Syst. ii. p. 40. n. 28
(1793). | Guadeloupe |
| *25. B. Moristoides , Brunn. l. c. pp. 183,
193. n. 25 (1895). | Mexico,
W. Indies. |
| **26. B. Indistinctus , Walk. (<i>Meroncidius</i> I.)
l. c. p. 451. n. 33 (1870). | Brazil (?). |
| 27. B. (?) Falconarius , De Geer, (<i>Locusta</i>
<i>Falconaria</i>) Mém. Ins. iii. p. 452. n. 12,
pl. 39. f. 4 (1773). | Surinam. |
| **28. B. Discoidalis , Walk. (<i>Meroncidius</i> D.)
l. c. iii. p. 448. n. 26 (1870). | Jamaica. |
| ** <i>Meroncidius Subnotatus</i> , Walk. l. c. p. 449.
n. 28 (1870). | |
| ** <i>Meroncidius Fumosus</i> , Walk. l. c. n. 29
(1870). | |
| <i>B. Platyphylloides</i> , Brunn. l. c. pp. 183, 194.
n. 26 (1895). | |
| 29. B. (?) Albomarginatus , Serv. (<i>Acanthodis</i>
<i>Albomarginata</i>) Ins. Orth. p. 457.
n. 8 (1839). | Cayenne. |
| 30. B. Punctifrons , Stål, ll. cc. p. 49. n. 1
(1873); p. 91. n. 1 (1874); Brunn. l. c.
pp. 183, 194. n. 27 (1895). | Colombia. |

Genus 366. **Parabliastes**. (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 19, 195 (1895).

- | | |
|--|----------|
| 1. P. Contortipes , Brunn. l. c. p. 195. n. 1,
pl. 7. f. 85 (1895). | Guiana. |
| 2. P. Signatifrons , Brunn. l. c. p. 195.
n. 2 (1895). | Amazons. |
| **3. P. Vermiculatus , Sauss. & Pict. Biol.
Centr.-Amer., Orth. i. p. 430. n. 1
(1898). | Panama. |

Genus 367. **Nastonotus.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France. (6) x. p. 143 (1890).

- | | |
|---|------------|
| 1. N. Tarsatus , Bol. l. c. p. 144 (1890). | Venezuela. |
| <i>Bliastes Tarsatus</i> , Brunn. Mon. Pseudoph. | |
| pp. 181, 186. n. 7 (1895). | |
| 2. N. Reductus , Brunn. (<i>Bliastes R.</i>) ll. cc. | id. |
| n. 8 (1895). | |

Genus 368. **Clisis.**

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 47 (1871).

- * 1. **C. Annulicornis**, Walk. l. c. n. 1 (1871). | Brazil.

Genus 369. **Æmasia.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 19, 196 (1895).

- | | |
|---|----------|
| * 1. Æ. Viridis , Brunn. l. c. p. 196. n. 1, | Peru. |
| pl. 7. f. 86 (1895). | |
| 2. Æ. Major , Brunn. l. c. p. 196. n. 2 | Tapajos. |
| (1895). | |

Genus 370. **Panoploscelis.**

Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 333 (1869); Dohrn,
Stett. Ent. Zeit. xlix. pp. 355, 356 (1888); Brunn. Mon.
Pseudoph. pp. 19, 196 (1895).

- | | |
|--|------------|
| * 1. P. Armata , Scudd. l. c. p. 334. n. 10 | Amazons. |
| (1869); Walk. Cat. Derm. Salt. B. M. | Rio Negro. |
| iii. p. 435. n. 1 (1870); Dohrn, l. c. p. 358, | |
| pl. 2. f. 1 (1888); Brunn. l. c. p. 197. | |
| n. 1, pl. 8. f. 87 (1895). | |

Genus 371. **Stenotettix.**

Stål, Æfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens.
Orth. ii. p. 66 (1874); Brunn. Mon. Pseudoph. pp. 19, 198
(1895).

1. **S. Macilentus**, Stål, ll. cc. p. 50 (1873); Colombia.
p. 94. n. 1 (1874); Brunn. l. c. p. 198.
n. 1 (1895).

Genus 372. **Cocconotus.** (*Type* no. 18.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 46 (1873); Recens. Orth. ii. pp. 65, 89 (1874); Bol. Viaje al Pacif., Ins. p. 70 (1884); Brunn. Mon. Pseudoph. pp. 19, 198 (1895); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 95 (1898); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 425 (1898).

- | | |
|---|--------------------------------|
| 1. C. Nigrescens, Brunn. l. c. pp. 199, 201. n. 1 (1895); Sauss. & Pict. l. c. pp. 431, 432. n. 1 (1898). | Colombia. |
| 2. C. Meroncidioides, Brunn. l. c. pp. 191, 201. n. 2 (1895); Giglio-Tos, l. c. p. 95 (1898); Sauss. & Pict. l. c. pp. 431, 432. n. 2 (1898). | Mexico. |
| **3. C. Fraternus, Sauss. & Pict. l. c. pp. 431, 433. n. 3 (1898). | Panama. |
| **4. C. Sagittatus, Sauss. & Pict. ll. cc. n. 4, pl. 20. f. 29 (1898). | id. |
| 5. C. Constrictus, Brunn. l. c. pp. 199, 202. n. 3 (1895); Sauss. & Pict. l. c. pp. 431, 433. n. 5 (1898). | Chiriqui. |
| 6. C. Retiarius, Stål, Recens. Orth. ii. p. 90. n. 3 (1874); Brunn. l. c. pp. 199, 202. n. 4 (1895); Sauss. & Pict. l. c. pp. 431, 435. n. 6 (1898). | Colombia. |
| 7. C. Tricornis, Thunb. (<i>Conocephalus T.</i>) Mém. Acad. Pétersb. v. p. 278 (1815). <i>Cocconotus Tricornis, Stål</i> , l. c. p. 90. n. 4 (1874); Brunn. l. c. pp. 199, 202. n. 5 (1895). | W. Indies,
St. Bartholomew. |
| **8. C. Striolatus, Redt. (<i>Bliastes S.</i>) Proc. Zool. Soc. Lond. 1892, p. 212, pl. 16. f. 13. <i>C. Striolatus, Brunn.</i> l. c. pp. 199, 203. n. 6 (1895). | W. Indies,
St. Vincent. |
| 9. C. Bellicosus, Rehn, Trans. Amer. Ent. Soc. xxix. p. 30 (1902). | Cocos I. |
| *10. C. Globosus, Brunn. l. c. pp. 199, 203. n. 7, pl. 8. f. 89 (1895); Sauss. & Pict. l. c. pp. 431, 434. n. 7, pl. 20. ff. 26-28 (1898). | Mexico,
Guatemala. |
| 11. C. Polloneræ, Griff. Boll. Mus. Torino, xi. (232) p. 22 (1896); xiii. (319) p. 3 (1898); Giglio-Tos, l. c. xiii. (311) p. 96 (1898); Sauss. & Pict. l. c. pp. 431, 434. n. 8 (1898). | Panama,
Ecuador. |

12. **C. Modestus, Brunn.** l. c. pp. 200, 204. Guatemala.
n. 8 (1895); Griff. l. c. xiii. (319) p. 5
(1898); Sauss. & Pict. l. c. pp. 432, 435.
n. 9 (1898).
13. **C. Sharpi, Griff.** l. c. xiii. (319) p. 5 Ecuador.
(1898).
14. **C. Ferrugineus, Brunn.** l. c. pp. 200, Amazons.
204. n. 9 (1895).
15. **C. Atrifrons, Brunn.** l. c. pp. 200, 205. Guayaquil.
n. 11 (1895).
16. **C. Æthiops, Brunn.** ll. cc. n. 12 (1895). Colombia.
17. **C. Lignicolor, Rehn,** l. c. p. 29 (1902). Nicaragua.
18. **C. Degeeri, Stål,** (*Meronecidium De Geeri*) Panama.
Eugenies Resa, Orth. p. 322. n. 62 (1860).
Meronecidius Degeeri, Walk. Cat. Derm.
Salt. B. M. iii. p. 443. n. 11 (1870).
C. DeGeeri, Stål, Recens. Orth. ii. p. 89.
n. 1 (1874); Griff. l. c. xi. (232) p. 21
(1896).
C. Degeeri, Brunn. l. c. pp. 200, 206. n. 13
(1895); Sauss. & Pict. l. c. pp. 432, 435.
n. 11 (1898).
19. **C. Aratifrons, Brunn.** l. c. pp. 200, 206. Colombia.
n. 14 (1895); Pict. & Sauss. l. c. pp. 432,
435. n. 12 (1898).
20. **C. Maculifrons, Stål,** Öfv. Vet.-Akad. id.
Förh. xxx. (4) p. 49. n. 1 (1873); Recens.
Orth. ii. p. 89. n. 2 (1874); Brunn. l. c.
pp. 200, 207. n. 15 (1895); Sauss. &
Pict. l. c. pp. 432, 436. n. 13 (1898).
21. **C. Inca, Sauss. & Pict.** ll. cc. n. 14 Peru.
(1898).
22. **C. Amorii, Bol.** An. Soc. Españ. x. Upper
pp. 489, 491 (1881); Viaje al Pacif., Ins. Amazons.
p. 72, pl. 3. f. 2 (1884); Brunn. l. c.
pp. 200, 207. n. 16 (1895); Giglio-Tos,
l. c. xiii. (311) p. 96 (1898).
23. **C. Parvulus, Giglio-Tos,** l. c. p. 97 Ecuador.
(1898).
24. **C. Nigroantennatus, Brunn.** l. c. pp. 200, Peru.
207. n. 17 (1895).
25. **C. Viridiafflatus, Brunn.** l. c. pp. 200, Colombia.
208. n. 18 (1895); Sauss. & Pict. l. c.
pp. 432, 436. n. 15 (1898).
26. **C. Differens, Bol.** ll. cc. pp. 489, 491. Ecuador.
pl. 7. f. 6 (1881); p. 74, pl. 2. f. 4. pl. 3.
f. 1 (1884); Brunn. l. c. pp. 201, 209.

- n. 21 (1895); Giglio-Tos, l. c. xiii. (311)
p. 96 (1898); Griff. l. c. xiii. (319) p. 6
(1898).
27. **C. Castus, Brunn.** l. c. pp. 201, 210. Mexico.
n. 22 (1895); Griff. l. c. xiii. (319) p. 6
(1898); Pict. & Sauss. l. c. pp. 432, 436.
n. 16 (1898).
28. **C. Saussurei, Giglio-Tos,** l. c. xiii. (319) Ecuador.
pp. 5, 6 (1898).
29. **C. Ignobilis, Brunn.** l. c. pp. 201, 210. Venezuela,
n. 23 (1895); Sauss. & Pict. l. c. pp. 432, Colombia.
436. n. 17 (1898).
30. **C. Angustatus, Brunn.** l. c. pp. 201, 210. Peru.
n. 24 (1895).
31. **C. Adustus, Bol.** ll. cc. pp. 490, 491. Ecuador,
pl. 8. f. 7 (1881); p. 75, pl. 2. f. 5 (1884): Amazons.
Brunn. l. c. pp. 201, 211. n. 25 (1895);
Giglio-Tos, l. c. p. 97 (1898).
32. **C. Festæ, Giglio-Tos,** l. c. pp. 97, 100 Ecuador.
(1898).
33. **C. Pulcher, Brunn.** l. c. pp. 201, 211. Peru.
n. 26 (1895).

Genus 373. **Thamnobates.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 436 (1898).

- ** 1. **T. Subfoliata,* Sauss. & Pict.** l. c. Panama.
p. 437. n. 1, pl. 20. ff. 30-32 (1898).

Genus 374. **Cratonotus.** (Type no. 1.)

Bol. An. Soc. Españ. x. p. 486 (1881);
Viaje al Pacif., Ins. p. 66 (1884).

1. **C. Armatus, Bol.** ll. cc. p. 487, pl. 8. Ecuador.
f. 8 (1881); p. 67 (1884).
Blastes Armatus, Brunn. Mon. Pseudoph.
pp. 182, 189. n. 14 (1895).
Cocconotus Armatus, Brunn. l. c. pp. 200,
204. n. 10 (1895).
2. **C. Isernii, Bol.** ll. cc. p. 488 (1881); id.
p. 68 (1881).
Cocconotus Isernii, Brunn. l. c. pp. 201,
209. n. 20 (1895); Giglio-Tos, Boll. Mus.
Torino, xiii. (311) p. 96 (1898).

Genus 375. **Condylonemis.**

Brunn. Mon. Pseudoph. p. 19 (1895).
Condylonemis, Brunn. l. c. p. 212 (1895).

1. **C. Callosa**, Brunn. (*Condylonemis* C.) Venezuela.
 l. c. p. 212. n. 1. pl. 8. f. 90 (1895).

Genus 376. **Nannotettix.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 19, 212 (1895).

1. **N. Elongatus**, Brunn. l. c. pp. 213, 214. Colombia.
 n. 1. pl. 8. f. 91 (1895).
2. **N. Spissus**, Brunn. ll. cc. n. 2 (1895). Bogota.
3. **N. Marginatus**, Brunn. ll. cc. n. 3 (1895); Mexico.
 Sauss. & Pict. Biol. Centr.-Amer., Orth.
 i. p. 437. n. 2, pl. 21. f. 1 (1898).
4. **N. Vittatus**, Brunn. l. c. pp. 213, 214. id.
 n. 4 (1895).
5. **N. Guentheri**, Brunn. l. c. pp. 213, 215. Bolivia.
 n. 5 (1895).
6. **N. Longipes**, Brunn. ll. cc. n. 6 (1895). Pern.
7. **N. Pallidevittatus**, Brunn. ll. cc. n. 7. Bolivia.
 (1895); Giglio-Tos, Boll. Mus. Torino, Ecuador.
 xiii. (311) p. 101 (1898).

Genus 377. **Disceratus.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 334 (1869):
 Brunn. Mon. Pseudoph. pp. 19, 216 (1895).

1. **D. Nubiger**, Scudd. l. c. p. 335 (1869); Ecuador.
 Brunn. l. c. p. 216. n. 1 (1895).
2. **D. Festæ**, Giglio-Tos, Boll. Mus. Torino, id.
 xiii. (311) p. 101 (1898).
3. **D. Karschi**, Brunn. l. c. p. 216. n. 2. Costa Rica.
 pl. 8. f. 92 (1895).

Genus 378. **Homalaspis.**

Brunn. Mon. Pseudoph. pp. 19, 217 (1895).

1. **H. Læta**, Brunn. l. c. p. 217. n. 1, pl. 8. | Amazons.
f. 93 (1895). |

Genus 379. **Ischnomela.**

Stål, Ölfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens.
Orth. ii. p. 66 (1874); Brunn. Mon. Pseudoph. pp. 20,
217 (1895).

- *1. **I. Gracilis**, Stål, ll. cc. p. 49 (1873); Bogota,
p. 93 (1874); Brunn. l. c. p. 218. n. 1 | Panama.
(1895); Griff. Boll. Mus. Torino, xi.
(232) p. 18 (1896); Sauss. & Piet. Biol.
Centr.-Amer., Orth. i. p. 438. n. 1, pl. 21.
f. 2 (1898). |

Genus 380. **Jimenezia.**

Bol. An. Soc. Españ. x. p. 492 (1881); Viaje al Pacif., Ins.
p. 177 (1884); Brunn. Mon. Pseudoph. pp. 20, 218
(1895).

1. **J. Elegans**, Bol. ll. cc. p. 493, pl. 9. f. 4 | Ecuador.
(1881); p. 79, pl. 2. f. 6 (1884); Brunn.
l. c. p. 219. n. 1, pl. 8. f. 95 (1895). |

Genus 381. **Macrochiton.** (*Type* no. 2.)

Brunn. Mon. Pseudoph. pp. 20, 219 (1895).

1. **M. Pallidespinosus**, Brunn. l. c. p. 219. | Hab. — ?
n. 1 (1895).
*2. **M. Heros**, Brunn. l. c. pp. 219, 220. | Colombia.
n. 2, pl. 8. f. 96 (1895).
*3. **M. Adjutor**, Brunn. ll. cc. n. 3 (1895). | Peru.

Genus 382. **Acanthodiphrus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 48 (1871).

Cecentromenus, Brunn. Mon. Pseudoph. pp. 20, 220 (1895).
(*Type* no. 1.)

- **1. **A. Conspersus**, Walk. l. c. p. 48 (1871). Nicaragua,
Cecentromenus Marmoratus, Brunn. l. c. Panama.
p. 221, n. 1, pl. 8. f. 97 (1895); Sauss. &
Pict. Biol. Centr.-Amer., Orth. i. p. 439.
n. 1 (1898).
2. **A. Areolatus**, Brunn. (*Cocconotus A.*) Peru.
l. c. pp. 200, 208, n. 19 (1895); Giglio- Ecuador,
Tos. Boll. Mus. Torino. xiii. (311) pp. 96, Amazons,
97 note, 98 (1898). Montevideo.
3. **A. Similis**, Giglio-Tos, (*Cocconotus S.*) Ecuador.
l. c. pp. 97, 98 (1898); Griff. Boll. Mus.
Torino, xiii. (319) p. 6 (1898).
4. **A. Camerani**, Griff. (*Bliastes C.*) l. c. Panama.
xi. (232) p. 19 (1896); Sauss. & Pict.
l. c. p. 428, n. 2 (1898).
Cocconotus Camerani, Giglio-Tos, l. c. xiii.
(311) p. 97 note (1898).

Genus 383. **Leptotettix.** (*Type* no. 7.)Stål. Öfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens.
Orth. ii. p. 66 (1874); Brunn. Mon. Pseudoph. pp. 20, 221
(1895).

1. **L. Pubiventris**, Bol. An. Soc. Españ. x. Ecuador,
p. 493 (1881); Viaje al Pacif. Ins. Peru.
p. 80 (1884); Brunn. l. c. p. 222, n. 1
(1895).
2. **L. Longestylatus**, Brunn. l. c. pp. 222, Amazons.
223, n. 2, pl. 9. f. 98 (1895).
3. **L. Bolivari**, Brunn. ll. cc. n. 3 (1895). Peru.
4. **L. Voluptarius**, Brunn. ll. cc. n. 4 Amazons.
(1895).
5. **L. Nigronotatus**, Brunn. l. c. pp. 222, Guatemala,
224, n. 5 (1895). Bogota (?).
6. **L. Gigliotosi**, Griff. Boll. Mus. Torino. Panama.
xi. (232) p. 23 (1896); Sauss. & Pict.
Biol.-Centr. Amer., Orth. i. p. 439, n. 2
(1898).
7. **L. Falconarius**, De Geer, (*Locusta Ful-* Surinam.
conaria) Mém. Ins. iii. p. 452, n. 12.
pl. 39. f. 4 (1773).

- L. Falconarius*, Stål, Recens. Orth. ii. p. 92.
n. 1 (1874); Brunn. l. c. pp. 222, 224.
n. 6 (1895).
Conocephalus Triceps, Thunb. Mém. Acad.
Pétersb. v. p. 278 (1815).
8. **L. Dohrni**, Brunn. l. c. pp. 222, 224. n. 7 | Amazons.
(1895).
- **9. **L. (?) Immunis**, Walk. (*Meroncidius I.*) | Honduras.
Cat. Derm. Salt. B. M. iii. p. 454. n. 38
(1870).
- **10. **L. Innotatus**, Walk. (*Meroncidius I.*) l. c. | Bogota.
p. 452. n. 36 (1870).
11. **L. Transvittatus**, Scudd. (*Meroncidius* | Peru.
T.) Proc. Boston Soc. Nat. Hist. xvii.
p. 264 (1874).
12. **L. Tessellatus**, Scudd. (*L. Tessellata*) | id.
l. c. (1874).

Genus 384. **Semileptotettix.** (Type no. 6.)

Brunn. Mon. Pseudoph. pp. 20, 225 (1895).

1. **S. Pilosus**, Brunn. l. c. pp. 225, 226. n. 1 | Colombia.
(1895).
2. **S. Elegans**, Brunn. ll. cc. n. 2 (1895); | Amazons,
Giglio-Tos, Boll. Mus. Torino, xiii. (311) | Ecuador.
p. 102 (1898).
3. **S. Nanus**, Giglio-Tos, l. c. (1898). | Ecuador.
4. **S. Viridifrons**, Brunn. l. c. pp. 225, 226. | Colombia.
n. 3 (1895).
5. **S. Nigrovittatus**, Brunn. l. c. pp. 225, | Surinam.
227. n. 4 (1895).
- *6. **S. Arenosus**, Burm. (*Acanthodis Arenosa*) | Brazil,
Handb. Ent. ii. p. 700. n. 4 (1838). | Archidona.
S. Arenosus, Brunn. l. c. pp. 226, 227. n. 5,
pl. 9. f. 99 (1895).
- ** *Meroncidius Tessellatus*, Walk. Cat. Derm.
Salt. B. M. iii. p. 451. n. 34 (1870).
7. **S. Triangularis**, Brunn. l. c. pp. 226, | Paraguay.
227. n. 6 (1895).
8. **S. Salvadorii**, Griff. Boll. Mus. Torino, | Brazil.
xi. (221) p. 1, fig. (1896).

Genus 385. **Teleutias.** (*Type* no. 7.)

Stål, Recens. Orth. ii. p. 65 (1874);
 Brunn. Mon. Pseudoph. pp. 20, 228 (1895).

1. **T. Fuscus**, Brunn. l. c. pp. 228, 229. n. 1, Peru.
 pl. 9. f. 100 (1895).
2. **T. Vicinissimus**, Brunn. ll. cc. n. 2 Amazons.
 (1895).
3. **T. Obtusatus**, Brunn. l. c. pp. 228, 230. Ecuador.
 n. 3 (1895).
4. **T. Brevifolius**, Brunn. l. c. pp. 229, 230. Amazons.
 n. 4 (1895).
5. **T. Binotatus**, Brunn. ll. cc. n. 5 (1895). id.
6. **T. Nigrotarsatus**, Brunn. ll. cc. n. 6 id.
 (1895).
- *7. **T. Aduncus**, Stål, l. c. p. 88. n. 1 (1874); Upper
 Brunn. l. c. pp. 229, 231. n. 7 (1895). Amazons.
8. **T. Fasciatus**, Brunn. ll. cc. n. 8 (1895); Amazons.
 Giglio-Tos, Boll. Mus. Torino, xiii. (311)
 p. 103 (1898).
9. **T. Castaneus**, Brunn. l. c. pp. 229, 231. Colombia.
 n. 9 (1895).

Genus 386. **Diyllus.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iii. (14) p. 40 (1876).
Euacris, Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 440
 (1898). (*Type* no. 1.)

- *1. **D. Discophorus**, Stål, l. c. p. 41. n. 1 Chiriqui,
 (1876). Costa Rica.
- ***Euacris Pictipennis*, Sauss. & Pict. l. c.
 p. 441. n. 1, pl. 21. ff. 3-8 (1898).
2. **D. Richmondi**, Rehn, (*Euacris R.*) Trans. Nicaragua.
 Amer. Ent. Soc. xxix. p. 30 (1902).

Genus 387. **Polyancistrus.**

Serv. Ann. Sci. Nat. xxii. p. 153 (1831); Ins. Orth. p. 534
 (1839); Burm. Handb. Ent. ii. p. 702 note (1838);
 Brunn. Mon. Pseudoph. pp. 20, 232 (1895).
Lobodes, Fisch. Waldh. Bull. Mosc. xix. (1) p. 479 (1846).

- *1. **P. Serrulatus, Beauv.** (*Locusta Serrulata*) Ins. Afr. Amér. p. 218, Orth. pl. 7. f. 2 (1805). Haiti,
Porto Rico.
P. Serrulatus, Serr. ll. ec. p. 154. n. 1 (1831); p. 535. n. 1 (1839); Charp. Orth. pl. 50 (1845); Brunn. l. c. p. 233. n. 1, pl. 9. f. 101 (1895).
Lobodes Rubricornis, Fisch. Waldh. l. c. pp. 479, 480. n. 221, pl. 13. f. 2 (1846).

Genus 388. **Polyancistroides.**

Rehn, Canad. Ent. xxxiii. p. 272 (1901).
Pseudancistrus, Bol. (nec Bleeker) Viaje al Pacif., Ins. p. 82 note (1884); Brunn. Mon. Pseudoph. pp. 20, 233 (1895).

1. **P. Gundlachi, Bol.** (*Pseudancistrus G.*) Cuba.
l. c. p. 82 note, pl. 3. f. 3 (1884); Brunn.
l. c. p. 233. n. 1 (1895).

Genus 389. **Pemba.**

Walk. Cat. Derm. Salt. B. M. iii. p. 481 (1870).

- **1. **P. Armata, Walk.** l. c. p. 482. n. 1 Archidona.
(1870).

Genus 390. **Scopiorus.** (*Type* no. 9.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 45 (1873); Recens. Orth. ii. p. 58 (1874); Brunn. Mon. Pseudoph. pp. 21, 234 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 442 (1898).

- *1. **S. Nigridens, Stål,** Bilang Svenska Panama.
Akad. iii. (14) p. 37 (1876); Brunn. l. c.
pp. 234, 235. n. 1 (1895); Sauss. & Pict.
l. c. p. 442. n. 1, pl. 21. ff. 9-12 (1898)
2. **S. Mucronatus, Sauss. & Pict.** l. c. Costa Rica.
pp. 442, 443. n. 2, pl. 21. f. 15 (1898).
3. **S. Carinulatus, Sauss. & Pict. ll. ec. id.
n. 3, pl. 21. f. 14 (1898).

- *1. **S. Brevifolius, Brunn.** l. c. pp. 235, 236. Mexico.
n. 2, pl. 9, f. 103 (1895); Sauss. & Pict.
l. c. pp. 442, 444, n. 4 (1898).
- 5. **S. Reticulatus, Brunn.** l. c. pp. 235, 236. id.
n. 3 (1895); Sauss. & Pict. l. c. pp. 442,
444, n. 5 (1898).
- 6. **S. Nigrostriolatus, Brunn.** l. c. pp. 235, Mexico.
236, n. 4 (1895); Sauss. & Pict. l. c. Guatemala.
pp. 442, 444, n. 6 (1898).
- 7. **S. Muticus, Brunn.** l. c. pp. 235, 237. Chiriqui.
n. 5 (1895); Sauss. & Pict. l. c. pp. 442,
444, n. 7 (1898).
- *8. **S. Lancifolius, Brunn.** l. c. pp. 235, 237. id.
n. 6 (1895); Sauss. & Pict. l. c. pp. 442,
444, n. 8, pl. 21, f. 13 (1898).
- 9. **S. Sutorius, Stål,** (Efv. Vet.-Akad. Förh. Colombia.
xxx. (4) p. 48 (1873); Recens. Orth. ii.
p. 74, n. 1 (1874); Brunn. l. c. pp. 235,
237, n. 7 (1895); Sauss. & Pict. l. c.
pp. 442, 445, n. 9 (1898).
- 10. **S. Latifolius, Brunn.** l. c. pp. 235, 238. Amazon.
n. 8 (1895); Sauss. & Pict. l. c. p. 442
(1898).

Genus 391. **Caloxiphus.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 445 (1898).

- **1. **C. Championi, Sauss. & Pict.** l. c. n. 1 Guatemala.
(1898).
Calloxiphus Championi, Sauss. & Pict. l. c.
pl. 21, ff. 16, 17 (1898).

Genus 392. **Pterophylla.** (Type no. 1.)

Kirb. Intr. Ent. (ed. 5) ii. p. 218 (1828); Harr. Encycl. Amer.
viii. p. 42 (1831)*
Cyrtophyllus, Burm. Handb. Ent. ii. p. 697 (1838); Beut. Bull.
Amer. Mus. Nat. Hist. vi. p. 279 (1894); Brunn. Mon.
Pseudoph. pp. 21, 238 (1895); Blatchl. Rep. Indiana
Dept. Geol. xxvii. p. 358 (1903); Cand. Journ. N. York
Ent. Soc. xiv. pp. 34, 36 (1906).

This is 1835 so far as I can learn.

- *1. **P. Camellifolia, Fabr.** (*Locusta C.*) United States.
 Syst. Ent. p. 283. n. 4 (1775).
 ♂. *Locusta Perspicillata, Fabr.* l. c. n. 6 (1775).
Cyrtophyllus Perspicillatus, Burm. l. c.
 p. 697. n. 1 (1838); Brunn. l. c. p. 239.
 n. 1 (1895); Blatchl. l. c. pp. 358, 359.
 n. 88, f. 87 (1903); Caud. l. c. pp. 37, 38,
 pl. 1. ff. 3, 4, 7 (1906).
Pterophylla Concava, Harr. l. c. p. 42 (1831).
Platyphyllum Concavum, Harr. Rep. Ins.
 Mass. p. 128 (1841); (ed. iii.) p. 158,
 f. 74 (1862); Riley, Rep. Ins. Missouri,
 vi. p. 167, ff. 52-54 (1874).
Cyrtophyllus Concavus, Scudd. Boston Journ.
 Nat. Hist. vii. p. 444. n. 1 (1862); Pack.
 Guide Stud. Ins. p. 566, f. 563 (1869);
 Glov. Ill. N. Amer. Orth. pl. 4. f. 15
 (1872); Beut. l. c. p. 279, pl. 6. f. 1 (1894).
Platyphyllum Zimmermanni, Sauss. Rev. Zool.
 (2) xi. p. 206 (1859).
2. **P. Hypericifolia, Stoll,** (*Gryllus Tetti-* Surinam.
gonia H.) Spectres, Saut. p. 10, pl. 3 a.
 f. 9 (1813).
Cyrtophyllus Hypericifolius, Burm. l. c.
 p. 697. n. 2 (1838).
3. **P. Elongata, Caud.** (*Cyrtophyllus Elon-* Pens., Virg.,
gatus) l. c. pp. 37, 40 (1906). Ind., Texas.
4. **P. Furcata, Caud.** (*Cyrtophyllus Furcatus*) Nebraska.
 l. c. pp. 37, 41, pl. 1. f. 9 (1906).
5. **P. Intermedia, Caud.** (*Cyrtophyllus In-* Mississippi,
termedius), ll. cc. ff. 2, 8 (1906). Texas.

Genus 393. **Paracyrtophyllus.**

Caud. J. N. York Ent. Soc. xiv. p. 34 (1906).

1. **P. Robustus, Caud.** l. c. p. 36, pl. 1. Texas.
 ff. 1, 6 (1906).

Genus 394. **Lea.**

Caud. J. N. York Ent. Soc. xiv. pp. 34, 42 (1906).

1. **L. Floridensis, Beut.** (*Cyrtophyllus F.*) Florida.
 Bull. Amer. Mus. Nat. Hist. xix. pp. 637,
 638, fig. (1903).
L. Floridensis, Caud. l. c. pp. 42, 43 fig.
 (1906).

Genus 395. **Chlorocœlus.**

Bates, Journ. Ent. i. p. 474 (1862).

- *1. **C. Tanana, Bates**, l. c. p. 475, pl. 22 | Amazons.
(1862) ; Nat. Amaz. i. p. 251, fig. (1863).
Cyrtophyllus Tanana, Brunn. Mon. Pseudoph.
pp. 239, 240. n. 2 (1895).

Genus 396. **Thliboscelus.** (Type no. 1.)

Serv. Ins. Orth. p. 441 (1839) ;

Brunn. Mon. Pseudoph. p. 147 (1895).

1. **T. Camellifolia, Serv.** (*nec Fabr.*) l. c. | Brazil.
p. 443 (1839) ; Brunn. l. c. p. 148. n. 1
(1895).
2. **T. Crepitans, Redt. (*Cyrtophyllus C.*) | W. Indies,
Proc. Zool. Soc. Lond. 1892, p. 213, | St. Vincent.
pl. 17. f. 14 ; Brunn. l. c. p. 240. n. 3,
pl. 9. f. 104 (1895).
Locusta Camellifolia, Don. (*nec Fabr.*) Nat.
Rep. iv. pl. 122, (?) 123 (1835).

Genus 397. **Diophanes.** (Type no. 1.)

Stål, Bihang Svenska Akad. iii. (14) p. 38 (1875) ; Brunn.
Mon. Pseudoph. pp. 21, 241 (1895) ; Sauss. & Pict. Biol.
Centr.-Amer., Orth. i. p. 446 (1898).
Platyphyllum, Brullé, Hist. Nat. Ins. ix. p. 138 (1835).

1. **D. Salvifolia, Licht.** (*Locusta S.*) Cat. | Mexico,
Mus. Hamburg, iii. p. 82. n. 72 (1796) ; | Panama,
Trans. Linn. Soc. Lond. iv. p. 58, pl. 5 | S. America.
(1798).
Platyphyllum Salvifolium, Brullé, l. c.
p. 139, pl. 11. f. 2 (1835).
|| *Gryllus Tettigonia Perspicillata*, Stoll (*nec*
Fabr.), Spectres, Saut. p. 17, pl. 7 a.
ff. 23, 24 (1813).
|| *Platyphyllum Perspicillatum*, Serv. Ins.
Orth. p. 445 (1839).
|| *Diophanes Perspicillatus*, Brunn. l. c.
pp. 241, 242. n. 1, pl. 9. f. 109 (1895) ;
Sauss. & Pict. l. c. p. 416. n. 1, pl. 21.
f. 18 (1898).

- D. Rosaceus*, Stål, l. c. p. 39. n. 1 (1875).
Meroneidius Rosalia, Pict. Mém. Soc. Genève, xxx. (6) p. 16 (1888).
- **2. **D. Rosescens**, Sauss. & Pict. l. c. Panama.
 pp. 446, 447. n. 2, pl. 21. ff. 19, 20 (1898).
3. **D. Atrosignatus**, Brunn. l. c. p. 242. Bolivia.
 n. 2 (1895); Sauss. & Pict. l. c. p. 446 (1898).
4. **D. Abbreviatus**, Brunn. l. c. pp. 242, Mexico.
 243. n. 3 (1895); Sauss. & Pict. l. c. pp. 446, 447. n. 3 (1898).
- *5. **D. Nigrospinosus**, Brunn. l. c. pp. 242. Peru,
 243. n. 4 (1895); Sauss. & Pict. l. c. Upper
 p. 446 (1898). Amazons.
6. **D. Scabricolle**, Serv. (*Platyphyllus S.*) Martinique.
 l. c. p. 446. n. 4 (1839).
D. Rev., Sauss. & Pict. l. c. pp. 446, 447.
 n. 4, pl. 21. ff. 21-23 (1898).

Genus 398. **Xestoptera**. (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 21, 244 (1895).

1. **X. Cornea**, Brunn. l. c. n. 1, pl. 9. Mexico.
 f. 106 (1895).
2. **X. Cincta**, Brunn. l. c. n. 2 (1895). Colombia.

Genus 399. **Lophaspis**.

Brunn. Mon. Pseudoph. pp. 21, 244 (1895).

- *1. **L. Scabriuscula**, Brunn. l. c. p. 245. n. 1. Panama.
 pl. 9. f. 107 (1895); Sauss. & Pict. Biol.
 Centr.-Amer., Orth. i. p. 448. n. 1, pl. 21.
 f. 24 (1898).

Genus 400. **Pterochroza**. (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 144 (1831); Ins. Orth. p. 431 (1839); Brullé, Hist. Nat. Ins. ix. p. 135 (1835); Burm. Handb. Ent. ii. p. 695 (1838); Blanch. Hist. Nat. Ins. iii. p. 20 (1840); Haan. Temminck, Verhandel., Orth.

p. 199 (1842); Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 44 (1873); Recens. Orth. ii. pp. 56, 73 (1874); Brunn. Verh. zool.-bot. Ges. Wien, xxxiii. p. 248 (1884); Mon. Pseudoph. pp. 21, 245 (1895); Pict. Mém. Soc. Genève, xxx. (6) p. 39 (1888).

- *1. **P. Ocellata, Linn.** (*Gryllus Tettigonia* Surinam,
Ocellatus) Syst. Nat. (ed. x.) i. p. 429. Demerara,
n. 28 (1758); Mus. Ludov. Ulric. p. 129. Para.
n. 20 (1764).

Gryllus Tettigonia Ocellata, Stoll, Spectres,
Saut. pp. 6, 7, pl. 1 a. ff. 1, 1 A, pl. 2 a.
f. 2 (1813).

Pterochroza Ocellata, Serr. ll. cc. p. 144.
n. 1 (1831); p. 432. n. 1 (1839); Blanch.
l. c. p. 20. n. 1 (1840); Stål, Recens.
Orth. ii. p. 73. n. 1 (1874); Pict.
l. c. p. 40. n. 1 (1888); Brunn. Mon.
Pseudoph. p. 246. n. 1, pl. 9. f. 108
(1895).

Locusta (Pterochroza) Ocellata, Haan, l. c.
p. 200. n. 1 (1842).

Pterophylla Ocellata, Dunc. Jardine. Nat.
Libr., Introd. Ent. p. 253, pl. 13. f. 3
(1840).

(?) *Gryllus Cinerarius*, Joh. Amœn. Acad.
vi. p. 397. n. 31 (1763).

2. **P. Siccifolia, De Geer,** (*Locusta* S.) Surinam.
Mém. Ins. iii. p. 438. n. 2. pl. 37. f. 5
(1773).

3. **P. Stolli, Brunn.** l. c. pp. 246, 247. n. 2 id.
(1895).

Gryllus (Tettigonia) Ocellata, var., Stoll,
l. c. p. 7, pl. 2 a. f. 3 (1813).

Genus 401. **Tanusia.** (*Type* no. 13.)

Stål, Recens. Orth. ii. p. 57 (1874); Pict. Mém. Soc. Genève,
xxx. (6) p. 35 (1888); Brunn. Mon. Pseudoph. pp. 21,
247 (1895).

Ommatoptera, Pict. l. c. p. 34 (1888). (*Type* no. 6.)

- *1. **T. Brullæi, Blanch.** (*Pterochroza* B.) Brazil.
Hist. Nat. Ins. iii. p. 20. n. 2. pl. 6
(1840).

- ** *Cycloptera Pavonifolia*, Walk.** Cat. Derm. Salt. B. M. iii. p. 463. n. 3 (1870).
T. Erosifolia, Brunn. l. c. pp. 248, 249. n. 1 (1895).
- *2. *T. Infecta*, Brunn.** (*Pterochroza I.*) Verh. zool.-bot. Ges. Wien, xxxiii. p. 249, pl. 15. f. 5 (1884).
T. Infecta, Brunn. Mon. Pseudoph. pp. 248, 249. n. 2 (1895). Brazil.
- *3. *T. Cristata*, Serv.** (*Pterochroza C.*) Ins. Orth. p. 435. n. 3 (1839). id.,
T. Cristata, Brunn. l. c. pp. 248, 250. n. 3, Cayenne.
 pl. 10. f. 109 (1895).
- ** *Pterochroza Decorata*, Walk.** l. c. iii. p. 461. n. 10 (1870).
- 4. *T. Aridifolia*, Stoll,** (*Gryllus Tettigonia A.*) Spectres, Saut. p. 42, pl. 23 b. f. 93 Surinam(?).
 (1813).
- 5. *T. Variabilis*, Pict.** Mém. Soc. Genève, xxx. (6) p. 38, pl. 2. ff. 18, 19 Guiana,
 (1888). Brazil.
- T. Aridifolia*, Brunn. (an Stål?) l. c. pp. 248, 250. n. 4 (1895).
- 6. *T. Laurifolia*, Pict.** (*Ommatoptera L.*) Brazil.
 l. c. p. 34, pl. 1. ff. 15, 15 a (1888).
T. Laurifolia, Brunn. l. c. pp. 248, 250. n. 5 (1895).
- **7. *T. Pictifolia*, Walk.** (*Pterochroza P.*) id.
 l. c. iii. p. 461. n. 9 (1870).
- *8. *T. Picturata*, Serv.** (*Pterochroza P.*) l. c. id.
 p. 437. n. 5 (1839).
T. Angulato-ocellata, Brunn. l. c. pp. 249, 251. n. 6 (1895).
- 9. *T. Colorata*, Serv.** (*Pterochroza C.*) l. c. id.
 p. 436. n. 4 (1839); Brunn. Verh. zool.-bot. Ges. Wien, xxxiii. p. 243, pl. 15. f. 3 (1884); Obs. Color. Ins. pl. 4. f. 51 (1897).
T. Colorata, Brunn. Mon. Pseudoph. pp. 249, 251. n. 7 (1895); Obs. Color. Ins. pp. 5, 8 (1897).
T. Grandi-ocellata, Pict. l. c. p. 37, pl. 2. f. 20 (1888).
- 10. *T. Illustrata*, Serv.** (*Pterochroza I.*) l. c. id.
 p. 434. n. 2 (1839).
T. Illustrata, Brunn. Mon. Pseudoph. pp. 249, 252. n. 8 (1895).

Pterochroza Deflorata, Brunn. Verh. zool.-bot. Ges. Wien, xxxiii. p. 249, pl. 15. f. 2 (1884).

- | | | |
|-------|---|------------|
| 11. | T. Arrosa , Brunn. l. c. f. 4 (1884); Mon. Pseudoph. pp. 249, 252. n. 9 (1895). | Brazil. |
| 12. | T. Undulata , Brunn. Mon. Pseudoph. pp. 249, 252. n. 10 (1895). | id. |
| *13. | T. Sinuosa , Stål, (<i>Pterochroza S.</i>) Efv. Vet.-Akad. Förh. xxx. (4) p. 48 (1873). <i>T. Sinuosa</i> , Stål, Recens. Orth. ii. p. 73 (1874); Brunn. l. c. pp. 249, 253. n. 11 (1895); Obs. Color. Ins. p. 8, pl. 6. f. 75 (1897). | id. |
| **14. | T. Høgei , Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 450. n. 1, pl. 22. f. 1 (1898). | Mexico. |
| **15. | T. Ochracea , Sauss. & Pict. l. c. n. 2, pl. 22. f. 2 (1898). | Guatemala. |

Genus 402. **Porphyromma.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 21, 253 (1895).

- | | | |
|----|--|---------|
| 1. | P. Speciosa , Brunn. l. c. pp. 253, 254. n. 1, pl. 10. f. 110 (1895). | Brazil. |
| 2. | P. Viridifolia , Brunn. ll. cc. n. 2 (1895). | id. |

Genus 403. **Rhodopteryx.** (*Type* no. 1.)

Pict. Mém. Soc. Genève, xxx. (6) p. 32 (1888);

Brunn. Mon. Pseudoph. pp. 21, 254 (1895).

- | | | |
|----|--|-------------|
| 1. | R. Pulchripennis , Pict. l. c. p. 32, pl. 1. f. 7 (1888); Brunn. l. c. p. 254. n. 1 (1895). | N. Granada. |
| 2. | R. Maculatopennis , Brunn. l. c. pp. 254, 255 (1895). | Mexico. |

Genus 404. **Celidophylla.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 451 (1898).

- **1. **C. Albimacula**, Sauss. & Pict. l. c. Nicaragua. p. 451. n. 1, pl. 22. ff. 3-5 (1898).

Genus 405. **Mimetica.** (Type no. 2.)

Pict. Mém. Soc. Genève, xxx. (6) p. 30 (1888) ; Brunn. Mon. Pseudoph. pp. 22, 255 (1895) ; Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 452 (1898).

- | | |
|---|--|
| <p>**1. M. Erosifolia, Walk. (<i>Typophyllum</i> E.)
Cat. Derm. Salt. B. M. iii. p. 464. n. 3
(1870).</p> <p>2. M. Picteti, Kirb. (n. n.).</p> <p>‡ <i>M. Mortuifolia</i>, Pict. (<i>nec</i> Walk.) l. c. p. 30,
pl. 1. ff. 13, 13 a-c (1888) ; Sauss. &
Pict. l. c. p. 452. n. 1, pl. 22. f. 7
(1898).</p> <p>3. M. Simoni, Bol. Ann. Soc. Ent. France,
(6) x. pp. 142, 146, ff. 5, 6 (1890) ;
Brunn. l. c. p. 256. n. 3 (1895).</p> <p>**4. M. Brunneri, Sauss. & Pict. l. c.
pp. 452, 453. n. 2, pl. 22. f. 8
(1898).</p> <p>‡ <i>M. Mortuifolia</i>, Brunn. (<i>nec</i> Walk.) l. c.
p. 256. n. 1, pl. 10. f. 112 a, b
(1895).</p> <p>5. M. Subintegra, Sauss. & Pict. l. c.
pp. 452, 453. n. 3, pl. 22. f. 9
(1898).</p> <p>6. M. Castanea, Brunn. l. c. p. 256. n. 2
(1895) ; Sauss. & Pict. l. c. pp. 452, 453.
n. 4 (1898).</p> <p>**7. M. Marmorata, Sauss. & Pict. ll. cc.
n. 5, pl. 22. ff. 10, 11 (1898).</p> <p>**8. M. Mortuifolia, Walk. (<i>Typophyllum</i>
<i>M.</i>) l. c. iii. p. 466. n. 6 (1870).</p> <p>9. M. Incisa, Stål, (<i>Cycloptera</i> L.) Bihang
Svenska Akad. iii. (14) p. 37 (1875).</p> <p>*10. M. Aridifolia, Sauss. & Pict. l. c.
pp. 452, 454. n. 6, pl. 22. ff. 12, 13
(1898).</p> <p>**11. M. Saussurei, Kirb. (n. n.).</p> <p> <i>M. Siccifolia</i>, Sauss. & Pict. (<i>nec</i> De Geer),
l. c. pp. 452, 454. n. 7, pl. 22. ff. 14-16
(1898).</p> <p>12. M. Viridifolia, Brunn. l. c. pp. 256, 257.
n. 4 (1895) ; Sauss. & Pict. l. c. pp. 452,
454. n. 8 (1898).</p> | <p>Nauta.</p> <p>Guatemala.</p> <p>Venezuela,
Amazons
(eadem?).</p> <p>Guatemala,
Costa Rica,
Panama.</p> <p>Colombia.</p> <p>id.</p> <p>Costa Rica,
Panama.</p> <p>Upper
Amazons.</p> <p>Chiriqui.</p> <p>Costa
Rica.</p> <p>Panama.</p> <p>Chiriqui.</p> |
|---|--|

- *13. **M. Scissifolia**, Walk. (*Typophyllum* S.) Venezuela.
l. c. iii. p. 464. n. 2 (1870).
*14. **M. Truncatifolia**, Walk. (*Typophyllum* Napo.
T.) l. c. p. 465. n. 4 (1870).

(Genus 406. **Typophyllum.** (Type no. 9.)

Serv. Ins. Orth. p. 439 (1839) ; Pict. Mém. Soc. Genève. xxx.
(6) p. 24 (1888) ; Brunn. Mon. Pseudoph. pp. 22, 257
(1895).

Toraria, Bol. Ann. Soc. Ent. France, (6) x. p. 141 (1890).
(Type no. 14.)

1. **T. Helleri**, Brunn. l. c. pp. 258, 259. Brazil.
n. 1 (1895).
2. **T. Contractum**, Brunn. ll. cc. n. 2 id.
(1895).
- *3. **T. Trapeziforme**, Stoll, (*Locusta Tetti-*
gonia Trapeziformis) Spectres, Saut. p. 9,
pl. 3 a. f. 7 (1813). Cayenne,
Upper
Amazons.
Pterochroza Trapeziformis, Burm. Handb.
Ent. ii. p. 696. n. 4 (1838).
T. Trapeziforme, Pict. l. c. p. 28, pl. 1.
f. 11 (1888) ; Bol. l. c. p. 142. n. 8
(1890) ; Brunn. l. c. pp. 259, 260. n. 3,
pl. 10. f. 113 (1895).
T. Excisum, Pict. l. c. p. 26, pl. 1. ff. 9,
9 a (1888).
4. **T. Flavifolium**, Sauss. & Pict. Biol. Venezuela.
Centr.-Amer., Orth. i. p. 455. n. 1, pl. 22.
f. 6 (1898).
5. **T. Columbicum**, Brunn. l. c. pp. 258, Colombia.
260. n. 4 (1895).
6. **T. Peruvianum**, Pict. l. c. p. 29, pl. 1. Peru.
ff. 10, 10 a (1888) ; Bol. l. c. p. 142.
n. 9 (1890) ; Brunn. l. c. pp. 258, 260.
n. 5 (1895).
- **7. **T. Mutilatum**, Walk. Cat. Derm. Salt. Ega,
B. M. iii. p. 475. n. 5 (1870). Venezuela,
Bogota.
T. Cinnamum, Bol. l. c. p. 141. n. 16 ;
p. 142. n. 6 ; p. 146. f. 4 (1890) ;
Brunn. l. c. pp. 259, 262. n. 10 (1895).
8. **T. Lunatum**, Pict. l. c. p. 27, pl. 1. ff. 12. Peru.
12 a (1888) ; Brunn. l. c. pp. 258, 261.
n. 6 (1895).

9. **T. Erosus**, **Stoll**, (*Gryllus Tettigonia Erosa*) l. c. p. 14, pl. 6 a. f. 18 (1813). Surinam,
Cayenne,
Pterochroza Erosa, **Burm.** l. c. p. 696. n. 5 Venezuela.
(1838).
T. Erosus, **Serv.** l. c. p. 440. n. 1 (1839);
Pict. l. c. p. 25, pl. 1. ff. 8, 8 a (1888);
Bol. l. c. p. 142. n. 3 (1890); **Brunn.**
l. c. pp. 258, 261. n. 7 (1895).
10. **T. Bisinuatum**, **Brunn.** l. c. pp. 258. Cayenne.
262. n. 8 (1895).
11. **T. Abruptum**, **Brunn.** ll. cc. n. 9 Bolivia.
(1895).
12. **T. Siccifolium**, **Bol.** (*Typophyllum (Toraria) S.*) l. c. p. 139. n. 14; p. 141. Venezuela,
Para.
n. 2; p. 146. f. 2 (1890).
T. Siccifolium, **Brunn.** l. c. pp. 259, 263.
n. 11 (1895).
13. **T. Geminum**, **Bol.** l. c. p. 140. n. 15; Venezuela.
p. 142. n. 4; p. 146. f. 3 (1890); **Brunn.**
l. c. pp. 259, 263. n. 12 (1895).
14. **T. Chlorophyllum**, **Bol.** (*Typophyllum id.*
(*Toraria*) C.) l. c. p. 139. n. 13; p. 141.
n. 1; p. 146. f. 1 (1890).
T. Chlorophyllum, **Brunn.** l. c. pp. 259, 263.
n. 13 (1895).

Genus 407. **Catasparata.**

Brunn. Mon. Pseudoph. pp. 22, 264 (1895).

- *1. **C. Histrio**, **Brunn.** l. c. p. 265. n. 1, pl. 10. Colombia.
f. 115 (1895).

Genus 408. **Roxelana**, **Kirb.** (n. n.).

|| *Parysatis* **Stål** (*nec Thoms.*), Recens. Orth. ii. p. 57 (1874);
Brunn. Mon. Pseudoph. pp. 22, 264 (1895).

1. **R. Crassicornis**, **Stål**, (*Parysatis* C.) l. c. Brazil.
p. 74 (1874); **Brunn.** l. c. p. 264. n. 1
(1895).

Genus 409. **Chlorophylla.** (*Type* no. 3.)

Pict. Mém. Soc. Genève, xxx. (6) p. 42 (1888); Brunn. Mon. Pseudoph. pp. 22, 265 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 455 (1898).

1. **C. Rufipes, Brunn.** l. c. pp. 265, 266. Peru,
n. 2, pl. 10, f. 116 (1895); Sauss. & Pict. Bolivia.
l. c. p. 455 (1898).
- **2. **C. Falcifolia, Walk.** (*Cycloptera F.*) Cat. Brazil,
Derm. Salt. B. M. iii. p. 463, n. 5 (1870). Ecuador.
C. Arcuata, Sauss. & Pict. l. c. pp. 455, 456.
n. 3, pl. 22, f. 19 (1898).
3. **C. Latifolia, Pict.** l. c. p. 43, pl. 1, ff. 14, Cayenne,
14a (1888); Brunn. l. c. p. 265, n. 1 Amazons,
(1895); Sauss. & Pict. l. c. p. 455 Colombia,
(1898). Bolivia.
4. **C. Amplifolia, Sauss. & Pict.** l. c. Ecuador(?).
pp. 455, 456, n. 1, pl. 22, f. 17 (1898).
- **5. **C. Tiliæfolia, Walk.** l. c. p. 462, n. 2 Amazons.
(1870).
- **6. **C. Fagifolia, Sauss. & Pict.** l. c. pp. 455, Ecuador.
456, n. 2, pl. 22, f. 18 (1898).

Genus 410. **Cycloptera.**

Serv. Ins. Orth. p. 439 (1839); Pict. Mém. Soc. Genève, xxx.
(6) p. 41 (1888); Brunn. Mon. Pseudoph. pp. 22, 267
(1895).

1. **C. Aurantifolia, Stoll,** (*Gryllus Tetti-* Surinam,
gonia A.) Spect., Saut. p. 8, pl. 3 a, f. 5 Brazil.
(1813).
Pterochroza Aurantifolia, Burm. Handb.
Ent. ii. p. 696, n. 2 (1838); Serv. l. c.
p. 439, n. 6 (1839).
- *2. **C. Reticulata, Kirb.** (n. n.). Brazil.
|| *C. Aurantifolia, Pict. (nec Stoll)* l. c. p. 42,
n. 1 (1888); Brunn. l. c. p. 267, n. 1
(1895).
- *3. **C. Grandifolia, Brunn.** l. c. pp. 267, 268. id. (?).
n. 3 (1895).
4. **C. Carinifolia, Sauss. & Pict.** Biol. Guiana.
Centr.-Amer., Orth. i. p. 457, n. 1, pl. 22.
f. 20 (1898).

5. **C. Camillifolia**, **Stoll**, (*Gryllus Tetti-
gonia* C.) l. c. p. 9, pl. 3 a. f. 6 (1813). | Surinam,
Pterochroza Speculata, **Burm.** l. c. p. 496. | Amazons.
n. 3 (1838). | /c
C. Speculata, **Brunn.** l. c. pp. 267, 268. n. 2
(1895).

Genus 411. **Lonchitophyllum.**

Brunn. Mon. Pseudoph. pp. 22, 269 (1895).

1. **L. Reticulatum**, **Brunn.** l. c. n. 1, pl. 10. | Madagascar
f. 118 (1895).

Genus 412. **Phyrama.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 416 (1888);
Brunn. Mon. Pseudoph. pp. 22, 269 (1895).

1. **P. Interjectum**, **Karsch**, l. c. p. 416, | Madagascar
pl. 4. f. 1 (1888); **Brunn.** l. c. p. 270.
n. 1 (1895).
2. **P. Majus**, **Brunn.** l. c. n. 2, pl. 10. f. 119 | id.
(1895).

Genus 413. **Simodera.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvii. p. 102 (1891);
Brunn. Mon. Pseudoph. pp. 22, 270 (1895).

1. **S. Halterata**, **Karsch**, l. c. p. 103, p. 101. | Madagascar
f. 1 (1891); **Brunn.** l. c. p. 271. n. 1
(1895).
2. **S. Acutifolia**, **Brunn.** l. c. n. 2, pl. 10. | id.
f. 120 (1895).

Genus 414. **Mastighapha.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvii. p. 103 (1891);
Brunn. Mon. Pseudoph. pp. 22, 271 (1895).

1. **M. Crassicornis**, **Karsch**, l. c. p. 104; | Australia.
p. 101. f. 2 (1891); **Brunn.** l. c. p. 272.
n. 1 (1895).
2. **M. Elongata**, **Brunn.** l. c. n. 2, pl. 10. | id.
f. 121 (1895).

Genus 415. **Aspidonotus.**

Brullé, Hist. Nat. Ins. ix. p. 142 (1835); Serv. Ins. Orth.
p. 542 (1839); Blanch. Hist. Nat. Ins. iii. p. 23 (1840);
Brunn. Mon. Pseudoph. pp. 22, 273 (1895).

1. **A. Spinosis**, Brullé, l. c. p. 143, pl. 14. Madagascar
f. 1 (1835); Serv. l. c. p. 543, n. 1 (1839);
Brunn. l. c. p. 273, n. 1, pl. 10, f. 122
(1895).

S U B F A M. X X.

P R O C H I L I N Æ.

Genus 416. **Prochilus.**

Brullé, Hist. Nat. Ins. ix. p. 134 (1835); Serv. Ins. Orth.
p. 383 (1839); Blanch. Hist. Nat. Ins. iii. p. 20 (1840).

- *1. **P. Australis**, Brullé, l. c. p. 135, pl. 11. Kangaroo I.;
f. 1 (1835); Serv. l. c. p. 384, n. 1 (1839); Australia
Blanch. l. c. p. 20, n. 1 (1840); Westw. (eadem?).
Arc. Ent. ii. p. 56, pl. 63, f. 3 (1845).

Genus 417. **Phasmodes.**

Westw. Arcana Entom. ii. p. 56 (1845).

- **1. **P. Ranatriliformis**, Westw. l. c. pl. 63. Australia.
f. 4 (1845).

S U B F A M. X X I.

M E C O P O D I N Æ.

Genus 418. **Phricta.**

Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 189, 191 (1892);
Bol. Ann. Mus. Nat. Hungar. i. p. 162 (1903).

- *1. **P. Spinosa**, Redt. l. c. p. 192, pl. 3, f. 1. Queensland.
(1892).

Genus 419. **Phoberodema.**

Brancs. Jahresh. Ver. Trencsin. Com. xix.-xx. p. 80 (1897);
 Bol. Ann. Mus. Nat. Hungar. i. p. 162 (1903).

1. **P. Redtenbacheri**, **Brancs.** l. c. p. 81, | Queensland.
 pl. 3. f. 21 (1897).

Genus 420. **Phrictætypus.**

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 256 (1898);
 Bol. Ann. Mus. Nat. Hungar. i. p. 162 (1903).

1. **P. Viridis**, **Brunn.** l. c. p. 257 (1898); | N. Guinea.
 Bol. l. c. p. 163 (1903).
Phrictotypus Viridis, *Brunn.* l. c. pl. 19.
 f. 44 (1898).

Genus 421. **Narea.**

Walk. Cat. Derm. Salt. B. M. iii. p. 482 (1870).

- ** 1. **N. Compacta**, **Walk.** l. c. n. 1 (1870). | Australia.

Genus 422. **Biroa.** (*Type* no. 1.)

Bol. Ann. Mus. Nat. Hungar. i. pp. 162, 163 (1903).

1. **B. Carinata**, **Bol.** l. c. p. 164 (1903). | N. Guinea.
 2. **B. Atrospinosa**, **Bol.** l. c. (1903). | id.

Genus 423. **Ochrida.**

Walk. Cat. Derm. Salt. B. M. ii. p. 244 (1869).

- ** 1. **O. Annulipes**, **Walk.** l. c. p. 245. n. 1 | Australia.
 (1869).

Genus 424. **Dasyphleps.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 343 (1892);
Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 189, 192 (1893).

1. **D. Novæ-Guinææ, Haan,** (*Locusta N.*) N. Guinea,
Temminck, Verhandel., Orth. p. 187, pl. 18. Caroline I.
f. 13 (1842). (eadem?).
D. Nova-Guinææ, Karsch, l. c. p. 343 note
(1882); Redt. l. c. p. 193 (1893).

Genus 425. **Ocica.**

Walk. Cat. Derm. Salt. B. M. ii. p. 245 (1869).

- **1. **O. Lutescens, Walk.** l. c. p. 246. n. 1 | Fiji.
(1869).

Genus 426. **Diaphlebus.** (*Type no. 2.*)

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 343 (1892); Redt.
Verh. zool.-bot. Ges. Wien, xlii. pp. 189, 193 (1892);
Brunn. Abhandl. Senckenb. Ges. xxiv. p. 257 (1898).

1. **D. Bivittatus, Redt.** l. c. p. 193. n. - | Fiji.
(1892).
2. **D. Marmoratus, Redt.** l. c. pp. 193, 194. | id.
n. 2, pl. 3. f. 2 (1892); Brunn. l. c. p. 257.
n. 1 (1898).
3. **D. Brevivaginatatus, Karsch,** l. c. xxxvi. | id.
p. 343 note (1892); Redt. l. c. pp. 193,
194. n. 3 (1892); Brunn. l. c. p. 257. n. 6
(1898).
4. **D. (?) Uniformis, Brunn.** l. c. pp. 257. | id.
258. n. 2 (1898).

Genus 427. **Mossula.** (*Type no. 1.*)

Walk. Cat. Derm. Salt. B. M. ii. p. 288 (1869); Kirb. Trans.
Ent. Soc. Lond. 1891, p. 411; Redt. Verh. zool.-bot. Ges.
Wien, xlii. pp. 189, 197 (1892).

- | | |
|--|--|
| <p>**1. M. Vitticollis, Walk. l. c. p. 288. n. 1 (1869); Redt. l. c. p. 197. n. 1 (1892).</p> <p>**2. M. Salomonis, Kirb. l. c. p. 411 (1891); Redt. l. c. p. 197. n. 2 (1892).</p> <p>3. P. Acanthodiformis, Brunn. (<i>Diaphlebus</i> A.) Abhandl. Senckenb. Ges. xxiv. p. 259. n. 7, pl. 19. f. 46 (1898).</p> | <p>Hab. — ?</p> <p>Solomon Is.</p> <p>Key I.</p> |
|--|--|

Genus 428. **Paradiaphlebus**. (*Type* no. 2.)

Bol. Ann. Mus. Nat. Hungar. i. p. 165 (1903).

- | | |
|---|----------------------------------|
| <p>1. P. Notatus, Brunn. (<i>Diaphlebus</i> N.) Abhandl. Senckenb. Ges. xxiv. pp. 257, 258. n. 3, pl. 19. f. 45 (1898).</p> <p>2. P. Vittatus, Brunn. (<i>Diaphlebus</i> V.) Il. cc. n. 4 (1898); Bol. l. c. p. 105 (1903).</p> | <p>Gilolo.</p> <p>N. Guinea.</p> |
|---|----------------------------------|

Genus 429. **Pomatonota**. (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 683 (1838); Stål, Recenz. Orth. ii. p. 8 (1874); Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 343 (1892); Redt. Verh. zool.-bot. Ges. Wien, xlii. p. 195 (1892).

Stilpnothorax, Pict. Mém. Soc. Genève, xxx. (6) p. 5 (1888). (*Type* no. 1.)

- | | |
|--|--|
| <p>*1. P. Dregii, Burm. l. c. p. 684 (1838); Karsch, Ent. Nachr. xvi. p. 59 (1890); Redt. l. c. p. 195 (1892).
<i>Stilpnothorax</i> <i>Loricatus</i>, Pict. l. c. p. 6, pl. 1. ff. 1, 1 a-c (1888).</p> <p>2. P. Bipunctata, Kirb. Entom. xxxv. p. 22 (1902).</p> <p>3. P. (?) Bicolor, Haan, (<i>Locusta</i> B.) Temminck, Verhandel., Orth. p. 186, pl. 18. f. 10 (1842).</p> | <p>Cape,
Natal,
Zululand.</p> <p>Natal.</p> <p>Snnmatra.</p> |
|--|--|

Genus 430. **Elæoptera**. (*Type* no. 2.)

Redt. Verh. zool.-bot. Ges. Wien, xlii. p. 195 (1892).

- | | |
|---|-------------------------|
| <p>1. E. Nitida, Redt. l. c. p. 196. n. 1 (1892).</p> <p>2. E. Lineata, Redt. l. c. n. 2, pl. 3. f. 3 (1892).</p> | <p>Fiji.</p> <p>id.</p> |
|---|-------------------------|

Genus 431. **Segestes.** (*Type* no. 1.)

Stål, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 45 (1877) ;
Redt. Verh. zool.-bot. Ges. Wien, xlii. p. 197 (1892).

1. **S. Vittaticeps**, Stål, l. c. p. 45. n. 1. Philippines.
(1877) ; Redt. l. c. p. 198. n. 1 (1892).
2. **S. Punctipes**, Redt. l. c. pp. 198, 199. id.
n. 2 (1892).
3. **S. Unicolor**, Redt. ll. cc. n. 3 (1892). Pelew Isl.
4. **S. Fuscus**, Redt. ll. cc. n. 4 (1892). Philippines.
5. **S. Decoratus**, Redt. l. c. pp. 198, 200. N. Guinea.
n. 5, pl. 3. f. 4 (1892).

Genus 432. **Segestidia.** (*Type* no. 1.)

Bol. Ann. Mus. Nat. Hungar. i. p. 166 (1903).

1. **S. Princeps**, Bol. l. c. pp. 166, 167 N. Guinea.
(1903).
2. **S. Marmorata**, Bol. ll. cc. (1903). id.
3. **S. Punctipennis**, Bol. l. c. pp. 166, 168 Philippines.
(1903).

Genus 433. **Sexava.** (*Type* no. 3.)

Walk. Cat. Derm. Salt. B. M. iii. p. 437 (1870).

Moristus, Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873) ;
Recens. Orth. ii. p. 67 (1874) ; Redt. Verh. zool.-bot. Ges.
Wien, xlii. p. 200 (1892).

1. **S. Nubila**, Stål, (*Moristus Nubilus*) Moluccas,
Recens. Orth. ii. p. 96. n. 2 (1874) ; Aru,
Redt. Verh. zool.-bot. Ges. Wien, xlii. Key I.
p. 201 (1892).
2. **S. Novæ-Guineæ**, Brancs. (*Moristus* N. Guinea
N.) Jahresh. Nat. Ver. Trencsin. Com.
xix.-xx. p. 81 (1897).
- *3. **S. Coriacea**, Linn. (*Gryllus Tettigonia* Amboina,
Coriaceus) Syst. Nat. (ed. x.) i. p. 430. Ceram.
n. 36 (1788) ; Mus. Ludov. Ulr. p. 136.
n. 27 (1764).
Moristus Coriaceus, Stål, l. c. p. 95. n. 1
(1874) ; Redt. l. c. p. 201. n. 2 (1892).

Gryllus Tettigonia Lanceolata, Stoll, Spectres, Saut. p. 23, pl. 10 a. ff. 39, 40 (1813).

S. Lanceolata, Walk. Cat. Derm. Salt. B. M. iii. p. 437. n. 1 (1870).

Genus 434. **Pseudophyllanax.**

Walk. Cat. Derm. Salt. B. M. ii. p. 398 (1869);
Redt. Verh. zool.-bot. Ges. Wien, xlii. p. 202 (1892).

1. **P. Imperialis**, Montr. (*Leusta I.*) Mém. Soc. Imp. Cherb. x. p. 306 (1864).
P. Insularis, Walk. l. c. p. 398. n. 1 (1869); Redt. l. c. p. 202, pl. 3. f. 5 (1892).
Platyphyllum Giganteum, Warion. Bull. Soc. Ent. France, (4) x. p. xl (1870); Bull. Soc. Moselle, xii. p. 115, plate (1870); Lucas, Bull. Soc. Ent. France, (5) vii. p. xx (1870).

I. of Pines,
N. Cal-
donia.

Genus 435. **Rhammatopoda.**

Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 203 (1892).

1. **R. Opilionoides**, Redt. l. c. p. 203, pl. 3. f. 6 (1892).

Peru.

Genus 436. **Tabaria.**

Walk. Cat. Derm. Salt. B. M. iii. p. 434 (1870).

- **1. **T. Opilioides**, Walk. l. c. p. 434. n. 1 (1870).

Colombia.

Genus 437. **Encentra.**

Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 204 (1892).

1. **E. Longipes**, Redt. l. c. p. 204, pl. 3. f. 7 (1892).

Colombia.

Genus 438. **Philoscirtus.**

Karsch, Stett. Ent. Zeit. lvii. p. 346 (1896).

1. **P. Cordipennis, Karsch**, l. c. n. 114 | E. Africa.
(1896).

Genus 439. **Leprosclirtus.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 328 (1892).

- *1. **L. Granulosus, Karsch**, (*Mecopoda* (*Euthypoda*) *Granulosa*) Ent. Nachr. xii. p. 317 | W. Africa.
(1886).
L. Granulosa, Karsch, Berlin. Ent. Zeitschr.
xxxvi. p. 329. n. 26, ff. 3, 3 a, 4 (1892).

Genus 440. **Apterosclirtus.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 330 (1892).

- *1. **A. Denudatus, Karsch**, l. c. p. 330. | Cameroons.
n. 27, p. 331. f. 5 (1892).
2. **A. Inalatus, Karsch**, (*Mecopoda* (*Euthypoda*) *Inalata*) l. c. xxx. p. 117 | W. Africa.
(1886).

Genus 441. **Zacatula.**

Walk. Cat. Derm. Salt. B. M. iii. p. 433 (1870).

- **1. **Z. Scabra, Walk.** l. c. p. 434. n. 1 | Ceram.
(1870).

Genus 442. **Characta.**

Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 207 (1892).

1. **C. Bituberculata, Redt.** l. c. p. 207, | Borneo.
pl. 3. f. 7 (1892).

Genus 443. **Kheilia.**

Bol. Actas Soc. Españ. 1898, p. 138.

1. **K. Arrogans, Bol.** l. c. p. 139 (1898). | N. Guinea.

Genus 444. **Macrolyristes.**

Voll. Tijdsch. Ent. viii. p. 107 (1865);
Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 207 (1892).

- *1. **M. Imperator**, Voll. l. c. p. 108, pl. 7 | Java,
(1865); Redt. l. c. p. 208 (1892). | Borneo.

Genus 445. **Acridoxena.**

White, Proc. R. Phys. Soc. Edinb. iii. p. 309 (1865); Redt.
Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 208 (1892).
|| *Stålia*, Scudd. (nec Reut.) Proc. Boston Soc. Nat. Hist. xvii.
p. 454 (1875).
Eustålia, Scudd. l. c. xx. p. 95 (1879); Karsch, Berlin. Ent.
Zeitschr. xxx. p. 108 (1886), xxxvi. p. 346 (1891).

- **1. **A. Hewaniana**, Smith, Proc. R. Phys. | Old
Soc. Edinb. iii. p. 311 (1865); Kirb. | Calabar,
Trans. Ent. Soc. Lond. 1891, p. 410; | Gaboon.
Redt. l. c. p. 209 (1892).
Stålia Foliata, Scudd. l. c. xvii. pp. 456,
457. ff. 3-5 (1875).
Eustålia Foliata, Scudd. l. c. xx. p. 95
(1879); Karsch, Ent. Nachr. xii. pp. 145-
147, fig. (1886).

Genus 446. **Vetralla.**

Walk. Cat. Derm. Salt. B. M. ii. p. 391 (1869).
Vetralla, Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 209
(1892).

- **1. **V. Quadrata**, Walk. l. c. p. 392. n. 1 | Ceylon.
(1869).
Vetralla Quadrata, Redt. l. c. p. 210 (1892).
Mecopoda (Euthypoda) Difformis, Karsch,
Berlin. Ent. Zeitschr. xxx. p. 115, pl. 4.
f. 1 (1886).

Genus 447. **Ancædopoda.** (Type no. 3.)

Karsch, Berlin. Ent. Zeitschr. xxvi. pp. 333, 346 (1891);
Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 210 (1892).

- *1. **A. Lamellata**, Linn. (*Gryllus Tetti-* | W. & E. C.
gonia Lamellatus) Syst. Nat. (ed. x.) i. | Africa.
p. 429. n. 27 (1758).

Gryllus Tettigonia Lamellosus, Linn. Mus.

Ludov. Ulric. p. 128. n. 19 (1764).

Mecopoda Lamellosa, Stål, Recens. Orth. ii. p. 48. n. 2 (1874).

A. Lamellata, Redt. l. c. p. 211. n. 1 (1892); Karsch, l. c. xxxviii. p. 135 (1893).

2. **A. Erosa**, Karsch, l. c. xxxvi. pp. 334. 335. n. 29, f. 7 (1892), xxxvii. pp. 76. 77. n. 7, f. 3 (1892). Cameroons.

- *3. **A. Latipennis**, Burm. (*Mecopoda* L.) Natal. Handb. Ent. ii. p. 686. n. 2 (1838); Kirb. Trans. Ent. Soc. Lond. 1891, p. 407. n. 5.

Genus 448. **Mecopoda**. (*Type* no. 9.)

Serv. Ann. Sci. Nat. xxii. p. 154 (1831); Ins. Orth. p. 532 (1839); Brullé, Hist. Nat. Ins. ix. p. 140 (1835); Burm. Handb. Ent. ii. p. 685 (1838); Blanch. Hist. Nat. Ins. iii. p. 12 (1840); Haan, Temminck, Verhandel., Orth. p. 187 (1842); Stål, Recens. Orth. ii. pp. 22. 47 (1874); Karsch, Berlin. Ent. Zeitschr. xxx. pp. 108, 111 (1886); Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 211 (1892).
Lucera, Walk. Cat. Derm. Salt. B. M. ii. p. 265 (1869). (*Type* no. 9.)

1. **M. Superba**, Bol. Actas Soc. Españ. N. Guinea. 1898, p. 139.
2. **M. Cyrtoscelis**, Karsch, Ent. Nachr. "Segaar xiv. p. 146 (1888); Redt. l. c. p. 212. Bay." n. 1 (1888).
3. **M. Karschi, Kirb. Trans. Ent. Soc. Queensland. Lond. 1891, p. 407. n. 3.
4. **M. Regina, Kirb. l. c. p. 408. n. 10 Duke of (1891). York I.
*5. **M. Dilatata**, Redt. l. c. pp. 212, 213. Borneo. n. 2 (1892); Filtze, Rev. Suisse Zool. vii. p. 340, pl. 16. f. 2 (1899).
*6. **M. Divergens**, Redt. ll. cc. n. 3 (1892). Malacca.
7. **M. Walkeri, Kirb. l. c. p. 407. n. 7 Philippines. (1891); Redt. l. c. pp. 212, 214. n. 4 (1892).
|| *M. Imperator*, var., Walk. (nec Voll.) l. c. iii. p. 458. n. 4 (1870).

- **8. M. Platyphœa, Walk.** l. c. p. 458. n. 5 (1870); Redt. l. c. pp. 212, 214. n. 5 (1892). Ceylon.
- *9. M. Elongata, Linn.** (*Gryllus Tettigonia Elongatus*) Syst. Nat. (ed. x.) i. p. 429. n. 26 (1758); Mus. Ludov. Ulric. p. 127. n. 18 (1764). China, Japan, India, Malacca, Malay Is., Moluccas, Australia.
- Locusta Elongata, Fabr.* Syst. Ent. p. 284. n. 9 (1775).
- Conocephalus Elongatus, Thunb.* Mém. Acad. Pétersb. v. p. 279 (1815).
- M. Elongata, Burm.* l. c. p. 685. n. 1 (1839); Redt. l. c. pp. 212, 214. n. 6 (1892).
- Gryllus Javanus, Joh.* Amœn. Acad. vi. p. 398. n. 33 (1763).
- Locusta (Mecopoda) Javana, Haan,* l. c. p. 187. n. 1 (1842).
- Locusta Longipes, Thunb.* l. c. p. 280 (1815), larva.
- Locusta Scalaris, Thunb.* l. c. p. 282 (1818).
- (?) *Gryllus Tettigonia Ferruginea, Stoll,* Spectres, Saut. p. 13, pl. 5 a. f. 15 (1813).
- M. Ferruginea, Blanch.* l. c. p. 12, n. 1 (1840).
- M. Maculata, Serv.* Ann. Sci. Nat. xxxi. p. 155. n. 1 (1831).
- M. Virens, Brullé,* l. c. p. 140, pl. 13. f. 1 (1835); Serv. Ins. Orth. p. 533. n. 1 (1839); Blanch. l. c. p. 23. n. 2 (1840).
- Locusta (Mecopoda) Macassariensis, Haan,* l. c. p. 188. n. 2 (1842).
- Locusta (Mecopoda) Niponensis, Haan,* l. c. n. 3 (1842).
- (?) *Gryllus Tettigonia Rufa, Stoll,* l. c. p. 22, pl. 9 a. f. 37 (1813).
- M. Rufa, Walk.* l. c. p. 458. n. 3 (1870).
- **Decticus Pallidus, Walk.** l. c. ii. p. 262. n. 34 (1869), immature.
- **Decticus Tenebrosus, Walk.** l. c. p. 263. n. 35 (1869).
- **Lucera Bicoloripes, Walk.** l. c. p. 265. n. 1 (1869), immature.

Genus 449. **Sthenaropoda.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 331, 346 (1892).

1. **S. Preussiana, Karsch**, l. c. p. 332. Cameroons.
n. 28, f. 6 (1892).
- **2. **S. Frontalis, Walk.** (*Mecopoda Frontalis*) Sierra Leone.
Cat. Derm. Salt. B. M. v. Suppl. p. 48
(1871).
Mecopoda Monroviae, Karsch, l. c. xxx.
p. 112, pl. 4, f. 4 (1886).
Macroscirtus Preussianus, Redt. Verh. zool.-
bot. Ges. Wien, xlii. p. 217, n. 1 (1892).
- *3. **S. Austera, Karsch**, l. c. xxxviii. p. 134 W. Africa.
(1893).
|| *Macroscirtus Monroviae*, Redt. (*nec*
Karsch) l. c. p. 217, n. 2 (1892).

Genus 450. **Pachysmopoda.**Karsch, Berlin. Ent. Zeitschr. xxx. p. 108 (1886) ;
Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 215 (1892).

- *1. **P. Abbreviata, Tasch.** (*Mecopoda A.*) Socotra.
Zeitschr. Ges. Naturw. lvi. p. 184
(1883).
Mecopoda (Pachysmopoda) Abbreviata,
Karsch, l. c. p. 114, n. 5, pl. 4, f. 2
(1886).
P. Abbreviata, Redt. l. c. p. 216 (1892).

Genus 451. **Euthypoda.** (*Type* no. 3.)Karsch, Berlin. Ent. Zeitschr. xxx. pp. 108, 111 (1886).
Macroscirtus, Pict. Mém. Soc. Genève, xxx. (6) p. 13 (1888) ;
Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 216
(1892). (*Type* no. 2.)

1. **E. Brevipennis, Redt.** (*Macroscirtus B.*) Sierra Leone.
l. c. pp. 217, 218, n. 3 (1892).
- *2. **E. Kangaroo, Pict.** (*Macroscirtus K.*) Gaboon,
l. c. p. 14, n. 1, pl. 2, ff. 38, 38 a Ashanti.
(1888) ; Redt. l. c. pp. 217, 218, n. 4
(1892).

- | | |
|--|---------------------------|
| 3. E. Acutipennis , Karsch , (<i>Mecopoda</i> (<i>Euthypoda</i>) A.) l. c. p. 116. n. 7, pl. 4. f. 3 (1891); Redt. l. c. pp. 217, 218. n. 5 (1892). | W. Africa :
Chinchoxo. |
| 4. E. Bicolor , Bol. (<i>Macroscyrtus</i> B.) Ann. Soc. Ent. France, lxii. p. 178 (1893). | W. Africa :
Assinie. |

Genus 452. **Gymnoscirtus**.

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 342, 345 (1891);
Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 219 (1892).

- | | |
|---|--------------------------|
| 1. G. Unguiculatus , Karsch , (<i>Mecopoda</i> (<i>Euthypoda</i>) <i>Unguiculata</i>) Ent. Nachr. xiv. pp. 147, 148 (1888).
<i>G. Unguiculatus</i> , Karsch , Berlin. Ent. Zeitschr. xxxvi. p. 342 (1891); Redt. l. c. p. 219 (1892). | E. Africa :
Usambara. |
|---|--------------------------|

Genus 453. **Charisoma**.

Bol. Ann. Mus. Nat. Hungar. i. p. 170 (1903).

- | | |
|--|------------|
| 1. C. Karschi , Bol. l. c. (1903). | N. Guinea. |
|--|------------|

Genus 454. **Ityocephala**. (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 219 (1892).

- | | |
|--|------------------|
| **1. I. Nigrostrigata , Walk. (<i>Pseudophyllus Nigrostrigatus</i>) Cat. Derm. Salt. B. M. v. Suppl. p. 44 (1871).
<i>I. Falcata</i> , Redt. l. c. p. 220, pl. 3. f. 11 a, b (1892). | Vavan,
Fiji. |
| 2. I. Françoisi , Bol. Ann. Mus. Nat. Hungar. i. p. 171 (1903). | New
Hebrides. |

Genus 455. **Corycus**. (*Type* no. 1.)

Sauss. Ann. Soc. Ent. France, (4) i. p. 487 (1861); Krauss, Zool. Jahrb. Syst. v. pp. 344, 349 (1890); Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 335, 346 (1891); Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 220 (1892).

- *1. **C. Jurinei**, **Sauss.** l. c. p. 489. n. 13. W. Africa.
pl. 11. ff. 4-7 (1861).
2. **C. Kraussi**, **Kirb.** (n. n.). Cameroons.
|| *C. Jurinei*, *Krauss (nec Sauss.)*, l. c. p. 352.
n. 1, pl. 30. f. 1 *a, b* (1890); *Redt.* l. c.
p. 221. n. 1 (1892).
3. **C. Intermedius**, **Redt.** l. c. n. 2, pl. 3. id.,
f. 12 (1892). St. Thomé.
4. **C. Abruptus**, **Krauss**, l. c. pp. 352. 354. Gaboon.
n. 2, pl. 30. f. 2 (1890); *Redt.* l. c.
pp. 221, 222. n. 3 (1892).
- *5. **C. Karschi**, **Krauss**, l. c. pp. 351, 355. Cameroons.
n. 3, pl. 30. f. 3 (1890); *Redt.* l. c. pp. 221,
222. n. 4 (1892); *Sjöst. Bihang Svenska*
Akad. xxvii. (4:3) p. 26, pl. 3. f. 3
(1902).
6. **C. Præmorsus**, **Krauss**, l. c. pp. 351. id.
355. n. 4, pl. 30. ff. 4, 4 B (1890); *Redt.*
l. c. pp. 221, 222. n. 5 (1892).
|| *C. Jurinei*, *Karsch (nec Sauss.)*, l. c. xxxii.
p. 415, fig. (1888).
7. **C. Greeffi**, **Krauss**, l. c. pp. 352, 356. St. Thomé.
n. 5, pl. 30. ff. 5, 5 A-J (1890); *Redt.* Madagascar
l. c. pp. 221, 222. n. 5 (1892). (eadem?).
8. **C. Paradoxus**, **Bol.** *J. Sci. Lisb.* (2) i. San Thomé.
p. 220. n. 202, pl. 1. f. 9 (1890).
9. **C. Siccifolium**, **Sjöst.** l. c. p. 25, pl. 1. Gaboon.
f. 2 (1902).

SUBFAM. XXII.

PHYLLOPHORINÆ.

Genus 456. **Sasima.** (*Type* no. 1.)

Bol. Ann. Mus. Nat. Hungar. i. pp. 172, 173 (1903).
|| *Phyllophora*, *Brullé (nec Thomb.)*, *Hist. Nat. Ins.* ix. p. 111
(1835); *Burn. Handb. Ent.* ii. p. 694 (1838); *Blanch.*
Hist. Nat. Ins. iii. p. 23 (1840); *Voy. Pôle Sud, Zool.* iv.
p. 363 (1853).

1. **S. Spinosa**, **Brunn.** (*Phyllophora S.*) New
Abhandl. Senckenb. Ges. xxiv. p. 261, Guinea.
pl. 19. f. 47 (1898).
S. Spinosa, *Bol.* l. c. p. 174 (1903).

2. **S. Truncata, Brunn.** (*Phyllophora T.*) l. c. Ké I.
p. 262, pl. 19. f. 48 (1898).
3. **S. Areolata, Bol.** l. c. p. 174 (1903). Waigiou.
4. **S. Lactuca, Bol.** l. c. p. 175 (1903). N. Guinea.
- **5. **S. Aruana, Kirb.** (*Phyllophora A.*) Ann. Aru;
Nat. Hist. (7) iv. p. 303. n. 3, pl. 6. f. 7
(1899). N. Guinea
(eadem?).
- (?) || *Phyllophora Speciosa, Brullé (nec Thumb.)*,
l. c. p. 142, pl. 13. f. 2 (1835); Burm.
l. c. p. 694. n. i (1838); Blanch. ll. cc.
p. 23 (1840); p. 363, pl. 3. ff. 1, 2 (1853).
- **6. **S. Amplifolia, Walk.** (*Phyllophora A.*) Malay
Cat. Derm. Salt. B. M. iii. p. 431. n. 6 (1870);
Kirb. l. c. p. 305. n. 6, pl. 6. f. 1 (1899). Peninsula:
Tringany.

Genus 457. **Hyperhomala.** (Type no. 3.)

Serv. Ann. Sci. Nat. xxii. p. 161 (1831).

Hyperomala, Boisd. Voy. Astrolabe, Ent. ii. p. 649 (1835);
Serv. Ins. Orth. p. 544 (1839).

- *1. **H. Philippinica, Brunn.** (*Phyllophora P.*) Philippines.
Abhandl. Senckenb. Ges. xxiv. p. 262
(1898); Kirb. Ann. Nat. Hist. (7) iv.
p. 304, pl. 6. f. 3 (1899).
- *2. **H. Keyica, Brunn.** (*Phyllophora K.*) l. c. Key I.
p. 263 (1898); Kirb. l. c. p. 305. n. 5
(1899).
3. **H. Virescens, Serv.** Ann. Sci. Nat. xxii. N. Zealand(?)
p. 163. n. 1 (1831). Australia(?)
Hyperomala Virescens, Boisd. l. c. p. 649,
pl. 10. f. 1 (1835); Serv. Ins. Orth.
p. 545 (1839).
- *4. **H. Lanceolata, Brunn.** (*Phyllophora L.*) Moluccas,
l. c. p. 263, pl. 19. f. 49 (1898); Kirb. New
l. c. p. 309. n. 13 (1899); Bol. Ann. Mus. Guinea.
Nat. Hungar. i. p. 177 (1903).
- **5. **H. Woodfordi, Kirb.** (*Phyllophora W.*) Solomon
l. c. p. 309, pl. 6. f. 6 (1899). Islands.
6. **H. Variegata, Brunn.** l. c. p. 264 (1898): N. Guinea.
Bol. l. c. p. 177 (1903).
7. **H. Habasqui, Le Guill.** (*Phyllophora H.*) id.
Rev. Zool. 1841. p. 294.
- **8. **H. Inermis, Walk.** (*Phyllophora I.*) Cat. Hab. — ?
Derm. Salt. B. M. iii. p. 431. n. 4 (1870);
Kirb. l. c. p. 310. n. 16, pl. 6. f. 2 (1899)
9. **H. Angustata, Brunn.** l. c. p. 264 (1898); N. Guinea.
Bol. l. c. p. 178 (1903).

Genus 458. **Phyllophora.** (*Type* no. 1.)

Thunb. Mém. Acad. Pétersb. v. pp. 219, 286 (1815); Stål, Recens. Orth. ii. p. 21 (1874); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 260 (1898); Kirb. Ann. Nat. Hist. (7) iv. p. 302 (1899).

1. **P. Speciosa**, Thunb. l. c. p. 286, pl. 3 Hab. — ? (1815).
- **2. **P. Media**, Walk. Cat. Derm. Salt. B.M. Ceylon. iii. p. 431. n. 5 (1870); Kirb. Ann. Nat. Hist. (7) iv. p. 306. n. 9 (1899).
- **3. **P. Brunnea**, Kirb. l. c. p. 307. n. 10 Ceram. (1899).
P. Media, ♀, Walk. l. c. p. 431. n. 5 (1870).
- **4. **P. Eburneiguttata**, Kirb. l. c. p. 307. N. Guinea; n. 11, pl. 6. f. 5 (1899). Fly River.
- **5. **P. Ovalifolia**, Kirb. l. c. p. 308. n. 12. Torres Straits. pl. 6. f. 4 (1899).
6. **P. (?) Horvathi**, Bol. Ann. Mus. Nat. N. Guinea. Hungar. i. p. 176 (1903).

Genus 459. **Siliquofera.**

Bol. Ann. Mus. Nat. Hungar. i. p. 173 (1903).

- *1. **S. Grandis**, Blanch. (*Phyllophora* G.) N. Guinea, Voy. Pôle Sud. Zool. iv. p. 364, Orth. Aru. pl. 3. f. 3 (1853); Kirb. Ann. Nat. Hist. Waigiou. (7) iv. pp. 310, 311. n. 18, fig. (1899).
|| *Megalodon Eusifera*, Wall. (*nec* Brullé) Malay Archip. ii. p. 434, fig. (1869).
|| *Hyperomala Virescens*, Brunn. (*nec* Serr.) Abhandl. Senckenb. Ges. xxiv. p. 265, pl. 20. f. 50 (1898).

Gen. incert. sed.

Genus 460. **Strongyloderus.**

Westw. Zool. Journ. v. p. 443 (1834).

1. **S. Serraticollis**, Westw. l. c. p. 444. n. 1, Malabar. pl. 22. f. 2 (1834).

SUBFAM. XXIII.

MECONEMINÆ.

Genus 461. **Meconema.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 157 (1831); Ins. Orth. p. 503 (1839); Brullé, Hist. Nat. Ins. ix. p. 151 (1835); Steph. Ill. Brit. Ent., Mand. vi. p. 14 (1835); Burm. Handb. Ent. ii. p. 682 (1838); Wesm. Bull. Acad. Brux. v. p. 593 (1838); Blanch. Hist. Nat. Ins. iii. p. 27 (1840); Fisch.-Waldh. Orth. Ross. pp. 124, 138, 174 (1846); Borek. Skand. Rätv. Ins. p. 62 (1848); Fisch. Orth. Eur. p. 240 (1853); Fieb. Lotos, iii. p. 173 (1853); Syn. Eur. Orth. p. 49 (1854); Costa, Faun. Nap., Ort. Loc. p. 13 (1860); Friv. Érték. Termész. Kör. i. (12) pp. 84, 107 (1867); Stal. Recens. Orth. ii. p. 8 (1874); Bol. Ortópt. Españ. pp. 175, 221 (1876); An. Soc. Españ. vi. pp. 257, 303 (1877); Brunn. Prodr. Eur. Orth. p. 296 (1882); Finot, Orth. France, pp. 90, 99 (1883); Faune France, Orth. pp. 174, 185 (1889); Burr, Brit. Orth. p. 52 (1897); Auriv. Ent. Tidskr. xxi. p. 251 (1900); Tümp. Geradfl. Mitteleuropas, pp. 222, 224, 259 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 325, 337, 379 (1902-3).

*1. **M. Thalassina, De Geer,** (*Locusta* T.) Europe.

Mém. Ins. iii. p. 433. n. 3 (1771).

M. Thalassina, Borek, l. c. p. 62 (1848);

Auriv. l. c. p. 251. n. 1 (1900).

M. Thalassinum, Jacobs. & Bianchi, l. c. pp. 337, 379 (1902-3).

Locusta *Varia*, Fabr. Syst. Ent. p. 287.

n. 24 (1775); Rossi, Faun. Etr. i.

p. 267. n. 648 (1790); Don. Brit. Ins.

iii. p. 20, pl. 79. f. 1 (1794); Panz. Faun.

Germ. fasc. 33, pl. 1 (1796); Latr.

Hist. Nat. Crust. Ins. xii. p. 131. n. 4

(1804); Zett. Orth. Suec. p. 62. n. 3

(1821); Charp. Hor. Ent. p. 110 (1825);

Phil. Orth. Berol. p. 20, pl. 1. f. 4 (1830);

Wesm. l. c. p. 593 (1835).

Conocephalus Varius, Thunb. Mém. Acad.

Petersb. v. p. 274 (1815).

- M. Varia*, *Serr.* ll. cc. p. 158. n. 1 (1831);
p. 504. n. 1 (1839); *Brullé*, l. c. p. 151,
pl. 15. f. 2 (1835); *Steph.* l. c. p. 15. n. 1
(1835); *Burm.* l. c. p. 682 (1838);
Blanch. l. c. p. 27 (1840); *Fisch.-Waldh.*
l. c. p. 176, pl. 8. f. 6 (1846); *Fieb.* ll. cc.
p. 173. n. 1 (1853); p. 49. n. 1 (1854);
Finot, *Faune France*, *Orth.* p. 185 (1889).
- M. Varium*, *Fisch.* l. c. p. 240. n. 1, pl. 12.
ff. 19, 19 a, 20 (1853); *Friv.* l. c. p. 108.
n. 1 (1867); *Bol.* ll. cc. p. 221. n. 1
(1876); p. 303. n. 1 (1877); *Brunn.* l. c.
p. 296. n. 1, pl. 8. f. 68 (1882); *Finot*,
Orth. France, pp. 99, 100 (1883); *Burr*,
l. c. p. 52, pl. 4. f. 9 (1897); *Tümp.* l. c.
pp. 224, 259 (1900).
- Gryllus Arboreus*, *Fuessly*, *Verz. Schweiz.*
Ins. p. 23. n. 438 (1775).
- Gryllus Tettigonia Viridissimus minor*, *Sulz.*
Gesch. Ins. p. 83, pl. 8. f. 9 (1776).
- Gryllus Falcatus*, *Schrank*, *Enum. Ins.*
Austr. p. 245. n. 467 (1781).
- Gryllus Tettigonia Nana*, *Stoll*, *Spectres*,
Saut. p. 28, pl. 13 a. f. 55 (1813).
2. **M. Meridionale**, **Costa**, l. c. p. 14, pl. 10. S. France,
ff. 2, 3 (Oct. 1860); *Atti Accad. Nap. i.* Italy,
p. 13, pl. 1. ff. 9, 9 A, B, 10, 10 A, B (1863). Tyrol.
- M. Brevipennis*, *Yers. Ann. Soc. Ent. France*,
(3) viii. p. 519. n. 5, pl. 10. ff. 7-9 (Dec.
1860); *Finot*, *Faune France*, *Orth.* p. 186
(1889).
- M. Brevipenne*, *Brunn.* l. c. pp. 296, 298.
n. 2 (1882); *Krauss*, *Verh. zool.-bot. Ges.*
Wien, xxiii. p. 19, pl. 1. ff. 1-5 (1873);
Finot, *Orth. France*, pp. 99, 100 (1883);
Tümp. l. c. pp. 224, 259 (1900); *Jacobs.*
& *Bianchi*, l. c. pp. 337, 380 (1902-3).
3. **M. Subpunctatum**, **Motsch.** *Bull. Soc.* Japan.
Nat. Moscou, xxix. (1) p. 181 (1866);
Jacobs. & Bianchi, l. c. p. 380 (1903).
4. **M. (?) Albicorne**, **Motsch.** l. c. p. 181 id.
(1866); *Jacobs. & Bianchi*, l. c. p. 380
(1903).

Genus 462. **Cyrtaspis.** (*Type* no. 1.)

Fisch. Orth. Eur. p. 235 (1853); Costa, Faun. Nap., Ort. Loc. p. 16 (1860); Bol. Ortópt. Españ. pp. 178, 222 (1876); An. Soc. Españ. vi. pp. 257, 304 (1877); Brunn. Prodr. Eur. Orth. p. 298 (1882); Tümp. Geradfl. Mitteleuropas, pp. 222, 224, 260 (1900); Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp. pp. 325, 337, 378 (1902-3).

1. **C. Scutata, Charp.** (*Barbitistes Scutatus*) Portugal.
 Hor. Ent. p. 102 (1829); Burm. Handb. Ent. ii. p. 682. n. 4 (1838); Fieb. Lotos, iv. p. 272. n. 19 (1854).
C. Scutata, Fisch. l. c. p. 235. n. 1, pl. 11. ff. 11, 11 *a-e* (1853); Bol. ll. cc. (excl. figs.) p. 223. n. 1 (1876); p. 305. n. 1 (1877); Rev. Ent. (Caen) xi. p. 291. n. 1 (1892); Ann. Sci. Porto, vi. p. 10. n. 1 (1900).
2. **C. Variopicta, Costa,** l. c. p. 17. n. 1, pl. 10. f. 2 (1860); Atti Accad. Nap. i. p. 64, pl. 1. ff. 8, 8 *A, B* (1863); Bol. Rev. Ent. (Caen) xi. p. 292. n. 2 (1892); Jacobs. & Bianchi, l. c. pp. 337, 378 (1902-3).
 || *C. Scutata, Bol. (nec Charp.)* Ortópt. Españ. p. 322, pl. 6. f. 3 (1876); An. Soc. Españ. vii. p. 118, pl. 5. f. 3 (1878); Krauss (*nec Charp.*), Sitz. Akad. Wiss. Wien, lxxviii. p. 503. n. 73 (1878); Dubr. Ann. Mus. Genova, xii. p. 17. n. 56 (1878); Brunn. l. c. p. 298. n. 1, pl. 8. f. 69 (1882); Tümp. l. c. p. 260 (1900).
3. **C. Lineolata, Costa,** Faun. Nap., Ort. S. Italy.
 Loc. p. 19. n. 2, pl. 14. f. 4 (1860).

Genus 463. **Acilacris.**

Bol. J. Sci. Lisb. (2) i. p. 219 (1890);
 Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 327 (1892).

1. **A. Tridens, Bol.** l. c. p. 220. n. 201, | Angola.
 pl. 1. ff. 10, 10 *a, b* (1890).

Genus 464. **Amytta.** (*Type* no. 1.)

Karsch, Wien. Ent. Zeit. vii. p. 160 (1888);
Ent. Nachr. xvi. p. 264 (1890).

- | | |
|---|-------------------------|
| 1. A. Pellucida , Karsch, Wien. Ent. Zeit. vii. p. 161 (1888). | E. Africa. |
| 2. A. Occidentalis , Karsch, Ent. Nachr. xvi. p. 264. n. 8 (1890); Griff. Ann. Mus. Genova, xlii. p. 367 (1906). | W. Africa :
Kribi. |
| 3. A. Mutillata , Karsch, l. c. p. 367. n. 18 (1890); Berlin. Ent. Zeitschr. xxxvi. p. 328. n. 25 (1892). | W. Africa :
Barombi. |

Genus 465. **Anepitacta.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 22, 178 (1891);
Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 327 (1891), xxxviii.
p. 132 (1893).

- | | |
|--|------------|
| 1. A. Inconspicua , Brunn. l. c. p. 178, pl. 2. ff. 34 <i>a. b</i> (1891).
<i>Amytta Inconspicua</i> , Griff. Ann. Mus. Genova, xlii. p. 367 (1906). | Cameroons. |
| 2. A. Contaminata , Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 132. n. 105 (1893). | Adeli. |
| 3. A. Egestosa , Karsch, l. c. p. 133. n. 106 (1893). | id. |
| 4. A. Aliquantula , Karsch, l. c. n. 107 (1893). | id. |

Genus 466. **Thaumaspis.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxviii. p. 768 (1900).

- | | |
|---|---------------------------|
| 1. T. Trigonurus , Bol. l. c. p. 769, pl. 11. ff. 11, 11 <i>a. b</i> (1900). | S. India :
Kodaikanal. |
| 2. T. Forcipatus , Bol. l. c. ff. 12, 12 <i>a, b</i> (1900). | Madura. |
| 3. T. Longipes , Bol. l. c. pp. 769, 770 (1900). | id. |

Genus 467. **Nicephora.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxii. p. 770 (1900).

- | | |
|---|-------------|
| 1. N. Trigonidioides , Bol. l. c. p. 771, | S. India ; |
| pl. 11. f. 14 (1900). | Kodaikanal. |
| 2. N. Subulata , Bol. l. c. pp. 771, 772, | id. |
| pl. 11. ff. 15, 15 <i>a, b</i> (1900). | |
| 3. N. Mazerani , Bol. l. c. pp. 771, 773, | Madura. |
| pl. 11. ff. 16, 16 <i>a</i> (1900). | |
| 4. N. Mirabilis , Bol. ll. cc. (1900). | id. |

Genus 468. **Orophila.**

Krauss, Zool. Anz. xv. p. 168 (1892).

1. **O. Nubigena**, **Krauss**, l. c. p. 169 (1892). | Tenerife.

SUBFAM. XXIV.

PHANEROPTERINÆ.

Genus 469. **Orphania.** (*Type* no. 1.)

Fisch. Orth. Eur. p. 222 (1853) ; Bol. Ortópt. Españ. pp. 175, 223 (1876) ; An. Soc. Españ. vi. pp. 257, 305 (1877) ; Brunn. Mon. Phan. pp. 12, 35 (1878) ; Prodr. Eur. Orth. pp. 245, 255 (1882) ; Verh. zool.-bot. Ges. Wien, xli. pp. 3, 24 (1891) ; Finot, Orth. France, pp. 88, 94 (1883) ; Fanne France, Orth. pp. 173, 175 (1889) ; Tümp. Geradfl. Mitteleuropas, pp. 221, 224, 259 (1900) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 323, 329, 354 (1902-3).

3. *Polysarcus*, *Fieb.* Syn. Eur. Orth. p. 51 (1854).

Hadrosoma, *Fieb.* l. c. note (1854).

- | | |
|--|------------|
| *1. O. Denticauda , Charp. (<i>Barbitistes D.</i>) | S. Europe. |
| Hor. Ent. p. 99, pl. 3. ff. 3, 6 (1825) ; | |
| Serv. Ins. Orth. p. 478. n. 1 (1839). | |
| <i>Ephippigera Denticauda</i> , <i>Serv.</i> Ann. Sci. | |
| Nat. p. 166. n. 7 (1831) ; Burm. Handb. | |
| Ent. ii. p. 680. n. 4 (1838). | |

O. Denticauda, Fisch. l. c. p. 222, pl. 12. ff. 3, 3*, 3**, 3a, b (1853); Bol. ll. cc. p. 224. n. 1 (1876); p. 306. n. 1 (1877); Brunn. ll. cc. p. 35. n. 1, pl. 1. ff. 1a-d (1878); p. 255. n. 1, pl. 7. ff. 59A-D (1882); p. 24. n. 1 (1891); Finot. ll. cc. p. 94 (1883); p. 175, pl. 9. ff. 118, 119 (1889); Tümp. l. c. pp. 224, 249, pl. 20 (1890); Jacobs. & Bianchi, l. c. pp. 329, 354, pl. 7 (1902-3).

Polysarcus Denticaudus, Fieb. l. c. p. 51. n. 1 (1854); Lotos, iv. p. 225. n. 1 (1854).

Odontura Denticauda, Friv. Érték. Termész. Kör. i. (12) p. 90. n. 1 (1867).

2. **O. Lixonensis**, Saulcy, Bull. Soc. d'Hist. Pyrenées.
Nat. Metz, (2) xvii. p. 189 (1887).
- *3. **O. Scutata**, Brunn. Prodr. Eur. Orth. Servia.
pp. 255, 256. n. 2 (1882); Verh. zool.-
bot. Ges. Wien, xli. p. 24. n. 2 (1891);
Jacobs. & Bianchi, l. c. pp. 329, 354
(1902-3).

Genus 470. **Pæcilemon**. (Type no. 8.)

Fisch. Orth. Eur. p. 225 (1853); Brunn. Mon. Phan. pp. 13, 36 (1878); Prodr. Eur. Orth. pp. 245, 257 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 3, 24 (1891); Tümp. Geradfl. Mitteleuropas, pp. 222, 223, 255 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 323, 329, 355 (1902-3).

- *1. **P. Obesus**, Brunn. ll. cc. pp. 37, 38. Turkey,
n. 1 (1878); pp. 257, 258, n. 1 (1882); Greece,
p. 25. n. 1 (1891); Jacobs. & Bianchi, Bulgaria.
l. c. pp. 330, 355 (1902-3).
- *2. **P. Affinis**, Friv. (*Odontura A.*) Érték. Hungary,
Termész. Kör. i. (12) p. 91. n. 2, pl. 2. Transyl-
vania,
ff. 1, 1a-d (1867). Servia.
- P. Affinis*, Brunn. ll. cc. pp. 37, 39. n. 2
(1878); pp. 257, 259. n. 2 (1882);
p. 25. n. 2 (1891); Jacobs. & Bianchi,
l. c. pp. 330, 355 (1902-3).
- *3. **P. Ornatus**, Schmidt, (*Ephippigera Or-* Tyrol,
nata) Haidinger, Ber. Mith. Freund. Carniola.
Naturw. Wien, vi. p. 184 (1850). Istria,

- P. Ornatus*, Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. (1) p. 497. n. 62, pl. 3. ff. 1, 1 A (1879); Jacobs. & Bianchi, l. c. pp. 330. 355 (1902-3).
Barbitistes Fieberi, Fieb. Lotos, iii. p. 175. n. 1 (1853); Syn. Eur. Orth. p. 51. n. 1 (1854).
P. Fieberi, Brunn. ll. cc. pp. 37, 40. n. 3 (1878); pp. 257, 259. n. 3 (1882); p. 25. n. 3 (1891); Tümp. l. c. pp. 223, 255 (1890).
- *4. **P. Hamatus**, Brunn. Mon. Pseudoph. pp. 37, 41. n. 5 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 25. n. 5 (1891); Jacobs. & Bianchi, l. c. pp. 330. 356 (1902-3).
 5. **P. Unispinosus**, Brunn. ll. cc. pp. 37, 42. n. 7 (1878); p. 25. n. 7 (1891); Jacobs. & Bianchi, l. c. pp. 330, 356 (1902-3).
 6. **P. Deplanatus**, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 25, 27. n. 22 (1891); Jacobs. & Bianchi, l. c. pp. 330, 356 (1902-3).
 7. **P. Pulcher**, Brunn. l. c. pp. 25, 27. n. 23 (1891); Jacobs. & Bianchi, l. c. pp. 330, 356 (1902-3).
- *8. **P. Ionicus**, Fieb. (*Barbitistes Ionicus*) ll. cc. p. 175. n. 3 (Aug. 1853); p. 52. n. 3 (1854).
P. Ionicus, Brunn. Mon. Phan. pp. 38, 49. n. 19 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 25. n. 19 (1891); Jacobs. & Bianchi, l. c. pp. 330, 357 (1902-3).
P. Ionicus, Brunn. Prodr. Eur. Orth. pp. 257, 260. n. 4 (1882).
Odontura Superba, Fisch. Orth. Eur. p. 225. n. 1, pl. 12. ff. 4, 4 a (Nov. 1853).
Odontura Tessellata, Fisch. l. c. p. 227. n. 4, pl. 12. ff. 7, 7 a, b (1853).
9. **P. Cretensis**, Werner, (*P. Ionicus*, var. *Cretensis*) Verh. zool.-bot. Ges. Wien, liii. pp. 67, 68, fig. (1903).
 10. **P. Inflatus**, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 25, 28. n. 24 (1891); Jacobs. & Bianchi, l. c. pp. 330. 357 (1902-3).

Croatia,
Dalmatia,
Bosnia,
Monte-
negro.

Rhodes,
Smyrna.

Smyrna.

Cos.

Smyrna.

Italy,
Dalmatia,
Greece.

Crete.

Asia
Minor.

11. **P. Nobilis, Brunn.** Mon. Phan. pp. 38, 50. n. 20 (1878); Prodr. Eur. Orth. pp. 257, 261. n. 5 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 25. n. 20 (1891); Jacobs. & Bianchi, l. c. pp. 330, 357 (1902-3). Greece.
12. **P. Lævissimus, Fisch.** (*Odontura Lævis-sima*) l. c. p. 225. n. 2. pl. 12. ff. 5, 5*, 5 a (1853). Messina.
P. Lævissimus, Brunn. ll. cc. pp. 38, 48. n. 18 (1878); pp. 257, 261. n. 6, pl. 7. ff. 60 A-D (1882); p. 25. n. 18 (1891).
13. **P. Incertus, Targ.-Tozz.** Bull. Soc. Ent. Asia Ital. xiii. p. 182 (1881); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 25, 28. n. 25 (1891). Minor.
14. **P. Holzi, Werner,** Berlin. Ent. Zeitschr. Greece. xxvii. p. 116, figs. (1902); Jacobs. & Bianchi, l. c. pp. 330, 357 (1902-3).
15. **P. Schmidtii, Fieb.** (*Barbitistes* S.) Tyrol. Lotos, iii. p. 260 (1853); Syn. Eur. Carniola, Orth. p. 77 (1854). Hungary,
P. Schmidtii, Brunn. Mon. Phan. pp. 38, Transylv-
51. n. 21 (1878); Prodr. Eur. Orth. vania,
pp. 257, 262. n. 8 (1882); Verh. zool.- Trans-
bot. Ges. Wien, xli. p. 25. n. 21 (1891); caucasia,
Tümp. l. c. pp. 223, 256 (1900); Jacobs. Asia Minor.
& Bianchi, l. c. pp. 330, 357 (1902-3).
Barbitistes Gracilis, Fieb. ll. cc. p. 261
(1853); p. 77 (1854).
Odontura Laticauda, ♂, Friv. l. c. p. 102.
n. 11, pl. 4. ff. 1 a, b (1867).
- *16. **P. Brunneri, Friv.** (*Odontura B.*) l. c. Hungary,
p. 94. n. 5, pl. 2. ff. 3, 3 a-d (1867). Servia,
P. Brunneri, Brunn. ll. cc. p. 45. n. 1 Roumania.
(1878); pp. 258, 263. n. 9 (1882); p. 26.
n. 12 (1891); Jacobs. & Bianchi, l. c.
pp. 330, 358 (1902-3).
17. **P. Fussi, Brunn.** ll. cc. pp. 38, 47. n. 15 Hungary,
(1878); pp. 258, 263. n. 10 (1882); Transylv.,
p. 26. n. 15 (1891); Jacobs. & Bianchi, Servia,
l. c. pp. 330, 358 (1902-3). Bulgaria,
Roumania.
18. **P. Intermedius, Fieb.** (*Barbitistes Inter-media*) Lotos, iii. pp. 176, 260. n. 5 S. Russia.
(1853); Syn. Eur. Orth. pp. 52, 77. n. 5
(1854).

- P. Intermedius*, Brunn. Mon. Phan. pp. 38, 47. n. 16 (1878); Jacobs. & Bianchi, l. c. pp. 330, 358 (1902-3).
19. **P. Ampliatus**, Brunn. l. c. pp. 38, 46. n. 14 (1878); Prodr. Eur. Orth. pp. 258, 264. n. 11 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 26. n. 14 (1891); Tümp. l. c. pp. 223, 256 (1900); Jacobs. & Bianchi, l. c. pp. 331, 358 (1902-3). Istria, Servia.
20. **P. Lateralis**, Fieb. (*Barbitistes* L.) ll. cc. p. 176. n. 7 (1853); p. 52. n. 7 (1854). Hab. ——?
21. **P. Elegans**, Brunn. ll. cc. pp. 38, 45. n. 13 (1878); pp. 258, 265. n. 12 (1882); p. 26. n. 13 (1891); Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. (1) p. 498. n. 63, pl. 3. ff. 2 A, B (1879); Tümp. l. c. pp. 223, 255, pl. 20 (1890); Jacobs. & Bianchi, l. c. pp. 331, 359, pl. 7 (1902-3). Balkan Peninsula.
- *22. **P. Thoracicus**, Fieb. (*Barbitistes* T.) ll. cc. p. 176. n. 4 (1853); p. 52. n. 4 (1854). Hungary, Transylvania, Servia, Bulgaria, Bosnia, Roumania.
Odontura Thoracica, Frie. l. c. p. 93. n. 3, pl. 2. ff. 2 a-d (1867).
P. Thoracicus, Brunn. l. c. pp. 38, 48. n. 17 (1878); pp. 258, 265. n. 13 (1882); p. 26. n. 17 (1891); Jacobs. & Bianchi, l. c. pp. 331, 339 (1902-3).
23. **P. Kutahiensis**, Werner, Jacobs. & Bianchi, l. c. pp. 331, 359 (1902-3). Asia Minor.
24. **P. Syriacus**, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 26, 29. n. 27 (1891); Jacobs. & Bianchi, l. c. pp. 331, 359 (1902-3). Syria, Asia Minor.
25. **P. Zonatus**, Bol. Ann. Soc. Ent. Belg. xliii. p. 597 (1899); Jacobs. & Bianchi, l. c. pp. 331, 359 (1902-3). Asia Minor.
26. **P. Pergamicus**, Brunn. l. c. pp. 26, 29. n. 26 (1891); Jacobs. & Bianchi, l. c. pp. 331, 360 (1902-3). id.
27. **P. Amissus**, Brunn. Mon. Phan. pp. 37, 44. n. 11 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 26. n. 11 (1891); Jacobs. & Bianchi, l. c. pp. 331, 360 (1902-3). id.
28. **P. Concinnus**, Brunn. ll. cc. pp. 37, 41. n. 6 (1878); p. 26. n. 6 (1891); Jacobs. & Bianchi, l. c. p. 331, 360 (1902-3). Amasia.

29. **P. Smyrnensis, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 26, 29. n. 28 (1891); Jacobs. & Bianchi, l. c. pp. 331, 360 (1902-3). Smyrna.
30. **P. Thessalicus, Brunn.** l. c. pp. 27, 30. n. 29 (1891); Jacobs. & Bianchi, l. c. pp. 331, 360 (1902-3). Thessaly, Greece.
31. **P. Flavescens, Herr.-Schäff.** (*Barbitistes F.*) Panzer. Faun. Ins. Germ. Heft 157. pl. 14 (1838); Fieb. ll. cc. p. 175. n. 2 (1853); p. 51. n. 2 (1854). Turkey, Greece, S. Russia, Asia Minor.
Odontura Flavescens, Fischer, Orth. Eur. p. 226. n. 3, pl. 12. ff. 6, 6 *a, b* (1853).
P. Flavescens, Brunn. Mon. Phan. pp. 37, 42. n. 8 (1878); Prodr. Eur. Orth. pp. 258, 266. n. 14 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 27. n. 8 (1891); Jacobs. & Bianchi, l. c. pp. 332, 362 (1902-3).
32. **P. Similis, Retowski,** Ber. Senckenb. Ges. 1889, p. 220. n. 22; Jacobs. & Bianchi, l. c. pp. 332, 361 (1902-3). Asia Minor.
33. **P. Propinquus, Brunn.** ll. cc. pp. 37, 44. n. 10 (1878); pp. 258, 267. n. 16 (1882); p. 27. n. 10 (1891); Jacobs. & Bianchi, l. c. pp. 332, 361 (1902-3). Greece.
34. **P. Cognatus, Fieb.** (*Barbitistes Cognata*) ll. cc. p. 176. n. 6 (1853); p. 52. n. 6 (1854). Turkey.
35. **P. Bulgaricus, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 27, 30. n. 30 (1891); Jacobs. & Bianchi, l. c. pp. 332, 361 (1902-3). Bulgaria.
- *36. **P. Bosphoricus, Brunn.** Mon. Phan. pp. 37, 43. n. 9 (1878); Prodr. Eur. Orth. pp. 258, 266. n. 15 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 27. n. 9 (1891); Jacobs. & Bianchi, l. c. pp. 332, 361 (1902-3). S. Russia, Turkey, Asia Minor.
P. Tauricus, Ret. Bull. Mosc. (2) iii. p. 408. n. 38 (1888).
P. Bosphoricus, var., *Ret.* Ber. Senckenb. Ges. 1889, p. 221. n. 23.
P. Bosphoricus, var. *Transiens*, *Ret.* l. c. (1889).
37. **P. Orbelicus, Pancic,** Orthopt. Serb. p. 163 (1883). Bulgaria.

- *38. **P. Sancti Pauli, Brunn.** Mon. Phan. pp. 37, 40, pl. 1. ff. 2, 2 *a-c* (1878); Verh. zool.-bot. Ges. Wien, xli. p. 27. n. 4 (1891); Jacobs. & Bianchi, l. c. pp. 332, 362 (1902-3). | Asia Minor, Rhodes.

Genus 471. **Jaquetia.** (*Type* no. 1.)

Sauss. Bull. Soc. Sci. Bucarest, vi. p. 542 (1898); Rev. Suisse Zool. v. p. 225 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 323, 332, 362 (1902-3).

1. **J. Hospodar, Sauss.** ll. cc. pp. 542, 543, fig. (1898); p. 226. n. 1, pl. 9. ff. 10, 10 *a, b*, 11 (1898); Jacobs. & Bianchi, l. c. pp. 332, 362 (1902-3). | Roumania, Dobrudcha.
2. **J. Tartara, Sauss.** Rev. Suisse Zool. v. p. 227. n. 2 (1898); Jacobs. & Bianchi, l. c. pp. 332, 362 (1902-3). | Turkestan.

Genus 472. **Barbitistes.** (*Type* no. 1.)

Charp. Hor. Ent. p. 98 (1825); Burm. Handb. Ent. ii. p. 681 (1838); Serv. Ins. Orth. p. 477 (1839); Fisch.-Waldh. Orth. Ross. p. 209 (1846); Fieb. Lotos, iii. p. 175 (1853); Syn. Eur. Orth. p. 51 (1854); Brunn. Mon. Phan. pp. 13, 51 (1878); Prodr. Eur. Orth. pp. 246, 267 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 3, 31 (1891); Finot, Orth. France, p. 89 (1883); Faune France, Orth. pp. 174, 177 (1889); Tümp. Geradfl. Mitteleuropas, pp. 222, 224, 257 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 323, 332, 363 (1902-3).

Ephippigera, 2 div., Serv. Ann. Sci. Nat. xxii. p. 166 (1831).

- *1. **B. Serricauda, Fabr.** (*Locusta* S.) Ent. Syst. iv. p. 455 (1794), Suppl. p. 193 (1798); Hagenb. Symb. Faun. Ins. Helvet. p. 23, ff. 12, 13 (1822); Wesm. Bull. Acad. Brux. v. p. 594. n. 4 (1838). | S. & S.E. Europe.
- B. Serricauda, Charp.* l. c. p. 99, pl. 3. ff. 3, 6 (1825); Burm. l. c. p. 681. n. 1 (1838); Serv. Ins. Orth. p. 479. n. 2 (1839); Fisch.-Waldh. l. c. p. 210. n. 1, pl. 25. ff. 6, 7 (1846); Fieb. ll. cc. p. 185. n. 11 (1853); p. 53. n. 11 (1854); Finot,

- ll. cc. pp. 94, 95 (1883) ; p. 177 (1889) ;
 Brunn. ll. cc. p. 52. n. 1 (1878) ; p. 268.
 n. 1 (1882) ; p. 31 (1891) ; Tümp. l. c.
 pp. 224, 257 (1890) ; Jacobs. & Bianchi,
 l. c. p. 332 (1902).
B. Serricaudus, Jacobs. & Bianchi, l. c.
 p. 363 (1903).
Odontura Serricauda, Fisch. Orth. Eur.
 p. 228. n. 6, pl. 12. ff. 9, 9 a, 10, 10 a, b,
 11, 11 a (1853) ; Friv. Értek. Termész.
 Kör. i. (12) p. 100. n. 9. pl. 3. ff. 4,
 4 a, b (1867) ; Bol. Ortópt. Españ. p. 229
 (1876) ; An. Soc. Españ. vi. p. 311
 (1877).
Barbitistes Sanguinolenta, Fisch.-Waldh. l. c.
 p. 358. n. 1. pl. 33. f. 7 (1846).
Barbitistes Assimilis, Fieb. ll. cc. p. 186.
 n. 15 (1853) ; p. 54. n. 15 (1854).
 2. **B. Varicornis**, Haan, (*Locusta* (*Ephip-
 pigera*) L.) Temminck, Verhandel., Orth.
 p. 185. n. 15 (1842). Syria.
 3. **B. Trilineatus**, Haan, (*Locusta* (*Ephip-
 pigera*) *Trilineata*) l. c. n. 14 (1842). Tripoli.
 4. **B. Obtusus**, Targ.-Tozz. Bull. Ent. Ital.
 xiii. p. 183 (1881) ; Brunn. Prodr. Eur.
 Orth. pp. 268, 269. n. 2 (1882) ; Verh.
 zool.-bot. Ges. Wien, xli. p. 31 (1891) ;
 Jacobs. & Bianchi, l. c. pp. 332, 363
 (1902-3). Italy,
 Sardinia,
 Ticino,
 Tyrol.
B. Serricauda, var., Frey-Gessner, Mitth.
 schweiz. ent. Ges. iv. p. 15 (1872).
 5. **B. Constrictus**, Brunn. Mon. Phan.
 pp. 52, 54. n. 2 (1878) ; Prodr. Eur. Orth.
 pp. 268, 269. n. 3 (1882) ; Tümp. l. c.
 pp. 224, 257 (1900) ; Jacobs. & Bianchi.
 l. c. pp. 332, 363 (1902-3). Bukovina,
 Silesia,
 Galicia,
 Hungary.
 6. **B. Yersini**, Brunn. ll. cc. pp. 52, 55.
 n. 3, pl. 1. ff. 3, 3 a-d (1878) ; pp. 268,
 270. n. 4, pl. 7. f. 61 (1882) ; Tümp. l. c.
 pp. 224, 257, pl. 20 (1900) ; Jacobs. &
 Bianchi, l. c. pp. 332, 364, pl. 7 (1902-3). Carniola,
 Istria,
 Croatia,
 Dalmatia,
 Herzegov.
 *7. **B. Fischeri**, Yers. (*Odontura* F.) Bull.
 Soc. Vaud. iv. p. 66, pl. 2. ff. 1-5
 (1854). Hyères,
 Spain,
 Portugal.
B. Fischeri, Brunn. ll. cc. pp. 52, 55. n. 4
 (1878) ; pp. 268, 270. n. 5 (1882) ; Fin.
 ll. cc. p. 95 (1883) ; pp. 177, 178. pl. 9.

- ff. 120, 121 (1889) ; *Bol. Ann. Sci. Nat. Porto*, vi. p. 6. n. 1 (1900).
- Barbitistes* *sp.*, *Bol. Ortópt. Españ.* p. 302, pl. 5. f. 12 (1876) ; *An. Soc. Españ.* vi. pl. 4. f. 12 (1877), vii. p. 98 (1878).
- B. Sanzii*, *Bol. An. Soc. Españ.* vii. p. 439 (1878).
- B. Berenguieri*, *Mayet*, *Bull. Soc. Ent. France*, (6) viii. p. cxi (1889).
- *8. **B. Ocskayi, Charp. & Grav.** *Nova Acta Acad. Leopold.-Carol.* xxii. (2) p. xciii, pl. A (1850) ; *Fieb. ll. cc.* p. 185. n. 10 (1853) ; p. 53. n. 10 (1854) ; *Brunn. Mon. Phan.* pp. 52, 57. n. 6 (1878) ; *Prodr. Eur. Orth.* pp. 268, 271. n. 6 (1882) ; *Krauss, Sitzungs. Akad. Wiss. Wien, Math.-nat. Cl.* lxxviii. (1) p. 500. n. 66 (1879) ; *Tümp. l. c.* pp. 224, 257, pl. 20 (1900) ; *Jacobs. & Bianchi, l. c.* pp. 332, 364, pl. 7 (1902-3).
- Odontura Ocskayi*, *Fisch. l. c.* p. 228. n. 5, pl. 12. ff. 8, 8 *a*, *b* (1853).
- ♂. *Odontura Serricauda*, var., *Fisch. l. c.* p. 229, pl. 12. ff. 9, 9 *a* (1853).
- || *Odontura Fischeri*, *Fric. (nec Yers.) l. c.* p. 101. n. 10, pl. 3. ff. 5, 5 *a-c* (1867).
- B. Frivaldskyi*, *Brunn. Mon. Phan.* pp. 52, 56. n. 5 (1878).
9. **B. Nigrovittatus, Brunn.** *l. c.* pp. 52, 58. n. 7 (1878) ; *Prodr. Eur. Orth.* pp. 268, 272. n. 7 (1882) ; *Jacobs. & Bianchi, l. c.* pp. 333, 364 (1902-3).
10. **B. Pulchripennis, Costa,** (*Odontura P.*) *Atti Accad. Nap. i.* (2) p. 25, pl. 1. ff. 6, 7 (1863).
- B. Pulchripennis*, *Brunn. ll. cc.* pp. 52, 58. n. 8 (1878) ; pp. 268, 272. n. 8 (1882) ; *Verh. zool.-bot. Ges. Wien*, xli. pp. 31, 32. n. 11 (1891) ; *Jacobs. & Bianchi, l. c.* pp. 333, 364 (1902-3).
11. **B. Brunneri, Panc.** *Orthopt. Serb.* p. 102. n. 81 (1883) ; *Brunn. Verh. zool.-bot. Ges. Wien*, xli. p. 31. n. 10 (1891) ; *Jacobs. & Bianchi, l. c.* pp. 333, 364 (1902-3).
12. **B. Certzoni, Brunn.** *l. c.* pp. 31, 32. n. 19 (1891) ; *Jacobs. & Bianchi, l. c.* pp. 333, 364 (1902-3).

Istria,
Croatia,
Dalmatia,
Hungary,
Greece.

Macedonia.

Italy,
Spain,
Bulgaria.

Bulgaria,
Servia.

Greece.

Genus 473. **Isophya.** (*Type* no. 13.)

Brunn. Mon. Phan. pp. 13, 59 (1878) ; Prodr. Eur. Orth. pp. 246, 273 (1882) ; Verh. zool.-bot. Ges. Wien, xli. pp. 3, 32 (1891) ; Finot, Orth. France, p. 89 (1883) ; Faune France, Orth. pp. 174, 179 (1889) ; Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 35 (1894) ; Tümp. Geradfl. Mitteleuropas. pp. 222, 224, 256 (1900) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 323, 333, 365 (1902-3).

- *1. **I. Brasiliensis**, Brunn. Mon. Phan. Brazil.
pp. 59, 61. n. 1 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 32. n. 1 (1891) ; Giglio-Tos, l. c. p. 36 (1894).
2. **I. Schœnemanni**, Karsch, Ent. Nachr. Chili.
xv. p. 126 (1889) ; Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 33, 35. n. 18 (1891) ; Giglio-Tos, l. c. p. 36 (1894).
3. **I. Punctinervis**, Stål, (*Odontura* P.) Buenos
Eugenies Resa, Orth. p. 318. n. 53 Aires.
(1860).
I. Punctinervis, Brunn. Mon. Phan. pp. 59, 61. n. 2 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 33. n. 2 (1891) ; Giglio-Tos, l. c. p. 36 (1894).
4. **I. Borellii**, Giglio-Tos, l. c. p. 37 Argentina,
(1894). Paraguay.
5. **I. Hamata**, Giglio-Tos, l. c. (1894). Paraguay.
6. **I. Pulchella**, Giglio-Tos, l. c. (1894). id., Arg.
7. **I. Æquatorialis**, Giglio-Tos, l. c. xiii. Ecuador.
(311) p. 69 (1898).
8. **I. Straubei**, Fieb. (*Barbitistes* S.) Lotos. Asia Minor.
iii. p. 185. n. 12 (1853) ; Syn. Eur. Orth. p. 53. n. 12 (1854).
|| *I. Straubei*, Brunn. ll. cc. pp. 59, 62. n. 3 (1878) ; p. 33. n. 3 (1891) ; Jacobs. & Bianchi, l. c. pp. 333, 365 (1902-3).
9. **I. Pavelii**, Brunn. ll. cc. pp. 60, 62. n. 4 Turkey,
(1878) ; p. 33. n. 4 (1891). Asia Minor.
I. Pavelii, Brunn. Prodr. Eur. Orth. pp. 273, 275. n. 1 (1882) ; Jacobs. & Bianchi, l. c. pp. 333, 365 (1902-3).
10. **I. Modesta**, Friv. (*Odontura* M.) Értek. Hungary.
Termész. Kör. i. (12) p. 96. n. 6. pl. 3. ff. 1. 1 a-d (1867).

- I. Modesta*, Brunn. Mon. Phan. pp. 60, 63. n. 5 (1878); Prodr. Eur. Orth. pp. 274, 275. n. 2 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 33. n. 5 (1891); Jacobs. & Bianchi, l. c. pp. 333, 336 (1902-3).
11. **I. Modestior, Brunn.** Prodr. Eur. Orth. pp. 274, 276. n. 3 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 33, 36. n. 19 (1891); Jacobs. & Bianchi, l. c. pp. 333, 366 (1902-3). Servia,
Roumania.
12. **I. Costata, Brunn.** Mon. Phan. pp. 60, 64. n. 6, pl. 1. ff. 4 *a, b* (1878); Prodr. Eur. Orth. pp. 274, 276. n. 4 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 33. n. 6 (1891); Tümp. l. c. pp. 224, 256 (1900); Jacobs. & Bianchi, l. c. pp. 333, 366 (1902-3). Austria,
Hungary.
13. **I. Pyreneæ, Serv.** (*Barbitistes P.*) Ins. Orth. p. 481. n. 4 (1839). S. & Centr.
Europe,
W. Asia.
I. Pyreneæ, Fin. Faun. France, Orth. p. 180, pl. 9. f. 122 (1889); Jacobs. & Bianchi, l. c. pp. 334, 366 (1902-3).
Barbitistes Camptoxypha, Fieb. Lotos, iii. p. 185. n. 13 (1853); Syn. Eur. Orth. p. 53. n. 13 (1854).
Odontura Camptoxypha, Frie. l. c. p. 97. n. 7 (1867).
I. Camptoxypha, Brunn. Mon. Phan. pp. 60, 64. n. 8 (1878).
I. Camptoxypha, Brunn. Prodr. Eur. Orth. pp. 275, 280. n. 12, pl. 7. f. 62 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 33, 35. n. 8 (1891); Fin. Orth. France, p. 95 (1883); Tümp. l. c. pp. 224, 256 (1900).
I. Brunneri, Ret. Bull. Mosc. 1888, p. 410.
14. **I. Kraussii, Brunn.** Mon. Phan. pp. 60, 65. n. 9 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 35 (1891). Swabia.
I. Kraussi, Brunn. Prodr. Eur. Orth. pp. 275, 280. n. 13 (1882); Tümp. l. c. pp. 224, 256 (1900).
15. **I. Triangularis, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 33, 36. n. 20 (1891); Jacobs. & Bianchi, l. c. pp. 334, 366 (1902-3). Syria.

16. **I. Fusconotata, Brunn.** Prodr. Eur. Orth. pp. 275, 281. n. 14 (1882); Jacobs. & Bianchi, l. c. pp. 354, 366 (1902-3). Servia.
17. **I. Brevipennis, Brunn.** Mon. Phan. pp. 60, 66. n. 10 (1878); Prodr. Eur. Orth. pp. 275, 279. n. 11 (1882); Verh. zool.-bot. Ges. Wien. xli. p. 34. n. 10 (1891); Jacobs. & Bianchi, l. c. pp. 334, 367 (1902-3). Hungary.
18. **I. Bolivari, Kirb.** (n. n.). Asia Minor.
 || *I. Brunneri, Bol. (nec Ret.)* Ann. Soc. Ent. Belg. xliii. p. 598 (1899); Jacobs. & Bianchi, l. c. pp. 334, 367 (1902-3).
19. **I. Obtusa, Brunn.** Prodr. Eur. Orth. pp. 274, 279. n. 10 (1882); Verh. zool.-bot. Ges. Wien. xli. p. 36. n. 21 (1891); Jacobs. & Bianchi, l. c. pp. 334, 367 (1902-3). Bosnia, Servia, Roumania.
- *20. **I. Amplipennis, Brunn.** Mon. Phan. pp. 60, 68. n. 13 (1878); Prodr. Eur. Orth. pp. 274, 278. n. 9 (1882); Verh. zool.-bot. Ges. Wien. xli. p. 34. n. 13 (1891); Jacobs. & Bianchi, l. c. pp. 334, 367 (1902-3). Turkey, Asia Minor, Syria.
- *21. **I. Speciosa, Friv. (Odontura S.)** l. c. p. 98. n. 8, pl. 3. ff. 3, 3 a-c, 4 d (1867). Hungary, Servia.
I. Speciosa, Brunn. Mon. Phan. pp. 60, 66. n. 11 (1878); Prodr. Eur. Orth. pp. 274, 277. n. 6 (1882); Verh. zool.-bot. Ges. Wien. xli. p. 34. n. 11 (1891); Jacobs. & Bianchi, l. c. pp. 334, 368 (1902-3).
22. **I. Acuminata, Brunn.** ll. cc. pp. 60, 69. n. 15 (1878); pp. 274, 277. n. 7 (1882); p. 34. n. 15 (1891); Jacobs. & Bianchi, l. c. pp. 334, 368 (1902-3). Asia Minor, Roumania.
23. **I. Rodsjankoi, Bol.** l. c. p. 599 (1899); Jacobs. & Bianchi, l. c. pp. 334, 368 (1902-3). Asia Minor.
24. **I. Taurica, Brunn.** ll. cc. pp. 60, 64. n. 7 (1878); pp. 274, 276. n. 5 (1882); p. 34. n. 7 (1891); Ret. l. c. 1888, p. 409; Jacobs. & Bianchi, l. c. pp. 334, 338 (1902-3). Crimea.
25. **I. Rectipennis, Brunn.** ll. cc. pp. 60, 68. n. 14 (1878); pp. 274, 278. n. 8 (1882); p. 34. n. 14 (1891); Jacobs. & Bianchi, l. c. pp. 335, 369 (1902-3). Roumania, Asia Minor.

26. **I. Schneideri, Brunn.** Mon. Phan. pp. 60, 67. n. 12 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 34. n. 12 (1891); Schneid. Beitr. Kenntn. Kauk. p. 88 (1888); Jacobs. & Bianchi, l. c. pp. 335, 369 (1902-3). | Baku, Caucasus, Asia Minor.
27. **I. Festæ, Griff.** Boll. Mus. Torino, viii. (157) pp. 1, 2, fig. (1893). | Palestine.
28. **I. Savignyi, Brunn.** ll. cc. pp. 60, 70. n. 16 (1878); p. 34. n. 16 (1891); Bol. Rev. Biol. Nord France, v. p. 487 (1893); Jacobs. & Bianchi, l. c. pp. 335, 369 (1902-3). | W. Asia.
29. **I. Major, Brunn.** ll. cc. pp. 60, 70 n. 17 (1878); p. 34. n. 17 (1891); Jacobs. & Bianchi, l. c. pp. 335, 369 (1902-3). | Asia Minor, Cyprus.

Genus 474. **Odonturella.** (*Type* no. 1.)

Bol. Ann. Sci. Nat. Porto, vi. pp. 7, 8 (1900).

- *1. **O. Aspericauda, Ramb.** (*Odontura A.*) Spain, Faun. Andal. ii. p. 47. n. 2, pl. 5. f. 1 Portugal. (1839); Fisch. Orth. Eur. p. 231. n. 9, pl. 12. ff. 14, 14 a (1883); Bol. Ortópt. Españ. pp. 226, 227. n. 2, pl. 5. ff. 11, 11 a-c (1876); An. Soc. Españ. vi. pp. 308, 309, pl. 4. ff. 11, 11 a-c (1877); Brunn. Mon. Phan. pp. 72, 73. n. 2 (1878); Prodr. Eur. Orth. p. 282. n. 1 (1882).
Barbitistes Aspericauda, Fieb. Lotos, iv. p. 272. n. 9 (1854).
2. **O. Transfuga, Brunn.** (*Odontura T.*) Mon. Brazil. Phan. p. 72. n. 1 (1878).

Genus 475. **Odontura.** (*Type* no. 1.)

Ramb. Faune Andal. p. 44 (1839); Fisch. Orth. Eur. p. 223 (1853); Bol. Ortópt. Españ. pp. 175, 225 (1876); An. Soc. Españ. vi. pp. 257, 307 (1877); Ann. Sci. Nat. Porto, vi. pp. 7, 8 (1900); Brunn. Mon. Phan. pp. 13, 71 (1878); Prodr. Eur. Orth. pp. 246, 281 (1882).

- *1. **O. Glabricauda, Charp.** (*Barbitistes G.*) Spain, Hor. Ent. p. 101 (1825), larva. Portugal.
O. Glabricauda, Fisch. l. c. p. 234 (1853).

- O. Spinulicauda*, Ramb. l. c. p. 45. n. 1, pl. 5. ff. 2, 3 (1839); Fisch. l. c. p. 230. n. 8, pl. 12. ff. 13, 13 *a-d* (1853); Bol. Ortópt. Españ. p. 226. n. 1, pl. 6. ff. 4, 4 *a, b* (1876); An. Soc. Españ. p. 308. n. 1, pl. 5. ff. 4, 4 *a, b* (1877); Brunn. ll. cc. pp. 72, 73. n. 3 (1878); p. 282. n. 2 (1882).
- Barbitistes Spinulicauda*, Fieb. Lotos, iv. p. 271. n. 8 (1854).
- Barbitistes Charpentieri*, Fieb. l. c. iii. p. 186. n. 16 (1853); Syn. Eur. Orth. p. 54. n. 16 (1854).
- *2. **O. Stenoxypa**, Fieb. (*Barbitistes* S.) Sicily.
Lotos, iii. p. 187. n. 17 (1853); Syn. Eur. Orth. p. 55. n. 17 (1854).
O. Stenoxypa, Brunn. Mon. Phan. pp. 72, 74. n. 4, pl. 1. ff. 5, 5 *a, b* (1878).
O. Stenoxypa, Brunn. Prodr. Eur. Orth. pp. 282, 283. n. 3, pl. 8. f. 63 A, B (1882).
O. Pyrena, Fisch. (*nec Serv.*) l. c. p. 230. n. 7, pl. 12. ff. 12, 12 *a-c* (1853).
3. **O. Borrei**, Bol. Ann. Soc. Ent. Belg. Algeria.
xxi. p. 71 (1878).
- *4. **O. Algerica**, Brunn. Mon. Phan. pp. 72, id.
75. n. 5 (1878).
O. Spinulicauda, var., Fisch. l. c. p. 231 (1853).
5. **O. Quadridentata**, Krauss, Jahresh. Ver. id.
Württemb. xlix. p. xevi (1893); Zool. Jahrb. Syst. ix. p. 544, pl. 7. f. 9 (1896).
O. Terniensis, Finot, Bull. Soc. Ent. France. 1893. p. xxx.
- **6. **O. Capensis**, Walk. Cat. Derm. Salt. S. Africa.
B. M. ii. p. 242. n. 17 (1869).

Genus 476. **Pseudisotima.**

Schindl. Ann. Mus. Genova, xxxix. p. 199 (1898).

1. **P. Punctata**, Schindl. l. c. pl. 2. f. 13 | Somali.
(1898).

Genus 477. **Dichopetala.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 13, 76 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 4 (1891).

- | | |
|---|---------|
| 1. D. Mexicana , Brunn. Mon. Phan. pp. 76, | Mexico. |
| 77. n. 1, pl. 1. f. 6 (1878). | |
| *2. D. Emarginata , Brunn. l. c. pp. 76, 77. | Texas. |
| n. 2 (1878). | |
| 3. D. Brevihastata , Morse, Psyche, ix. | Mexico, |
| p. 381 (1902). | New |
| <i>D. Breicauda</i> , Scudd. (<i>nec</i> 1900) Proc. | Mexico. |
| Davenport Acad. Sci. ix. p. 51, pl. 4. f. 1 | |
| (1902). | |

Genus 478. **Epiphlebus.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 325 (1896).

- | | |
|---|---------|
| 1. E. Crypterius , Karsch, l. c. (1896) ; | Somali. |
| Schindl. Ann. Mus. Genova, xxxix. | |
| pp. 197, 198. n. 2 (1898). | |
| 2. E. Ruspolii , Schindl. l. c. p. 197. n. 1 | id. |
| (1898). | |

Genus 479. **Peropyrrhicia.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 4, 37 (1891).

- | | |
|---|------------|
| 1. P. Massaiaë , Borm. (<i>Dichopetala</i> M.) | Abyssinia. |
| Ann. Mus. Genova, xvi. p. 218. n. 1, fig. | |
| (1880). | |
| <i>P. Massaiaë</i> , Brunn. l. c. p. 37 (1891). | |
| 2. P. Maculata , Schindl. (<i>Peropyrrhicia</i> | Somali. |
| M.) Ann. Mus. Genova, xxxix. p. 198, | |
| pl. 2. ff. 12, 12 a (1898). | |

Genus 480. **Angara.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 4, 37 (1891).

- | | |
|--|---------|
| 1. A. Albofasciata , Brunn. l. c. p. 38, pl. 1. | Brazil. |
| f. 1 (1891). | |

Genus 481. **Leptophyes.** (*Type* no. 5.)

Fieb. Lotos, iii. p. 174 (1853); Syn. Eur. Orth. p. 50 (1854);
 Brunn. Mon. Phan. pp. 13, 78 (1878); Prodr. Eur. Orth.
 pp. 246, 284 (1882); Verh. zool.-bot. Ges. Wien, xli.
 pp. 4, 38 (1891); Finot, Orth. France, p. 89 (1883);
 Faune France, Orth. p. 180 (1889); Burr, Brit. Orth.
 p. 50 (1897); Auriv. Ent. Tidskr. xxi. pp. 249, 251
 (1900); Tümp. Geradfl. Mitteleuropas, pp. 222, 224, 258
 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp.
 pp. 323, 335, 370 (1902-3).

|| *Ephippigera*, Steph. (*nee* Latr.) Ill. Brit. Ent., Mandib. vi.
 p. 11 (1835).

- *1. **L. Laticauda**, Friv. (*Odontura* L., ♂ *nee* ♀) Érték. Termész. Kör. i. (12) p. 102.
 n. 11, pl. 4. ff. 1, 1 c (1867).
L. Laticauda, Brunn. ll. cc. pp. 78, 79. n. 1
 (1878); p. 284. n. 1 (1882); p. 38 (1891);
 Tümp. l. c. pp. 224, 258 (1900); Jacobs.
 & Bianchi, l. c. pp. 335, 370 (1902-3).
Barbitistes Rupicosta, Frey-Gessner, Mitth.
 Schweiz. ent. Ges. iv. p. 19, pl. 1. f. 2
 (1872).
 2. **L. Festæ, Giglio-Tos**, Boll. Mus. Torino, Lebanon.
 viii. (164) p. 12, pl. 1. f. 5 (1893).
L. Festæ, Jacobs. & Bianchi, l. c. pp. 335,
 371 (1902-3).
 3. **L. Angusticauda**, Brunn. Verh. zool.- Cashmir.
 bot. Ges. Wien, xli. p. 38. n. 7 (1891);
 Jacobs. & Bianchi, l. c. pp. 335, 371
 (1902-3).
 *4. **L. Punctatissima**, Bosc, (*Lorusta* P.) Centr.
 Actes Soc. d'Hist. Nat. Paris, i. p. 44, Europe,
 pl. 10. ff. 5, 6 (1792). S.E. Europe,
Barbitistes Punctatissima, Serr. Ins. Orth. Italy,
 p. 480. n. 3 (1839); Borek, Skand. Rätv., Palestine.
 Ins. p. 66, pl. 3. f. 1 b (1848).
Odontura Punctatissima, Fisch. Orth. Eur.
 p. 232. n. 10, pl. 12. ff. 15, 15 a-d, 15*
 (1853).
L. Punctatissima, Brunn. Mon. Phan. pp. 78,
 80. n. 2 (1878); Prodr. Eur. Orth. pp. 284,
 285. n. 2 (1882); Finot. ll. cc. p. 97
 (1883); p. 180, pl. 9. f. 123 (1889);
 Burr, l. c. p. 50, pl. 4. f. 8 (1897);
 Auriv. l. c. p. 251. n. 1. f. 3 (1900);

- Tümp. l. c. pp. 224, 258 (1900) ; Jacobs. & Bianchi, l. c. pp. 335, 371 (1902-3).
Locusta Autumnalis, Hagenb. Symb. Faun. Ins. Helvet. p. 25, f. 14 (1822).
Locusta Autumnalis, Wesm. Bull. Acad. Brux. v. p. 594. n. 5 (1838).
Barbitistes Autumnalis, Charp. Hor. Ent. p. 102 (1825) ; Brullé, Hist. Nat. Ins. ix. p. 155, pl. 15. f. 3 (1835) ; Fieb. Lotos, iii. p. 186. n. 14 (1853), iv. p. 272. n. 14 (1854) ; Syn. Eur. Orth. p. 54. n. 14 (1854).
Ephippigera Virescens, Steph. l. c. p. 11. n. 1 (1835).
Barbitistes Glabricaula, Borek, l. c. p. 65. n. 1, pl. 3. f. 1 (1848), larva.
 Var. *Acrida Standishi*, Dale, Entom. M. Mag. xxvi. p. 175 (1890).
- *5. **L. Albovittata**, Koll. (*Barbitistes Albovittatus*) Beitr. Landesk. Oesterr. iii. p. 76 (1833).
Odontura Albovittata, Fisch. l. c. p. 233. n. 11, pl. 12. ff. 16, 16 a-c (1853) ; Friv. l. c. p. 104. n. 13, pl. 4. ff. 2, 2 a, b (1867).
L. Albovittata, Brunn. ll. cc. pp. 78, 81. n. 3 (1878) ; pp. 284, 286. n. 3 (1882) ; Auriv. l. c. p. 251. n. 2 (1900) ; Tümp. l. c. pp. 224, 258 (1900) ; Jacobs. & Bianchi, l. c. pp. 335, 371 (1902-3).
 || *L. Punctatissima*, Fieb. (nec Bose) Lotos, iii. p. 174. n. 1, p. 260 (1853) ; Syn. Eur. Orth. p. 50. n. 1, p. 77 (1854).
Barbitistes Vittata, Fisch.-Waldh. Orth. Ross. p. 359. n. 2, pl. 33. f. 7 (1846).
Odontura Vittata, Fisch. l. c. p. 234, pl. 12. f. 18 (1853).
Barbitistes Vittatus, Fieb. Lotos, iv. p. 272. n. 21 (1854).
L. Vittata, Brunn. Mon. Phan. pp. 79, 83. n. 6 (1878).
Barbitistes Follicaula, Fisch.-Waldh. l. c. p. 359. n. 3, pl. 33. ff. 9, 10 (1846).
- *6. **L. Boscii**, Brunn. l. c. pp. 79, 82. n. 4 (1878).
L. Bosci, Brunn. Prodr. Eur. Orth. pp. 284, 287, pl. 8. f. 64 (1882) ; Tümp. l. c.

Centr. &
E. Europe.

Austria,
Hungary,
Istria,
Croatia,

- pp. 224, 259, pl. 21 (1900); Jacobs. & Bianchi, l. c. pp. 335, 372, pl. 8 (1902-3).
Odontura Boscii, *Friv.* l. c. p. 105. n. 14 (1867).
 *7. **L. Discoidalis**, *Friv.* (*Odontura D.*) l. c. p. 103. n. 12, pl. 2. ff. 4, 4 a-c (1867). Hungary, Transylvania, Servia.
L. Discoidalis, *Brunn.* Mon. Phan. pp. 79, 83. n. 5, pl. 1. f. 7 a, b (1878); *Prodr.* Eur. Orth. pp. 284, 288. n. 5 (1882); Jacobs. & Bianchi, l. c. pp. 335, 372 (1902-3).
 8. **L. Antinorii**, *Borm.* Ann. Mus. Genova, xvi. p. 217. n. 1 (1880); *Brunn.* Verh. zool.-bot. Ges. Wien, xli. p. 39 (1891). Shoa.

Genus 482. **Xenica**. (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 39 (1891).

1. **X. Dohrni**, *Brunn.* l. c. p. 40. n. 1 (1891). Brazil.
 2. **X. Superba**, *Brunn.* l. c. n. 2 (1891). id.
Xenia Superba, *Brunn.* l. c. pl. 1. f. 2 (1891).

Genus 483. **Peronura**. (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 421, 426 (1888);
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 5, 42 (1891);
Schindl. Ann. Mus. Genova, xxxix. p. 200 (1898).

- *1. **P. Clavigera**, *Karsch*, l. c. pp. 427, 428. pl. 4. f. 2 (1888); *Brunn.* l. c. p. 42. n. 1 (1891); *Schindl.* l. c. p. 200 (1898). Mombasa.
 2. **P. Nomina**, *Karsch*, Stettin. Ent. Zeit. lvii. p. 327 (1896). E. Africa.
 *3. **P. Hildebrandtiana**, *Karsch*, Berlin. Ent. Zeitschr. xxxii. p. 427. pl. 4. f. 3 (1888); *Brunn.* l. c. pp. 42, 43. n. 2 (1891). Mombasa.
 4. **P. Somali**, *Schindl.* l. c. p. 200. n. 1 (1898). Somali.
 5. **P. Rivæ**, *Schindl.* l. c. pp. 200, 201. n. 2 (1898). id.

Genus 484. **Plegmatoptera.** (*Type* no. 2.)

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 422, 429 (1888);
 Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 5, 43 (1891).

- | | |
|---|-------------------------------|
| <p>*1. P. Grallatoria, Stål, (<i>Phaneroptera</i> (?)
 <i>G.</i>) Öfv. Vet.-Akad. Förh. xiii. p. 170.
 n. 2 (1856).
 <i>Horatosphaga Grallatoria</i>, Stål, Rec. Orth.
 ii. p. 25. n. 1 (1874); Brunn. Mon. Phan.
 p. 88. n. 2 (1878).</p> | <p>Natal,
 Caffraria.</p> |
| <p>*2. P. Reticulata, Karsch, l. c. p. 429, pl. 4.
 f. 4 <i>a</i>, <i>b</i> (1888); Brunn. Verh. zool.-bot.
 Ges. Wien, xli. pp. 43, 44. n. 2 (1891).</p> | <p>Tanganyika</p> |
| <p>3. P. Hoehneli, Brunn. l. c. pp. 43, 44. n. 3,
 pl. 1. f. 4 (1891).</p> | <p>Kilima-
 njaro.</p> |

Genus 485. **Pachypyga.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 124 (1893).

- | | |
|---|--------------------------------|
| <p>1. P. Inclusa, Karsch, l. c. p. 125, figs.
 (1893).</p> | <p>W. Africa :
 Adeli.</p> |
|---|--------------------------------|

Genus 486. **Rhegmatopoda.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 5, 44 (1891).

- | | |
|--|---|
| <p>1. R. Leptocerca, Stål, (<i>Horatosphaga</i> L.)
 Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 59.
 n. 1 (1876); Brunn. Mon. Phan. pp. 88,
 89. n. 3, pl. 1. ff. 9, 9 <i>a-c</i> (1878).</p> | <p>Damara,
 Grahams-
 town.</p> |
| <p>2. R. Peeli, Burr, Proc. Zool. Soc. Lond.
 1900, p. 44, pl. 2. f. 1.</p> | <p>Somali.</p> |

Genus 487. **Horatosphaga.**

Schaum, Ber. Akad. Berlin, 1853, p. 777; Peters' Reise
Mossamb. v. p. 124 (1862); Brunn. Mon. Phan. pp. 14, 87
(1878); Verh. zool.-bot. Ges. Wien, xli. p. 5 (1891).

1. **H. Serrifera**, **Schaum**, ll. cc. p. 777 (1853); p. 125, pl. 7. f. 10 (1862); Brunn. Mon. Phan. p. 88. n. 1, pl. 1. f. 9 c (1878). Mozambique.

Genus 488. **Acrometopa**. (*Type* no. 1.)

Fieb. Lotos, iii. p. 172 (1853); Syn. Eur. Orth. p. 48 (1854); Stål, Recens. Orth. ii. p. 10 (1874); Brunn. Mon. Phan. pp. 14, 85 (1878); Prodr. Eur. Orth. pp. 246, 289 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 5 (1891); Tümp. Geradfl. Mitteleuropas, pp. 221, 223, 255 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 324, 335, 372 (1902-3).

- *1. **A. Macropoda**, **Burm.** (*Phaneroptera* M.) Handb. Ent. ii. p. 689. n. 4 (1838); Charp. Orth. pls. 19, 20 (1845); Fisch. Orth. Eur. p. 237. n. 1 (1853). Italy, Sicily, Istria, Croatia, Dalmatia, Herzegovina.
A. Macropoda, Fieb. ll. cc. p. 172. n. 1 (1853); p. 48. n. 1 (1854); Brunn. Mon. Phan. pp. 85, 86. n. 1, pl. 1. ff. 8, 8 a-c (1878); Prodr. Eur. Orth. p. 289. n. 1 (1882); Krauss, Sitz. Akad. Wiss. Wien, lxxviii. (1) p. 501. n. 69 (1879); Tümp. l. c. pp. 223, 255, pl. 21 (1900); Jacobs. & Bianchi, l. c. pp. 335, 373, pl. 8 (1902-3).
Phaneroptera Dalmatina, Serr. Ins. Orth. p. 415. n. 2 (1839).
2. **A. Servillea**, **Brullé** (*Phaneroptera* S.) Expéd. Sci. de Morée, iii. (1) p. 86. n. 53. pl. 30. f. 1 (1832). Greece, Turkey, Asia Minor.
A. Servillea, Brunn. ll. cc. pp. 85, 86. n. 2 (1878); pp. 289, 290. n. 2, pl. 8. f. 65 (1882); Jacobs. & Bianchi, l. c. pp. 336, 373 (1902-3).
- *3. **A. Syriaca**, **Brunn.** Mon. Phan. pp. 85, 87. n. 3 (1878); Jacobs. & Bianchi, l. c. pp. 336, 373 (1902-3). Asia Minor, Syria.
 [Sav. Descr. Egypte, pl. 4. ff. 8, 10.]
4. **A. Festæ**, **Giglio-Tos**, Boll. Mus. Torino, viii. (164) p. 13, pl. 1. f. 3 (1893). Syria, Lebanon.
A. Festæ, Jacobs. & Bianchi, l. c. p. 373 (1903).

Genus 489. **Noia.**

Walk. Cat. Derm. Salt. B. M. iii. p. 475 (1870).

- **1. **N. Testacea**, Walk. l. c. p. 476. n. 1 | India.
(1870).

Genus 490. **Conchotopoda.** (*Type* no. 1.)

Karsch, Ent. Nachr. xiii. p. 44 (1887) ; Berlin. Ent. Zeitschr. xxxii. pp. 421, 428 (1888) ; Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 5, 45 (1891).

- | | |
|--|------------------|
| 1. C. Belcki , Karsch, ll. cc. p. 45 (1887) ; | Damara-
land. |
| p. 428 (1888) ; Brunn. l. c. p. 45 (1891). | |
| 2. C. Stuhlmanni , Karsch, Stett. Ent. Zeitschr. lvii. p. 329. n. 95 (1896) ; | E. Africa. |
| Schindl. Ann. Mus. Genova, xxxix. p. 203. n. 1 (1898). | |
| 3. C. Ruspolii , Schindl. l. c. p. 204. n. 2, | Somali. |
| pl. 2. f. 14 (1898). | |

Genus 491. **Euthyphlebia.**

Schindl. Ann. Mus. Genova, xxxix. p. 204 (1898).

1. **E. Parallela**, Schindl. l. c. p. 205. n. 1 | Somali.
(1898).

Genus 492. **Pantolepta.**

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 422, 429 (1888) ;
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 5, 50 (1891).

- *1. **P. Heteromorpha**, Karsch, l. c. p. 430, | Mombasa.
pl. 4. ff. 5, 5 a, b (1888) ; Brunn. l. c.
p. 51 (1891).

Genus 493. **Elimæa.** (*Type* no. 23.)

Stål, Recens. Orth. ii. pp. 11, 27 (1874) ; Brunn. Mon. Phan.
pp. 14, 90 (1878) ; Verh. zool.-bot. Ges. Wien, xli. pp. 5,
45 (1891).

- **1. **E. Insignis, Walk.** (*Phaneroptera I.*) India.
 Cat. Derm. Salt. B. M. ii. p. 344. n. 37
 (1869).
E. Annulata, Brunn. ll. cc. pp. 91, 92,
 pl. 1. f. 10 *a-d* (1878); pp. 46, 47. n. 1
 (1891).
2. **E. Inversa, Brunn.** Verh. zool.-bot. Ges. Celebes.
 Wien, xli. pp. 46, 48. n. 17 (1891).
- **3. **E. Melanocantha, Walk.** (*Phanero- Ceylon.*
ptera M.) l. c. p. 341. n. 32 (1869).
E. Flavolineata, Brunn. Mon. Phan. pp. 91,
 93. n. 2 (1878); Verh. zool.-bot. Ges.
 Wien, xli. p. 46. n. 2 (1891).
4. **E. Rufonotata, Serv.** (*Phaneroptera R.*) Bombay.
 Ins. Orth. p. 416. n. 4 (1839).
- **5. **E. Diversa, Walk.** (*Phaneroptera D.*) N. India,
 l. c. p. 346. n. 39 (1869). Ceylon.
E. Securigera, Brunn. ll. cc. pp. 91, 93.
 n. 3 (1878); pp. 46, 47. n. 3 (1891).
- **6. **E. Lanceolata, Walk.** (*Steirodon Lan- India,*
ceolatum) Ann. Nat. Hist. (3) iv. p. 222 Ceylon.
 (1859).
 || *Phaneroptera Rufonotata, Walk. (nec Serv.)*
 Cat. Derm. Salt. B. M. ii. p. 340. n. 26
 (1869).
E. Carinata, Brunn. ll. cc. pp. 91, 94. n. 4
 (1878); pp. 46, 47. n. 4 (1891).
7. **E. Macra, Serv.** (*Phaneroptera M.*) l. c. Hab. — ?
 p. 417. n. 5 (1839).
8. **E. Verrucosa, Brunn.** ll. cc. pp. 91, 95. Hab. — ?
 n. 5 (1878); p. 46. n. 5 (1891).
9. **E. Nigrosignata, Bol.** Ann. Soc. Ent. S. India.
 France, lxviii. p. 762 (1900).
10. **E. Poæfolia, Haan,** (*Locusta (Phanero- Java,*
ptera P.) Temminck, Verhandel. Orth. Sumatra,
 p. 192. n. 3 (1842). Borneo.
E. Porjolia, Brunn. ll. cc. pp. 91, 95.
 n. 6, pl. 1. f. 10 *e, f* (1878); p. 46. n. 6
 (1891).
11. **E. Spinigera, Brunn.** ll. cc. pp. 91, 96. Singapore.
 n. 7 (1878); p. 46. n. 7 (1891).
12. **E. Minor, Brunn.** Verh. zool.-bot. Ges. Java.
 Wien, xli. pp. 46, 48. n. 18 (1891).
13. **E. Marmorata, Brunn.** Mon. Phan. Sumatra.
 pp. 91, 97. n. 8 (1878); p. 46. n. 8
 (1891).

14. **E. Femorata**, **Brunn.** ll. cc. pp. 91, 97. Borneo.
n. 9 (1878) ; p. 46. n. 9 (1891).
- *15. **E. Bidentata**, **Brunn.** ll. cc. pp. 91, 98. Malabar,
n. 11 (1878) ; p. 46. n. 11 (1891). Singapore.
- **16. **E. Notabilis**, **Walk.** (*Phaneroptera N.*) Silhet.
l. c. ii. p. 345. n. 38 (1869).
- *17. **E. Parumpunctata**, **Serv.** (*Phaneroptera P.*) l. c. p. 418. n. 8 (1839). Silhet,
Locusta (*Phaneroptera*) *Parumpunctata*, Philippines,
Haan, l. c. pp. 190, 192. n. 4 (1842). Java.
E. Parumpunctata, **Brunn.** ll. cc. pp. 91,
98. n. 10 (1878) ; pp. 47, 48. n. 10
(1891).
- ***Phaneroptera Aliena*, **Walk.** l. c. p. 347.
n. 40 (1869).
18. **E. Longicercata**, **Brunn.** Verh. zool.- Borneo.
bot. Ges. Wien, xli. pp. 47, 49. n. 19
(1891).
19. **E. Roseoalata**, **Brunn.** ll. cc. n. 20 Sumatra.
(1891).
20. **E. Curvicercata**, **Brunn.** l. c. pp. 47, Java.
50. n. 21 (1891).
21. **E. Signata**, **Brunn.** Mon. Phan. pp. 92, Singapore.
99. n. 12 (1878).
- *22. **E. Chloris**, **Haan**, (*Locusta* (*Phaneroptera C.*) l. c. pp. 190, 192. n. 2 (1842). Java.
E. Chloris, **Brunn.** l. c. pp. 92, 100. n. 13
(1878).
- *23. **E. Subcarinata**, **Stål**, (*Phaneroptera S.*) Hong
Eugenies Resa, p. 319. n. 56 (1860). Kong.
E. Subcarinata, **Stål**, Recens. Orth. ii. p. 27.
n. 1 (1874).
- **24. **E. Punctifera**, **Walk.** (*Phaneroptera P.*) India,
l. c. p. 342. n. 34 (1869). Burma,
E. Appendiculata, **Brunn.** l. c. pp. 92, 101. Malacca,
n. 14 (1878). Java.
25. **E. Rosea**, **Brunn.** l. c. pp. 92, 112. n. 15 Borneo.
(1878).
26. **E. Triticifolia**, **Haan**, (*Locusta* (*Phaneroptera T.*) l. c. pp. 190, 192. n. 6 id.
(1842).
E. Triticifolia, **Brunn.** l. c. pp. 92, 102.
n. 16 (1878).
27. **E. Caricifolia**, **Haan**, (*Locusta* (*Phaneroptera C.*) l. c. pp. 191, 193. n. 12 id.
(1842).

Genus 494. **Ectadia.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 14, 103 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 6 (1891); Jacobs. & Bianchi, Prem. i Lozlm. Ross. Imp. pp. 324, 336, 373 (1902-3).

- | | |
|--|----------|
| 1. E. Pilosa , Brunn. Mon. Phan. p. 103.
n. 1, pl. 1. f. 11 (1878); Jacobs. &
Bianchi, l. c. p. 373 (1902-3). | Kashmir. |
| 2. E. Fulva , Brunn. Ann. Mus. Genova,
xxxiii. p. 167. n. 1 (1893). | Burma. |
| 3. E. Abbreviata , Brunn. l. c. n. 2, pl. 5.
f. 58 (1893). | id. |

Genus 495. **Hemielimæa.**

Brunn. Mon. Phan. pp. 14, 103 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 6, 51 (1891).

- | | |
|--|--------|
| 1. H. Chinensis , Brunn. ll. cc. p. 104. n. 1,
pl. 1. f. 12 <i>a</i> , <i>b</i> (1878); p. 51. n. 1
(1891). | China. |
|--|--------|

Genus 496. **Anisotochra.**

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 422, 430 (1888).

- | | |
|---|------------|
| 1. A. Gracilipes , Karsch, l. c. p. 431
(1888).
<i>Hemielimæa Gracilipes</i> , Brunn. Verh. zool.-
bot. Ges. Wien, xli. p. 51. n. 2 (1891). | W. Africa. |
|---|------------|

Genus 497. **Exora.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 14, 105 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 6, 52 (1891).

- | | |
|---|----------|
| 1. E. Deflorita , Brunn. ll. cc. p. 105. n. 1,
pl. 1. f. 13 (1878); p. 52. n. 1 (1891). | Ceylon. |
| 2. E. Dohrni , Brunn. Verh. zool.-bot. Ges.
Wien, xli. p. 52. n. 2 (1891). | Sumatra. |

Genus 498. **Mirollia.**

Stål, Œfvr. Vet.-Akad. Förh. xxx. (4) p. 42 (1873); Recens. Orth. ii. p. 12 (1874); Brunn. Mon. Phan. pp. 14, 106 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 6 (1891).

- | | |
|---|-------|
| 1. M. Carinata, Haan, (<i>Locusta</i> (<i>Phylloptera</i>) C.) Temminck, Verhandel., Orth. pp. 196, 199. n. 17 (1842).
<i>Phaneroptera Carinata</i> , Stål, Eugenes Resa, Orth. p. 321. n. 59 (1860).
<i>M. Carinata</i> , Stål, Recens. Orth. ii. p. 27. n. 1 (1874); Brunn. Mon. Phan. p. 107. n. 1, pl. 1. f. 14a-c (1878); Dohrn, Stettin. Ent. Zeit. liii. p. 66 (1892). | Java. |
|---|-------|

Genus 499. **Pseudophaneroptera.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 14, 107 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 6, 52 (1891).

- | | |
|---|----------|
| 1. P. Turbida, Brunn. ll. cc. p. 108. n. 1, pl. 1. f. 15 (1878); p. 52. n. 1 (1891). | Ceylon. |
| 2. P. Major, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 52, 53. n. 2 (1891). | Sumatra. |

Genus 500. **Ducetia.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 11 (1874); Brunn. Mon. Phan. pp. 15, 108 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 6, 53 (1891); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 324, 336, 374 (1902-3).

- | | |
|---|---|
| *1. D. Thymifolia, Fabr. (<i>Locusta</i> T.) Syst. Ent. p. 283. n. 5 (1775).
<i>Locusta Japonica</i> , Thunb. Mém. Acad. Pétersh. v. p. 282 (1815).
<i>D. Japonica</i> , Stål, l. c. p. 26. n. 1 (1874); Brunn. ll. cc. pp. 109, 110. n. 1, pl. 1. f. 16a-c (1878); p. 53. n. 1 (1891); Jacobs. & Bianchi, l. c. pp. 336, 374 (1902-3).
<i>Locusta</i> (<i>Phaneroptera</i>) <i>Quinquenervis</i> , Haan, Verhandel., Orth. pp. 191, 193. n. 9 (1842). | India, 
Ceylon,
Cambodia,
Japan,
Java,
Borneo,
Philip-
pines,
Australia. |
| ** <i>Phaneroptera Neochlora</i> , Walk. Cat. Derm. Salt. B. M. ii. p. 342. n. 23 (1869). | |

* *Thymifolia* does not come here at all, as I have seen the type. The *japonica* is to be used.

- **Phaneroptera Privata**, Walk. l. c. p. 344.
n. 36 (1869).
2. **D. Cruciata**, Brunn. Verh. zool.-bot. Cambodia.
Ges. Wien, xli. p. 53. n. 5 (1891).
3. **D. Adspersa**, Brunn. Mon. Phan. pp. 109, Manila.
110. n. 2 (1878).
4. **D. Ceylanica**, Brunn. l. c. pp. 109, 111. Ceylon.
n. 3 (1878).
5. **D. Punctipennis**, Gerst. (*Phaneroptera* Zanzibar.
P.) Arch. Naturg. xxxv. p. 215. n. 46
(1869); Decken's Reise Ost-Afrika, iii.
(2) p. 31 (1883).
D. Punctipennis, Brunn. l. c. pp. 110, 111
n. 4 (1878).

Genus 501. **Isotima**. (*Type* no. 1.)

Brunn. Mon. Phan. pp. 15, 112 (1878); Verh. zool.-bot. Ges.
Wien, xli. pp. 6, 54 (1891).
Paura, Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 422, 439
(1888).

1. **I. Rufomarginata**, Brunn. ll. cc. p. 113. Himalaya.
n. 1, pl. 2. f. 17 *a, b* (1878); p. 54. n. 1
(1891).
2. **I. Chinensis**, Brunn. ll. cc. p. 113. n. 2 China.
(1878); p. 54. n. 2 (1891).
3. **I. Javanica**, Brunn. Verh. zool.-bot. Ges. Java.
Wien, xli. p. 54. n. 3 (1891).
4. **I. Biramosa**, Karsch, (*Paura B.*) l. c. Usambara.
p. 439, pl. 4. f. 6 (1888).
5. **I. Reticulosa**, Karsch, (*Paura R.*) l. c. Mombasa.
p. 440, pl. 4. f. 7 (1888).

Genus 502. **Letana**. (*Type* no. 5.)

Walk. Cat. Derm. Salt. B. M. ii. p. 277 (1869).
Pyrrhicia, Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 43 (1873);
Recens. Orth. ii. p. 11 (1874); Brunn. Mon. Phan.
pp. 15, 114 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 6
(1891). (*Type* no. 1.)
Pyrrhicia, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 55 (1891).

- | | |
|--|---------------|
| 1. L. Rubescens, Stål , (<i>Phaneroptera R.</i>)
Eugenies Resa, Orth. p. 319. n. 55
(1860).
<i>Pyrrhicia Rubescens. Stål</i> , Recens. Orth. ii.
p. 26. n. 1 (1874) ; Brunn. Mon. Phan.
p. 115. n. 1 (1878). | Hong
Kong. |
| 2. L. Atomifera, Brunn. (<i>Pyrrhicia A.</i>)
l. c. n. 2 (1878). | Calcutta. |
| 3. L. Connata, Brunn. (<i>Pyrrhicia C.</i>) l. c.
pp. 115, 116. n. 3 (1878). | India. |
| 4. L. Inflata, Brunn. (<i>Pyrrhicia I.</i>) ll. cc.
n. 4 (1878). | Ceylon. |
| **5. L. Linearis, Walk. l. c. p. 278. n. 1
(1869).
<i>Pyrrhicia Nigrorittata, Brunn.</i> l. c. pp. 115,
117. n. 5, pl. 2. f. 18 <i>a, b</i> (1878). | N. India. |
| 6. L. Despecta, Brunn. (<i>Pyrrhicia D.</i>) ll. cc.
n. 6 (1878). | China. |
| 7. L. Breviceaudata, Brunn. (<i>Pyrrhicia B.</i>)
Ann. Mus. Genova, xxxiii. p. 168. n. 1
(1893). | Burma. |
| 8. L. Brunneri, Krausze , (<i>Pyrrhicia B.</i>)
Insekten-Börse, 1904, p. 29. | Tonkin. |
| **9. L. (?) Nigrosparsa, Walk. (<i>Phanero-
ptera N.</i>) l. c. v. Suppl. p. 39 (1871). | Bombay. |
| 10. L. Zanzibarica, Brunn. (<i>Pyrrhicia Z.</i>)
Verh. zool.-bot. Ges. Wien, xli. p. 55
(1891). | Zanzibar. |

Genus 503. **Ladnea.**

Walk. Cat. Derm. Salt. B. M. ii. p. 279 (1869).

- | | |
|---|-----------|
| **1. L. Punctipes, Walk. l. c. p. 280. n. 1
(1869). | N. India. |
|---|-----------|

Genus 504. **Himerta.** (*Type no. 1.*)Brunn. Mon. Phan. pp. 15, 118 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 6, 55 (1891).

- | | |
|--|--------|
| 1. H. Marginata, Brunn. ll. cc. p. 118.
n. 1, pl. 2. f. 19 <i>a, b</i> (1878) ; p. 56. n. 1
(1891). | India. |
|--|--------|

2. **H. Marmorata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 56. n. 2 (1891). Ceylon.
3. **H. Pallida, Brunn.** l. c. pp. 56, 57. n. 3 (1891). id.
4. **H. Odonturæformis, Brunn.** ll. cc. n. 4 (1891). India (?).
5. **H. Feana, Griff.** Ann. Mus. Genova, xlii. p. 380 (1906). French Congo.

Genus 505. **Dithela.**

Karsch, Ent. Nachr. xvi. p. 354 (1890).

1. **D. Rectiloba, Karsch,** l. c. p. 355. n. 2, f. 1 (1890). Barombi.

Genus 506. **Macedna.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 208 (1891).

1. **M. Martini, Karsch,** l. c. p. 210. n. 9, fig. (1891). Sumatra.

Genus 507. **Niphella.**

Bol. Ann. Soc. Ent. France, lxviii. p. 763 (1900).

1. **N. Pulchra, Bol.** l. c. p. 764, pl. 10. f. 10 (1900). Madura.

Genus 508. **Tetana.**

Brunn. Mon. Phan. pp. 15, 119 (1878) ;
 Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

1. **T. Grisea, Brunn.** Mon. Phan. p. 120. n. 1, pl. 2. f. 20 *a, b* (1878). Chile.

Genus 509. **Pseudoburgilis.**

Brunn. Mon. Phan. pp. 16, 120 (1878) ;
 Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

1. **P. Rosea, Brunn.** l. c. p. 121. n. 1, pl. 2. f. 20* (1878). Brazil.

Genus 510. **Burgilis.**

Stål, Œfvy. Vet.-Akad. Förh. xxx. (4) p. 41 (1873); Recens. Orth. ii. pp. 9, 25 (1873); Brunn. Mon. Phan. pp. 16, 121 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

- | | |
|--|---------------|
| 1. B. Curta, Serv. (<i>Phaneroptera C.</i>) Ins. | Buenos Aires. |
| Orth. p. 417. n. 6 (1839). | |
| <i>B. Curta</i> , Brunn. Mon. Phan. p. 122. n. 1, pl. 2. f. 21 <i>a, b</i> (1878). | |

Genus 511. **Coryphoda.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 16, 122 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 16, 122 (1891).

- | | |
|--|--------|
| 1. C. Albicans, Brunn. Mon. Phan. p. 123. | Chile. |
| n. 1, pl. 2. f. 22 <i>a-d</i> (1878). | |
| 2. C. Albidicollis, Blanch. (<i>Phaneroptera A.</i>) Gay, Hist. Chil., Zool. vi. p. 50 (1852); Phil. Zeitschr. ges. Naturw. xxi. p. 234 (1863). | id. |

Genus 512. **Aniara.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 16, 123 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 7, 58 (1891).

- | | |
|--|-------------------------------|
| 1. A. Typica, Brunn. ll. cc. p. 124. n. 1 | Brazil. |
| (1878); p. 58. n. 1 (1891). | |
| 2. A. Punctulata, Brunn. ll. cc. p. 124. n. 2, pl. 2. f. 23 (1878); p. 58. n. 2 (1891). | id. |
| 3. A. Proxima, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 58. n. 3 (1891); (?) Caud. Proc. U.S. Nat. Mus. xxx. p. 235. n. 2 (1906). | id.,
Paraguay
(eadem?). |

Genus 513. **Hyperophora.** (*Type* no. 4.)

Brunn. Mon. Phan. pp. 16, 125 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 7, 58 (1891).

- | | |
|--|---------|
| 1. H. Brasiliensis, Brunn. ll. cc. p. 126. n. 1 (1878); p. 58. n. 1 (1891). | Brazil. |
|--|---------|

- | | |
|--|---------------|
| 2. H. Angustipennis, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 59. n. 3 (1891). | Argentina. |
| 3. H. Minor, Brunn. l. c. n. 4 (1891). | id., Parag. |
| *4. H. Major, Brunn. Mon. Phan. p. 126. n. 2, pl. 2. f. 24 <i>a, b</i> (1878); Verh. zool.-bot. Ges. Wien, xli. p. 59. n. 2 (1891). | Buenos Aires. |
| 5. H. Peruviana, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 59. n. 5 (1891). | Pern. |

Genus 514. **Corymeta.**

Brunn. Mon. Phan. pp. 17, 126 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

- | | |
|---|-------------|
| 1. C. Amplectens, Schaum, (<i>Phaneroptera</i> A.) Ber. Acad. Berlin. 1853, p. 777. n. 9; Peters' Reise Mossamb. v. p. 121. pl. 7. f. 8 (1862). | Mozambique. |
| <i>C. Amplectens, Brunn.</i> Mon. Phan. p. 127. n. 1, pl. 2. f. 25 (1878). | |

Genus 515. **Engonia.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 17, 127 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

- | | |
|---|-----------|
| *1. E. Rectangulata, Burm. (<i>Phaneroptera</i> R.) Handb. Ent. ii. p. 691. n. 10 (1838). | Brazil. |
| <i>E. Rectangulata, Brunn.</i> Mon. Phan. p. 128. n. 1 (1878). | id., |
| 2. E. Minor, Brunn. l. c. pp. 128, 129. n. 2. pl. 2. f. 26 (1878). | B. Aires. |
| 3. E. Pistacina, Brunn. ll. cc. n. 3 (1878). | Brazil. |

Genus 516. **Stenophyllia.**

Brunn. Mon. Phan. pp. 17, 130 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

- | | |
|---|--------|
| 1. S. Modesta, Blanch. (<i>Gymnocera</i> M.) Gay, Hist. Chile, Zool. vi. p. 48 (1852); Phil. Zeitschr. ges. Naturw. xxi. p. 231 (1863). | Chile. |
| <i>S. Modesta, Brunn.</i> Mon. Phan. p. 131. n. 1. pl. 2. f. 27 (1878). | |
| <i>S. Modesta</i> , var. <i>Deflorata, Brunn.</i> l. c. p. 131 (1878). | |

Genus 517. **Marenestha.**

Brunn. Mon. Phan. pp. 17, 131 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 8 (1891).

1. **M. Inconspicua**, Brunn. l. c. p. 132, | Chile.
pl. 2. f. 28 *a, b* (1878). |

Genus 518. **Cosmophyllum.** (*Type* no. 1.)

Blanch. Gay, Hist. Chile, Zool. vi. p. 50 (1852) ; Brunn. Mon.
Phan. pp. 17, 132 (1878) ; Verh. zool.-bot. Ges. Wien, xli.
pp. 8, 60 (1891).

- *1. **C. Olivaceum**, Blanch. l. c. p. 52 (1852) ; | Chile,
Brunn. ll. cc. p. 132. n. 1, pl. 2. f. 29 *a, b* | Peru.
(1878) ; p. 60. n. 1 (1891) ; Bol. Viaje al
Pacif., Ins. p. 52 (1884) ; Karsch, Ent.
Nachr. xv. p. 126 (1889).
2. **C. Pallidulum**, Blanch. l. c. p. 52 | iid.
(1852) ; Karsch, l. c. p. 126 (1889) ;
Brunn. Verh. zool.-bot. Ges. Wien, xli.
p. 60. n. 2 (1891). |

Genus 519. **Paracosmophyllum.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 8, 61 (1891).

1. **P. Atrodelineatum**, Brunn. l. c. p. 61, | Madagascar
pl. 1. f. 5 (1891). |

Genus 520. **Pardalota.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 17, 133 (1878) ; Verh. zool.-bot. Ges.
Wien, xli. p. 8 (1891) ; Karsch, Berlin. Ent. Zeitschr.
xxxii. p. 422 (1888).

1. **P. Versicolor**, Brunn. Mon. Phan. p. 134. | Benguela.
n. 1, pl. 2. f. 30 *a, b* (1878). |
2. **P. Asymmetrica**, Karsch, Stettin. Ent. | E.C. Africa.
Zeit. lvii. p. 330. n. 96 (1895). |

Genus 521. **Ivensia.**

Bol. J. Sci. Lisboa, (2) i. p. 218 (1890).

1. **I. Uncinata**, Bol. l. c. (1890). | Quango.

Genus 522. **Pœcilogramma.** (*Type* no. 1.)

Karsch, Ent. Nachr. xiii. p. 52 (1887); Berlin. Ent. Zeitschr. xxxii. p. 422 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 8, 61 (1891).

- *1. **P. Striatifemur**, Karsch, Ent. Nachr. Mombasa, xiii. p. 53. n. 1 (1887); Brunn. l. c. Zanzibar. p. 62. n. 1. pl. 1. f. 6 (1891).
 *2. **P. Annulifemur**, Karsch, l. c. p. 53. Tanganyika n. 2 (1887); Brunn. l. c. p. 62. n. 2 (1891).

Genus 523. **Scambophyllum.**

Brunn. Mon. Phan. pp. 17, 134 (1878);
 Verh. zool.-bot. Ges. Wien, xli. p. 8 (1891).

- *1. **S. Sanguinolentum**, Westw. (*Phyllo-* Sumatra.
ptera Sanguinolenta) Cab. Orient. Ent.
 p. 52, pl. 25. f. 3 (1848).
S. Sanguinolentum, Brunn. ll. cc. p. 135.
 n. 1, pl. 2. f. 31 (1878); p. 63 (1891).

Genus 524. **Arantia.** (*Type* no. 15.)

Stål, Recens. Orth. ii. pp. 10, 25 (1874); Brunn. Mon. Phan. pp. 17, 136 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 8, 63 (1891); Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 422, 432 (1888).

- *1. **A. Spinulosa**, Brunn. ll. cc. p. 137. n. 1. Natal,
 pl. 2. f. 32 *a*, *b* (1878); p. 63. n. 1 Nyasa.
 (1891); Karsch, l. c. p. 432 (1888).
 2. **A. Fasciata, Walk. (*Phylloptera* F.) Gambia,
 Cat. Derm. Salt. B. M. ii. p. 378. n. 13 Slave
 (1869). Coast.
A. Atrolineata, Brunn. Verh. zool.-bot. Ges.
 Wien, xli. pp. 63, 69. n. 12 (1891);

- Sauss. Abhandl. Senckenb. Ges. xxi. p. 614. n. 1 (1899).
3. **A. Rectifolia, Brunn.** Mon. Phan. p. 137. n. 2 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 64. n. 2 (1891); Karsch, l. c. p. 433 (1888). Fernando Po.
4. **A. Gabunensis, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 64. n. 4 (1891). Gaboon.
5. **A. Mauritian, Sauss.** l. c. p. 615 (1899). Mauritius.
- *6. **A. Excelsior, Karsch,** l. c. pp. 434, 435 (1888); Brunn. l. c. pp. 64, 65. n. 5 (1891); (?) Griff. Ann. Mus. Genova, xlii. p. 386 (1906). Sierra Leone.
7. **A. Regina, Karsch,** l. c. pp. 433, 434 (1888); Brunn. l. c. pp. 64, 65. n. 6 (1891). Gaboon.
- *8. **A. Accrana, Karsch,** l. c. pp. 433, 436 (1888); Brunn. l. c. pp. 64, 66. n. 7 (1891). Accra, Cameroons.
9. **A. Hydatinoptera, Karsch,** l. c. pp. 433, 434, 436 (1888); Brunn. l. c. pp. 64, 66. n. 8 (1891); Griff. l. c. p. 383 (1906). Benne.
10. **A. Dentata, Sauss.** l. c. p. 615 (1899). Mauritius.
11. **A. Orthocnemis, Karsch,** Ent. Nachr. xvi. p. 357. n. 6 (1890). Cameroons.
12. **A. Leptocnemis, Karsch,** l. c. p. 358. n. 7 (1890). id.
13. **A. Simplicinervis, Karsch,** Berlin. Ent. Zeitschr. xxxii. pp. 433, 434, 438 (1888); Brunn. l. c. pp. 64, 67. n. 9 (1891). Clinchoso.
14. **A. Marmorata, Karsch,** l. c. pp. 433, 435 (1888); Brunn. l. c. pp. 64, 68. n. 10 (1891). Congo.
15. **A. Latifolia, Karsch,** Ent. Nachr. xvi. p. 356. n. 4 (1890). Barombi.
16. **A. Fatidica, Stål,** (*Holochlora F.*) (Efv. Vet.-Akad. Förh. xxx. (4) p. 43. n. 1 (1873). Cameroons.
A. Fatidica, Stål, Recens. Orth. ii. p. 25. n. 1 (1874); Brunn. Mon. Phan. p. 138. n. 3 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 64. n. 3 (1891); Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 433, 434 (1888).
17. **A. Retinervis, Karsch,** l. c. pp. 433, 437 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 64, 68. n. 11 (1891). Cameroons, S. Leone, Gold Coast.
18. **A. Scurra, Karsch,** Stettin. Ent. Zeit. ivii. p. 331. n. 97 (1896). Cameroons.

19. **A. Mammisignum, Karsch**, l. c. p. 332. Cameroons.
n. 98 (1896).
- * 20. **A. Melanotus, Sjöst.** Bihang Svensk. id.
Akad. xxvii. (4 : 3) p. 6, pl. 2. f. 1, pl. 4.
f. 4 (1902).
21. **A. Gestri, Griff.** l. c. p. 384 (1906). Fr. Congo.

Genus 525. **Acripeza.**

Guér. Voy. 'Coquille,' (2) ii. p. 152 (1832) ; Brullé, Hist. Nat. Ins. ix. p. 152 (1835) ; Serv. Ins. Orth. p. 546 (1839) ; Blanch. Hist. Nat. Ins. iii. p. 27 (1840) ; Stål, Recens. Orth. ii. p. 12 (1874).

Acridopeza, *Burm.* Handb. Ent. ii. p. 683 (1838) ; *Brumm.* Mon. Phan. pp. 18, 139 (1878) ; *Verh. zool.-bot. Ges. Wien*, xli. p. 8 (1891).

- * 1. **A. Reticulata, Guér.** l. c. pl. 10. ff. 2, 2 a Australia,
(1829), p. 153 (1832) ; Brullé, l. c. Tasmania.
p. 153, pl. 14. ff. 2, 3 (1835) ; Serv. l. c.
p. 547. n. 1 (1839) ; Blanch. l. c. p. 27.
n. 1 (1840).

Acridopeza Reticulata, *Burm.* l. c. p. 683
(1838) ; *Brumm.* Mon. Phan. p. 140. n. 1,
pl. 2. f. 33 (1878) ; *McCoy*, Prodr. Zool.
Vict. xiii. p. 113, pl. 129 (1886) ; *Frogg.*
Agric. Gaz. N. S. Wales, xv. p. 733, pl. 1.
ff. 1, 1 a, b (1904).

Genus 526. **Paura.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 439 (1888).

1. **P. Biramosa, Karsch**, l. c. pl. 4. f. 6 Usambara.
(1888).
2. **P. Reticulosa, Karsch**, l. c. p. 440, pl. 4. Mombasa.
f. 7 (1888).

Genus 527. **Aphroptera.**

Bol. Term. Füzetek, xxv. p. 181 (1902).

1. **A. Biroi, Bol.** l. c. (1902). | N. Guinea.

Genus 528. **Zulpha.**

Walk. Cat. Derm. Salt. B. M. iii. p. 478 (1870).

Eurypalpa, Brunn. Mon. Phan. pp. 18, 141 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

- | | |
|---|---|
| <p>*1. Z. Perlaria, Westw. (<i>Phaneroptera P.</i>)
 Cab. Orient. Ent. p. 33, pl. 6. f. 1 (1848).
 <i>Eurypalpa Perlaria</i>, Brunn. Mon. Phan.
 p. 142. n. 1, pl. 2. f. 34 a, b (1878).</p> | <p>P. Wales I.,
 Java,
 Borneo,
 Sumatra,
 India.</p> |
|---|---|

Genus 529. **Ceratopompa.**

Karsch, Ent. Nachr. xvi. p. 57 (1890);

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 9, 69 (1891).

- | | |
|---|-----------------|
| <p>1. C. Festiva, Karsch, l. c. p. 58 (1890);
 Brunn. l. c. p. 70, pl. 1. f. 7 (1891).</p> | <p>Sumatra.</p> |
|---|-----------------|

Genus 530. **Trachyzulpha.**

Dohrn, Stettin. Ent. Zeit. liii. p. 67 (1892).

- | | |
|---|--------------|
| <p>1. T. Fruhstorferi, Dohrn, l. c. p. 68
 (1892).</p> | <p>Java.</p> |
|---|--------------|

Genus 531. **Leptoderes.** (*Type* no. 1.)

Serv. Ins. Orth. p. 409 (1839).

Leptodera, Brunn. Mon. Phan. pp. 18, 142 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 9, 70 (1891).

Euparthenus, Sauss. Rev. Suisse Zool. v. pp. 228, 809 (1898).
Type no. 2.

- | | |
|---|-----------------------------------|
| <p>*1. L. Ornatipennis, Serv. l. c. p. 410. n. 1
 (1839).
 <i>Leptodera Ornatipennis</i>, Charp. Orth. pl. 12
 (1841); Brunn. ll. cc. p. 143. n. 1, pl. 3.
 f. 35 a, b (1878); p. 70. n. 1 (1891);
 Dohrn, Stett. Ent. Zeit. liii. p. 66 (1892).
 <i>Euparthenus Gratiola</i>, Sauss. l. c. pp. 229,
 809, pl. 9. f. 9 (1898).</p> | <p>Java,
 Borneo.</p> |
| <p>2. L. Flavipennis, Brunn. (<i>Leptodera F.</i>)
 Verh. zool.-bot. Ges. Wien, xli. p. 70.
 n. 2 (1891).</p> | <p>Ceylon.</p> |

Genus 532. **Condylomera.**

Westw. Trans. Linn. Soc. Lond. xviii. p. 419 (1871). / 4
Trochalodera, Brunn. Mon. Phan. pp. 18, 143 (1878); Verh.
 zool.-bot. Ges. Wien, xli. p. 9 (1891).

1. **C. Trichondyloides**, Westw. l. c. p. 419, | Java.
 pl. 28. f. 7 (1871); Dohrn, Stettin. Ent. \ 4
 Zeit. liii. p. 64. n. 1, figs. (1892).
Trochalodera Violascens, Brunn. Mon. Phan.
 p. 144 (1878).

Genus 533. **Myrmecophana.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxiii. p. 248 (1883);
 xli. pp. 9, 71 (1891).

1. **M. Fallax**, Brunn. ll. cc. p. 248, pl. 10. | Soudan. / 5
 f. 1 a-d (1883); xli. p. 71, pl. 1. f. 8
 (1891); Obs. Color. Ins. p. 11, pl. 8.
 f. 94 (1897).

Genus 534. **Ægimia.** (Type no. 1.)

Stal, Recens. Orth. ii. p. 21 (1874); Brunn. Mon. Phan.
 pp. 18, 145 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 9
 (1891).

1. **Æ. Cultrifera**, Stål, l. c. p. 46. n. 1 | Mexico.
 (1874); Brunn. Mon. Phan. p. 145. n. 1,
 pl. 3. f. 36 (1878).
2. **Æ. Elongata**, Rehn, Trans. Amer. Ent. | Centr.
 Soc. xxix. p. 19 (1902). | America.

Genus 535. **Hammatofera.** (Type no. 1.)

Brunn. Mon. Phan. pp. 18, 146 (1878);
 Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

1. **H. Nodicornis**, Burm. (*Phaneroptera* | Bahia.
N.) Haub. Ent. ii. p. 689. n. 3 (1838).
H. Nodicornis, Brunn. Mon. Phan. p. 147.
 n. 1, pl. 3. f. 38 (1878).
2. **H. Abacata**, Brunn. l. c. n. 2 (1878). | Brazil.

Genus 536. **Oxyprorella.** (Type no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 69 (1898).

| *Oxyprorella*, Brunn. (nec Stål) Mon. Phan. pp. 18, 148 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

1. **O. Misera**, Brunn. (*Oxyprorella M.*) l. c. | Peru.
p. 148. n. 1 (1878).
2. **O. Dives**, Giglio-Tos, l. c. p. 70 (1898). | Ecuador.

Genus 537. **Machima.** (Type no. 1.)Brunn. Mon. Phan. pp. 19, 149 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

- *1. **M. Phyllacantha**, Burm. (*Phaneroptera P.*) Handb. Ent. ii. p. 688. n. 1 (1838). | Brazil.
M. Phyllacantha, Brunn. l. c. p. 149. n. 1,
pl. 3. f. 39 a (1878).
Phaneroptera Acanthocephala, Serr. Ins.
Orth. p. 425. n. 17 (1839).
2. **M. Hygracantha**, Karsch, Ent. Nachr. | Colombia.
xxii. p. 346 (1896).

Genus 538. **Markia.** (Type no. 1.)

White, Richardson's Mus. Nat. Hist. ii. p. 244 (1862).

Mackia, Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 40 (1871).*Tricala*, Walk. l. c. i. p. 357 (1869).

- *1. **M. Hystrix**, Westw. (*Phaneroptera H.*) | Colombia,
Arc. Ent. ii. p. 88, pl. 70. f. 2 (1845). | Chiriqui.
M. Hystrix, White, l. c. p. 244, f. 150
(1862).
Machima Hystrix, Brunn. Mon. Phan.
pp. 149, 150. n. 2 (1878).
- *2. **M. Major**, Brunn. (*Machima M.*) l. c. | Colombia,
pp. 149, 151. n. 3 (1878). | Brazil.
Pl. III. f. 39 b.

Genus 539. **Paraphidnia.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 70 (1898).

1. **P. Gallina, Giglio-Tos**, l. c. p. 71 Ecuador. (1898).

*2. **P. Verrucosa, Brunn.** (*Aphidnia* V.) Brazil. Mon. Phan. pp. 152, 153. n. 1 (1878).

Genus 540. **Dysonia.** (*Type* no. 1.)

White, Richardson's Mus. Nat. Hist. ii. p. 244 (1862).

Valna, Walk. Cat. Derm. Salt. B. M. ii. p. 357 (1869). *Type* no. 2.

Aphidna, Stål, Recens. Orth. ii. pp. 13, 28 (1874). *Type* no. 6.

Aphidnia, Brunn. Mon. Phan. pp. 19, 151 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

1. **D. Alipes, Westw.** (*Phaneroptera* A., ♂ Colombia. nec ♀) Arc. Ent. ii. p. 87, pl. 70. ff. 1 ♂, 1 α-c (1845).

D. Albipes, White, l. c. (1862).

Aphidnia Alipes, Brunn. l. c. pp. 152, 156 (1878).

2. **D. Melaleuca, Walk. (*Valna* M.) l. c. Rio Janeiro. p. 358. n. 1 (1869).

3. **D. Decolor, Brunn.** (*Aphidnia* D.) l. c. Brazil. pp. 153, 156. n. 5 (1878).

*4. **D. Elegans, Brunn.** (*Aphidnia* E.) l. c. id. pp. 153, 155. n. 4 (1878).

*5. **D. Ehippium, Stoll**, (*Gryllus Tetti-gonia* E.) Spectres, Saut. p. 10, pl. 4 a. Surinam, Brazil. f. 10 (1813).

*6. **D. Fuscifrons, Brunn.** (*Aphidnia* F.) l. c. Mexico, pp. 152, 153. n. 2 (1878); Sauss. & Piet. S. America. Biol. Centr.-Amer., Orth. i. p. 316. n. 1 (eadem?). (1897).

Phaneroptera Alipes, ♀, Westw. l. c. p. 87, pl. 70. ff. 1 ♀, 1 d (1845).

D. Alipes ♀, White, l. c. (1862).

Aphidna Alipes, Stål, l. c. p. 28. n. 1 (1874).

- *7. **D. Punctifrons**, **Brunn.** (*Aphidnia* P.) Brazil,
l. c. pp. 152, 154. n. 3, pl. 3. ff. 40 *a, b* | Paraguay.
(1878).
8. **D. Simplicipes**, **Brunn.** (*Aphidnia* S.) Mexico.
l. c. pp. 153, 157. n. 7 (1878); Saus. &
Pict. l. c. p. 316. n. 2 (1897).
- **9. **D. (?) Nigropicta**, **Walk.** l. c. v. Suppl. Para.
p. 41 (1871).

Genus 541. **Sanabria.**

Walk. Cat. Derm. Salt. B. M. ii. p. 358 (1869).

- **1. **S. Fuscescens**, **Walk.** l. c. p. 359. n. 1 | Burma.
(1869).

Genus 542. **Centrofera.**

Brunn. Mon. Phan. pp. 19, 158 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

- *1. **C. Bimaculata**, **Brunn.** Mon. Phan. p. 158. | Brazil.
n. 1, pl. 3. f. 41 *a, b* (1878).

Genus 543. **Ephippitytha.** (*Type* no. 1.)

Serv. Ins. Orth. p. 422 (1839).

Ephippitytha, **Brunn.** Mon. Phan. pp. 21, 188 (1878); Verh.
zool.-bot. Ges. Wien, xli. p. 10 (1891).

- *1. **E. Trigintiduoguttata**, **Serv.** (*Phanero-* Australia.
ptera T.) l. c. p. 422. n. 14 (1839).
Ephippitytha *Trigintiguttata*, **Brunn.** l. c.
p. 189. n. 1, pl. 4. f. 54 *a-d* (1878);
Tepp. Trans. Roy. Soc. S. Australia, xv.
p. 83 (1892).
- *2. **E. Maculata**, **Evans**, Trans. Ent. Soc. id.
Lond. iv. p. 300, pl. 21. f. c (1847).
E. Quadrigesimaguttata, **Tepp.** l. c. p. 84
(1892).
|| *Phanoptera* (*Ephippitytha*) *Trigintiduo-*
guttata, **McCoy** (*ucc* *Serr.*) Prodr. Zool.
Vict. xii. p. 77, pl. 120 (1886).

- *3. **E. Froggatti, Kirb.** (n. n.). | Australia.
 || *Ephippithyta 32-guttata, Frogg. (nec Serv.)*
 Agric. Gaz. N. S. Wales, xv. p. 735,
 pl. 1. f. 3 (1904).
 4. **E. Irrorata, Serv.** (*Phaneroptera I.*) l. c. | id.
 p. 423. n. 15 (1839).

Genus 544. **Ephippithytoidea.**

Tepp. Trans. R. Soc. S. Australia, xv. p. 85 (1892).

1. **E. Sparsa, Tepp.** l. c. (1892). | W. Australia

Genus 545. **Alectoria.**

Brunn. Journ. Mus. Godeffr. xiv. p. 196 (1879); Verh. zool.-
 bot. Ges. Wien, xli. pp. 10, 95 (1891); Tepp. Trans.
 R. Soc. S. Australia, xv. p. 86 (1892).
Hectoria, Tepp. l. c. xii. p. 21 (1889).

1. **A. Superba, Brunn.** ll. cc. p. 196, f. 1 | Australia.
 (1879); p. 96, pl. 1. f. 15 (1891); Tepp.
 l. c. xv. p. 87 (1892); Frogg. Agric.
 Gaz. N. S. Wales, xv. p. 734, pl. 1. f. 2
 (1904).
Hectoria Pontoni, Tepp. l. c. xii. p. 22 (1889).

Genus 546. **Cædicia.** (Type no. 1.)

Stål, Recens. Orth. ii. p. 12 (1874); Brunn. Mon. Phan.
 pp. 21, 189 (1878); Verh. zool.-bot. Ges. Wien, xli.
 pp. 10, 96 (1891); Tepp. Trans. R. Soc. S. Australia, xv.
 p. 87 (1892); Bol. Term. Füzetek, xxv. p. 185 (1902).

1. **C. Pictipes, Stål,** l. c. p. 27. n. 1 (1874); | Cape York,
 Brunn. Mon. Phan. pp. 190, 191. n. 1 | Tongatabu.
 (1878); Tepp. l. c. p. 87 (1892); Bol.
 l. c. p. 186 (1902).
 2. **C. Chyzeri, Bol.** l. c. pp. 182, 186. n. 2 | N. Guinea.
 (1902).
 3. **C. Marginata, Brunn.** l. c. pp. 190, 191. | Australia,
 n. 2 (1878); Tepp. l. c. p. 88 (1892). | Kangaroo I.
 4. **C. Concisa, Brunn.** l. c. pp. 190, 192. | N. Australia
 n. 3 (1878); Tepp. l. c. p. 88 (1892).

- *5. **C. Longipennis, Brunn.** l. c. pp. 190, 192. n. 4, pl. 4. f. 55 *a-d* (1878); Tepp. l. c. p. 88 (1892). Queensland, N.S. Wales.
6. **C. Longipennioides, Tepp.** l. c. p. 89 (1892). N.S. Wales, S. Australia.
- **7. **C. Strenua, Walk.** (*Phaneroptera S.*) Cat. Derm. Salt. B. M. ii. p. 349. n. 54 (1869). Australia.
8. **C. Septentrionalis, Brunn.** l. c. pp. 190, 193. n. 5 (1878); Tepp. l. c. p. 90 (1892). id.
- **9. **C. Extenuata, Walk.** (*Phaneroptera E.*) l. c. p. 353. n. 61 (1869). Swan River.
10. **C. Major, Brunn.** l. c. pp. 190, 193. n. 6 (1878); Tepp. l. c. p. 90 (1892). Cape York.
- **11. **C. Valida, Walk.** (*Phaneroptera V.*) l. c. p. 352. n. 59 (1869); (?) McCoy, Prodr. Zool. Vict. xii. p. 75. pl. 119 (1886); Tepp. l. c. p. 89 (1892); Frogg. Agric. Gaz. N. S. Wales, xv. p. 736 (1904). Australia.
- **12. **C. Simplex, Walk.** (*Phaneroptera S.*) l. c. p. 352. n. 60 (1869). id.
C. Olivacea, Brunn. l. c. pp. 190, 193. n. 7 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 96. n. 7 (1891); Tepp. l. c. p. 90 (1892); Bol. l. c. p. 186 (1902). W. Z.
- **13. **C. Congrua, Walk.** (*Phaneroptera C.*) l. c. p. 351. n. 57 (1869). N. S. Wales.
14. **C. Clavata, Bol.** l. c. pp. 183, 186 (1902). N. Guinea.
- *15. **C. Porrecta, Brunn.** Journ. Mus. Godeffr. xiv. pp. 197, 198 (1879); Verh. zool.-bot. Ges. Wien, xli. p. 96. n. 15 (1891); Tepp. l. c. p. 95 (1892); Bol. l. c. p. 186 (1902). Rock-hampton.
16. **C. Inermis, Brunn.** Mon. Phan. pp. 190, 194. n. 8 (1878); Bol. l. c. p. 186 (1902). N. & W. Australia.
17. **C. Halmaturina, Tepp.** l. c. p. 91 (1892). Kangaroo I.
18. **C. Scalaris, Brunn.** l. c. pp. 190, 195. n. 9 (1878); Tepp. l. c. p. 92 (1892); Bol. l. c. p. 186 (1902). Sydney.
- **19. **C. Thymifolia, Fabr.** (*Locusta T.*) Syst. Ent. p. 283. n. 5 (1775). Murray R.
C. Roseopennis, Tepp. l. c. p. 94 (1892).
- **20. **C. Albidiceps, Walk.** (*Phaneroptera A.*) l. c. p. 354. n. 62 (1869). Australia.

21. **C. Chloronota**, **Bol.** l. c. pp. 183, 186. N. Guinea.
n. 4 (1902).
22. **C. Minor**, **Brunn.** l. c. pp. 190, 195. Port
n. 10 (1878); **Tepp.** l. c. p. 92 (1892). Denison.
23. **C. Hospes**, **Brunn.** l. c. pp. 190, 196. Amboina.
n. 11 (1878); **Tepp.** l. c. p. 92 (1892).
24. **C. Obtusifolia**, **Brunn.** l. c. pp. 191, 196. Cape York,
n. 12 (1878); **Tepp.** l. c. p. 92 (1892); N. Guinea.
Bol. l. c. pp. 184, 186. n. 5 (1902).
25. **C. Affinis**, **Bol.** ll. cc. n. 6 (1902). N. Guinea.
26. **C. Flexuosa**, **Bol.** l. c. pp. 185, 186. n. 7 id.
(1902).
27. **C. Acutifolia**, **Brunn.** l. c. pp. 191, 197. Cape York.
n. 13 (1878); **Tepp.** l. c. p. 93 (1892);
Bol. l. c. p. 186 (1902).
28. **C. Bispinulosa**, **Brunn.** l. c. pp. 191, Sydney.
197. n. 14 (1878); **Tepp.** l. c. p. 93
(1892).
29. **C. Hirsuta**, **Tepp.** l. c. p. 93 (1892). N. Australia
- * 30. **C. Punctifera**, **Walk.** (*Phaneroptera P.*) Australia.
l. c. v. Suppl. p. 40 (1871).

Genus 547. **Catoptropteryx.** (*Type* no. 4.)

Karsch, Ent. Nachr. xvi. p. 361 (1890);
Stett. Ent. Zeit. lvii. p. 335 (1896).

1. **C. Capreola**, **Karsch**, Stett. Ent. Zeit. Cameroons.
lvii. pp. 332, 335. n. 99 (1896).
2. **C. Immaculipennis**, **Karsch**, l. c. id.
pp. 333, 335. n. 100 (1896).
3. **C. Maculipennis**, **Karsch**, ll. cc. n. 101 id.
(1896).
4. **C. Guttatipes**, **Karsch**, Ent. Nachr. xvi. Barembi.
p. 362. n. 10 (1890); Stett. Ent. Zeit. lvii.
p. 335 (1896).
5. **C. Nigrospinoso**, **Brunn.** (*Cadicia A.*) Cameroons.
Verh. zool.-bot. Ges. Wien, xli. pp. 96, 97.
n. 17 (1891); Griff. Ann. Mus. Genova,
xlii. p. 388 (1906).
6. **C. Afra**, **Karsch**, (*Cadicia A.*) Berlin. id.
Ent. Zeitschr. xxxii. p. 446 (1888);
Brunn. l. c. pp. 96, 97. n. 16 (1891);
Bol. Term. Füz. xxv. p. 186 (1902).
7. **C. Punctulata**, **Karsch**, (*Cadicia P.*) W. Africa,
Ent. Nachr. xvi. p. 260. n. 4 (1890). Kribi.

- | | |
|--|-------------------------|
| 8. C. Apicalis, Bol. (<i>Cædicia A.</i>) Ann. Soc. Ent. France, lxii. p. 177. n. 45 (1893). | W. Africa :
Assinie. |
| 9. C. Signatipennis, Karsch, Stettin. Ent. Zeit. lvii. pp. 333, 335. n. 102 (1896). | Cameroons. |
| 10. C. Neutralipennis, Karsch, l. c. pp. 334, 336. n. 103 (1896). | Togo. |
| 11. C. Extensipes, Karsch, ll. cc. n. 104 (1896). | Cameroons. |

Genus 548. **Torbia.** (*Type* no. 4.)

Walk. Cat. Derm. Salt. B. M. ii. p. 388 (1869).

Dictyota, Brunn. Mon. Phan. pp. 22, 199 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 10 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 97 (1892). (*Type* no. 4.)

- | | |
|--|---------------------------|
| *1. T. Viridissima, Brunn. (<i>Dictyota V.</i>) Mon. Phan. p. 200. n. 1 (1878); Tepp. l. c. p. 97 (1892). | Australia. |
| 2. T. Indivisa, Tepp. (<i>Dictyota I.</i>) l. c. p. 98 (1892). | Adelaide. |
| *3. T. Costulata, Brunn. (<i>Dictyota C.</i>) l. c. pp. 200, 201. n. 2 (1878); Tepp. l. c. p. 98 (1892). | Australia. |
| **4. T. Perficita, Walk. l. c. p. 388. n. 1 (1869).
<i>Dictyota Pruinoso, Brunn.</i> l. c. pp. 200, 201. n. 3, pl. 4. f. 58 a, b (1878); Tepp. l. c. p. 99 (1892). | Australia,
N. Zealand. |
| 5. T. Elderi, Tepp. (<i>Dictyota E.</i>) l. c. (1892). | Centr. W.
Australia. |

Genus 549. **Baryprostha.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 211 (1891).

- | | |
|--|----------|
| 1. B. Bellua, Karsch, l. c. p. 212. n. 20, fig. (1891). | Sumatra. |
|--|----------|

Genus 550. **Diastella.** (*Type* no. 1.)*Brunn.* Mon. Phan. pp. 21, 198 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 10, 98 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 95 (1892).

- | | |
|--|-----------------|
| 1. D. Latifolia, Brunn. ll. cc. p. 198. n. 1, pl. 4. f. 56 a, b (1878); p. 98. n. 1 (1891); Tepp. l. c. p. 65 (1892). | Moreton
Bay. |
| 2. D. Flexuosocercata, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 98. n. 2 (1891). | N. Guinea. |

Genus 551. **Diastellidea.**

Bol. Term. Füz. xxv. p. 186 (1902).

1. **D. Pisifolia**, Bol. l. c. p. 187. n. 8 | N. Guinea.
(1902).

Genus 552. **Protina.**

Brunn. Journ. Mus. Godeffr. xiv. p. 197 (1879) ; Verh. zool.-bot. Ges. Wien, xli. pp. 10, 98 (1891) ; Tepp. Trans. R. Soc. S. Australia, xv. p. 96 (1892).

1. **P. Guttulata**, Brunn. ll. cc. p. 197. n. 2 | Peak
(1879) ; p. 98, pl. 1. f. 16 (1891) ; Tepp. | Downs.
l. c. p. 96 (1892).

Genus 553. **Symmachis.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 21, 199 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 10 (1891) ; Tepp. Trans. R. Soc. S. Australia, xv. p. 96 (1892).

- **1. **S. Glaucescens**, Walk. (*Phaneroptera* Australia.
G.) Cat. Derm. Salt. B. M. ii. p. 350.
n. 56 (1869).
S. Lacteipennis, Brunn. Mon. Phan. p. 199.
n. 1, pl. 4. f. 56 *a, b* (1878) ; Tepp. l. c.
p. 96 (1892).
- **2. **S. Subroseata**, Walk. (*Phaneroptera* S.) | id.
l. c. p. 351. n. 58 (1869).

Genus 554. **Procædicia.** (*Type* no. 1.)

Procædicia, Bol. Term. Füz. xxv. p. 189 (1902).

1. **P. Regia**, Bol. (*Paracædicia* R.) l. c. | N. Guinea.
pp. 189, 191. n. 11 (1902).
2. **P. Dimidiata**, Bol. (*Paracædicia* D.) | id.
ll. cc. n. 12 (1902).
3. **P. Terminalis**, Bol. (*Paracædicia* T.) | id.
l. c. pp. 189, 192. n. 13 (1902).

Genus 555. **Paracædicia.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien. xli. pp. 10, 101 (1891);
 Tepp. Trans. R. Soc. S. Australia, xv. p. 102 (1892); Bol.
 Term. Flüz. xxv. p. 189 (1902).

- | | |
|---|-------------------------|
| 1. P. Tibialis , Brunn. l. c. pp. 101, 102.
n. 1, pl. 2. f. 17 (1891); Tepp. l. c.
p. 102 (1892); Bol. l. c. p. 190. n. 4
(1902). | Key I. |
| 2. P. Raroramosa , Brunn. l. c. pp. 101,
102. n. 2 (1891); Tepp. l. c. p. 102
(1892); Bol. l. c. p. 190. n. 5 (1902). | Gilolo. |
| 3. P. Melanocondylea , Bol. l. c. p. 190.
n. 6, p. 193. n. 14 (1902). | N. Guinea. |
| 4. P. Femorata , Bol. l. c. p. 190. n. 7,
p. 193. n. 15 (1902). | id. |
| 5. P. Obesa , Brunn. l. c. pp. 101, 102. n. 3
(1891); Tepp. l. c. p. 103 (1892); Bol.
l. c. p. 190. n. 8 (1902).
Var. <i>Minor</i> , Brunn. l. c. (1891). | N. Guinea,
Easter I. |
| 6. P. Spinosa , Brunn. l. c. pp. 102, 103.
n. 4 (1891); Tepp. l. c. p. 103 (1892);
Bol. l. c. p. 190. n. 9, p. 193. n. 16
(1902). | N. Guinea,
Aru. |
| 7. P. Serrata , Brunn. l. c. pp. 102, 103.
n. 5 (1891); Tepp. l. c. p. 103 (1892);
Bol. l. c. p. 190. n. 10 (1902). | N. Guinea. |
| 8. P. Novata , Brunn. Abhandl. Senckenb.
Ges. xxiv. p. 253 (1898); Bol. l. c.
p. 190. n. 11 (1902). | Ternate,
Batchian. |
| 9. P. Planicollis , Brunn. Verh. zool.-bot.
Ges. Wien, xli. pp. 102, 104. n. 6 (1891);
Tepp. l. c. p. 103 (1892); Bol. l. c.
p. 190. n. 12, p. 194. n. 17 (1902). | N. Guinea. |
| 10. P. Nigropunctata , Brunn. l. c. pp. 102,
104. n. 7 (1891); Tepp. l. c. p. 104
(1892); Bol. l. c. p. 190. n. 13 (1902). | id. |
| 11. P. Verrucosa , Brunn. l. c. pp. 102, 104.
n. 8 (1891); Tepp. l. c. p. 104 (1892);
Bol. l. c. p. 190. n. 14, p. 194. n. 18
(1902). | id.,
Aru. |
| 12. P. Centrifera , Bol. l. c. p. 190. n. 15,
p. 194. n. 19 (1902). | N. Guinea. |
| 13. P. Proxima , Bol. l. c. p. 190. n. 16,
p. 195. n. 20 (1902). | id. |

Genus 556. **Parapolichne.**

Bol. Term. Füz. xxv. pp. 187, 188 (1902).

1. **P. Elegantula, Bol.** (*Polichne (Parapolichne) E.*) l. c. p. 187. n. 9 (1902). | N. Guinea.

Genus 557. **Polichne.** (*Type no. 6.*)

Stål, Recens. Orth. ii. p. 13 (1874); Brunn. Mon. Phan. pp. 22, 202 (1878); Journ. Mus. Godeffr. xiv. p. 108 (1879); Verh. zool.-bot. Ges. Wien, xli. pp. 10, 99 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 100 (1892).

1. **P. Brevipes, Brunn.** Journ. Mus. Godeffr. Queensland, xiv. pp. 198, 199. n. 1 (1879); Verh. Peak zool.-bot. Ges. Wien, xli. pp. 99, 100. Downs. n. 2 (1891); Tepp. l. c. p. 101 (1892).
2. **P. Longipes, Brunn.** ll. cc. pp. 198, 199. Rock- n. 2 (1879); pp. 99, 100. n. 3 (1891); hampton. Tepp. l. c. p. 101 (1892).
3. **P. Huoniensis, Bol.** Term. Füz. xxv. N. Guinea. p. 188. n. 10 (1902).
4. **P. Argentata, Brunn.** Journ. Mus. Peak Godeffr. xiv. p. 198. n. 3 (1879); Verh. Downs. zool.-bot. Ges. Wien, xli. pp. 99, 100. n. 4 (1891).
P. Argentea, Brunn. Journ. Mus. Godeffr. xiv. p. 199. n. 3 (1879).
5. **P. Spinulosa, Brunn.** l. c. pp. 198, 200. Rock- n. 4 (1879); Verh. zool.-bot. Ges. Wien. hampton. xli. pp. 99, 101. n. 5 (1891); Tepp. l. c. p. 102 (1892).
6. **P. Parvicauda, Stål,** (*Phaneroptera P.*) Australia. Eugenes Resa, Orth. p. 320. n. 57 (1860).
P. Parvicauda, Stål. Recens. Orth. ii. p. 28. n. 1 (1874); Brunn. Mon. Phan. p. 202. n. 1. pl. 4. f. 59 a, b (1878); Journ. Mus. Godeffr. xiv. pp. 198, 200. n. 5 (1879); Verh. zool.-bot. Ges. Wien, xli. p. 99. n. 1 (1891); Tepp. l. c. p. 100 (1892).
- **7. **P. Tenuis, Walk.** (*Phaneroptera T.*) Cat. N. Aus- Derm. Salt. B. M. ii. p. 354. n. 63 tralia. (1869).

- | | |
|---|---------------------|
| 8. P. Ferruginea , Tepp. l. c. p. 100
(1892). | S. Australia. |
| 9. P. Angustiloba , Brunn. Journ. Mus.
Godeffr. xiv. pp. 198, 200. n. 6 (1879);
Verh. zool.-bot. Ges. Wien, xli. p. 99.
n. 6 (1891). | Queensland. |
| 10. P. Juncea , Walk. (<i>Phaneroptera J.</i>) l. c.
v. Suppl. p. 39 (1871). | Mel-
bourne (?). |

Genus 558. **Debrona.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 480 (1870).

Otiaphysa, **Karsch**, Berlin. Ent. Zeitschr. xxxii. p. 453 (1888);
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 16, 114
(1891). (*Type* no. 1.)

- | | |
|--|-------------------------|
| **1. D. Cervina , Walk. l. c. p. 481. n. 1
(1870). | S. Africa,
Usambara. |
| <i>Otiaphysa Hebetata</i> , Karsch , l. c. p. 454,
pl. 4. ff. 10, 10 a (1888); Brunn. l. c.
p. 114 (1891). | |
| 2. D. Angustipennis , Burr , (<i>Otiaphysa A.</i>)
Proc. Zool. Soc. Lond. 1900, p. 43,
pl. 2. f. 2. | Somali. |

Genus 559. **Tetraconcha.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvi. p. 61 (1890); **Brunn.** Verh. zool.-bot.
Ges. Wien, xli. pp. 16, 115 (1891); **Bol.**, Bol. Soc. Españ.
Hist. Nat. vi. p. 231 (1906).
Tellidia, **Bol.** Ann. Soc. Ent. France, lxii. p. 177 (1893).
(*Type* no. 4.)

- | | |
|---|---------------------------|
| 1. T. Fenestrata , Karsch , l. c. p. 62
(1890); Brunn. l. c. p. 115. n. 1, pl. 2.
f. 20 (1891); Bol. , Bol. Soc. Españ.
Nat. Hist. vi. pp. 234, 235. n. 1 (1906). | Cameroons,
Gold Coast. |
| 2. T. Stichyrata , Karsch , l. c. p. 360. n. 9,
f. 3 (1890); Berlin. Ent. Zeitschr. xxxvi.
p. 320. n. 11 (1891); Bol. l. c. p. 235.
n. 2 (1906).
<i>T. Scalaris</i> , Brunn. l. c. pp. 115, 116. n. 2
(1891).
 <i>T. Fenestrata</i> , Brunn. (<i>nec Karsch</i>) l. c.
pl. 2. f. 20 (1891); (?) Griff. Ann. Mus.
Genova, xlii. p. 391 (1906). | W. Africa. |
| 3. T. Smaragdina , Brunn. l. c. pp. 115,
116. n. 3 (1891); Bol. l. c. p. 294. n. 2,
p. 295. n. 3 (1906). | Cameroons. |

4. **T. Longipes, Bol.** (*Tellidia L.*) Ann. Assinie.
Soc. Ent. France, lxii. p. 178. n. 46.
pl. 1. ff. 9, 10 (1893); Bol. Soc. Españ.
Hist. Nat. vi. p. 235. n. 4 (1906).

Genus 560. **Drepanophyllum.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvi. p. 358 (1890).

Karschia, Brunn. Verh. zool.-bot. Ges. Wien. xli. pp. 4, 41 (1891).

1. **D. Marmoratum, Karsch**, l. c. pp. 359, 360. f. 2 (1890). Cameroons.
Karschia Corroosa, Brunn. l. c. p. 41. pl. 1.
f. 3 (1891).
2. **D. Corrosifolium, Karsch**, Stett. Ent. id.,
Zeit. lvii. p. 326. n. 91 (1896); Griff. Ann. Fernando
Mus. Genova, xlii. p. 392 (1906). Po.

Genus 561. **Stenamblyphyllum.**

Karsch, Stettin. Ent. Zeit. lvii. p. 326 (1896).

1. **S. Dilutum, Karsch**, l. c. p. 327. f. 39 (1896). Cameroons.

Genus 562. **Polichnodes.**

Giglio-Tos, Boll. Mus. Torino. xiii. (311) p. 72 (1898).

1. **P. Americana, Giglio-Tos**, l. c. (1898). | Ecuador.

Genus 563. **Alogoptera.**

Rehn, Ent. News, xiv. p. 141 (1903).

1. **A. Caribbeum, Rehn**, l. c. (1903). | Porto Rico.

Genus 564. **Buettneria.**

Büttneria, Karsch, Berlin. Ent. Zeitschr. xxxii. p. 111 (1888).

Buettneria, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 11.
105 (1891).

1. **B. Maculiceps, Karsch**, (*Büttneria M.*) W. Africa.
l. c. p. 445 (1888).
B. Maculiceps, Brunn. l. c. p. 106. n. 1
(1891).

Genus 565. **Phlaurocentrum.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 445 (1888) ;
 Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 11, 106 (1891).

- | | |
|--|------------|
| 1. P. Latevittatum , Karsch, l. c. p. 446
(1888), xxxvi. pp. 321, 322. n. 13, f. 1 a
(1891) ; Brunn. l. c. p. 106 (1891). | W. Africa. |
| 2. P. Mecopodoides , Karsch, l. c. xxxvi.
pp. 321, 322. n. 14, f. 1 (1891). | Cameroons. |
| 3. P. Stigosum , Karsch, Stettin. Ent.
Zeit. lvii. p. 336. n. 105 (1896). | id. |

Genus 566. **Weissenbornia.**

Karsch, Ent. Nachr. xiv. p. 65 (1888) ;
 Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 11, 71 (1891).

- | | |
|--|------------|
| 1. W. Præstantissima , Karsch, l. c. p. 66
(1888) ; Brunn. l. c. p. 72, pl. 1. f. 9
(1891) ; Griff. Ann. Mus. Genova, xlii.
p. 389 (1906). | Cameroons. |
|--|------------|

Genus 567. **Enochletica.**

Karsch, Stettin. Ent. Zeit. lvii. p. 336 (1896).

- | | |
|--|------------|
| 1. E. Ostentatrix , Karsch, l. c. p. 337.
n. 106 (1896). | Cameroons. |
|--|------------|

Genus 568. **Ancylecha.**

Serv. Ins. Orth. p. 411 (1839) ; Stål, Bihang Svenska Akad.
 iv. (5) p. 56 (1878) ; Brunn. Mon. Phan. pp. 19, 159
 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 11 (1891).

- | | |
|--|---|
| * 1. A. Fenestrata , Fabr. (<i>Locusta F.</i>) Ent.
Syst. ii. p. 34. n. 4 (1793).
<i>Phylloptera Fenestrata</i> , Burm. Handb. Ent.
ii. p. 692. n. 1 (1838).
<i>A. Fenestrata</i> , Brunn. Mon. Phan. p. 160.
n. 1, pl. 3. f. 42 a, b (1878).
<i>A. Lunuligera</i> , Serv. l. c. n. 1 (1839). | Java,
Assam,
Malacca,
Singapore. |
|--|---|

Genus 569. **Phygela.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (5) p. 56 (1876); Brunn. Mon. Phan. pp. 19, 160 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 11 (1891).

- | | |
|---|---|
| <p>*1. P. Haanii, Stål, l. c. p. 57. n. 1 (1876);
Brunn. Mon. Phan. p. 161. n. 1, pl. 3.
f. 43 (1878).</p> <p>2. P. Marginata, Brunn. l. c. p. 161. n. 2
(1878); Verh. zool.-bot. Ges. Wien, xli.
p. 72 (1891).</p> | <p>Malacca.
Singapore.</p> <p>Borneo.</p> |
|---|---|

Genus 570. **Arnobia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (5) p. 56 (1876); Brunn. Mon. Phan. pp. 19, 162 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 11 (1891); Jacobs. & Bianchi, Prem. i Lozhu. Ross. Imp. pp. 324, 336, 374 (1902-3).

- | | |
|--|---|
| <p>*1. A. Pilipes, Haan, (<i>Locusta</i> (<i>Phanero-
ptera</i>) <i>P.</i>) Temminck, Verhandel., Orth.
pp. 191, 194. n. 13 (1842).
<i>A. Pilipes</i>, Brunn. ll. cc. p. 162. n. 1,
pl. 3. f. 44 (1878); p. 72 (1891); Jacobs.
& Bianchi, l. c. pp. 326, 375 (1902-3).</p> <p>2. A. Phyllopteroides, Fisch. - Waldh.
(<i>Decticus</i> <i>P.</i>) Orth. Ross. p. 173. n. 16.
pl. 28. f. 4 (1846); Jacobs. & Bianchi,
l. c. p. 375 (1903).</p> | <p>Japan.
Malacca,
Java.</p> <p>Dauria.</p> |
|--|---|

Genus 571. **Molpa.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 479 (1870).
Pyrgophylax, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 12, 73
(1891). (*Type* no. 1.)

- | | |
|---|--|
| <p>**1. M. Bilineolata, Walk. l. c. p. 480. n. 1
(1870).
<i>Pyrgophylax Ceylonicus</i>, Brunn. l. c. p. 73.
pl. 1. ff. 10, 10 a, b (1891).</p> <p>2. M. Emarginata, Dohrn, (<i>Pyrgophylax</i>
<i>Emarginatus</i>) Stettin. Ent. Zeit. liii.
p. 68 (1892).</p> <p>3. M. Spathulata, Bol. (<i>Pyrgophylax</i>
<i>Spathulatus</i>) Ann. Soc. Ent. France.
lxviii. p. 764 (1900).</p> | <p>Ceylon.</p> <p>Borneo.</p> <p>S. India.</p> |
|---|--|

Genus 572. **Tapeina.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 19, 163 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. pp. 12, 74 (1891).

- | | |
|---|----------|
| 1. T. Acutangula , Brunn. ll. cc. p. 163.
n. 1, pl. 3. f. 45 <i>a-c</i> (1878) ; p. 74. n. 1
(1891). | Assam. |
| ** 2. T. Pardalis , Walk. (<i>Ephippitytha</i> (?)
<i>P.</i>) (Cat. Derm. Salt. B. M. ii. p. 356.
n. 5 (1869). | Silhet. |
| 3. T. Cucullata , Brunn. Verh. zool.-bot.
Ges. Wien, xli. p. 74. n. 2 (1891). | Sumatra. |
| 4. T. Truncata , Brunn. l. c. n. 3 (1891). | id. |

Genus 573. **Dapanera.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 423, 441 (1888) ;
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 12, 75 (1891).

- | | |
|---|----------------------|
| 1. D. Genuteres , Karsch, l. c. p. 441
(1888) ; Brunn. l. c. p. 75. n. 1 (1891) ;
Sjöst. Bihang Svenska Akad. xxvii.
(4 : 3) p. 11, pl. 4. f. 1 <i>a, b</i> (1902). | Acera,
Congo. |
| 2. D. Irregularis , Karsch, Ent. Nachr.
xvi. p. 258. n. 3 (1890) ; Brunn. l. c.
p. 76. n. 2 (1891). | W. Africa,
Kribi. |

Genus 574. **Gonatoxia.** (*Type* no. 1.)

Karsch, Berlin. ent. Zeitschr. xxxii. p. 441 (1888) ;
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 12, 76 (1891).

- | | |
|---|-----------|
| 1. G. Immaculata , Karsch, l. c. p. 442
(1888) ; Brunn. l. c. pp. 12, 76 (1891). | Usambara. |
| 2. G. Maculata , Karsch, l. c. p. 442
(1888) ; Brunn. l. c. pp. 76, 77. n. 2
(1891). | Somali. |

Genus 575. **Casigneta.**

Brunn. Mon. Phan. pp. 19, 163 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. pp. 12, 77 (1891).

- | | |
|--|-------|
| 1. C. Loliifolia , Haan, (<i>Locusta</i> (<i>Phaneroptera</i>) <i>L.</i>) Temminck. Verhandel.,
Orth. pp. 191, 194. n. 17 (1842) ; Brunn.
Mon. Phan. p. 164. n. 2 (1878). | Java. |
|--|-------|

- | | |
|---|--------------|
| 2. C. Cochleata , Brunn. l. c. p. 164. n. 1,
pl. 3. f. 46 <i>a, b</i> (1878); Verh. zool.-bot.
Ges. Wien, xli. p. 77. n. 1 (1891). | Amboina. |
| 3. C. Pellucida , Brunn. ll. cc. pp. 164,
165. n. 2 (1878); p. 77. n. 2 (1891). | Philippines. |
| 4. C. Lamellosa , Brunn. Verh. zool.-bot.
Ges. Wien, xli. p. 77. n. 3 (1891). | Celebes. |

Genus 576. **Elbenia**. (*Type* no. 5.)

Stål, Bihang Svenska Akad. iv. (5) p. 56 (1876); Brunn.
Mon. Phan. pp. 20, 165 (1878); Verh. zool.-bot. Ges.
Wien, xli. pp. 12, 78 (1891); Abhandl. Senckenb. Ges.
xxiv. p. 254 (1898).

- | | |
|--|--------------------------|
| 1. E. Tenera , Brunn. ll. cc. p. 166. n. 1
(1878); p. 78. n. 1 (1891); p. 254. n. 1
(1898). | Borneo. |
| 2. E. Brevixipha , Brunn. Abhandl.
Senckenb. Ges. xxiv. p. 254. n. 2, pl. 18.
f. 40 <i>a, b</i> (1898). | id. |
| 3. E. Manillensis , Pict. Mém. Soc. Genève,
xxx. (6) p. 7. n. 1 (1898). | Manila. |
| 4. E. Modesta , Brunn. Verh. zool.-bot.
Ges. Wien, xli. p. 78 (1891); Abhandl.
Senckenb. Ges. xxiv. pp. 244, 255. n. 3,
pl. 18. f. 41 <i>a-c</i> (1898). | Philippines. |
| 5. E. Nigrosignata , Stål, l. c. p. 56. n. 1
(1876); Brunn. Mon. Phan. p. 166.
n. 2 (1878); Verh. zool.-bot. Ges. Wien,
xli. p. 78. n. 2 (1891); Abhandl. Senckenb.
Ges. xxiv. pp. 254, 255. n. 4 (1898). | Malacca. |
| 6. E. Triangularis , Brunn. Abhandl.
Senckenb. Ges. xxiv. pp. 254, 255. n. 5,
pl. 18. f. 42 <i>a, b</i> (1898). | Borneo,
Kina
Balu. |
| 7. E. Appendiculata , Brunn. ll. cc. n. 6,
pl. 18. f. 43 <i>a, b</i> (1898). | Sumatra. |

Genus 577. **Phaula**. (*Type* no. 2.)

Brunn. Mon. Phan. pp. 20, 167 (1878); Verh. zool.-bot. Ges.
Wien, xli. pp. 12, 79 (1891); Jacobs. & Bianchi, Prem.
i Lozhn. Ross. Imp. pp. 324, 336, 375 (1902-3).

- | | |
|--|--------------|
| 1. P. Rugulosa , Brunn. ll. cc. p. 167. n. 1
(1878); p. 79, 80. n. 1 (1891). | Philippines. |
|--|--------------|

- | | |
|---|-----------------------|
| 2. P. Lævis, Brunn. ll. cc. pp. 167, 168.
n. 2, pl. 3. f. 48 (1878) ; pp. 78, 80, n. 2
(1891). | Philippines. |
| 3. P. Compressa, Brunn. Verh. zool.-bot.
Ges. Wien, xli. pp. 79, 81. n. 5 (1891). | Ké I.,
Menado. |
| 4. P. Phanopteroides, Brunn. ll. cc. n. 6
(1891). | Manila. |
| 5. P. Gracilis, Brunn. ll. cc. n. 7 (1891). | Borneo. |
| 6. P. Spinosolaminata, Brunn. Mon. Phan.
pp. 167, 168. n. 3 (1878) ; Verh. zool.-
bot. Ges. Wien, xli. pp. 79, 80. n. 3
(1891). | Java. |
| 7. P. Trichopus, Haan, (<i>Locusta</i> (<i>Phanero-
ptera</i>) <i>T.</i>) Temminck. Verhandel., Orth.
pp. 191, 194. n. 14 (1842).
<i>P. Trichopus, Dohrn,</i> Stettin. Ent. Zeit.
liii. p. 69 (1892).
<i>P. Chlorotica, Brunn.</i> ll. cc. pp. 167, 169.
n. 4 (1878) ; pp. 79, 81. n. 4 (1891). | id.,
Singapore. |
| 8. P. Sumatrana, Brunn. Verh. zool.-bot.
Ges. Wien, xli. pp. 80, 82. n. 8 (1891). | Sumatra. |
| 9. P. Indica, Brunn. ll. cc. n. 9 (1891). | Madras. |
| 10. P. Lenzi, Brunn. l. c. pp. 80, 83. n. 10
(1891). | Cameroons,
Gaboon. |
| 11. P. Inconspicua, Brunn. ll. cc. n. 11
(1891). | Cameroons. |
| 12. P. Cornuta, Brunn. ll. cc. n. 12 (1891). | Luzon. |
| 13. P. Denticauda, Brunn. l. c. pp. 80, 84
n. 13 (1891). | I. Iolo,
Celebes. |
| 14. P. Peregrina, Brunn. ll. cc. n. 14
(1891). | N. Guinea,
Waigiu. |

Genus 578. **Habra.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 12, 85 (1891).

- | | |
|--|---------|
| 1. H. Securifera, Brunn. l. c. p. 85, pl. 1.
f. 11 (1891). | Borneo. |
|--|---------|

Genus 579. **Calopsyra.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 12, 85 (1891).

- | | |
|--|----------------------------------|
| 1. C. Octomaculata, Westw. (<i>Phylloptera</i>
<i>O.</i>) Cab. Or. Ent. p. 52, pl. 25. f. 4
(1818). | Sumatra,
Malacca
(eadem?). |
| (?) <i>C. Octomaculata, Brunn.</i> l. c. p. 86,
pl. 1. f. 12 (1891) ; Dohrn, Stettin. Ent.
Zeit. liii. p. 50 (1892). | |

Genus 580. **Pæcilopsyra.**

Dohrn, Stettin. Ent. Zeit. liii. p. 69 (1892).

- | | |
|--|---------------------|
| *1. P. Octoseriata, Haan , (<i>Locusta (Phaneroptera) O.</i>) Temminck, Verhandel., Orth. pp. 191, 195. n. 32, pl. 19. f. 5 (1842).
<i>P. Octoseriata, Dohrn</i> , l. c. p. 70 (1892). | Sumatra,
Borneo. |
|--|---------------------|

Genus 581. **Dicranopsyra.**

Dohrn, Stettin. Ent. Zeit. liii. p. 71 (1892).

- | | |
|--|---------------------|
| 1. D. Multicolor, Dohrn , l. c. (1892). | Borneo,
Sumatra. |
|--|---------------------|

Genus 582. **Psyra.** (*Type* no. 4.)

Stål, Bihang Svenska Akad. iv. (5) p. 55 (1876); Brunn. Mon. Phan. pp. 20, 169 (1878); Verh. zool.-bot. Ges. Wien. xli. pp. 13, 87 (1891).

- | | |
|---|---|
| *1. P. Ensis, Haan , (<i>Locusta (Phaneroptera) E.</i>) Temminck, Verhandel., Orth. pp. 191, 194. n. 10 (1842).
<i>P. Ensis, Brunn</i> . ll. cc. pp. 170, 171. n. 1, pl. 3. f. 49 <i>a, b</i> (1878); p. 87. n. 1 (1891). | Borneo,
Amboina,
Japan
(eadem?). |
| 2. P. Borneensis, Brunn . ll. cc. pp. 170, 171. n. 2 (1878); p. 87. n. 2 (1891). | Borneo. |
| 3. P. Ceylonica, Brunn . Verh. zool.-bot. Ges. Wien, xli. p. 87. n. 6 (1891). | Ceylon. |
| *4. P. Melanonota, Stål , l. c. p. 56. n. 1 (1876); Brunn. Mon. Phan. pp. 170, 172. n. 3 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 87. n. 3 (1891). | Malacca,
New
Pomerania
(eadem?). |
| 5. P. Longestylata, Brunn . Verh. zool.-bot. Ges. Wien, xli. pp. 87, 88. n. 7 (1891). | Philippines. |
| 6. P. Longelaminata, Brunn . ll. cc. n. 8 (1891). | Borneo. |
| *7. P. Unicolor, Brunn . Mon. Phan. pp. 170, 172. n. 4 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 87. n. 4 (1891). | Oli. |
| 8. P. Tigrina, Brunn . ll. cc. pp. 170, 173. n. 5 (1878); p. 87. n. 5 (1891). | Borneo. |
| **9. P. Pomona, Kirb . Mon. Christmas I. p. 150 (1900). | Christmas I. |

Genus 583. **Plangiopsis.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 425, 459 (1888);
 Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 13, 88 (1891).

- | | |
|---|------------|
| 1. P. Semiconchata, Karsch, l. c. p. 460
(1888); Brunn. l. c. p. 89 (1891). | Cameroons. |
| 2. P. Foraminata, Karsch, l. c. xxxvi. p. 324
(1892). | id. |
| 3. P. Adeps, Karsch, Stettin. Ent. Zeit. lvii.
p. 338. n. 107 (1896). | id. |

Genus 584. **Goetia.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 322 (1892).

- | | |
|--|------------|
| 1. G. Galbana, Karsch, l. c. p. 323. n. 15,
f. 2 (1892). | Cameroons. |
|--|------------|

Genus 585. **Itokiia.**

Sjöst. Bihang Svenska Akad. xxvii. (3) p. 10 (1902).

- | | |
|---|------------|
| 1. I. Silvarum, Sjöst. l. c. (1902). | Cameroons. |
|---|------------|

Genus 586. **Bongeia.**

Sjöst. Bihang Svenska Akad. xxvii. (3) p. 9 (1902).

- | | |
|--|------------|
| 1. B. Puncticollis, Sjöst. l. c. pl. 4. f. 3
(1902). | Cameroons. |
|--|------------|

Genus 587. **Poreuomena.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 21, 187 (1878); Verh. zool.-bot. Ges.
 Wien, xli. p. 13 (1891); Karsch, Berlin. Ent. Zeitschr.
 xxxii. p. 423 (1888).

- | | |
|--|------------|
| 1. P. Africana, Brunn. l. c. p. 187. n. 1,
pl. 3. f. 53 <i>a, b</i> (1878); Karsch, Ent.
Nachr. xvi. p. 262, note (1890). | Gaboon. |
| 2. P. Forcipata, Sjöst. Bihang Svensk.
Akad. xxvii. (4:3) p. 12, pl. 2. ff. 3, 4
(1902). | Cameroons. |

Genus 588. **Zeuneria.**

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 443 (1888) ;
 Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 13, 94 (1891).

- *1. **Z. Melanopeza, Karsch**, l. c. p. 443 | Cameroons.
 (1888) ; Ent. Nachr. xvi. p. 60 (1890) ;
 Brunn. l. c. p. 94, pl. 1. f. 13 (1891) ;
 Griff. Ann. Mus. Genova, xlii. p. 390 |
 (1906).

Genus 589. **Cestromœcha.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 128 (1893).

1. **C. Tenuipes, Karsch**, (*Poreuomena T.*) | Cameroons.
 Ent. Nachr. xvi. p. 363 (1890).
 2. **C. Mundamensis, Karsch**, Stettin. Ent. id.
 Zeit. lvii. p. 338. n. 108 (1896) ; Griff.
 Ann. Mus. Genova, xlii. p. 389 (1906).

Genus 590. **Stenacropteryx.**

Karsch, Stettin. Ent. Zeit. lvii. p. 339 (1896).

1. **S. Eburneiguttata, Karsch**, l. c. n. 109 | Cameroons.
 (1896).

Genus 591. **Morgenia.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvi. p. 261 (1890) ;
 Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 13, 95 (1891).

1. **M. Hamuligera, Karsch**, l. c. p. 263 | Cameroons.
 n. 7, ff. 3, 4 (1890) ; Brunn. l. c. p. 95,
 pl. 1. f. 14 *a, b* (1891).
 2. **M. Melica, Karsch**, l. c. xix. p. 196. n. 1 id.
 (1893).
 3. **M. Modulata, Karsch**, Stettin. Ent. Zeit. id.
 lvii. p. 340. n. 110 (1896).

Genus 592. **Gravenreuthia.**

Karsch, Berlin. Ent. Zeitschr. xxxvii. p. 73 (1892).

1. **G. Saturata**, **Karsch**, l. c. p. 74. n. 1, f. 2 | Cameroons.
 (1892); Sjöst. Bihang Svenska Akad. |
 xxvii. (4 : 3) p. 17, pl. 3. f. 1 (1902). |

Genus 593. **Mangomaloba.**

Sjöst. Bihang Svenska Akad. xxvii. (4 : 3) p. 14 (1902).

1. **M. Monticola**, **Sjöst.** l. c. p. 15, pl. 3. | Cameroons.
 f. 4 (1902). |

Genus 594. **Miltinobates.**

Sjöst. Bihang Svenska Akad. xxvii. (4 : 3) p. 15 (1902).

1. **M. Blandus**, **Sjöst.** l. c. p. 16, pl. 4. f. 2 | Congo.
 (1902). |

Genus 595. **Holochlora.** (*Type* no. 5.)

Stål, Öfvy. Vet.-Akad. Förh. xxx. (4) p. 42 (1873) ; Recens.
 Orth. ii. p. 17 (1874) ; Brunn. Mon. Phan. pp. 20, 174
 (1878) ; Verh. zool.-bot. Ges. Wien, xli. pp. 13, 89 (1891).

- *1. **H. Biloba**, **Stål**, Recens. Orth. ii. p. 39. | Madagascar
 n. 2 (1874). | Mauritius.
 *2. **H. Indica**, **Kirb.** (n. n.). | India.
 || *H. Biloba*, **Brunn.** (*nec Stål*) ll. cc. pp. 175, | Ceylon,
 176. n. 1 (1878) ; pp. 90, 91 (1891). | Java.
 *3. **H. Albida**, **Brunn.** ll. cc. pp. 175, 176. | Singapore.
 n. 2 (1878) ; p. 90. n. 2 (1891).
 4. **H. Tumescens**, **Brunn.** ll. cc. pp. 175, | Malacca,
 176, 177. n. 3 (1878) ; pp. 90, 91. n. 3 | Java.
 (1891).
 5. **H. Venosa**, **Stål**, Öfvy. Vet.-Akad. Förh. | Java,
 xxx. (4) p. 43. n. 1 (1873) ; Brunn. ll. cc. | Sumatra.
 pp. 175, 178. n. 4 (1878) ; pp. 89, 91. n. 4
 (1891).

6. **H. Marginata, Brunn.** Verh. zool.-bot. Hab. — ?
Ges. Wien, xli. pp. 89, 91. n. 12 (1891).
7. **H. Fuscospinosa, Brunn.** l. c. pp. 91. Luzon.
92. n. 15 (1891).
- *8. **H. Obtusa, Brunn.** Mon. Phan. pp. 175. Malacca.
178. n. 5 (1878); Verh. zool.-bot. Ges.
Wien, xli. p. 89. n. 5 (1891).
- *9. **H. Spectabilis, Walk.** (*Phylloptera* S.) Ceylon.
Cat. Derm. Salt. B. M. ii. p. 380. n. 15
(1869).
10. **H. Brevifissa, Brunn.** ll. cc. pp. 175. id.
178. n. 6, pl. 3. f. 50 a-c (1878); l. c.
pp. 90, 91. n. 6 (1891).
- *11. **H. Prætermissa, Brunn.** Verh. zool.- id.
bot. Ges. Wien, xli. pp. 90, 92. n. 13
(1891).
12. **H. Celebica, Brunn.** Mon. Phan. pp. 175. Celebes.
179. n. 7 (1878); Verh. zool.-bot. Ges.
Wien, xli. p. 90. n. 7 (1891).
- *13. **H. Javanica, Brunn.** ll. cc. pp. 175, 180. Malacca,
n. 8 (1878); pp. 90, 91. n. 8 (1891). Java.
|| *Locusta* (*Phaneroptera*) *Japonica*, *Haan*, Sumatra.
(*nec Thunb.*) Temminck, Verhandel., Orth.
pp. 191, 194. n. 15 (1842).
14. **H. Geniculata, Brunn.** Ann. Mus. Ge- Pegu.
nova, xxxiii. p. 169. n. 2 (1893).
15. **H. Nigrospinulosa, Brunn.** l. c. p. 170. Burma.
n. 3 (1893).
16. **H. Emarginata, Brunn.** Mon. Phan. Philippines.
pp. 175, 180. n. 9 (1878); Verh. zool.-
bot. Ges. Wien, xli. p. 90. n. 9 (1891).
17. **H. Signata, Brunn.** Verh. zool.-bot. Ges. Singapore,
Wien, xli. pp. 90, 92. n. 14 (1891). Borneo.
18. **H. Forstenii, Haan,** (*Locusta* (*Phyllo- Celebes,*
ptera) *F.*) l. c. pp. 196, 198. n. 9 Amboina.
(1842).
- H. Forstenii, Brunn.* Mon. Phan. pp. 175,
181. n. 10 (1878); Verh. zool.-bot. Ges.
Wien, xli. p. 90. n. 10 (1891).
19. **H. Japonica, Brunn.** ll. cc. pp. 175, 181. Japan.
n. 11 (1878); p. 91. n. 11 (1891). Shanghai.
20. **H. Stæli, Krausze,** (*H. Stæli*) Insecten- Tonkin.
Börse, 1904, p. 29 (1904).

Genus 596. **Liotrachela.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 20, 182 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. pp. 13, 93 (1891).

- | | |
|--|-----------------|
| *1. L. Nitida, Brunn. Mon. Phan. pp. 182, 183. n. 1, pl. 3. f. 51 <i>a, b</i> (1878). | Philippines. |
| 2. L. Philippina, Brunn. l. c. p. 183. n. 2 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 93 (1891). | id.,
Borneo. |
| 3. L. Minuta, Brunn. Mon. Phan. pp. 183, 184. n. 3 (1878). | Luzon. |
| 4. L. Amboinica, Brunn. ll. cc. n. 4 (1878). | Amboina. |
| 5. L. Lobata, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 93. n. 5 (1891). | Mindanao. |

Genus 597. **Sympæstria.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 21, 185 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 13 (1891) ; Dohrn, Stettin. Ent. Zeit. liii. p. 72 (1892).

Stibara, Brunn. ll. cc. pp. 31, 354 (1878) ; p. 23 (1891).
(*Type* no. 2.)

- | | |
|--|--------------------------------|
| *1. S. Acutelobata, Brunn. Mon. Phan. p. 185. n. 1, pl. 3. f. 52 <i>a, b</i> (1878) ; Dohrn, l. c. p. 73. n. 1 (1892). | Borneo,
Java,
Singapore. |
| *2. S. Nitidifolia, Haan, (<i>Locusta</i> (<i>Phylloptera</i>) <i>N.</i>) Temminck, Verhandel., Orth. pp. 196, 198. n. 7 (1842).
<i>S. Nitidifolia</i> , Dohrn, l. c. p. 73. n. 2 (1892).
<i>Stibara Cornua</i> , Brunn. l. c. p. 354. n. 1, pl. 8. f. 105 <i>a-c</i> (1878). | Java,
Borneo. |
| 3. S. Longipes, Dohrn, l. c. p. 73. n. 3 (1892). | Java. |
| 4. S. Truncatolobata, Brunn. l. c. pp. 185, 186. n. 2 (1878) ; Dohrn, l. c. p. 73. n. 4 (1892). | China (?) |

Genus 598. **Tinzeda.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. ii. p. 367 (1869).

Teniomena, Brunn. Mon. Phan. pp. 22, 203 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 14 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 105 (1892). (*Type* no. 1.)

- | | |
|--|--|
| <p>*1. T. Albosignata, Brunn. (<i>Teniomena A.</i>)
Mon. Phan. p. 204. n. 1, pl. 4. f. 60
(1878); Tepp. l. c. p. 105 (1892).
<i>T. Eburneata</i>, pt., Walk. l. c. p. 368. n. 1
(1869).</p> <p>**2. T. Eburneata, Walk. (<i>typ.</i>) l. c. (1869).
<i>Teniomena Soror</i>, Brunn. l. c. p. 204. n. 2
(1878); Tepp. l. c. p. 106 (1892).</p> <p>3. T. Lobata, Brunn. (<i>Teniomena L.</i>) l. c.
pp. 204, 205. n. 3 (1878); Tepp. l. c.
p. 107 (1892).</p> <p>4. T. Sororoides, Tepp. (<i>Teniomena S.</i>)
l. c. p. 106 (1892).</p> <p>5. T. Fraserensis, Tepp. (<i>Teniomena F.</i>)
l. c. p. 108 (1892).</p> <p>6. T. Minor, Tepp. (<i>Teniomena M.</i>) l. c.
p. 109 (1892).</p> | <p>Australia.</p> <p>id.</p> <p>id.</p> <p>id.</p> <p>W. Aus-
tralia.</p> <p>S. Australia.</p> |
|--|--|

Genus 599. **Elephantodeta.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 22, 206 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 14 (1891); Tepp. l. c. p. 109 (1892).

- | | |
|--|------------------------------|
| <p>**1. E. Nobilis, Walk. (<i>Phaneroptera N.</i>)
Cat. Derm. Salt. B. M. ii. p. 348. n. 53
(1869).</p> <p>**<i>Tinzeda Basalis</i>, Walk. l. c. p. 368. n. 2
(1869).
<i>E. Eburnata</i>, Brunn. l. c. p. 207. n. 1,
pl. 4. f. 61 (1878); Tepp. l. c. p. 109
(1902).</p> <p>**2. E. Pinguis, Walk. (<i>Phaneroptera P.</i>)
l. c. p. 350. n. 55 (1869).
<i>E. Farinosa</i>, Brunn. l. c. p. 207. n. 2
(1878); Tepp. l. c. p. 110 (1892).</p> | <p>Australia.</p> <p>id.</p> |
|--|------------------------------|

Genus 600. **Dioncomena.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 23, 208 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 14 (1891); Karsch, Berlin. Ent. Zeitschr. xxxii. p. 424 (1888).

- | | |
|---|------------|
| 1. D. Ornata , Brunn. Mon. Phan. p. 208.
n. 1, pl. 4. f. 62 <i>a, b</i> (1878). | Zanzibar. |
| 2. D. Superba , Karsch, l. c. p. 449 (1888).
<i>D. Ornata</i> , var. <i>Superba</i> , Brunn. Verh.
zool.-bot. Ges. Wien, xli. p. 107 (1891). | E. Africa. |

Genus 601. **Anallomes.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. xvii. p. 261 (1875).

- | | |
|---|-------|
| 1. A. Maranana , Scudd. l. c. p. 262 (1875). | Peru. |
| 2. A. Unipunctata , Scudd. l. c. (1875). | id. |

Genus 602. **Phaneroptera.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 158 (1831); Ins. Orth. p. 413 (1839); Brullé, Hist. Nat. Ins. ix. p. 143 (1835); Burm. Handb. Ent. ii. p. 688 (1838); Ramb. Faun. Andal. ii. p. 43 (1839); Blanch. Hist. Nat. Ins. iii. p. 24 (1840); Herr.-Schäff. Nomencl. Ins., Orth. p. 13 (1840); Fisch.-Waldh. Orth. Ross. p. 139 (1846); Fisch. Orth. Eur. p. 236 (1853); Fieb. Lotos, iii. p. 173 (1853); Syn. Eur. Orth. p. 49 (1854); Friv. Értek. Termész. Kör. i (12) pp. 83, 106 (1867); Stål, Recens. Orth. ii. p. 14 (1874); Bol. Ortópt. Españ. pp. 175, 232 (1876); An. Soc. Españ. vi. pp. 257, 314 (1877); Ann. Sci. Nat. Porto, vi. p. 8 (1900); Brunn. Mon. Phan. pp. 23, 209 (1878); Prodr. Eur. Orth. pp. 246, 291 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 14, 107 (1891); Finot, Orth. France, pp. 89, 97 (1883); Faune France, Orth. pp. 174, 181 (1889); Tümp. Geradfl. Mitteleuropas, pp. 221, 223, 254 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 324, 336, 376 (1902-3).

- | | |
|---|--|
| *1. P. Falcata , Poda, (<i>Gryllus Falcatus</i>) Mus.
Græc. p. 52 (1761); Scop. Ent. Carn.
p. 108. n. 322, f. 322 (1763); Schrank,
Enum. Ins. Austr. p. 245. n. 467 (1781). | Centr. &
E. Europe,
W. Asia,
Siberia, |
|---|--|

Locusta Falcata, Schrank. Fauna Boica, ii. Amur.
(1) p. 35. n. 1029 (1801); Charp. Hor.
Ent. p. 103 (1825).

Phaneroptera Falcata, Burm. l. c. p. 690.
n. 6 (1838); Serv. Ins. Orth. p. 419. n. 11
(1839); Blanch. l. c. p. 24. n. 3 (1840);
Herr.-Schäff. l. c. p. 13 (1840); Fisch.-
Waldh. l. c. p. 140. n. 1 (1846); Fisch.
l. c. p. 238. n. 3, pl. 12. f. 21, 21 a, 22
(1853); Fieb. ll. cc. p. 173. n. 1 (1853);
p. 49. n. 1 (1854); Lotos, iv. p. 224. n. 1
(1854); Friv. l. c. p. 106. n. 1 (1867);
Brunn. Mon. Phan. pp. 210, 211, pl. 4.
f. 63 a, b (1878); Prodr. Eur. Orth.
p. 291. n. 1 (1882); Finot, ll. cc. pp. 97,
98 (1883); p. 182 (1889); Bol. Ann.
Sci. Nat. Porto, vi. p. 8 (1890); Burr.
Brit. Orth. pp. 47 fig., 51 (1897); Tümp.
l. c. p. 254 (1900); Jacobs. & Bianchi,
l. c. pp. 336, 376 (1902-3).

|| *P. Lilifolia*, Serv. (nec Fabr.) Ann. Sci.
Nat. xxxi. p. 158 (1832); Brullé, l. c.
p. 144, pl. 13. f. 3 (1835).

*2. **P. Quadripunctata**, Brunn. ll. cc. pp. 210, S. Europe,
212. n. 2 (1878); pp. 291, 292. n. 2, pl. 8. W. Asia,
f. 66 a, b (1882); Finot, ll. cc. p. 98 China,
(1883); pp. 182, 183 (1889); Bol. Ann. Japan.
Sci. Nat. Porto, vi. p. 9 (1890); Tümp.
l. c. pp. 223, 254 (1900); Jacobs. &
Bianchi, l. c. pp. 336, 376 (1902-3).

|| *P. Falcata*, Ramb. (nec Poda) l. c. p. 44
(1839); Fisch. l. c. p. 239, pl. 12. ff. 21 b, c,
22 a, b (1853).

|| *P. Nana*, Bol. (nec Fieb.) Ortópt. Españ.
p. 293. n. 1 (1876); An. Soc. Españ. vi.
p. 315. n. 1 (1877).

*3. **P. Nana**, Fieb. ll. cc. p. 173. n. 2 (1853); Portugal,
p. 49. n. 2 (1854); Brunn. ll. cc. pp. 210, Africa,
212. n. 3 (1878); pp. 291, 293. n. 3 S. America.
(1882).

P. Sparsa, Stål, Öfv. Vet.-Akad. Förh.
xiii. p. 170. n. 1 (1856).

P. Conspersa, Stål, Recens. Orth. ii. p. 29.
n. 2 (1874).

P. Tetrasticta, Gerst Arch. f. Nat. xxxv.
p. 215 (1869); Decken. Reisen in Ost-
Afrika, iii. (2) p. 32. n. 17 (1873).

- || *P. Falcata*, Brullé (nec Poda) Webb & Berth. Hist. Nat. Iles Canar., Ins. p. 76, pl. 5. f. 6 (1838).
4. **P. Punctulata**, Burr, Proc. Zool. Soc. Somali.
Lond. 1900, p. 41.
- *5. **P. Reticulata**, Brunn. Mon. Phan. pp. 210, 213. n. 4 (1878). Grahams-town.
6. **P. Minima**, Brunn. l. c. pp. 210, 214. Egypt,
n. 5 (1878); Jacobs. & Bianchi, l. c. Syria.
pp. 336, 376 (1902-3).
- ~ **7. **P. Attenuata**, Walk. Cat. Derm. Salt. S. Africa.
B. M. ii. p. 338. n. 21 (1869).
- ~ *P. Marginalis*, Brunn. l. c. pp. 210, 214.
n. 6 (1878).
- **8. **P. Lurida**, Walk. l. c. p. 339. n. 23 W. Africa.
(1869).
9. **P. Nigroantennata**, Brunn. l. c. pp. 210, Japan.
215. n. 7 (1878); Verh. zool.-bot. Ges.
Wien, xli. p. 107. n. 7 (1891).
P. Nigraantennata, Jacobs. & Bianchi, l. c.
pp. 336, 377 (1902-3).
- 10. **P. Annulata**, Brunn. Verh. zool.-bot. Madagascar
Ges. Wien, xli. p. 107. n. 12 (1891).
- **11. **P. Roseata**, Walk. l. c. p. 343. n. 35 N. India.
(1869).
12. **P. Indica**, Brunn. Mon. Phan. pp. 210, Himalaya.
215. n. 8 (1878).
13. **P. Subcarinata**, Bol. Ann. Soc. Ent. S. India.
France, lxxviii. p. 764 (1900).
- *14. **P. Gracilis**, Burm. l. c. p. 690. n. 7 Java,
(1838). Borneo,
P. Brevis, Serv. Ins. Orth. p. 418. n. 7 Singapore,
(1839). Philippines,
Locusta (Phaneroptera) Brevis, Haan, N. Aus-
Temminck, Verhandel., Orth. pp. 191, 193. tralia,
n. 11 (1842). Timor,
P. Subnotata, Stål, Eugenes Resa, Orth. Tondano.
p. 318. n. 54 (1860); Recens. Orth. ii.
p. 29. n. 3 (1874); Brunn. l. c. pp. 210,
215. n. 9 (1878).
15. **P. Furcifera**, Stål, Recens. Orth. ii. Philippines.
p. 29. n. 4 (1874); Brunn. l. c. pp. 210,
216. n. 10 (1878).
16. **P. Elongata**, Brunn. l. c. pp. 210, 217. Java,
n. 11 (1878). Amboina.
17. **P. Adusta**, Haan (*Locusta (Phaneroptera)* N. Guinea.
A.) l. c. pp. 190, 192. n. 7 (1842).

18. **P. Celebica, Haan** (*Locusta* (*Phaneroptera*) C.) l. c. pp. 190, 193, n. 8 (1812). Tondano.
 19. **P. (?) Hordeifolia, Haan** (*Locusta* (*Phaneroptera*) H.) l. c. pp. 191, 195. Timor.
 n. 19 (1842).
 20. **P. Albida, Walk. l. c. p. 355, n. 67 (1869). Hab. — ?

Genus 603. **Cœlophyllum.**

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 263 (1875).

1. **C. Simplex, Scudd.** l. c. (1875). | Peru.

Genus 604. **Agnapha.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 14, 108 (1891);
 Tepp. Trans. R. Soc. S. Austral. xv. p. 111 (1892).

1. **A. Fusca, Brunn.** l. c. p. 108 (1891); Easter I.
 Tepp. l. c. p. 111 (1892).
 2. **A. Longipes, Bol.** Term. Füzetek, xxv. N. Guinea.
 p. 195 (1902).
 3. **A. Rufosignata, Bol.** l. c. p. 196 (1902). id.

Genus 605. **Melidia.**

Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 60 (1876); Brunn.
 Mon. Phan. pp. 23, 217 (1878); Verh. zool.-bot. Ges.
 Wien, xli. p. 15 (1891); Krauss, Verh. zool.-bot. Ges.
 Wien, li. p. 291 (1901).

1. **M. Brunneri, Stål,** l. c. p. 60 (1876); Damara-
 Brunn. Mon. Phan. p. 218, n. 1, pl. 4, f. 61 land.
 (1878); Krauss, l. c. p. 291 (1901).

Genus 606. **Eucatopta.**

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 421, 417 (1888);
 Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 15, 108 (1891).

1. **E. Heringi, Karsch,** l. c. p. 418, pl. 4. Madagascar
 ff. 8, 8 a-c (1888); Brunn. l. c. p. 109,
 pl. 2, ff. 18, 18 a, b (1891).

Genus 607. **Isopsera.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 23, 218 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. pp. 15, 109 (1891).

- | | |
|--|-------------------------|
| 1. I. Stylata , Brunn. Mon. Phan. p. 219.
n. 1 (1878). | Calcutta. |
| 2. I. Pedunculata , Brunn. l. c. pp. 219,
220. n. 2, pl. 4. f. 65 <i>a, b</i> (1878). | id., Assam,
Rangoon. |
| 3. I. Vaga , Brunn. ll. cc. n. 3 (1878). | Celebes. |
| 4. I. Obtusa , Brunn. l. c. pp. 219, 221
(1878) ; Verh. zool.-bot. Ges. Wien, xli.
p. 109. n. 4 (1891). | India (?) |
| 5. I. Punctulata , Brunn. Verh. zool.-bot.
Ges. Wien, xli. p. 109. n. 5 (1891). | Ceylon. |

Genus 608. **Pseudopyrrhizia.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 15, 110 (1891).

- | | |
|---|-----------|
| 1. P. Punctata , Brunn. l. c. p. 110 (1891). | Zanzibar. |
|---|-----------|

Genus 609. **Allodapa.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 23, 221 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 15 (1891).

- | | |
|--|------------------------|
| 1. A. Aliena , Brunn. ll. cc. p. 222. n. 1,
pl. 4. f. 66 <i>a, b</i> (1878) ; p. 111 (1891). | Ceylon ;
Penang (?) |
| 2. A. Rostrata , Brunn. Mon. Phan. p. 222.
n. 2 (1878). | Seychelles. |

Genus 610. **Natricia.** (*Type* no. 1.)

Walk Cat. Derm. Salt. B. M. ii. p. 266 (1869).

- | | |
|---|------------|
| * 1. N. Ochracea , Walk. l. c. p. 267. n. 1
(1869). | China. |
| * 2. N. (?) Lutea , Walk. l. c. v. Suppl. p. 34
(1871). | Australia. |

Genus 611. **Terpnistria.** (*Type* no. 1.)

Stål, *Œfv. Vet.-Akad. Förh.* xxx. (4) p. 42 (1873), xxxiii. (3) p. 61. n. 1 (1876); *Recens. Orth.* ii. p. 12 (1874); Brunn. *Mon. Phan.* pp. 24, 223 (1878); *Verh. zool.-bot. Ges. Wien*, xli. p. 15 (1891); Karsch, *Stettin. Ent. Zeit.* lvii. p. 342 (1896).

- *1. **T. Zebrata, Serv.** (*Phaneroptera* Z.) Ins. S. Africa. *Orth.* p. 424. n. 16, pl. 11. f. 2 (1839).
T. Zebrata, Stål, *Œfv. Vet.-Akad. Förh.* xxx. (4) p. 42 (1873); *Recens. Orth.* p. 27. n. 1 (1874); Brunn. *Mon. Phan.* pp. 223, 224. n. 1, pl. 4. f. 67 (1878).
- 2. **T. Lobulata, Stål**, *Œfv. Vet.-Akad. Calfraria.* *Förh.* xxxiii. (3) p. 61. n. 2 (1876); Brunn. l. c. pp. 223, 224. n. 2 (1878).

Genus 612. **Tropidophrys.**

Karsch, *Stettin. Ent. Zeit.* lvii. pp. 340, 342 (1896).

- 1. **T. Amydra, Karsch**, l. c. p. 341. n. 111, Cameroon. f. 40 (1896).

Genus 613. **Gelotopœa.**

Gelotopœa, Brunn. *Verh. zool.-bot. Ges. Wien*, xli. pp. 15, 111 (1891); Karsch, *Stettin. Ent. Zeit.* lvii. p. 343 (1896).

- 1. **G. Bicolor, Brunn.** (*Gelotopœa* B.) l. c. Sierra Leone. p. 112, pl. 2. f. 19 (1891).

Genus 614. **Milititsa.**

Burr, *Proc. Zool. Soc. Lond.* 1900. p. 42.

- 1. **M. Somaliensis, Burr**, l. c. p. 43. pl. 2. Somali. ff. 5, 7 (1900).

Genus 615. **Sictuna.**

Walk. *Cat. Derm. Salt. B. M.* ii. p. 360 (1869).

- *1. **S. Strigata, Walk.** l. c. p. 361. n. 1 Venezuela. (1869).

Genus 616. **Diogena.**

Brunn. Mon. Phan. pp. 24, 224 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 15 (1891); Karsch, Stettin. Ent. Zeit. lvii. p. 343 (1896).

- | | |
|--|---------------------------|
| <p>*1. D. Fausta, Burm. (<i>Phaneroptera F.</i>)
 Handb. Ent. ii. p. 689. n. 2 (1838).
 [Sav. Descr. Egypte, Orth. pl. 4. f. 5.]
 <i>D. Fausta, Brunn.</i> Mon. Phan. p. 225. n. 1,
 pl. 4. f. 68 (1878).</p> | Egypt,
Nubia,
Aden. |
|--|---------------------------|

Genus 617. **Tylopsis.** (*Type no. 1.*)

Fieb. Lotos, iii. p. 172 (1853); Syn. Eur. Orth. p. 48 (1854); Bol. Ortópt. Españ. pp. 175, 231 (1876); An. Soc. Españ. vi. pp. 257, 313 (1877); Brunn. Mon. Phan. pp. 24, 226 (1878); Prodr. Eur. Orth. pp. 246, 294 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 15, 112 (1891); Finot, Orth. France, p. 89 (1883); Faune France, Orth. pp. 174, 184 (1889); Tümp. Geradfl. Mitteleuropas, pp. 221, 223, 255 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 325, 336, 377 (1902-3).

|| *Centrophorus, Fisch.-Waldh. (nec Müll.)* Orth. Ross. p. 361 (1846); Fieb. Lotos. iv. p. 17 (1854) (*larva*).

- | | |
|--|--------------------------------------|
| <p>*1. T. Thymifolia, Petagna, (<i>Locusta T.</i>)
 Instit. Ent. i. p. 313, pl. 10. f. 18 (1792);
 Rossi, Mant. Ins. ii. p. 104. ñ. 71 (1794).
 <i>T. Thymifolia, Jacobs. & Bianchi,</i> l. c.
 pp. 336, 377 (1902-3).
 <i>Locusta Lilifolia, Fabr.</i> Ent. Syst. ii. p. 36.
 n. 9 (1793); Latr. Hist. Nat. Crust. Ins.
 xii. p. 131. n. 5 (1804); Charp. Hor. Ent.
 p. 105 (1829).
 <i>Phaneroptera Lilifolia, Burm.</i> Handb. Ent.
 ii. p. 689. n. 5 (1838); Serv. Ins. Orth.
 p. 421. n. 12 (1839); Blanch. Hist. Nat.
 Ins. iii. p. 24. n. 2 (1840); Herr.-Schäff.
 Nomencl. Ent. ii. p. 13 (1840); Fisch.-
 Waldh. l. c. p. 141. n. 2, pl. 8. ff. 1, 2
 (1846).
 <i>Phaneroptera Lilifolia, Ramb.</i> Faune Andal.,
 Orth. p. 44. n. 1 (1839).</p> | S. Europe,
N. Africa,
W. Asia. |
|--|--------------------------------------|

- T. Liliifolia*, Fieb. Lotos, iii. p. 173. n. 1 (1853), iv. p. 224. n. 1 (1854); Syn. Eur. Orth. p. 49. n. 1 (1854).
- T. Liliifolia*, Bol. ll. cc. p. 231. n. 1 (1876); p. 313. n. 1 (1877); Brunn. Mon. Phan. p. 227. n. 1, pl. 5. f. 69 a-c (1878); Prodr. Eur. Orth. p. 294. n. 1, pl. 8. f. 67 A, B (1882); Finot. ll. cc. p. 99 (1883); p. 184 (1889); Tümp. l. c. pp. 223, 255 (1900).
- Locusta Gracilis*, Germ. Reise Dalmat. pp. 251, 318 (1817); Faun. Ins. Eur. fasc. viii. pl. 15 (1817?); Charp. l. c. p. 105 (1829).
- Phaneroptera Pravusta*, Fisch.-Waldh. l. c. p. 142. n. 3 (1846).
- Centrophorus Spinus*, Fisch.-Waldh. l. c. p. 362, pl. 33. f. 11 (1846), larva.
- Phaneroptera Liliifolia*, var. *Albicornis*. Ghil. Bull. Soc. Ent. Ital. i. p. 53 (1869).
Var. *Phaneroptera Marginoguttata*, Serv. l. c. p. 422. n. 13 (1839).
2. **T. Bilineolata, Serv.** (*Phaneroptera B.*) S. Africa,
l. c. p. 419. n. 9 (1839). Syria,
Madagascar
- T. Bilineolata*, Brunn. Mon. Phan. p. 228. n. 2 (1878); Verh. zool.-bot. Ges. Wien. xli. p. 112. n. 2 (1891); Jacobs. & Bianchi. l. c. pp. 337, 377 (1902-3).
3. **T. Perpulchra, Burr.** Proc. Zool. Soc. Somali.
Lond. 1900. p. 43.
- **4. **T. Plana, Walk.** (*Phaneroptera P.*) Cat. Natal.
Derm. Salt. B. M. ii. p. 339. n. 21 (1869).
5. **T. Irregularis, Karsch,** Berlin. Ent. Togoland.
Zeitschr. xxxviii. p. 130. n. 102 (1893).
- **6. **T. Turbata, Walk.** (*Phaneroptera T.*) Congo.
l. c. p. 340. n. 25 (1869).
- **7. **T. Punctulata, Kirb.** Ann. Nat. Hist. (7) Zomba.
vi. p. 216 (1900).
8. **T. Rubescens, Kirb.** l. c. (1900). id.
- *9. **T. Marginata, Brunn.** Verh. zool.-bot. Natal.
Ges. Wien, xli. pp. 112, 113. n. 4 (1891).
- **10. **T. Continua, Walk.** (*Phaneroptera C.*) id.,
l. c. p. 337. n. 20 (1869). Danara-
land;
**Phaneroptera Vicaria*, Walk. l. c. p. 338. Delagoa B.
n. 22 (1869).

- T. Longipennis*, Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 58 (1876).
T. Vittata, Brunn. Mon. Phan. pp. 227, 229. n. 3 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 112. n. 3 (1891).
T. Inhamata, Karsch, l. c. xxxii. p. 453 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 112, 113. n. 5 (1891).

Genus 618. **Harposcepa.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 328 (1896).

- | | |
|---|---------|
| 1. H. Lobulipennis , Karsch, l. c. p. 329. | Somali. |
| n. 94 (1896). | |
| 2. H. Karschiana , Schindl. Ann. Mus. | id. |
| Genova, xxxix. p. 202 (1898). | |

Genus 619. **Insara.** (*Type* no. 3.)

Walk. Cat. Derm. Salt. B. M. ii. p. 267 (1869).

Hormilia, Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 41 (1873);
 Brunn. Mon. Phan. pp. 24, 230 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 16, 116 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 317 (1897). (*Type* no. 3.)

- | | |
|--|----------------------------------|
| *1. I. Gracillima , Brunn. (<i>Hormilia</i> G.)
Mon. Phan. p. 231. n. 1, pl. 5. f. 70
(1878); Sauss. & Pict. l. c. p. 318. n. 1
(1897). | Mexico,
Guatemala,
Panama. |
| **2. I. Phthisica , Sauss. & Pict. (<i>Hormilia</i>
<i>P.</i>) l. c. n. 2 (1897). | Yucatan. |
| *3. I. Tolteca , Sauss. (<i>Phylloptera</i> T.) Rev.
Zool. (2) xi. p. 203 (1859).
<i>Hormilia Tolteca</i> , Stål, l. c. p. 41 (1873);
Brunn. l. c. pp. 231, 232. n. 2 (1878);
Sauss. & Pict. l. c. pp. 318, 319. n. 3
pl. 15. ff. 10-13 (1897). | Mexico,
Cent. Amer. |
| ** <i>I. Strigulata</i> , Walk. l. c. p. 268. n. 1 (1869). | |
| *4. I. Intermedia , Brunn. (<i>Hormilia</i> I.) l. c.
pp. 231, 232. n. 3 (1878); Sauss. & Pict.
l. c. pp. 318, 319. n. 4 (1897); Rehn. Proc.
Acad. Nat. Sci. Philad. lvii. p. 806 (1906). | iid. |

- ** 5. **I. Prasina, Sauss. & Pict.** (*Hormilia P.*) l. c. pp. 318, 319. n. 5, pl. 15. f. 14 (1897). Mexico.
6. **I. Abbreviata, Brunn.** (*Hormilia A.*) l. c. pp. 231, 233. n. 4 (1878); Sauss. & Pict. l. c. pp. 318, 320. n. 6 (1897). id.
7. **I. Fasciata, Brunn.** (*Hormilia F.*) l. c. pp. 231, 233. n. 5 (1878). Brazil.
8. **I. Peruviana, Brunn.** (*Hormilia P.*) Verh. zool.-bot. Ges. Wien, xli. p. 117. n. 6 (1891). Peru.
9. **I. Latipennis, Brunn.** (*Hormilia L.*) l. c. n. 7 (1891); Sauss. & Pict. l. c. pp. 318, 320. n. 7 (1897). Costa Rica, Panama.
10. **I. Bolivari, Griff.** (*Hormilia B.*) Boll. Mus. Torino, xi. (232) p. 13 (1897); Sauss. & Pict. l. c. pp. 318, 320. n. 8 (1897). Panama. 6
11. **I. Elegans, Scudd.** (*Hormilia E.*) Proc. Davenport Soc. viii. p. 96, pl. 3. f. 1 (1900); Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 572 (1904). New Mexico.

Genus 620. **Arethæa.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (5) p. 55 (1876); Brunn. Mon. Phan. pp. 24, 234 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 16 (1891).
Ægipan, Scudd. Proc. Bost. Soc. Nat. Hist. xix. p. 38 (1877). (*Type* no. 2.)

1. **A. Constricta, Brunn.** l. c. pp. 235, 236. n. 3 (1878). Texas.
2. **A. Gracilipes, Thom.** (*Ephippitytha G.*) Proc. Acad. Nat. Sci. Philad. 1870. p. 76; Gloy. Ill. N. Amer. Orth. pl. 11. f. 11 (1872). Colorado, Arizona, Texas, Kansas.
A. Gracilipes, Stål, l. c. p. 55 (1876); Brunn. l. c. p. 235. n. 1, pl. 5. f. 71 a, b (1878).
Ægipan Grallator, Scudd. l. c. p. 39 (1877).
3. **A. Phalangium, Scudd.** (*Ægipan P.*) Georgia. l. c. p. 40 (1877).
A. Multiramosa, Brunn. l. c. p. 235. n. 2 (1878).

- | | |
|---|-------------|
| 4. A. Brevicauda , Scudd. (<i>Dichopetala</i> B.) | California. |
| Canad. Ent. xxxii. p. 331 (1900). | |
| 5. A. Consuetipes , Scudd. l. c. p. 332 | id. |
| (1900). | |
| 6. A. Carita , Scudd. Proc. Davenport Soc. | New |
| ix. p. 52, pl. 4. f. 5 (1902). | Mexico. |

Genus 621. **Phanischnoptera**, Kirb. (n. n.).

|| *Ischnoptera*, Brunn. (*nec* Burm.) Verh. zool.-bot. Ges. Wien, xli. p. 16 (1891).

- | | |
|---|-------|
| 1. P. Aliena , Brunn. (<i>Ischnoptera</i> A.) l. c. | Asia. |
| (1891). | |

Genus 622. **Scudderia**. (*Type* no. 3.)

Stål, Bihang Svenska Akad. xxx. (4) p. 41 (1873); Recens. Orth. p. 14 (1874); Brunn. Mon. Phan. pp. 25, 236 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 16 (1891); Bent. Bull. Amer. Mus. Nat. Hist. vi. pp. 274, 289 (1894); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 327 (1897); Scudd. Proc. Amer. Acad. xxxiii. p. 272 (1898); Blatchl. Rep. Dept. Geol. Indiana, xxvii. p. 343 (1903).

- | | |
|--|---------|
| 1. S. Texensis , Sauss. & Pict. l. c. pp. 328, 329, 330. n. 2, pl. 15. ff. 18, 19 (1897); | United |
| Scudd. l. c. pp. 273, 276, 277. n. 1, f. 1 (1898); | States. |
| Smith, Rep. N. Jersey Exper. Stat. 1901, pp. 511-526, pls.; | |
| Blatchl. l. c. p. 344. n. 80, f. 77 <i>a, b</i> (1903). | |

|| *S. Curvicauda*, Blatchl. (*nec* De Geer) Proc. Indiana Acad. Sci. 1892, p. 99 (1893); Bent. l. c. pp. 275, 289, pl. 7. ff. 5, 6 (1894); Lugg. Ann. Rep. Ent. Minnesota. 1897, p. 216, f. 138 (1898).

- | | |
|--|---------|
| 2. S. Pistillata , Brunn. Mon. Phan. pp. 238, 240. n. 5 (1878); | id. |
| Bent. l. c. pp. 276, 289 (1894); | Canada. |
| Sauss. & Pict. l. c. pp. 328, 329, 332. n. 7 (1897); | |
| Lugg. l. c. p. 220, ff. 144, 145 (1898); | |
| Scudd. l. c. pp. 273, 275, 277. n. 2, f. 2 (1898); | |
| Blatchl. Rep. Dept. Geol. Indiana, xxvii. pp. 344, 347, 382. n. 82, ff. 79, 80 (1903). | |

- *3. **S. Curvicauda, De Geer** (*Locusta* C.) United States, Mexico.
 Mém. Ins. iii. p. 446. n. 7, pl. 38. f. 3 (1773).
Phaneroptera Curvicauda, Scudd. Proc. Boston Soc. Nat. Hist. vii. p. 448. n. 1 (1862).
S. Curvicauda, Stål, ll. cc. p. 41 (1873); p. 30. n. 1 (1874); Brunn. l. c. pp. 238, 240. n. 4 (1878); Sauss. & Pict. l. c. pp. 328, 329, 331. n. 6, pl. 15. f. 20 (1897); Scudd. Proc. Amer. Acad. xxxiii. pp. 274, 276, 278. n. 3, f. 3 (1898); Blatchl. l. c. pp. 344, 345. n. 81, f. 78 *a, b* (1903).
Phaneroptera Angustifolia, Harr. Rep. Ins. Mass. p. 129 (1841); (ed. 3) pp. 160, 161. f. 76 (1862).
 || *S. Furculata*, Blatchl. (*nec* Brunn.) Proc. Indiana Acad. Sci. 1892, p. 100 (1893); Bent. l. c. pp. 275, 289 (1894); Lugg. l. c. p. 217, ff. 139, 140 (1898).
- *4. **S. Laticauda, Brunn.** l. c. pp. 237, 238. Georgia, Texas.
 n. 1 (1878); Sauss. & Pict. l. c. pp. 328, 329, 330. n. 1, pl. 15. f. 15 (1897); Scudd. l. c. pp. 274, 276, 280. n. 4, f. 4 (1898).
 Var. *S. Laticauda*, var. *Strigata*, Scudd. l. c. p. 280. n. 4 (1898). Florida.
- *5. **S. Mexicana, Sauss.** (*Phaneroptera* M.) Southern States, Mexico, Guatemala.
 Rev. Zool. (2) xiii. p. 129 (1861).
S. Mexicana, Scudd. l. c. pp. 274, 276, 280. n. 5, f. 5 (1898).
S. Furculata, Brunn. l. c. pp. 238, 239. n. 3, pl. 5. f. 72 *b* (1878); Sauss. & Pict. l. c. pp. 328, 329, 331. n. 5, pl. 15. f. 21 (1897).
6. **S. Ungulata, Scudd.** l. c. pp. 274, 276, 280. n. 6, f. 6 (1898). Mexico.
7. **S. Paronæ, Griff.** Boll. Mus. Torino. Panama.
 xi. (232) p. 11 (1896); Sauss. & Pict. l. c. pp. 328, 329, 330. n. 3 (1897); Scudd. l. c. pp. 274, 282. n. 7 (1898).
8. **S. Furcifera, Scudd.** l. c. pp. 275, 276, 282. n. 8, f. 7 (1898). Mexico, Arizona.
- *9. **S. Furcata, Brunn.** l. c. pp. 238, 239. United States, Canada.
 n. 2, pl. 5. f. 72 *a* (1878); Blatchl. l. c. p. 101 (1893); Rep. Dept. Geol. Indiana, pp. 344, 348. n. 83 (1903); Bent. l. c.

- pp. 275, 289 (1894); Sauss. & Pict. l. c. pp. 328, 329, 331. n. 4, pl. 15. ff. 16, 17 (1897); Scudd. l. c. pp. 275, 276, 284. n. 9, f. 8 (1898).
- || *Gryllus Locusta Myrtifolius*, *Dru.* (nec Linn.) Ill. Exot. Ent. ii. pl. 41. f. 2 (1773).
- || *Locusta Myrtifolia*, *Fabr.* Syst. Ent. p. 282. n. 3 (1775).
- || *Phaneroptera Curvicauda*, *Burm.* (nec *De Geer*) Handb. Ent. ii. p. 690. n. 8 (1838); Riley, Rep. Ins. Missouri, vii. p. 164, ff. 50, 51 (1874).
- || *S. Angustifolia*, *Blatchl.* (nec *Harr.*) Proc. Indiana Acad. Sci. 1892, p. 102 (1893); Beut. l. c. pp. 276, 289 (1894).
Var. *S. Fasciata*, *Beut.* l. c. pp. 251, 276, 289 (1894).
10. **S. Pallens**, **Fabr.** (*Locusta P.*) Mant. Ins. Cayenne.
i. p. 234. n. 16 (1787).
11. **S. Cuneata**, **Morse**, Canad. Ent. xxxiii. Alabama.
p. 130 (1901).
- *12. **S. Septentrionalis**, **Serv.** (*Phaneroptera S.*) Ins. Orth. p. 416. n. 3 (1839). United States;
S. Septentrionalis, *Scudd.* l. c. pp. 275, 276, Centr.
285. n. 10, f. 9 (1898). Amer.
Phaneroptera Suturalis, *Heer*, Insekt. Tert. (eadem?).
Gen. ii. p. 4 (1849).
- || *S. Angustifolia*, *Brunn.* (nec *Harr.*) l. c. l. c. pp. 238, 241. n. 6 (1878); Sauss. & Pict. l. c. pp. 328, 329, 332 (1897).
S. Truncata, *Beut.* l. c. pp. 252, 277, 289 (1894).
- *13. **S. Forcipata**, **Brunn.** l. c. pp. 238, 242. Mexico.
n. 7 (1878); Sauss. & Pict. l. c. pp. 328, 329, 332. n. 9, pl. 15. ff. 22, 23 (1897);
Scudd. l. c. pp. 275, 287. n. 11, f. 10 (1898).

Genus 623. **Symmetropleura.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 25, 245 (1878); *Verh. zool.-bot. Ges. Wien*, xli. p. 16 (1891); *Scudd. Proc. Amer. Acad.* xxxiii. pp. 272, 287 (1898).

1. **S. Modesta**, **Brunn.** Mon. Phan. pp. 245, Carolina.
246. n. 1 (1878); *Scudd.* l. c. p. 287
(1898).

2. **S. Lævicauda**, **Brunn.** l. c. pp. 245, 246. Bahia.
n. 2, pl. 5. f. 73 *a, b* (1878).
3. **S. Fausta**, **Giglio-Tos**, Boll. Mus. Torino, Ecuador.
xiii. (311) p. 73 (1898).
4. **S. Africana**, **Brunn.** l. c. p. 246. n. 3, Congo,
pl. 5. f. 73 *c* (1878) ; Verh. zool.-bot. Ges. Cameroons.
Wien, xli. p. 118 (1891) ; Karsch, Berlin.
Ent. Zeitschr. xxxii. p. 450 (1888).
5. **S. Dirempta**, **Karsch**, l. c. p. 451 (1888) ; Nossi Bé.
Brunn. Verh. zool.-bot. Ges. Wien, xli.
p. 118 (1891).

Genus 624. **Preussia.**

Karsch, Ent. Nachr. xvi. p. 364 (1890).

1. **P. Lobatipes**, **Karsch**, l. c. pp. 365, 366. Cameroons.
f. 4 (1890) ; Berlin. Ent. Zeitschr. xxxvi.
p. 326 (1892).

Genus 625. **Platylyra.**

Scudd. Proc. Amer. Acad. xxxiii. pp. 272, 287 (1898).

1. **P. Californica**, **Scudd.** l. c. p. 288. California.
(1898).

Genus 626. **Anchispora.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 16, 119 (1891).

1. **A. Appendiculata**, **Brunn.** l. c. p. 119, Nossi Bé.
pl. 2. f. 21 *a, b* (1891).

Genus 627. **Megotoessa.**

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 460 (1888) ;
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 17, 119 (1891).

- * 1. **M. Insulana**, **Karsch**, l. c. p. 461, pl. 4. Madagascar
f. 11 (1888) ; Brunn. l. c. p. 120 (1891).

Genus 628. **Cosmozoma.** (*Type* no. 2.)

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 461 (1888) ;
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 17, 120 (1891).

- | | |
|---|------------|
| 1. C. Sikoræ, Brunn. l. c. p. 121. n. 1
(1891). | Madagascar |
| *2. C. Doenitzi, Karsch, l. c. p. 461, pl. 4.
f. 12 (1888) ; Brunn. l. c. p. 121. n. 2
(1891). | id. |
| *3. C. Voluptaria, Brunn. l. c. pp. 121, 122.
n. 3, pl. 2. f. 22 (1891). | id. |

Genus 629. **Trigonocorypha.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 39 (1873) ; Recens.
Orth. ii. p. 19 (1874) ; Brunn. Mon. Phan. pp. 31, 356
(1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 17 (1891).

- | | |
|---|-----------------|
| *1. T. Unicolor, Stoll, (<i>Gryllus Tettigonia</i>
<i>U.</i>) Spectres, Sant. p. 13, pl. 5 a. f. 14
(1813).
<i>Locusta Crenulata, Thunb.</i> Mém. Acad.
Pétersb. v. p. 280 (1815).
<i>T. Crenulata, Stål,</i> ll. cc. p. 39 (1873) ;
p. 43. n. 1 (1874) ; Brunn. Mon. Phan.
p. 357. n. 1, pl. 8. f. 107 (1878) ; Bol.
Ann. Soc. Ent. France, lxxviii. p. 767
(1900).
<i>Steirodon Prasinus, Serv.</i> Ann. Sci. Nat.
xxii. p. 141. n. 1 (1832).
<i>Phylloptera Prasina, Burm.</i> Handb. Ent.
ii. p. 693. n. 10 (1838).
** <i>Steirodon Subproductum, Walk.</i> Cat. Derm.
Salt. B. M. ii. p. 390. n. 2 (1869). | India,
Java. |
| 2. T. Abnormis, Brunn. l. c. p. 357. n. 2
(1878). | India. |

Genus 630. **Ligocatinus.** (*Type* no. 1.)

Rehn, *Canad. Ent.* xxxiii. p. 272 (1901).

|| *Amaura*, *Brunn.* (*nec Moll.*) *Mon. Phan.* pp. 25, 247 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 17, 122 (1891); *Sauss.*
 & *Pict. Biol. Centr.-Amer.*, *Orth.* i. p. 321 (1897).

- | | |
|---|---------------|
| *1. L. Spinatus, Brunn. (<i>Amaura Spinata</i>) | Buenos |
| ll. cc. p. 248. n. 1, pl. 5. f. 74 <i>a, b</i> (1878); | Aires. |
| p. 122. n. 1 (1891); <i>Sauss. & Pict.</i> l. c. | |
| p. 322 (1897). | |
| 2. L. Punctatus, Brunn. (<i>Amaura Punctata</i>) | Peru. |
| ll. cc. p. 248. n. 2 (1878); p. 122. | |
| n. 2 (1891); <i>Sauss. & Pict.</i> l. c. p. 322 | |
| (1897). | |
| 3. L. Longicercatus, Brunn. (<i>Amaura Longicercata</i>) | Theresopolis. |
| <i>Verh. zool.-bot. Ges. Wien</i> , | |
| xli. pp. 122, 123. n. 3 (1891); <i>Sauss. &</i> | |
| <i>Pict.</i> l. c. p. 322 (1897). | |
| 4. L. Olivaceus, Brunn. (<i>Amaura Olivacea</i>) | Rio Grande |
| l. c. pp. 122, 123. n. 4 (1891); <i>Sauss. &</i> | do Sul. |
| <i>Pict.</i> l. c. p. 322 (1897). | |
| **5. L. Latipennis, Sauss. & Pict. (<i>Amaura</i> | Mexico. |
| <i>L.</i>) l. c. p. 322. n. 1 (1897). | |

Genus 631. **Homotoicha.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 17, 124 (1891).

- | | |
|--|------------|
| 1. H. Minor, Brunn. (<i>Scudleria M.</i>) <i>Mon.</i> | Brazil. |
| <i>Phan.</i> pp. 238, 242. n. 8 (1878). | |
| <i>H. Minor, Brunn.</i> <i>Verh. zool.-bot. Ges.</i> | |
| <i>Wien</i> , xli. p. 124. n. 1 (1891). | |
| 2. H. Diversa, Brunn. l. c. pp. 124, 125. | id. |
| n. 2, pl. 2. f. 23 (1891). | |
| 3. H. Subdistincta, Brunn. ll. cc. n. 3 | Venezuela. |
| (1891). | |
| 4. H. Laminata, Brunn. ll. cc. n. 4 | Rio Grande |
| (1891). | do Sul. |
| 5. H. Fuscopunctata, Caud. <i>Proc. U.S.</i> | Paraguay. |
| <i>Nat. Mus.</i> xxx. p. 236. n. 7 (1906). | |

Genus 632. **Theudoria.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 15 (1874); Brunn. Mon. Phan. pp. 25, 249 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 17, 126 (1891).

- | | |
|--|---|
| <ol style="list-style-type: none"> 1. T. Melanocnemis, Stål, (<i>Phaneroptera</i> M.) Eugenes Resa, Orth. p. 321. n. 60 (1860).
 <i>T. Melanocnemis</i>, Stål, Recens. Orth. p. 30. n. 1 (1874); Brunn. ll. cc. p. 250. n. 1, pl. 5. f. 75 a, b (1878); p. 126. n. 1 (1891). 2. T. Nigrolineata, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 126. n. 3 (1891). 3. T. Pyrrhocnemis, Brunn. Mon. Phan. p. 250. n. 2 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 126. n. 2 (1891). | <div style="border-left: 1px solid black; padding-left: 10px;"> Buenos Aires.

id.
Bahia. </div> |
|--|---|

Genus 633. **Parascudderia.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 18, 126 (1891).

- | | |
|--|---|
| <ol style="list-style-type: none"> 1. P. Tripunctata, Scudd. (<i>Phylloptera</i> T.) Proc. Boston Soc. Nat. Hist. xvii. p. 261 (1874). 2. P. Dohrni, Brunn. l. c. p. 127. n. 1, pl. 2. f. 24 (1891). | <div style="border-left: 1px solid black; padding-left: 10px;"> N. Peru.

Fonte Boa. </div> |
|--|---|

Genus 634. **Ceraia.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 18, 127 (1891).

- | | |
|---|--|
| <ol style="list-style-type: none"> 1. C. Tibialis, Brunn. l. c. pp. 128, 129. n. 1 (1891). 2. C. Maxima, Brunn. ll. cc. n. 2 (1891). *3. C. Punctulata, Brunn. (<i>Scudderia</i> P.) Mon. Phan. pp. 238, 243. n. 10 (1878).
 <i>C. Punctulata</i>, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 128, 129. n. 3 (1891). | <div style="border-left: 1px solid black; padding-left: 10px;"> Fonte Boa.

Bolivia.
Rio Janeiro. </div> |
|---|--|

4. **C. Peraccæ, Griff.** Boll. Mus. Torino, xi. | Panama.
(232) p. 10 (1896); Sauss. & Piet.
Biol. Centr.-Amer., Orth. i. p. 322, n. 1
(1897).
5. **C. Surinamensis, Brunn.** l. c. pp. 128, | Surinam.
129, n. 4 (1891).
Scudderia Punctulata, var., Brunn. Mon.
Phan. p. 244 (1878).
6. **C. Dentata, Brunn.** (*Scudderia D.*) l. c. | Peru.
pp. 238, 243, n. 9 (1878).
C. Dentata, Brunn. Verh. zool.-bot. Ges.
Wien, xli. pp. 128, 130, n. 5 (1891).
7. **C. Festæ, Giglio-Tos,** Boll. Mus. Torino, | Ecuador.
xiii. (311) p. 73 (1898).
8. **C. Similis, Caud.** Proc. U.S. Nat. Mus. | Paraguay.
xxx. p. 237, n. 8 (1906).
9. **C. Cornuta, Brunn.** l. c. pp. 128, 130, n. 6 | Fonte Boa.
(1891).
10. **C. Cornutoides, Caud.** l. c. p. 237, n. 9 | Paraguay.
(1906).
11. **C. Atrosignata, Brunn.** l. c. pp. 128, | Fonte Boa.
130, n. 7 (1891).
12. **C. Zebrata, Brunn.** l. c. pp. 128, 131, | Peru.
n. 8 (1891).

Genus 635. **Vellea.**

Walk. Cat. Derm. Salt. B. M. ii. p. 359 (1869).

- *1. **V. Cruenta, Burm.** (*Phaneroptera C.*) | Rio Janeiro,
Handb. Ent. ii. p. 691, n. 11 (1838); Para,
Charp. Orth. pl. 21 (1842). | Demerara.
Scudderia Cruenta, Brunn. Mon. Phan.
pp. 238, 244, n. 11 (1878).
Ceraia Cruenta, Brunn. Verh. zool.-bot.
Ges. Wien, xli. pp. 128, 131, n. 9
(1891).
- ** *V. Rosca*, Walk. l. c. p. 360, n. 1 (1869).

Genus 636. **Ectemna.** (*Type* no. 4.)

Brunn. Mon. Phan. pp. 26, 251 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 18 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 323 (1897).

- | | |
|---|--------------------------------------|
| ** 1. E. Dumicola , Sauss. & Pict. l. c. p. 323. n. 1 (1897). | Panama. |
| ** 2. E. Mexicana , Sauss. & Pict. l. c. pp. 323, 324. n. 2, pl. 15. ff. 28, 29 (1897). | Mexico. |
| 3. E. Crenata , Sauss. & Pict. l. c. pp. 323, 324. n. 3 (1897). | id. |
| 4. E. Carinata , Brunn. ll. cc. p. 251. n. 1, pl. 5. f. 76 <i>a-c</i> (1878); p. 131 (1891); Sauss. & Pict. l. c. pp. 323, 324. n. 4 (1897). | Colombia ;
Fonte Boa
(eadem?). |

Genus 637. **Plagiopleura.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) pp. 41, 42 (1873); Recens. Orth. ii. p. 15 (1874); Brunn. Mon. Phan. pp. 26, 252 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 18, 131 (1891).

- | | |
|--|------------------------------------|
| 1. P. Nigromarginata , Stål, ll. cc. p. 42 (1873); p. 30. n. 1 (1874); Brunn. ll. cc. p. 252. n. 1, pl. 5. f. 77 (1878); p. 132. n. 1 (1891). | Brazil.
Cayenne.
Montevideo. |
| 2. P. Arbustorum , Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 325. n. 1 (1897). | Brazil. |

Genus 638. **Euthyrrhachis.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 29, 330 (1878).

- | | |
|--|------------------------|
| 1. E. Gracilis , Brunn. l. c. p. 331. n. 1, pl. 7. f. 95 (1878).
<i>Plagiopleura Gracilis</i> , Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 132. n. 2 (1891). | Surinam,
Fonte Boa. |
| 2. E. Consobrina , Brunn. (<i>Plagiopleura C.</i>) l. c. pp. 132, 133. n. 3 (1891). | Fonte Boa. |

Genus 639. **Parableta.**

Brunn. Mon. Phan. pp. 26, 253 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 18, 133 (1891).

1. **P. Integricauda**, Brunn. ll. cc. p. 254. Surinam,
n. 2, pl. 6, f. 78 *a, b* (1878); p. 133, n. 1 Ecuador.
(1891); Bol. Viaje al Pacif., Ins. p. 53
(1881).
2. **P. Soror**, Brunn. Verh. zool.-bot. Ges. Upper
Wien, xli. p. 134, n. 2 (1891). Amazons.

Genus 640. **Godmanella.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 325 (1897).

- **1. G. Vaginalis**, Sauss. & Pict. l. c. n. 1 | Mexico.
(1897).

Genus 641. **Chloroscirtus.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 326 (1897).

- **1. P. Forceps**, Sauss. & Pict. l. c. p. 327. | Guatemala.
n. 1, pl. 15, ff. 24-27 (1897).

Genus 642. **Scaphura.** (*Type* no. 5.)

Kirb. Vigers, Zool. Journ. i. p. 432 (1825), ii. p. 9 (1825);
Westw. Zool. Journ. iv. p. 227 (1828); Serv. Encycl.
Méth., Ins. x. p. 345 (1825); Ann. Sci. Nat. xvii.
p. 146 (1831); Ins. Orth. p. 428 (1839); Brullé, Hist.
Nat. Ins. ix. p. 145 (1835); Burm. Handb. Ent. ii. p. 687
(1838); Blanch. Hist. Nat. Ins. iii. p. 21 (1840); Stål,
Recens. Orth. ii. p. 15 (1874); Brunn. Mon. Phan. pp. 26,
255 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 18, 134
(1891).

|| *Agamacris*, Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 41
(1871). (*Type* no. 2.)

- *1. S. Nitida**, Perty, Del. Anim. Art. p. 124, Minas
pl. 23, f. 12 (1834); Burm. l. c. p. 687. Geraes;
n. 3 (1838); Brunn. ll. cc. pp. 256, 257. Cayenne
n. 1 (1878); p. 131, n. 1 (1891). (eudem?).

- **2. **S. Micans, Walk.** (*Aganacris M.*) l. c. p. 41. n. 1 (1871). Upper Amazons.
 3. **S. Velutina, Kirb.** (n. n.). Chiriqui.
 || *S. Bicolor, Brunn.* (nec *Blanch.*) Verh. zool.-bot. Ges. Wien, xli. p. 134. n. 8 (1891); Sauss. & Piet. Biol. Centr.-Amer., Orth. i. p. 333. n. 1 (1897).
 4. **S. Edwardsii, Westw.** l. c. p. 230 (1828). Brazil (?).
 *5. **S. Nigra, Thunb.** (*Gryllus Niger*) Mém. Acad. Pétersb. ix. p. 415 (1824). Brazil.
S. Nigra, Stål, l. c. p. 30. n. 1 (1874).
 *Var. *Piliger Grylloides, Thunb.* Ins. Hem. tria gen. p. 3 (1825).
 *Var. *S. Vigorsii, Kirb.* l. c. i. p. 432 (1825), ii. p. 11, pl. 1. f. 6 (1825); Westw. l. c. p. 229 (1828); Serv. ll. cc. p. 345 (1825); p. 146 (1831); p. 429. n. 1 (1839); Burm. l. c. p. 687. n. 2 (1838); Blanch. l. c. p. 24 (1840); Brunn. Mon. Phan. pp. 256, 257. n. 2, pl. 5. f. 79 d (1878).
 Var. *S. Chalybea, Marsch.* Ann. Wien. Mus. i. p. 210. n. 2 (1835).
 Var. *S. Intermedia, Perty*, l. c. p. 121 (1834).
 2/ *Var. *S. Ferruginea, Perty*, l. c. p. 120, pl. 23. f. 11 (1834); Burm. l. c. p. 687. n. 4 (1838); Serv. Ins. Orth. p. 430. n. 2 (1839); Blanch. l. c. p. 24. n. 2 (1840).
 2/ *Var. *S. Kirbii, Westw.* l. c. p. 230. n. 3 (1828); Gray, Griffith, Anim. Kingd. xv. p. 793, pl. 63. f. 1 (1829).
 6. **S. (?) Obscurata, Stoll**, (*Gryllus Tettigonia O.*) Spectres, Saut. p. 20, pl. 8 a. f. 33 (1813). S. America.

Handwritten notes: *Wormy*, *h*, *Regard 2.11.7*

Genus 643. **Gymnocera.** (Type no. 3.)

- Brullé, Hist. Nat. Ins. ix. p. 145 (1835); Burm. Handb. Ent. ii. p. 687 (1838); Serv. Ins. Orth. p. 425 (1839); Blanch. Hist. Nat. Ins. iii. p. 24 (1840).
 || *Scaphura, Perch.* (nec *Kirb.*) Gen. Ins., Orth. pl. 4 (1836).

- **1. **G. Marginata, Walk.** Cat. Derm. Salt. B. M. ii. p. 396. n. 5 (1869). Demerara.

- *2. **G. Elegans, Serv.** l. c. p. 427. n. 2 (1839).
Scaphura Elegans, Brunn. Mon. Phan. pp. 256, 258. n. 3, pl. 5. f. 79 a-c (1878).
 Var. *Scaphura Bicolor, Blanch. D'Orbigny, Voy. Amér. mér. vi. (2) p. 215. n. 739, pl. 26. f. 7 (1844).*
3. **G. Lefebvrei, Brullé,** l. c. p. 146 (1835); Serv. l. c. p. 426. n. 1 (1839); Blanch. l. c. p. 25 (1840); Brunn. l. c. pp. 257, 260. n. 4 (1878).
 || *Scaphura Denuda, Burm. (nec Perch.)* l. c. p. 687. n. 1 (1838).
- *4. **G. Denuda, Perch.** (*Scaphura D.*) l. c. id.
 Orth. pl. 4 (1836).
5. **G. Fasciata, Brunn.** (*Scaphura F.*) l. c. id.
 pp. 257, 260. n. 5 (1878).
6. **G. Conspurcata, Brunn.** (*Scaphura C.*) id.
 l. c. pp. 257, 261. n. 6 (1878).
7. **G. Infuscata, Brunn.** (*Scaphura I.*) l. c. id.
 pp. 257, 262. n. 7 (1878).

Genus 644. **Microcentrum.** (*Type* no. 2.)^{*}

Scudd. Bost. Journ. Nat. Hist. vii. p. 446 (1862)⁷¹ (*nec Stål*).
Stilpmochlora, Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 10 (1873); Recens. Orth. ii. p. 19 (1874); Brunn. Mon. Phan. pp. 32, 358 (1878); Verh. zool.-bot. Ges. Wien. xli. p. 18 (1891); Sauss. & Piet. Biol. Centr.-Amer., Orth. i. p. 367 (1898). (Type no. 1.)

- *1. **M. Marginellum, Serv.** (*Phylloptera Marginella*) Ins. Orth. p. 405. n. 2 (1839).
Stilpmochlora Marginella, Stål, ll. cc. p. 40 (1873); p. 44 (1874); Brunn. Mon. Phan. p. 359. n. 1, pl. 8. f. 108 (1878); Sauss. & Piet. Biol. Centr.-Amer., Orth. i. p. 368. n. 1 (1898).
Phylloptera Coulouiana, Sauss. Rev. Zool. (2) xiii. p. 128 (1861).
 || *Microcentrum Thoracicum, Scudd. (nec Burm.) Bost. Journ. Nat. Hist. vii. p. 447. n. 3 (1862).*
- ** *Phylloptera Magnifolia, Walk. Cat. Derm. Salt. B. M. ii. p. 377. n. 9 (1869).*

* Wrong. *Marginellum* is type. See Sauss.

- *2. **M. Thoracicum, Serv.** (*Steirodon Thoracicus*) Ann. Sci. Nat. xxii. p. 141. n. 3 (1831). Mexico, Guatemala, Costa Rica.
Phylloptera Thoracica, Burm. Handb. Ent. i. p. 693. n. 9 (1838).
Phylloptera Tolteca, Sauss. Rev. Zool. (2) xi. p. 203 (1859).
Stilpnochlora Tolteca, Brunn. l. c. pp. 359, 360. n. 2 (1878); Sauss. & Pict. l. c. p. 368. n. 2, pl. 17. ff. 19, 20 (1898).
Microcentrum Vividum, Walk. l. c. v. Suppl. p. 42 (1871).
- *3. **M. Aztecum, Sauss.** (*Phylloptera Azteca*) iid.
 l. c. (2) xi. p. 203 (1859).
Stilpnochlora Azteca, Brunn. l. c. pp. 359, 360. n. 3 (1878); Sauss. & Pict. l. c. pp. 368, 369. n. 3, pl. 17. ff. 21-23 (1898).
 ** *M. Supremum, Walk.* l. c. ii. p. 370. n. 7 (1869).
4. **M. Quadratum, Scudd.** (*Steirodon Q.*) Guayaquil.
 Proc. Bost. Soc. Nat. Hist. xii. p. 331. n. 4 (1869).
5. **M. Incisum, Brunn.** (*Stilpnochlora Incisa*) l. c. pp. 359, 361. n. 4 (1878); Peru.
 Sauss. & Pict. l. c. pp. 368, 369. n. 4 (1898).
6. **M. Ovalifolia, Sauss. & Pict.** (*Stilpnochlora O.*) ll. cc. n. 5 (1898). Brazil.
7. **M. Laurifolius, Linn.** (*Gryllus Tettigonia L.*) Caymans.
 Syst. Nat. (ed. 10) i. p. 429. n. 24 (1758); Mus. Ludov. Ulric. p. 126. n. 17 (1764).
 [Sloane, Nat. Hist. Jamaica, ii. p. 201. n. 8, pl. 236. f. 42.]

Genus 645. **Steirodon.** (Type no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 140 (1831); Ins. Orth. p. 399 (1839); Burm. Handb. Ent. ii. p. 694 (1838); Stål, Öfvs. Vet.-Akad. Förh. xxx. (4) p. 40 (1873); Recens. Orth. ii. p. 19 (1874); Brunn. Mon. Phan. pp. 32, 361 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 18 (1891).

- *1. **S. Citrifolius, Linn.** (*Gryllus Tettigonia C.*) Brazil.
 Syst. Nat. (ed. x.) i. p. 429. n. 23

(1758); Mus. Ludov. Ulric. p. 125. n. 16 (1764).

[Roes. Insect. Belust. ii. Locust. Ind. p. 107, pl. 16. f. 1.]

Locusta Citrifolia, Fabr. Syst. Ent. p. 282. n. 1 (1775).

Phyllophora Citrifolia, Thunb. Mém. Acad. Pétersb. xv. p. 286 (1815).

Steirodon Citrifolius, Serr. ll. cc. p. 141. n. 1 (1831); p. 401. n. 1 (1839).

Phylloptera Citrifolia, Burm. l. c. p. 694. n. 10 (1838).

Steirodon Ponderosum, Stål, ll. cc. p. 47. n. 1 (1873); p. 44. n. 1 (1874); Brunn. Mon. Phan. p. 362. n. 1 (1878).

*2. **S. Validum**, Stål, Recens. Orth. ii. p. 44. n. 2 (1873); Brunn. l. c. pp. 362, 363. n. 2, pl. 8. f. 109 (1878). Surinam.

|| *S. Citrifolium*, Stål (*nec* Linn.), Œfv. Vet.-Akad. Förh. xxx. (4) p. 42. n. 2 (1873).

Genus 646. **Peucestes**. (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 20 (1874); Brunn. Mon. Phan. pp. 32, 363 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 18, 181 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 370 (1898).

*1. **P. Coronatus**, Stål, l. c. p. 45. n. 1 (1874); Brunn. ll. cc. pp. 364, 365. n. 2 (1878); pp. 181, 182. n. 1 (1891); Sauss. & Pict. l. c. p. 370. n. 1, pl. 18. f. 1 (1898). Mexico, Costa Rica.

2. **P. Latipennis**, Sauss. & Pict. l. c. pp. 370, 371. n. 2, pl. 18. f. 2 (1898). Mexico, Colombia.

3. **P. Dentatus**, Stål, l. c. p. 45. n. 1 (1874); Brunn. l. c. pp. 364, 365. n. 1 (1878); pp. 181, 182. n. 1 (1891); Sauss. & Pict. l. c. pp. 370, 371. n. 3, pl. 18. ff. 3-5 (1898). Texas, Panama, Cayenne.

|| *Phaneroptera Citrifolia*, Blanch. (*nec* Linn.) Hist. Ins. iii. p. 24. n. 1, pl. 7 (1840).

4. **P. Emarginatus**, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 182. n. 5 (1891). Hab. — ?

5. **P. Unidentatus**, Brunn. l. c. pp. 182, 183. n. 6 (1891). Peru.

- **6. P. Championi, Sauss. & Pict.** l. c. pp. 370, 371. n. 4, pl. 18. ff. 6-9, (1898). | Guatemala, Costa Rica, Nicaragua.
- *7. P. Striolatus, Brunn.** Mon. Phan. pp. 365, 366. n. 3 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 182. n. 3 (1891); Bol. Viaje al Pacif., Ins. p. 58 (1884); Sauss. & Pict. l. c. pp. 370, 372 (1898). | S. & Centr. America.
- 8. P. Cristatissimus, Brunn.** ll. cc. pp. 365, 367. n. 4, pl. 8. f. 110 *a, b* (1878); p. 182. n. 4 (1891). | Cayenne.

Genus 647. **Steiroidonopis.**

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 259 (1875). σ-160

- 1. S. Bilobata, Scudd.** l. c. p. 260. n. 6 | Peruvian Marañon.

Genus 648. **Posidippus.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 20 (1874); Brunn. Mon. Phan. pp. 32, 367 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 19, 183 (1891).
Frontinus, Stål, l. c. p. 20 (1874). (*Type* no. 8.)

- **1. P. Dentiferus, Walk.** (*Steiroidon Dentiferum*) Cat. Derm. Salt. B. M. ii. p. 391. n. 4 (1869). | Surinam, Brazil, Peru.
- || *Locusta Citrifolia, De Geer (nec Linn.)*, Mém. Ins. iii. p. 437. n. 1, pl. 37. f. 3 (1773).
P. Citrifolius, Stål, l. c. p. 45. n. 1 (1874); Brunn. ll. cc. p. 368. n. 1, pl. 8. f. 111 *a-d* (1878); p. 183. n. 1 (1891).
- *2. P. Stæli, Brunn.** (*P. Stælii*) ll. cc. pp. 368, 369. n. 2 (1878); p. 183. n. 2 (1891). | Brazil.
- **3. P. Validus, Sauss. & Pict.** Biol. Centr.-Amer., Orth. i. p. 373. n. 1, pl. 18. ff. 10, 11 (1898). | Nicaragua.
- 4. P. Lineatus, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 183, 184. n. 5 (1891). | Upper Amazons.
- 5. P. Dohrni, Brunn.** l. c. pp. 183, 185. n. 6 (1891). | id.
- 6. P. Barellus, Pict.** Mém. Soc. Genève, xxx. (6) p. 11. n. 1, pl. 1. ff. 4, 4 *a, b* (1888); Brunn. l. c. pp. 183, 185. n. 7 (1891). | Cayenne.

- | | |
|---|---------------------|
| 7. P. Irregulariterdentatus, Brunn. l. c. pp. 184, 186. n. 8 (1891). | Peru. |
| 8. P. Degeerii, Stål, (<i>Frontinus D.</i>) l. c. p. 46. n. 1 (1874). | Surinam ; |
| <i>P. Degeerii, Brunn.</i> Mon. Phan. pp. 368, 369. n. 3, pl. 7. f. 111 <i>e</i> (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 184. n. 3 (1891). | Brazil
(eadem?). |
| <i>Locusta Citrifolia</i> ♀, <i>De Geer (nec Linn.)</i> , l. c. p. 437. n. 1, pl. 37. f. 4 (1773). | |
| 9. P. Rarospinulosus, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 184, 186. n. 9 (1891). | Upper
Amazons. |
| 10. P. Fastigosus, Brunn. Mon. Phan. pp. 368, 370. n. 4 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 184. n. 4 (1891). | id.,
Quito. |
| 11. P. Brunneri, Bol. An. Soc. Españ. x. p. 484 (1881) ; Viaje al Pacif., Ins. p. 59 (1884). | Napo. |

Genus 649. **Xantia.**

Brunn. Mon. Phan. pp. 32, 370 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 19 (1891).

- | | |
|---|------------------------|
| *1. X. Borneensis, Brunn. Mon. Phan. p. 371. n. 1, pl. 7. f. 112 (1878). | Borneo ;
India, &c. |
|---|------------------------|

Genus 650. **Itarissa.**

Walk. Cat. Derm. Salt. B. M. ii. p. 389 (1869).

- | | |
|---|-------|
| **1. I. Laurinifolia, Walk. l. c. p. 390. n. 1 (1869). | Para. |
|---|-------|

Genus 651. **Amblycorypha.** (*Type* no. 1.)

Stål, *Œfv. Vet.-Akad. Förh.* xxx. (4) p. 40 (1873) ; *Recens. Orth.* ii. p. 18 (1874) ; Brunn. Mon. Phan. pp. 27, 265 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 19 (1891) ; Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 277, 289 (1891) ;

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 335 (1897) ;
Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 350 (1903).

- | | |
|---|---|
| <p>*1. A. Oblongifolia, De Geer, (<i>Locusta O.</i>)
Mém. Ins. iii. p. 445. n. 6 (1773).
<i>Phylloptera Oblongifolia, Burm. Handb.</i>
Ent. ii. p. 693. n. 5 (1838) ; Harr. Rep.
Ins. Mass. p. 128 (1841); (ed. 3) p. 159
(<i>excl. fig.</i>) (1862) ; Riley, Rep. Ins.
Miss. vi. p. 169, f. 55 (1874).
<i>A. Oblongifolia, Stål, Il. cc.</i> p. 40 (1873) ;
p. 42. n. 1 (1874) ; Brunn. Mon. Phan.
pp. 265, 266. n. 1 (1878) ; Bent. l. c.
pp. 278, 289 (1894) ; Sauss. & Pict. l. c.
p. 336. n. 1 (1897) ; Lugg. Ann. Rep.
Ent. Minnesota, iii. p. 222, f. 147 (1898) ;
Scudd. Ent. News, xiii. p. 129, pl. 6
(1901) ; Blatchl. l. c. pp. 350, 351. n. 84,
f. 83 (1903).</p> | <p>United
States.</p> |
| <p>2. A. Scudderæ, Bruner, Canad. Ent. xxiii.
p. 73 (1891).</p> | <p>Nebraska.</p> |
| <p>3. A. Guatemalæ, Sauss. & Pict. l. c.
p. 336, n. 2, pl. 16. f. 3 (1897).</p> | <p>Guatemala.</p> |
| <p>4. A. Tepaneca, Sauss. & Pict. l. c.
pp. 336, 337. n. 3 (1897).</p> | <p>Mexico.</p> |
| <p>5. A. Floridana, Rehn, Proc. Acad. Nat.
Sci. Philad. lvii. p. 42, pl. 1. f. 5 (1905).</p> | <p>Florida.</p> |
| <p>6. A. Huasteca, Sauss. (<i>Phylloptera H.</i>)
Rev. Zool. (2) xi. p. 205 (1859).
<i>A. Huasteca, Brunn.</i> l. c. pp. 265, 266. n. 2
(1878) ; Sauss. & Pict. l. c. pp. 336, 337.
n. 4, pl. 16. f. 4 (1897).
<i>Phylloptera Caudata, Scudd.</i> Bost. Journ.
Nat. Hist. vii. p. 445. n. 3 (1862).</p> | <p>id.,
Louisiana,
Texas,
Mexico.</p> |
| <p>7. A. Uhleri, Stål, Bihang Svenska Akad.
iv. (5) p. 57 (1876) ; Brunn. l. c. pp. 266,
267. n. 3 (1878) ; Sauss. & Pict. l. c.
pp. 336, 337. n. 5 (1897) ; Blatchl. l. c.
pp. 350, 353. n. 86 (1903).</p> | <p>United
States.</p> |
| <p>8. A. Parvipennis, Stål, l. c. p. 58 (1876) ;
Brunn. l. c. pp. 266, 268. n. 4, pl. 6.
f. 81<i>a-c</i> (1878) ; Sauss. & Pict. l. c.
pp. 336, 337. n. 5 (1897).</p> | <p>Texas.</p> |
| <p>9. A. Iselyi, Caud. Journ. N. York Ent.
Soc. xiii. p. 50 (1905).</p> | <p>Kansas.</p> |
| <p>*10. A. Rotundifolia, Scudd. (<i>Phylloptera</i>
<i>R.</i>) l. c. p. 445. n. 2 (1862).</p> | <p>United
States.</p> |

- A. Rotundifolia*, Brunn. l. c. pp. 266, 268. n. 5 (1878); Benth. l. c. pp. 277, 289, pl. 6. f. 2 (1894); Sauss. & Pict. l. c. pp. 336, 337. n. 7 (1897); Lugg. l. c. p. 222, f. 146 (1898); Blatchl. l. c. pp. 350, 352. f. 85 (1903).
 || *Phylloptera Oblongifolia*, Uhl. (nec DeGeer) Harr. Ins. Injur. Veget. (ed. iii.) p. 159. f. 75 (1862).

Genus 652. **Sagona**. (Type no. 4.)

- Walk. Cat. Derm. Salt. B. M. ii. p. 366 (1869).
Paragenes, Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 338 (1897). (Type no. 1.)
 || *Anepsia*, Brunn. (nec Koch) Mon. Phan. pp. 27, 269 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 19 (1891). (Type no. 4.)
- ✓ *1. **S. Mexicana**, Sauss. (*Phylloptera M.*) Mexico.
 Rev. Zool. (2) xi. p. 204 (1859). Costa Rica.
Anepsia Mexicana, Brunn. Mon. Phan. pp. 270, 271. n. 4 (1878).
Paragenes Mexicana, Sauss. & Pict. l. c. p. 338. n. 1, pl. 16. ff. 6, 6 a (1897).
 ** *Orophus Notatus*, Walk. Cat. Derm. Salt. B. M. ii. p. 383. n. 12 (1869).
 ** *Orophus Decisus*, Walk. l. c. p. 384. n. 15 (1869).
- ✓ *2. **S. Ovata**, Brunn. l. c. pp. 269, 271. n. 3 Guatemala,
 (1878). Costa Rica.
Paragenes Ovata, Sauss. & Pict. l. c. pp. 338, 339. n. 2, pl. 16. f. 5 (1897).
Orophus Ovatus, Rehn, Proc. Nat. Sci. Philad. lvii. p. 809 (1906).
- ✓ *3. **S. Conspersa**, Brunn. (*Anepsia C.*) l. c. Mexico,
 pp. 269, 270. n. 2 (1878). Guatemala,
Paragenes Conspersa, Sauss. & Pict. l. c. Panama.
 pp. 338, 339. n. 3 (1897).
Orophus Conspersus, Rehn, l. c. p. 809 (1906).
- ✓ *4. **S. Tessellata**, Sauss. (*Phylloptera (Orophus)*) *Tessellata*) l. c. (2) xiii. p. 129 Mexico,
 (1861). S. & Centr.
Anepsia Tessellata, Brunn. l. c. pp. 269, America.
 270. n. 1, pl. 6. f. 82 a c (1878).
Paragenes Tessellata, Sauss. & Pict. l. c. pp. 338, 339. n. 4 (1897).
Orophus Tessellatus, Rehn, l. c. p. 809 (1906).

** *Sagona Subpunctata*, Walk. l. c. ii. p. 367.
n. 1 (1869).

** *Phylloptera Subnotata*, Walk. l. c. iii.
p. 483 (1870).

** *Phylloptera Intacta*, Walk. l. c. v. Suppl.
p. 42 (1871).

Anepsia Tessellata, subsp. *Obtusa*, Griff.
Boll. Mus. Torino, xi. (232) p. 7 (1896).

Genus 653. **Agaura.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 19, 135 (1891).

- | | |
|---|-------------------|
| 1. A. Mirabilis , Brunn. l. c. p. 135, pl. 2.
f. 26 (1891). | Upper
Amazons. |
|---|-------------------|

Genus 654. **Eurycorypha.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 40 (1873); Recens.
Orth. ii. p. 18 (1874); Brunn. Mon. Phan. pp. 27, 272
(1878); Verh. zool.-bot. Ges. Wien, xli. pp. 19, 136
(1891); Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 425
(1888).

- | | |
|---|------------------|
| * 1. E. Cereris , Stål, (<i>Phylloptera C.</i>) Öfv.
Vet.-Akad. Förh. xiii. p. 170. n. 1
(1856).
<i>E. Cereris</i> , Stål, l. c. xxx. (4) p. 40 (1873);
Recens. Orth. ii. p. 39. n. 1 (1874);
Brunn. ll. cc. pp. 272, 273. n. 1 (1878);
p. 136. n. 1 (1891). | Natal. |
| ** 2. E. Compressa , Walk. (<i>Orophus Com-
pressus</i>) Cat. Derm. Salt. B. M. ii. p. 386.
n. 20 (1869). | S. Africa. |
| ** 3. E. Strangulata , Walk. (<i>Orophus Stran-
gulatus</i>) l. c. p. 385. n. 18 (1869). | Sierra
Leone. |
| 4. E. Brunneri , Brancs. Jahresh. Nat. Ver.
Trenes. Com. xv.-xvi. p. 197, pl. 4. f. 4 a, b
(1893). | Madagascar |
| * 5. E. Prasinata , Stål, Recens. Orth. ii.
p. 40. n. 2 (1874); Brunn. ll. cc. pp. 272,
273. n. 2 (1878); p. 136. n. 2 (1891). | id.,
Natal. |
| 6. E. Cuspidata , Karsch, Verh. zool.-bot.
Ges. Wien, li. p. 292. n. 29 (1901). | S.W. Africa. |

- *7. **E. Proserpinæ, Brunn.** ll. cc. pp. 272, 274. n. 1, pl. 6. f. 83 *a-c* (1878); p. 136. n. 3 (1891).
 || *Orophus Gramineus, Walk. (nec Serr.)* l. c. iii. p. 484 (1870).
8. **E. Varia, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 136 (1891). Kilima-njaro.
- *9. **E. Brevipennis, Karsch,** l. c. xxxii. p. 455 (1888); Brunn. l. c. p. 136. n. 7 (1891). Madagascar
10. **E. Stylata, Stål,** Öfv. Vet.-Akad. Förh. xxx. (4) p. 43. n. 1 (1873); Recens. Orth. ii. p. 41. n. 3 (1874); Brunn. Mon. Phan. pp. 273, 274. n. 4 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 136. n. 4 (1891); Karsch, l. c. xxxvii. p. 75. n. 3 (1892); Griff. Ann. Mus. Genova, xlii. p. 393 (1906). Sierra Leone.
11. **E. Montana, Sjöst.** Bihang Svenska Akad. xxvii. (4:3) p. 20, pl. 3. f. 2 (1902). Cameroons.
12. **E. Securifera, Brunn.** Mon. Phan. pp. 273, 275. n. 5 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 136. n. 5 (1891); Griff. l. c. p. 394 (1906). W. Africa.
- *13. **E. Brevicollis, Stål,** Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 61, n. 1 (1876). Ovambo.
14. **E. Velicauda, Karsch,** l. c. xxxviii. pp. 131, 132. n. 104, f. 19 (1893). Cameroons.
15. **E. Æquatorialis, Krauss,** Zool. Jahrb. Syst. v. p. 663. n. 16, pl. 45. f. 9 (1890). Guinea.
16. **E. Spinulosa, Karsch,** l. c. xxxii. p. 455 (1888), xxxvi. p. 326. n. 22 (1892); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 136, 137. n. 8 (1891). Cameroons.
17. **E. Mutica, Karsch,** l. c. xxxvi. p. 327. n. 23 (1892). id.
18. **E. Ornatipes, Karsch,** Ent. Nachr. xvi. p. 260. n. 5 (1890). Kribi.
19. **E. Canaliculata, Karsch,** l. c. p. 261. n. 6 (1890). id.
20. **E. Adicra, Karsch,** Berlin. Ent. Zeitschr. xxxvii. p. 75. n. 4 (1892). Cameroons.

Genus 655. **Monteiroa.**

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 458 (1888);
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 19, 138 (1891).

- *1. **M. Latifrons, Karsch**, l. c. p. 458 | Delagoa
(1888); Brunn. l. c. p. 139 (1891). | Bay.

Genus 656. **Vossia.** (*Type* no. 1)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 19, 139 (1891).

- *1. **V. Obesa, Brunn.** l. c. p. 140, pl. 2. f. 27 | Cameroons,
(1891). | Nigeria.
2. **V. Doriæ, Griff.** Ann. Mus. Genova, xlii. | Fernando
p. 395 (1906). | Po.

Genus 657. **Plangia.** (*Type* no. 1.)

Stål, Æfv. Vet.-Akad. Förh. xxx. (4) p. 40 (1873); Recens.
Orth. ii. p. 18 (1874); Brunn. Mon. Phan. pp. 27, 276
(1878); Verh. zool.-bot. Ges. Wien, xli. pp. 19, 137
(1891).

- *1. **P. Graminea, Serv.** (*Phylloptera* G.) | Natal.
Ins. Orth. p. 405. n. 3 (1839).
P. Graminea, Stål, ll. cc. p. 40 (1873);
p. 42. n. 1 (1874); Brunn. ll. cc. p. 276.
n. 1, pl. 6. f. 84 (1878); p. 137. n. 1
(1891).
Phylloptera Natalensis, Walk. Cat. Derm.
Salt. B. M. ii. p. 379. n. 14 (1869).
*2. **P. Guttatipennis, Karsch**, Berlin. Ent. | Madagascar
Zeitschr. xxxii. p. 457 (1888); Brunn.
Verh. zool.-bot. Ges. Wien, xli. p. 137.
n. 2 (1891).
3. **P. Nebulosa, Karsch**, Ent. Nachr. xvi. | Barombi.
p. 366. n. 17 (1890).
4. **P. Venata, Griff.** Boll. Mus. Torino, viii. | Madagascar
(144) pp. 1, 2, fig. (1893).
5. **P. Laminifera, Karsch**, Stettin. Ent. Zeit. | Cameroons.
lvii. p. 343 (1896).
6. **P. (?) Segonoides, Butl. (*Phylloptera* S.) | Madagascar
Proc. Zool. Soc. Lond. 1878, pp. 648, 649,
fig.

Genus 658. **Corycomima.**

Karsch, Stettin. Ent. Zeit. lvii. p. 343 (1896).

- **1. **C. Flavescens, Walk.** (*Orophus F.*) Gambia,
Cat. Derm. Salt. B. M. ii. p. 386. n. 19 Cameroons.
(1869).
Plungia Camerata, Karsch, Berlin. Ent.
Zeit.-chr. xxxii. p. 457 (1888); Brunn.
Verh. zool.-bot. Ges. Wien, xli. pp. 137,
138. n. 3 (1891).
C. Camerata, Karsch, Stettin. Ent. Zeit.
lvii. p. 344. n. 112 bis (1896).

Genus 659. **Physocorypha.**

Karsch, Stettin. Ent. Zeit. lvii. p. 344 (1896).

1. **P. Politurata, Karsch**, l. c. p. 345. n. 113. Cameroons.
f. 41 (1896).

Genus 660. **Anaulacomera.** (*Type* no. 3.)

Stål, Æfv. Vet.-Akad. Förh. xxx. (4) pp. 41, 43 (1873);
Recens. Orth. ii. pp. 16, 35 (1874); Brunn. Mon. Phan.
pp. 27, 277 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 20,
140 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth.
i. p. 340 (1897).
Ecella, Kirb. Journ. Linn. Soc. Lond., Zool. xx. p. 535 (1890).
(*Type* no. 37.)

1. **A. Spinata, Brunn.** ll. cc. pp. 278, 280. Rio Janeiro.
n. 1, pl. 6. f. 85 a-c (1878); p. 140. n. 1
(1891).
2. **A. Angustifolia, Sauss.** (*Phylloptera A.*) Bahia.
Rev. Zool. (2) xi. p. 202 (1859).
A. Angustifolia, Brunn. ll. cc. pp. 278, 281.
n. 2 (1878); p. 140. n. 2 (1891); Sauss.
& Pict. l. c. pp. 340, 341. n. 1, pl. 16.
ff. 7-10 (1897).
3. **A. Submaculata, Stål**, (*Phaneroptera S.*) Rio Janeiro.
Eugenies Resa, Orth. p. 320. n. 58 Bahia.
(1860).

- A. Submaculata*, Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 43. n. 1 (1873); Recens. Orth. ii. p. 35. n. 1 (1874); Brunn. ll. cc. pp. 278, 281. n. 3 (1878); p. 140. n. 3 (1891).
4. **A. Concisa, Brunn.** Mon. Phan. pp. 278, 282. n. 4 (1878). Brazil.
A. Concisa, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 140. n. 4 (1891).
5. **A. Angustipennis, Sauss. & Pict.** l. c. Cayenne.
pp. 341, 344. n. 8 (1897).
6. **A. Brevicauda, Brunn.** l. c. pp. 140, 144. San Paulo.
n. 31 (1891).
7. **A. Intermedia, Brunn.** Mon. Phan. Brazil.
pp. 278, 283. n. 5 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 140. n. 5 (1891).
8. **A. Erinifolia, Sauss.** (*Phylloptera E.*) id.
l. c. p. 203 (1859).
A. Erinifolia, Brunn. ll. cc. pp. 278, 283. n. 6 (1878); p. 140. n. 6 (1891); Sauss. & Pict. l. c. pp. 341, 342. n. 2, pl. 16. ff. 11, 12 (1897).
A. Opacifolia, Stål, ll. cc. p. 43. n. 3 (1873); p. 35. n. 3 (1874).
9. **A. Furcata, Brunn.** ll. cc. pp. 279, 287. Panama.
n. 12 (1878); p. 141. n. 12 (1891); Sauss. & Pict. l. c. pp. 341, 342. n. 3 (1897).
10. **A. Darwinii, Scudd.** Bull. Mus. Harvard, Galapagos.
xxv. p. 19, pl. 3. ff. 1, 4, 5 (1893).
11. **A. Darienica, Griff.** (*A. Darwinii*, subsp. Darienica) Boll. Mus. Torino, xi. (232) Darien.
p. 5 (1896).
A. Darwinii, Sauss. & Pict. l. c. p. 342. n. 4 (1897).
12. **A. Recta, Brunn.** ll. cc. pp. 279, 287. Hab. — ?
n. 13 (1878); p. 141. n. 13 (1891).
13. **A. Olivacea, Brunn.** Verh. zool.-bot. Ges. Upper
Wien, xli. pp. 141, 144. n. 32 (1891). Amazons.
14. **A. Diluta, Brunn.** ll. cc. pp. 141, 145. Peru.
n. 33 (1891).
- * 15. **A. Nodulosa, Stål**, ll. cc. p. 43. n. 2 Surinam.
(1873); p. 35. n. 2 (1874); Brunn. ll. cc. pp. 279, 291. n. 20 (1878); p. 141. n. 20 (1891).
- ** 16. **A. Recticauda, Sauss. & Pict.** l. c. Mexico.
pp. 341, 343. n. 6, pl. 16. f. 13 (1897).

- *17. **A. Laticauda**, **Brunn.** ll. cc. pp. 280, Mexico,
292. n. 21 (1878); p. 141. n. 31 (1891); Central
Sauss. & Pict. l. c. pp. 341, 343. n. 7, America,
pl. 16. f. 14 (1897). Colombia.
- **18. **A. Denticauda**, **Sauss. & Pict.** l. c. Yucatan.
pp. 341, 345. n. 10, pl. 11. ff. 15, 16
(1897).
19. **A. Albonodulosa**, **Brunn.** Verh. zool.- Upper
bot. Ges. Wien, xli. pp. 141, 145. n. 34 Amazons.
(1891).
20. **A. Gracilis**, **Brunn.** ll. cc. n. 35 (1891). Venezuela.
21. **A. Brevicollis**, **Brunn.** Mon. Phan. Peru.
pp. 280, 294. n. 25 (1878).
22. **A. Festæ**, **Giglio-Tos**, Boll. Mus. Torino, Ecuador.
xiii. (311) p. 75 (1898).
23. **A. Vidua**, **Giglio-Tos**, l. c. p. 76 (1898). id.
24. **A. Falcata**, **Giglio-Tos**, l. c. (1898). id.
25. **A. Delineata**, **Brunn.** Verh. zool.-bot. Upper
Ges. Wien, xli. pp. 142, 146. n. 36 Amazons.
(1891).
26. **A. Unicolor**, **Brunn.** ll. cc. n. 36 (1891). id.
27. **A. Angusta**, **Brunn.** l. c. pp. 142, 147. id.
n. 38 (1891).
28. **A. Sororcula**, **Brunn.** ll. cc. n. 39 (1891). id.
29. **A. Lativertex**, **Brunn.** Mon. Phan. Panama,
pp. 280, 292. n. 22 (1878); Verh. zool.- Colombia.
bot. Ges. Wien, xli. p. 142. n. 22 (1891);
Sauss. & Pict. l. c. pp. 341, 344. n. 8
(1897).
30. **A. Latifolia**, **Brunn.** ll. cc. pp. 280, 296. Bogota.
n. 29 (1878); p. 142. n. 29 (1891).
31. **A. Inermis**, **Brunn.** ll. cc. pp. 280, 297. Colombia.
n. 30 (1878); p. 142. n. 30 (1891);
Sauss. & Pict. l. c. pp. 341, 345. n. 11
(1897).
32. **A. Inconspicua**, **Brunn.** ll. cc. pp. 278. Brazil.
285. n. 9 (1878); p. 142. n. 9 (1891).
33. **A. Boliviana**, **Brunn.** Verh. zool.-bot. Bolivia.
Ges. Wien, xli. pp. 142, 147. n. 40 (1891).
34. **A. Biloba**, **Brunn.** Mon. Phan. pp. 279, Ecuador.
286. n. 10 (1878); Verh. zool.-bot. Ges.
Wien, xli. p. 142. n. 10 (1891).
35. **A. Clavata**, **Brunn.** Verh. zool.-bot. Ges. Brazil.
Wien, xli. pp. 142, 148. n. 41 (1891).
36. **A. Chelata**, **Brunn.** Mon. Phan. pp. 280. id.
293. n. 24 (1878); Verh. zool.-bot. Ges.
Wien, xli. p. 143. n. 24 (1891).

- *37. **A. Harpago, Brunn.** ll. cc. pp. 278, 284.
n. 7 (1878) ; p. 143. n. 7 (1891).
- ** *Ecella Furcifera, Kirb.* Journ. Linn. Soc.
Lond., Zool. xx. p. 535 (1890).
- **38. **A. Antillarum, Brunn.** Proc. Zool. Soc.
Lond. 1893, p. 607.
39. **A. Dentata, Brunn.** ll. cc. pp. 279, 290.
n. 18 (1878) ; p. 143. n. 18 (1891) ;
Sauss. & Pict. l. c. pp. 341, 343. n. 5
(1897).
40. **A. Cornucervi, Brunn.** ll. cc. pp. 279,
290. n. 19 (1878) ; p. 143. n. 19 (1891).
41. **A. Inversa, Brunn.** ll. cc. pp. 278, 284.
n. 8 (1878) ; p. 143. n. 8 (1891).
42. **A. Biramosa, Brunn.** Verh. zool.-bot.
Ges. Wien, xli. pp. 143, 148. n. 42 (1891).
43. **A. Sulcata, Brunn.** Mon. Phan. pp. 279,
289. n. 17 (1878) ; Verh. zool.-bot. Ges.
Wien, xli. p. 143. n. 17 (1891).
44. **A. Securifera, Brunn.** ll. cc. pp. 279,
289. n. 16 (1878) ; p. 143. n. 16 (1891).
45. **A. Lanceolata, Brunn.** ll. cc. n. 15
(1878) ; n. 15 (1891).
46. **A. Maculata, Brunn.** ll. cc. pp. 279,
288. n. 14 (1878) ; p. 143. n. 14 (1891).
47. **A. Bituberculata, Brunn.** ll. cc. pp. 280,
293. n. 23 (1878) ; p. 143. n. 23 (1891).
48. **A. Digitata, Rehn,** Proc. Acad. Nat. Sci.
Philad. lvii. p. 810, ff. 6, 7 (1906).⁵
- Venezuela,
Brazil,
Fernando
Noronha.
W. Indies :
Grenada.
Colombia.
- Peru.
- Brazil.
- Cordillera.
- Brazil,
Peru.
- Peru.
- Bogota.
- id.
- Hab. — ?
- Costa Rica.

Genus 661. **Furnia.** (Type no. 4.)

Anaulacomera (F. & S.) Brunn. l. c. pp. 280, 295. 7157.
Stål, Bihang Svenska Akad. iv. (5) p. 57 (1876).

1. **F. Exotica, Brunn.** (*Anaulacomera E.*) India.
Mon. Phan. pp. 279, 286. n. 11 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 143.
n. 11 (1891).
2. **F. Insularis, Stål,** l. c. p. 57 (1876). Samoa.
Anaulacomera Insularis, Brunn. ll. cc.
pp. 280, 295. n. 27 (1878) ; p. 144. n. 27
(1891).
3. **F. Incerta, Brunn.** (*Anaulacomera I.*) Tongatabu,
ll. cc. pp. 280, 296. n. 28. pl. 6. f. 85 a-c
(1878 ; p. 144. n. 28 (1891)). Fiji.

4. **F. Malaya, Stål**, l. c. p. 57, n. 1 (1876). Malacca.
Anaulacomera Malaya, Brunn. ll. cc. pp. 280,
 295, n. 26 (1878) ; p. 144, n. 26 (1891).
5. **F. Acuminata, Brunn.** (*Anaulacomera* | Queensland.
 A.) Verh. zool.-bot. Ges. Wien, xli.
 pp. 144, 148, n. 43 (1891).

Genus 662. **Parapyrrhicia.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 20, 149 (1891).

1. **P. Zanzibarica, Brunn.** l. c. p. 149, pl. 2. Zanzibar.
 f. 28 (1891).
2. **P. Dentipes, Sauss.** Abhandl. Senckenb. | Nossi Bé.
 Ges. xxi. p. 617 (1899).

Genus 663. **Grammadera.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 27, 297 (1878) ;
 Verh. zool.-bot. Ges. Wien, xli. pp. 20, 149 (1891).

1. **G. Clara, Brunn.** ll. cc. p. 298, n. 1, pl. 6. B. Aires.
 f. 86 *a, b* (1878) ; p. 149, n. 1 (1891). Montevideo.
2. **G. Albida, Brunn.** ll. cc. p. 298, n. 2 Brazil.
 (1878) ; p. 149, n. 2 (1891).
3. **G. Hastata, Brunn.** Verh. zool.-bot. Ges. Cayenne.
 Wien, xli. p. 150, n. 3 (1891).
4. **G. Pellucida, Giglio-Tos,** Boll. Mus. Ecuador.
 Torino, xiii. (311) p. 77 (1898).
5. **G. Rosea, Giglio-Tos,** l. c. (1898). | id.

Genus 664. **Abrodiæta.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 20, 150 (1891).

- *1. **A. Lanceolata, Brunn.** l. c. p. 150, pl. 2. Upper
 f. 29 (1891). Amazons.
2. **A. Parvula, Giglio-Tos,** Boll. Mus. Ecuador.
 Torino, xiii. (311) p. 78 (1898).

Genus 665. **Agennis.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 20, 151 (1891).

- | | |
|---|-----------|
| 1. A. Parallelinervis , Brunn. l. c. p. 151, | Nossi Bé. |
| pl. 2. f. 30 (1891). | |

Genus 666. **Tomeophera.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 28, 299 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 151 (1891).

Tomeophora, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 21 (1891).

- | | |
|--|--------------------|
| 1. T. Glandiatrix , Brunn. Mon. Phan. | Colombia,
Peru. |
| p. 300. n. 1, pl. 6. f. 87 <i>a, b</i> (1878) ; | |
| Verh. zool.-bot. Ges. Wien, xli. p. 151.
n. 1 (1891). | |
| 2. T. Pugiunculata , Brunn. Mon. Phan. | Peru. |
| p. 300. n. 2 (1878). | |
| <i>T. Punquiculata</i> , Brunn. Verh. zool.-bot.
Ges. Wien, xli. p. 152. n. 2 (1891). | |
| 3. T. Modesta , Brunn. l. c. p. 152. n. 3 | Brazil. |
| (1891). | |

Genus 667. **Viadana.** (*Type* no. 5.)

Walk. Cat. Derm. Salt. B. M. ii. p. 361 (1869).

Ctenophlebia, Stål. Öfvr. Vet.-Akad. Förh. xxx. (4) p. 41 (1873) ; Recens. Orth. ii. p. 17 (1874) ; Brunn. Mon. Phan. pp. 28, 301 (1878) ; Verh. zool.-bot. Ges. Wien, xli. pp. 21, 152 (1891) ; Sauss. & Piet. Biol. Centr.-Amer., Orth. i. p. 346 (1897). (*Type* no. 5.)

- | | |
|--|-------------------|
| 1. V. Inversa , Brunn. (<i>Ctenophlebia</i> I.) | Peru. |
| ll. cc. p. 302. n. 1 (1878) ; p. 152. n. 1 (1891). | |
| 2. V. Styliformis , Brunn. (<i>Ctenophlebia</i> S.) | Upper
Amazons. |
| Verh. zool.-bot. Ges. Wien, xli. pp. 152,
151. n. 9 (1891). | |
| 3. V. Altera , Brunn. (<i>Ctenophlebia</i> A.) ll. cc. | id. |
| n. 10 (1891). | |
| 4. V. Longicercata , Brunn. (<i>Ctenophlebia</i> L.) | id. |
| l. c. pp. 153, 154. n. 11 (1891). | |

- *5. **V. Myrtifolius, Linn.** (*Gryllus Tettigonia* M.) Syst. Nat. (ed. 10) i. p. 429. n. 25 (1758).
Locusta Myrtifolia, DeGeer, Mém. Ins. iii. p. 447. n. 8, pl. 38. f. 4 (1773).
Phylloptera Myrtifolia, pt., Serv. Ann. Sci. Nat. xxxii. p. 142. n. 1 (1831); *Burm. Handb. Ent.* ii. p. 693. n. 8 (1838).
Ctenophlebia Myrtifolia, Stål. ll. cc. p. 41 (1873); p. 37. n. 1 (1874); *Brunn.* ll. cc. pp. 302, 303. n. 2 (1878); p. 153. n. 2 (1891).
Gryllus Tettigonia Myrtillifolia, Stoll. Spectres. Saut. p. 8, pl. 2 a, f. 4 (1813).
Locusta (Phylloptera) Myrtillifolia, Haan, Temminck, Verhandel., Orth. pp. 196, 199. n. 18 (1842).
- **17. *Transversa, Walk.* l. c. p. 362. n. 1 (1869).
6. **V. Lobata, Brunn.** (*Ctenophlebia* L.) Pern.
 ll. cc. pp. 302, 303. n. 3 (1878); p. 153. n. 3 (1891).
7. **V. Granulosa, Brunn.** (*Ctenophlebia* G.) Upper
 Verh. zool.-bot. Ges. Wien, xli. pp. 153. An azons.
 155. n. 12 (1891).
8. **V. Curvicerata, Brunn.** (*Ctenophlebia* id.
 C.) ll. cc. n. 13 (1891).
- *9. **V. Brasiliensis, Brunn.** (*Ctenophlebia* Brazil.
 B.) Mon. Phan. pp. 302, 304. n. 4
 (1878); Verh. zool.-bot. Ges. Wien,
 xli. p. 153. n. 4 (1891).
10. **V. Zetterstedti, Stål,** (*Phylloptera* Z.) Panama,
 Eugenies Resa, Orth. p. 322. n. 61 Colombia,
 (1860). Ecuador.
Ctenophlebia Zetterstedti, Stål, Recens.
 Orth. ii. p. 37. n. 2 (1871); *Brunn.*
 Mon. Phan. pp. 302, 304. n. 5, pl. 6.
 f. 88 (1878).
Ctenophlebia Zetterstedti, Brunn. Verh.
 zool.-bot. Ges. Wien, xli. p. 153. n. 5
 (1891); *Sauss. & Piet.* l. c. pp. 316, 317.
 n. 2 (1897).
11. **V. Festæ, Giglio-Tos,** (*Ctenophlebia* F.) Ecuador.
 Boll. Mus. Torino, xiii. (311) p. 79
 (1898).
12. **V. Fruhstorferi, Brunn.** (*Ctenophlebia* Theresopolis
 F.) l. c. pp. 153, 155. n. 11 (1891).

- | | |
|---|--------------------------------|
| 13. V. Peruviana, Brunn. (<i>Ctenophlebia P.</i>)
Mon. Phan. pp. 302, 305. n. 6 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 153. n. 6
(1891); Sauss. & Pict. l. c. p. 346 (1897). | Peru. |
| **14. V. Azteca, Sauss. & Pict. (<i>Ctenophlebia A.</i>) l. c. p. 346. n. 1, pl. 16. ff. 17-19 (1897). | Mexico,
Central
America. |
| 15. V. Foreli, Sauss. & Pict. (<i>Ctenophlebia F.</i>) l. c. pp. 346, 348. n. 3 (1897). | Colombia. |
| 16. V. Rhombifolia, Brunn. (<i>Ctenophlebia R.</i>) Verh. zool.-bot. Ges. Wien, xli. pp. 153, 156. n. 15 (1891). | Peru. |
| 17. V. Difformis, Brunn. (<i>Ctenophlebia D.</i>)
Mon. Phan. pp. 302, 306. n. 7 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 153.
n. 7 (1891); Bol. Viaje al Pacif., Ins.
p. 54 (1884). | Peru,
Ecuador. |
| 18. V. Multiramosa, Brunn. (<i>Ctenophlebia M.</i>) ll. cc. pp. 302, 306. n. 8 (1878);
p. 154. n. 8 (1891); Sauss. & Pict. l. c.
p. 346 (1897). | Bahia. |

Genus 668. **Phylloptera.** (Type no. 30.)

Serv. Ann. Sci. Nat. xxii. p. 142 (1831); Ins. Orth. p. 402 (1839); Burm. Handb. Ent. ii. p. 691 (1838); Stål, Cefv. Vet.-Akad. Förh. xxx. (4) p. 41 (1873); Recens. Orth. ii. pp. 16, 33 (1874); Brunn. Mon. Phan. pp. 28, 307 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 21, 156 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 351 (1897).

- | | |
|--|------------------------|
| 1. P. Maculosa, Burm. (<i>Phaneroptera M.</i>)
Handb. Ent. ii. p. 691. n. 12 (1838).
<i>Phylloptera Maculosa, Brunn.</i> ll. cc. pp. 308,
309. n. 1 (1878); p. 156. n. 1 (1891);
Sauss. & Pict. l. c. p. 352 (1897). | Bahia. |
| 2. P. Annulata, Rehn, Trans. Amer. Ent.
Soc. xxvii. p. 223 (1901). | Mexico. |
| *3. P. Ovalifolia, Burm. l. c. p. 693. n. 6
(1838); Brunn. ll. cc. pp. 309, 311. n. 4,
pl. 6. f. 89 a-c (1878); p. 157. n. 4
(1891); Bol. Viaje al Pacif., Ins. p. 56
(1884); Sauss. & Pict. l. c. p. 352. n. 1
(1897).
<i>P. Punctum-album, Serv.</i> Ins. Orth. p. 407.
n. 5 (1839).
<i>P. Viridicuta, Serv.</i> l. c. n. 6 (1839). | Mexico,
S. America. |

- Phaneroptera Oblongipennis*, Blanch. D'Orbigny, Voy. Amér. Mér., Ins. p. 216. n. 741, pl. 27. f. 1 (1847).
- ** *Diplophyllus Mandus*, Walk. Cat. Derm. Salt. B. M. iii. p. 483 (1870).
4. **P. Brevifolia**, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 157, 159. n. 13 (1891). Brazil.
- *5. **P. Fosteri**, Caud. P. U. S. Nat. Mus. xxx. p. 238. n. 12 (1906). Paraguay.
6. **P. Gracilipes**, Brunn. l. c. pp. 157, 159. n. 14 (1891). Brazil.
7. **P. Pisifolia**, Sauss. Rev. Zool. (2) xi. p. 202 (1859); Brunn. Mon. Phan. pp. 309, 311. n. 5 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 157. n. 5 (1891); Sauss. & Piet. l. c. p. 352. n. 2, pl. 16. ff. 25-27 (1897). Mexico.
8. **P. Festæ**, Griff. Bol. Mus. Torino, xi. (232) p. 2 (1896); Sauss. & Piet. l. c. p. 352. n. 3 (1897). Panama.
- **9. **P. Strigipennis**, Walk. (*Diplophyllus S.*) l. c. ii. p. 376. n. 7 (1869). Brazil.
P. Corrodita, Brunn. ll. cc. pp. 308, 310. n. 2 (1878); p. 157. n. 2 (1891).
10. **P. Derodifolia**, Sauss. l. c. p. 203 (1859). Bahia.
P. Derosifolia, Brunn. ll. cc. pp. 308, 310. n. 3 (1878); p. 157. n. 3 (1891).
- **11. **P. Binotata**, Walk. (*Viadana B.*) l. c. ii. p. 362. n. 2 (1869). Ega.
P. Tenera, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 157, 160. n. 15 (1891).
- **12. **P. Digramma**, Walk. (*Viadana D.*) l. c. p. 363. n. 3 (1869). Santarem.
13. **P. Roseoinflata**, Brunn. l. c. pp. 157, 160. n. 16 (1891). Upper Amazons.
P. Roseoinflata var. *Major*, Brunn. l. c. p. 100 (1891).
14. **P. Tarda**, Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 79 (1898). Ecuador.
15. **P. Socia**, Brunn. l. c. pp. 157, 160. n. 17 (1891). Upper Amazons.
16. **P. Infuscata**, Brunn. l. c. pp. 158, 161. n. 17 (1891). id.
17. **P. Ancilla**, Brunn. Mon. Phan. pp. 309, 312. n. 7 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 158. n. 7 (1891). Surinam.

- *18. **P. Dimidiata, Brunn.** ll. cc. pp. 309, 314. n. 10 (1878) ; p. 158. n. 10 (1891) ; Sauss. & Pict. l. c. pp. 352, 353. n. 4, pl. 16. f. 28 (1897). Panama, Colombia.
19. **P. Famula, Brunn.** ll. cc. pp. 309, 313. n. 8 (1878) ; p. 158. n. 8 (1891). Ecuador.
20. **P. Serva, Brunn.** ll. cc. pp. 309, 313. n. 9 (1878) ; p. 158. n. 9 (1891). Peru.
21. **P. Vicina, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 158, 161. n. 19 (1891). Upper Amazons.
22. **P. Nigroauriculata, Brunn.** l. c. pp. 158, 162. n. 20 (1891). id.
23. **P. Breviramulosa, Brunn.** ll. cc. n. 21 (1891). id.
24. **P. Coriacea, Brunn.** ll. cc. n. 22 (1891). Bolivia.
25. **P. Lævis, Giglio-Tos,** l. c. xiii. (311) p. 80 (1898). Ecuador.
26. **P. Picta, Brunn.** l. c. pp. 158, 163. n. 23 (1891). Upper Amazons.
27. **P. Peruviana, Brunn.** Mon. Phan. pp. 309, 312. n. 6 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 158. n. 6 (1891). Peru.
- **28. **P. Contracta, Walk.** l. c. ii. p. 378. n. 10 (1869). Brazil.
29. **P. Spinulosa, Brunn.** ll. cc. pp. 309, 314. n. 11 (1878) ; p. 159. n. 11 (1891). id.
30. **P. Cassinæfolia, Serv.** (*Locusta C.*) Enc. Méth., Ins. x. p. 343. n. 6 (1825). id.
P. Cassinæfolia, Serr. Ann. Sci. Nat. xxii. p. 143. n. 3 (1831) ; Ins. Orth. p. 406. n. 4, pl. 9. f. 3 (1839) ; Brunn. Mon. Phan. pp. 309, 315. n. 13 (1878).
- *31. **P. Phyllopteroides, Brunn.** (*Parableta P.*) l. c. p. 254. n. 1 (1878). id.
Phylloptera Phyllopteroides, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 159, 163. n. 24 (1891).
32. **P. Alliedea, Caud.** P. U. S. Nat. Mus. xxx. p. 238. n. 11 (1906). Paraguay.
33. **P. Finoti, Griff.** l. c. xi. (232) p. 3 (1896) ; Sauss. & Pict. l. c. pp. 352, 353. n. 5 (1897-8). Panama.
34. **P. Arata, Brunn.** Mon. Phan. pp. 309, 315. n. 12 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 159. n. 12 (1891). Peru.

Genus 669. **Hyperphrona.** (*Type* no. 7.)

Brunn. Mon. Phan. pp. 28, 315 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 21, 163 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 348 (1897).

1. **H. Angusta**, Brunn. ll. cc. pp. 316, 317. Peru.
n. 1 (1878); pp. 163, 165, n. 1 (1891).
2. **H. Binotata**, Brunn. Verh. zool.-bot. Upper
Ges. Wien, xli. pp. 164, 165, n. 7 Amazons.
(1891).
3. **H. Nitidipennis**, Stål, (*Plagioptera* N.) Colombia.
Recens. Orth. ii. p. 34, n. 2 (1874).
H. Nitidipennis, Brunn. Mon. Phan. pp. 316,
317, n. 2 (1878); Verh. zool.-bot. Ges.
Wien, xli. p. 164, n. 2 (1891); Sauss. &
Pict. l. c. p. 349, n. 1 (1897).
4. **H. Prudhommei**, Sauss. & Pict. l. c. Cayenne.
n. 2 (1897).
5. **H. Submaculata**, Brunn. ll. cc. pp. 316. Peru.
317, n. 3 (1878); pp. 164, 165, n. 3
(1891).
6. **H. Cœrulescens**, Brunn. Verh. zool.- Upper
bot. Ges. Wien, xli. pp. 164, 166, n. 8 Amazons.
(1891).
7. **H. Striolata**, Brunn. (♀ *nec* ♂) Mon. Bahia.
Phan. pp. 316, 318, n. 5, pl. 6. f. 90 a,
b (1878); Verh. zool.-bot. Ges. Wien,
xli. pp. 164, 165, n. 5 (1891).
8. **H. Gracilis**, Brunn. Verh. zool.-bot. Ges. Peru,
Wien, xli. pp. 164, 165, 166, n. 9 (1891). Upper
|| *H. Striolata*, ♂, Brunn. Mon. Phan. Amazons.
pp. 316, 318, n. 5 (1878).
9. **H. Bidentata**, Brunn. l. c. pp. 316, 319. Cayenne.
n. 6 (1878); Verh. zool.-bot. Ges. Wien,
xli. pp. 164, 165, n. 6 (1891); Sauss. &
Pict. l. c. pp. 349, 350, n. 3 (1897).
10. **H. Viridifolia**, Sauss. & Pict. ll. cc. id.
n. 4 (1897).
11. **H. Atrosignata**, Brunn. Verh. zool.-bot. Upper
Ges. Wien, xli. pp. 164, 167, n. 10 Amazons.
(1891).
12. **H. Punctulata**, Brunn. ll. cc. n. 11 id.
(1891).

- | | |
|--|--|
| <p>*13. H. Trimaculata, Brunn. Mon. Phan. pp. 316, 318. n. 4 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 164. n. 4 (1891) ; Sauss. & Pict. l. c. pp. 349, 350. n. 5, pl. 16. ff. 20-24 (1897).</p> <p>14. H. Irregularis, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 164, 168. n. 12 (1891) ; Sauss. & Pict. l. c. pp. 349, 351. n. 6 (1897).</p> <p>15. H. Sordida, Brunn. l. c. pp. 165, 168. n. 13 (1891).</p> | <p>Panama,
Ecuador.</p> <p>Chiriqui.</p> <p>Upper
Amazons.</p> |
|--|--|

Genus 670. **Cora.**

Brunn. Mon. Phan. pp. 28, 319 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 21 (1891).

- | | |
|--|-------------------|
| <p>*1. C. Acuminata, Brunn. Mon. Phan. p. 320. n. 1, pl. 6. f. 91 (1878).</p> | <p>Hab. ——— ?</p> |
|--|-------------------|

Genus 671. **Arota.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 21, 169 (1891) ;
Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 81 (1898).

- | | |
|---|---|
| <p>1. A. Alineata, Brunn. l. c. p. 169, pl. 2. f. 31 (1891) ; Giglio-Tos, l. c. p. 81 (1898).</p> <p>2. A. Rosaura, Karsch, Soc. Ent. p. 89 (1891) ; Berlin. Ent. Zeitschr. xxxvi. p. 316, fig. (1892) ; Giglio-Tos, l. c. pp. 81, 82 (1898).</p> | <p>Upper
Amazons,
Ecuador.
Ecuador.</p> |
|---|---|

Genus 672. **Prosagoga.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 29, 320 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. pp. 21, 169 (1891).

- | | |
|--|--------------------------------|
| <p>1. P. Nitidula, Brunn. ll. cc. p. 321. n. 1, pl. 6. f. 92 (1878) ; p. 170. n. 1 (1891).</p> <p>2. P. Coriacea, Pict. Mém. Soc. Genève, xxx. (6) p. 9, pl. 1. ff. 2, 2 a (1889) ; Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 170. n. 2 (1891).</p> | <p>Surinam.</p> <p>Guiana.</p> |
|--|--------------------------------|

3. **P. Crenulata**, Brunn. l. c. pp. 170, 171. n. 3 (1891). Guiana, Brazil.
4. **P. Rectinervis**, Brunn. ll. cc. n. 4 (1891). U. Amazons.
5. **P. Curvinervis**, Brunn. l. c. pp. 170, 172. n. 5 (1891). Fonte Bea.
6. **P. Flavolimbata**, Brunn. ll. cc. n. 6 (1891). Upper Amazons.
7. **P. Splendens**, Brunn. l. c. pp. 170, 173. n. 7 (1891). id.
8. **P. Opaca**, Brunn. ll. cc. n. 8 (1891). id.

Genus 673. **Phrixa**. (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 16 (1874); Brunn. Mon. Phan. pp. 26, 263 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 21, 135 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 333 (1897).

1. **P. Nasuta**, Stål, l. c. p. 36. n. 1 (1874); Brunn. Mon. Phan. p. 263. n. 1, pl. 6. f. 80 *a*, *b* (1878); Sauss. & Pict. l. c. p. 334. n. 1 (1897). Mexico.
- **2. **P. Schumanni**, Sauss. & Pict. l. c. n. 2 (1897). id.
- **3. **P. Hoegii**, Sauss. & Pict. l. c. n. 3. pl. 16. f. 1 (1897). id.
4. **P. Bidentata**, Rehn, Trans. Amer. Ent. Soc. xxix. p. 20 (1902). id.
- || *P. Nasuta*, Rehn (*nec* Stål), l. c. xxvii. p. 88 (1900).
- **5. **P. Maya**, Sauss. & Pict. l. c. pp. 334, 345. n. 4. pl. 16. f. 2 (1897). id.
6. **P. Sima**, Brunn. l. c. pp. 263, 264. n. 2 (1878); Sauss. & Pict. l. c. pp. 334, 335. n. 5 (1897). id.

Genus 674. **Pycnopalpa**. (*Type* no. 1.)

Serv. Ins. Orth. p. 408 (1839).

Soria, Walk. Cat. Derm. Salt. B. M. ii. p. 363 (1869). (*Type* no. 1.)

- *1. **P. Bicordata**, Serv. (*Locusta* B.) Encycl. Méth., Ins. x. p. 143 (1825). Brazil.
Phylloptera Bicordata, Serr. Ann. Sci. Nat. xxxii. p. 143. n. 4 (1831); Ins. Orth. p. 408. n. 7 (1839).

- Plagioptera Bicordata*, Brunn. Mon. Phan. p. 322. n. 1 (1878).
 ** *Soria Contaminata*, Walk. l. c. p. 364. n. 1 (1869).
 2. **P. Mortuifolia**, Rehn, Trans. Amer. Ent. Soc. xxix. p. 21 (1902). Mexico.

Genus 675. **Topana.** (*Type* no. 1.)

- Walk. Cat. Derm. Salt. B. M. ii. p. 364 (1869).
Plagioptera, Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 41 (1873);
 Recens. Orth. ii. p. 16 (1874); Brunn. Mon. Phan. pp. 29,
 321 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 22 (1891).
 (*Type* no. 4.)
 1. **T. Media, Walk. l. c. p. 365. n. 1 (1869). Hab. — ?
 2. **T. Postica, Walk. l. c. n. 2 (1869). Santarem.
 3. **T. Varia, Walk. l. c. p. 366. n. 3 (1869). Para.
 *4. **T. Cincticornis**, Stål (*Plagioptera* C.) Brazil.
 ll. cc. p. 43. n. 1 (1873); p. 33. n. 1
 (1874); Brunn. ll. cc. p. 322, 323. n. 2
 (1878); p. 173 (1891).
 5. **T. Tuberculata**, Brunn. (*Plagioptera* T.) Bahia.
 Mon. Phan. pp. 322, 324. n. 3 (1878).

Genus 676. **Theia.** (*Type* no. 2.)

- Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 22, 174 (1891).
 1. **T. Lineolata**, Brunn. l. c. p. 174. n. 1 Upper
 (1891). Amazons.
 2. **T. Unicolor**, Brunn. l. c. pp. 174, 175. Brazil.
 n. 2, pl. 2. f. 32 (1891).

Genus 677. **Hetaira.**

- Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 22, 175 (1891).
 1. **H. Smaragdina**, Brunn. l. c. p. 175, pl. 2. Brazil.
 f. 33 (1891).

Genus 678. **Diplophyllus.** (*Type* no. 5.) ^{not an included sp.}

- Sauss. Rev. Zool. (2) xi. p. 202 (1859).
Turpilia, Stål, Recens. Orth. ii. p. 16 (1874); Brunn. Mon.
 Phan. pp. 29, 324 (1878); Verh. zool.-bot. Ges. Wien,
 xli. pp. 22, 176 (1891); Sauss. & Piet. Biol. Centr.-Amer.,
 Orth. i. p. 353 (1898). (*Type* no. 12.)

- *1. **D. Oblongooculatus, Brunn.** (*Turpilia Oblongooculata*) Mon. Phan. pp. 325, 326. n. 1 (1878). Mexico, Guatemala, Costa Rica.
Turpilia Oblongooculata, Sauss. & Pict. l. c. p. 354. n. 1, pl. 16. f. 29 (1898).
- **2. **D. Ocularis, Sauss. & Pict.** (*Turpilia O.*) Mexico.
l. c. n. 2 (1898).
- *3. **D. Oridiops, Sauss. & Pict.** (*Turpilia O.*) l. c. pp. 354, 355. n. 3 (1898). id.
4. **D. Appendiculatus, Brunn.** (*Turpilia Appendiculata*) l. c. pp. 325, 326. n. 2 (1878). Port-au-Prince.
5. **D. Mexicanus, Brunn.** (*Turpilia Mexicana*) l. c. pp. 325, 327. n. 3 (1878); Sauss. & Pict. l. c. pp. 354, 355. n. 4 (1898). Mexico.
6. **D. Ensifolia, Sauss.** (*Phylloptera E.*) Brazil.
Rev. Zool. (2) xi. p. 202 (1859).
Turpilia Ensifolia, Brunn. l. c. pp. 325, 327. n. 4 (1878).
7. **D. Albolineatus, Brunn.** (*Turpilia Albolineata*) ll. ec. n. 5 (1878). Madagascar
8. **D. Rugulosus, Brunn.** (*Turpilia Rugulosa*) l. c. pp. 325, 328. n. 6 (1878); Sauss. & Pict. l. c. pp. 354, 355. n. 5 (1898). Cuba, Mexico.
9. **D. Tenellus, Brunn.** (*Turpilia Tenella*) l. c. pp. 326, 329. n. 7 (1878); Sauss. & Pict. l. c. pp. 354, 356. n. 6 (1898). Mexico.
10. **D. Obtusangula, Brunn.** (*Turpilia O.*) Cuba.
ll. ec. n. 8 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 176 (1891).
11. **D. Lævigatus, Brunn.** (*Turpilia Lævigata*) Verh. zool.-bot. Ges. Wien, xli. p. 176. n. 11 (1891). Cayenne.
12. **D. Opacus, Brunn.** (*Turpilia Opaca*) Mon. Phan. pp. 326, 329. n. 9 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 176. n. 9 (1891); Sauss. & Pict. l. c. pp. 354, 356. n. 7 (1898). Mexico.
13. **D. Punctatus, Stål,** (*Turpilia Punctata*) l. c. p. 31 (1874); Brunn. ll. ec. pp. 326, 330. n. 10 (1878); p. 176. n. 10 (1891). W. Indies; St. Bartholomew.
14. **D. Subinermis, Caud.** (*Turpilia S.*) P. U. S. Nat. Mus. xxx. p. 239. n. 15 (1906). Paraguay.

- | | |
|---|-------------|
| 15. D. Madagassus, Karsch (<i>Turpilia Madagassa</i>) Berlin. Ent. Zeitschr. xxxii. p. 448 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 176. n. 12 (1891). | Madagascar |
| 16. D. Ambiguus, Bol. (<i>Turpilia Ambigua</i>) Ann. Soc. Ent. France, lxviii. p. 765 (1900). | S. India. |
| 17. D. Linearis, Rehn (<i>Turpilia L.</i>), Proc. Acad. Nat. Sci. Philad. lvii. pp. 812, 813 ff. 8, 9 (1906). ⁵ | Costa Rica. |
| 18. D. Grandis, Rehn (<i>Turpilia G.</i>), Proc. U. S. Nat. Mus. xxx. pp. 597, 598, ff. 1, 2 (1906). | id. |

Genus 679. **Apocerycta.** (*Type no. 1.*)

Brunn. Mon. Phan. pp. 29, 331 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 22, 177 (1891).

- | | |
|--|----------|
| 1. A. Incommoda, Brunn. ll. cc. p. 332. n. 1, pl. 2. f. 96 (1878); p. 177. n. 1 (1891). | Mexico. |
| 2. A. Bariana, Pict. Mém. Soc. Genève, xxx. (6) p. 10, pl. 1. f. 3 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 177. n. 2 (1891). | Cayenne. |

Genus 680. **Orophus.** (*Type no. 17.*)

Sauss. Rev. Zool. (2) xi. p. 204 (1859); Walk. Cat. Derm. Salt. B. M. ii. p. 381 (1869),
Microcentrum, pt., Scudd. Boston Journ. Nat. Hist. vii. p. 446 (1862); Stål, Recens. Orth. ii. p. 18 (1874); Brunn. Mon. Phan. pp. 29, 333 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 22, 179 (1891); Bent. Bull. Amer. Mus. Nat. Hist. vi. pp. 278, 289 (1894); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 356 (1898).

- | | |
|---|--------------------------------|
| *1. O. Angustatus, Brunn. (<i>Microcentrum Angustatum</i>) ll. cc. pp. 334, 335. n. 1 (1878); p. 179. n. 1 (1891); Sauss. & Pict. l. c. pp. 357, 358 (1898). | Brazil. |
| *2. O. Lanceolatus, Burm. (<i>Phylloptera Lanceolata</i>) Handb. Ent. ii. p. 692. n. 2 (1838).
<i>Microcentrum Lanceolatum</i> , Brunn. ll. cc. pp. 334, 335. n. 2, pl. 7. f. 97 a, b (1878); p. 179. n. 2 (1891); Sauss. & Pict. l. c. pp. 357-359. n. 1, pl. 17. ff. 1, 2 (1898). | id.,
Surinam,
Guatemala. |

- || *Locusta (Phylloptera) Laurifolia*, Haan (nec Linn.) Temminck, Verhandel., Orth. pp. 196, 197. n. 6 (1842).
Phylloptera Salvifolia, Sauss. Rev. Zool. (2) xi. p. 204 (1859).
3. **O. Syntechnoides, Rehn**, (*Microcentrum* S.) Trans. Amer. Ent. Soc. xxix. p. 22 (1902). Mexico.
4. **O. Marginatus, Brunn.** (*Microcentrum Marginatum*) l. c. pp. 334, 336. n. 3 (1878); p. 179. n. 3 (1891); Sauss. & Pict. l. c. pp. 357, 358 (1898). Pernambuco.
5. **O. Acorifolia, Haan**, (*Locusta (Phylloptera) A.*) l. c. pp. 196, 198. n. 8 (1842). Brazil.
6. **O. Myrtifolium, Sauss. & Pict.** (*Microcentrum M.*) l. c. pp. 357, 359. n. 2 (1898). id.
- **7. **O. Decoratus, Walk.** (*Microcentrum Decoratum*) l. c. p. 373. n. 11 (1869). Haiti.
8. **O. Lucidus, Brunn.** (*Microcentrum Lucidum*) ll. cc. pp. 334, 336. n. 4 (1878); p. 179. n. 4 (1891); Sauss. & Pict. l. c. p. 357 (1898). Bahia.
9. **O. Rostratus, Rehn**, (*Microcentrum Rostratum*) Proc. Acad. Nat. Sci. Philad. lvii. p. 43. pl. 1. ff. 5, 6 (1905). Florida.
10. **O. Securiferus, Brunn.** (*Microcentrum Securiferum*) ll. cc. pp. 334, 337. n. 5 (1878); p. 179. n. 5 (1891); Sauss. & Pict. l. c. pp. 357-359. n. 3 (1898). Panama.
- *11. **O. Incarnatus, Stoll**, (*Gryllus Locusta* L.) Spectres, Saut. p. 33. pl. 17 b. f. 62 (1813). Surinam, Cuba.
Microcentrum Pallidum, Brunn. ll. cc. pp. 334, 337. n. 6 (1878); p. 179. n. 6 (1891); Sauss. & Pict. l. c. p. 357 (1898).
Gryllus Locusta Laurifolia, Stoll. Spectres, Saut. p. 15. pl. 6 a. f. 21 (1813).
- || *Phylloptera Laurifolia*, pt., Serr. (nec Linn.) Ann. Sci. Nat. xxxii. p. 142. n. 2 (1831); Burm. l. c. p. 693. n. 7 (1838); Guér., Ramon de la Sagra, Hist. Cuba, Ins. p. 354 (1857).
12. **O. Martinicus, Sauss. & Pict.** (*Microcentrum Martinicum*) l. c. pp. 357, 359. n. 4 (1898). Martinique.
- || *Phylloptera Laurifolia*, Serr. (nec Linn.) Ins. Orth. p. 404. n. 1 (1839).

13. **O. Triangulatus, Brunn.** (*Microcentrum Triangulatum*) ll. cc. pp. 334, 338. n. 7 (1878); p. 179. n. 7 (1891); Sauss. & Pict. l. c. pp. 357, 358 (1898). Guadeloupe, St. Thomas.
- **14. **O. Championi, Sauss. & Pict.** (*Microcentrum C.*) pp. 357, 358, 360. n. 5, pl. 16. f. 30 (1898). Panama.
- *15. **O. Punctifrons, Brunn.** (*Microcentrum P.*) Verh. zool.-bot. Ges. Wien, xli. pp. 179, 180. n. 14 (1891); Sauss. & Pict. l. c. pp. 357, 358, 360. n. 6 (1898). Cayenne, Panama.
- *16. **O. Rhombifolia, Sauss.** (*Phylloptera R.*) Rev. Zool. (2) xi. p. 204 (1859). United States, Mexico, Central America.
Microcentrum Affiliatum, Scudd. l. c. pp. 446, 447. n. 2, f. 5 (1862).
 ||*Microcentrum Laurifolium, Brunn.* (nec *Lin.*) Mon. Phan. pp. 334, 339. n. 8 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 179. n. 8 (1891); Bent. l. c. pp. 278, 289. pl. 6. f. 3 (1894); Sauss. & Pict. l. c. pp. 358, 361. n. 7, pl. 17. ff. 3-5 (1898).
- *17. **O. Retinervis, Burm.** (*Phylloptera R.*) l. c. p. 692. n. 4 (1838). United States, Mexico, Central America.
Microcentrum Retinervis, Scudd. l. c. p. 446. n. 1 (1862); Brunn. ll. cc. pp. 334, 339. n. 9 (1878); p. 179. n. 9 (1891); Comst. Manual Study Ins. pp. 113, 114, f. 129 (1895); Howard, Insect Book, p. 339, f. 226 (1902).
Microcentrum Retinerve, Sauss. & Pict. l. c. pp. 358, 361. n. 8, pl. 17. ff. 6-8 (1898).
Phylloptera Salicifolia, Sauss. l. c. p. 204 (1859).
Phylloptera Totonaca, Sauss. l. c. (1859).
18. **O. Concisus, Brunn.** (*Microcentrum Concisum*) ll. cc. pp. 335, 340. n. 10 (1878); p. 180. n. 10 (1891); Sauss. & Pict. l. c. pp. 358, 362. n. 9 (1898). Colombia.
19. **O. Ligatus, Brunn.** (*Microcentrum Ligatum*) Verh. zool.-bot. Ges. Wien, xli. p. 180. n. 15 (1891); Sauss. & Pict. l. c. pp. 358, 362. n. 10 (1898). id.
- **20. **O. Cribrosus, Sauss. & Pict.** (*Microcentrum Cribrosum*) l. c. pp. 358, 362. n. 11 (1898). Mexico.

- *21. **O. Colosseus, Brunn.** (*Microcentrum Colosseum*) Mon. Phan. pp. 335, 341. n. 11 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 180, n. 11 (1891); Sauss. & Pict. l. c. pp. 358, 362. n. 12, pl. 17. ff. 9, 10 (1898). Panama, Colombia.
22. **O. Erosus, Brunn.** (*Microcentrum Erosus*) Verh. zool.-bot. Ges. Wien, xli. pp. 180, 181. n. 16 (1891); Sauss. & Pict. l. c. p. 358 (1898). Fonte Boa.
23. **O. Elephas, Brunn.** (*Microcentrum E.*) Mon. Phan. pp. 335, 341. n. 12 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 180. n. 12 (1891); Sauss. & Pict. l. c. p. 358 (1898). Paraguay.
- *24. **O. Otomius, Sauss.** (*Phylloptera Otomia*) l. c. p. 204 (1859). Mexico.
Microcentrum Otomium, Brunn. ll. ec. pp. 335, 342. n. 13 (1878); p. 180. n. 13 (1891); Sauss. & Pict. l. c. pp. 358, 363. n. 13, pl. 17. ff. 11, 12 (1898).
O. Otomarius, Walk. l. c. ii. p. 382. n. 8 (1869).
- *25. **O. Aztecus, Sauss. & Pict.** (*Microcentrum Aztecum*) ll. ec. n. 14, pl. 17. f. 13 (1898). id.
- *26. **O. Peruvianus, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 260 (1874). Peru.
Microcentrum Peruvianum, Brunn. Mon. Phan. pp. 335, 342. n. 13 (1878).

Genus 681. **Lobophyllus.**

Sauss. Rev. Zool. (2) xi. p. 205 (1859); Brunn. Mon. Phan. pp. 30, 343 (1878); Verh. zool.-bot. Ges. Wien. xli. p. 22 (1891).

1. **L. Legumen, Sauss.** (*Phylloptera L.*) l. c. p. 205 (1852). Brazil.
L. Legumen, Brunn. Mon. Phan. p. 343. n. 1, pl. 7. f. 98 a, b (1878); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 261. n. 1, pl. 18. ff. 12-15 (1898).

Genus 682. **Ischyra.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 30, 343 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

- | | |
|---|------------|
| ** 1. I. Vicens, Walk. (<i>Orophus</i> L.) Cat. Derm. | Jamaica. |
| Salt. B. M. ii. p. 383. n. 13 (1869). | |
| 2. I. Punctinervis, Brunn. Mon. Phan. | Brazil. |
| p. 344. n. 1, pl. 7. f. 99 <i>a, b</i> (1878). | |
| 3. I. Zonata, Giglio-Tos, Boll. Mus. Torino, | Ecuador. |
| xiii. (311) p. 82 (1898). | |
| ** 4. I. Planiceps, Walk. (<i>Orophus</i> P.) l. c. | Para. |
| p. 385. n. 16 (1869). | |
| ** 5. I. Plana, Walk. (<i>Microcentrum Planum</i>) | Santarem, |
| l. c. p. 374. n. 13 (1869). | |
| <i>I. Flaviceps, Brunn.</i> l. c. p. 345. n. 2, pl. 7. | |
| f. 99 <i>c</i> (1878). | |
| 6. I. Frutetorum, Sauss. & Pict. Biol. | Guatemala. |
| Centr.-Amer., Orth. i. p. 365. n. 1 | |
| (1898). | |
| 7. I. Vepretorum, Sauss. & Pict. l. c. n. 2 | Central |
| (1898). America. | |

Genus 683. **Petaloptera.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xi. p. 205 (1859); Brunn. Mon. Phan.
pp. 30, 345 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 23
(1891).

- | | |
|---|---------|
| * 1. P. Zendala, Sauss. (<i>Phylloptera</i> Z.) | Mexico, |
| l. c. p. 205 (1859). | |
| <i>Petaloptera Zendala, Brunn.</i> Mon. Phan. | |
| p. 346. n. 1, pl. 7. f. 100 <i>a, b</i> (1878); | |
| Sauss. & Pict. Biol. Centr.-Amer., Orth. | |
| i. p. 365. n. 1, pl. 17. ff. 16-18 | |
| (1898). | |
| 2. P. Filia, Brunn. l. c. p. 346. n. 2 (1878); | Mexico. |
| Sauss. & Pict. l. c. p. 366. n. 2 | |
| (1898). | |
| 3. P. Confusa, Rehn, Trans. Amer. Ent. | id. |
| Soc. xxix. p. 23 (1902). | |

Genus 684. **Syntechna.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 30, 347 (1878); Verh. zool.-bot. Ges. Wien, xli, p. 23 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 366 (1898).

- | | |
|--|-------------------------------------|
| 1. S. Olivaceoviridis , Brunn. Mon. Phan. pp. 347, 348. n. 1, pl. 7. f. 101 <i>a-c</i> (1878); Bol. Viaje al Pacif., Ins. p. 57 (1884); Sauss. & Pict. l. c. p. 366. n. 2 (1878). | Colombia,
Venezuela,
Ecuador. |
| *2. S. Tarasca , Sauss. (<i>Phylloptera</i> T.) Rev. Zool. (2) xi. p. 203 (1859).
<i>S. Tarasca</i> , Brunn. l. c. p. 348. n. 2 (1878); Sauss. & Pict. l. c. p. 366. n. 1, pl. 17. ff. 14, 14 <i>a</i> , 15 (1898). | Mexico,
Costa Rica,
Colombia. |
| **3. S. Divisa , Walk. (<i>Microcentrum Divisum</i>) Cat. Derm. Salt. B. M. ii. p. 373. n. 12 (1869). | Jamaica. |
| 4. S. Caudelli , Rehn, Trans. Amer. Ent. Soc. xxvii. p. 224 (1901). | Mexico. |

Genus 685. **Apoballa.**

Brunn. Mon. Phan. pp. 30, 348 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

- | | |
|---|-----------------------|
| *1. A. Errabunda , Brunn. Mon. Phan. p. 349. n. 1, pl. 7. f. 101* <i>a, b</i> (1878); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 366. n. 1 (1898). | Mexico,
Guatemala. |
|---|-----------------------|

Genus 686. **Philophyllia.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 40 (1873); Recens. Orth. ii. p. 18 (1874); Brunn. Mon. Phan. pp. 31, 349 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

- | | |
|--|-----------------------|
| *1. P. Guttulata , Stål, ll. cc. p. 42. n. 1 (1873); p. 42. n. 1 (1874); Brunn. Mon. Phan. p. 350. n. 1, pl. 7. f. 102 <i>a, b</i> (1878); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 367. n. 1 (1898). | Mexico,
Guatemala. |
| 2. P. Latior , Brunn. l. c. pp. 350, 351. n. 2 (1878). | Brazil. |
| 3. P. Venosa , Brunn. ll. cc. n. 3 (1878). | id. |

Genus 687. **Phœbolampta.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 31, 352 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

- **1. **P. Excellens, Walk.** (*Microcentrum E.*) | Haiti.
Cat. Derm. Salt. B. M. ii. p. 371. n. 9
(1869).
P. Magnifica, Brunn. Mon. Phan. p. 352.
n. 1, pl. 7. f. 103 (1878).
2. **P. Subæquale, Walk. (*Microcentrum S.*) | id.
l. c. p. 372. n. 10 (1869).

Genus 688. **Acra.**

Brunn. Mon. Phan. pp. 31, 353 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

1. **A. Tectiformis, Brunn.** Mon. Phan. | Quito.
p. 353. n. 1, pl. 7. f. 104 *a, b* (1878).

Genus 689. **Dysmorpha.**

Brunn. Mon. Phan. pp. 31, 355 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 24 (1891).

1. **D. Obesa, Brunn.** Mon. Phan. p. 355. n. 1, | Malacca.
pl. 8. f. 106 *a, b* (1878).

INDEX.

The names of Families and Subfamilies are printed in Capitals, and those of Genera are either printed in Capitals or enclosed in parentheses. The names of species are printed in Roman, and those of varieties and synonyms in Italics. In case of an accidental duplication of entry of a species, the page indicating the reference to be erased is enclosed in square brackets.

- Abacata (Hammatofera), 409.
Abbreviata (*Acheta*), 35.
Abbreviata (*Agracia*), 260.
Abbreviata (*Chelidoptera*), 210.
Abbreviata (*Ectadia*), 397.
Abbreviata (*Gampsoleis*), 185.
Abbreviata (*Gryllacris*), 141.
Abbreviata (*Hemideina*), 115.
Abbreviata (*Hormilia*), 443.
Abbreviata (*Insara*), 443.
Abbreviata (*Mecopoda*), 365.
Abbreviata (*Pachysmopoda*), 365.
Abbreviatus (*Aphractus*), 310.
Abbreviatus (*Conocephalus*), 244.
Abbreviatus (*Corixogryllus*), 107.
Abbreviatus (*Decticus*), 210.
Abbreviatus (*Diophanes*), 346.
Abbreviatus (*Gryllus*), 35.
Abbreviatus (*Hetrodes*), 154.
Abbreviatus (*Scapteriscus*), 2.
Abdominalis (*Ectadoderus*), 58.
Abdominalis (*Ornebius*), 58.
Aberrans (*Anisoptera*), 279.
Aberrans (*Diacanthodis*), 315.
Aberrans (*Meliga*), 160.
Aberrans (*Prionacnemis*), 160.
Aberrans (*Xiphiditum*), 279.
Abluta (*Gryllacris*), 147.
Abnormis (*Phlugis*), 285.
Abnormis (*Thysdrus*), 285.
Abnormis (*Trichoplophora*), 118.
Abnormis (*Trigonocoryphia*), 448.
Abnormata (*Magrettia*), 120.
Abortiva (*Gymnoproctus*), 157.
Abortiva (*Hippodrus*), 157.
Abortivus (*Anurogryllus*), 24.
Abortivus (*Gryllodes*), 24.
Abortivus (*Noxobius*), 18.
 ABRODLETA, 469.
Abrutum (*Typophylum*), 352.
Abruptus (*Conocephaloides*), 251.
Abruptus (*Conocephalus*), 251.
Abruptus (*Corvus*), 367.
Abyssinica (*Phaeophaneris*), 71.
Abyssinica (*Photophaneris*), 71.
 ACANTHACARA, 235.
Acanthacephala (*Phaeoplectra*), 410.
Acanthacephala (*Canthephilus*), 236.
Acanthacephala (*Leptis*), 236.
Acanthoceras (*O. y. y.*), 236.
Acanthochelone (*Dupl. pl. bus*), 308.
Acanthocnemis (*Mesoleia*), 378.
 ACANTHODIPHRUS, 339.
 ACANTHODIS, 313, 348.
 ACANTHOGRYLLUS, 25.
 ACANTHOPLISUS, 60.
 ACANTHOPLUS, 150.
 ACANTHOPRION, 301.
 ACANTHOPROCTUS, 159.
 ACALLOPTAN, 301.
Accus (*Tymparocnemis*), 124.
Accus (*O. y. y.*), 124.
Accus (*Argonia*), 406.
Accus (*Argonia*), 404.

- Acervorum (Myrmecophila), 54.
Acervorum (Myrmecophilus), 54.
Acervorum (Sphærium), 54.
Achatina (Achetæ), 22.
Achatina (Gryllus), 22.
Achatinus (Brachytrypus), 22.
 ACHETA, 3, 24, 27.
 ACHETIDÆ, 1.
 ACILACRIS, 372.
Acinaces (Matæus), 292.
Acinaces (Zabalius), 292.
Acorifolia (Locusta), 411.
Acorifolia (Orophus), 481.
Acorifolia (Phylloptera), 481.
 ACRA, 486.
 ACRIDA, 217.
 ACRIDOPEZA, 407.
 ACRIDOXENA, 362.
 ACRIZEA, 407.
Acerobatus (Nemobius), 15.
 ACRODONTA, 258.
 ACROMETOPA, 393.
Aculeata (Parametrypa), 108.
Aculeatus (Parametrypus), 108.
Acuminata (Anaulocomera), 469.
Acuminata (Cora), 476.
Acuminata (Furnia), 469.
Acuminata (Gryllus), 345.
Acuminata (Isophya), 385.
Acuminata (Locusta), 126, 236, 250.
Acuminata (Oxyprora), 236.
Acuminata (Tettigonia), 345.
Acuminatus (Aphraetus), 310.
Acuminatus (Blastes), 332.
Acuminatus (Conocephalus), 250.
Acuminatus (Gryllus), 236, 252.
Acuminatus (Pseudorhynchus), 238.
Acuminatus (Tettigonia), 236.
Acuminatus (Tettigonia), 252.
Acuminipennis (Gryllus), 21.
Acuta (Acantacara), 235.
Acuta (Coryphodes), 240.
Acutangula (Tapeina), 424.
Acutelaminatus (Aprion), 304.
Acutelaminatus (Morsimus), 304.
Acutelobata (Sympæstria), 432.
Acutifolia (Cædicia), 413.
Acutifolia (Simodera), 354.
Acutifolius (Hemigyrus), 297.
Acutipennis (Chlorotribonia), 298.
Acutipennis (Eriolus), 234.
Acutipennis (Euthypoda), 366.
Acutipennis (Gryporhynchus), 234.
Acutipennis (Mecopoda), 366.
Acutipennis (Phyllomimus), 299.
Acutula (Caulopsis), 240.
Acutulus (Conocephalus), 240.
Acutus (Acanthoplistus), 60.
Acutus (Apithes), 98.
Acutus (Hapithus), 98.
 ADAPANTOPSIS, 325.
 ADAPANTUS, 325.
 ADECLUS, 314.
Adelphus (Æthiomerus), 256.
 ADENES, 323.
Adeps (Plangiopsis), 428.
Adiera (Eurycorypha), 463.
Adjutor (Macrochiton), 338.
Adjutrix (Gryllacris), 145.
Adpersa (Ducetia), 399.
Aduncum (Liocentrum), 292.
Aduncus (Conocephaloides), 241.
Aduncus (Conocephalus), 241.
Aduncus (Telentias), 341.
Adusta (Locusta), 436.
Adusta (Phaneroptera), 436.
Adustum (Anisoptera), 283.
Adustum (Xiphidium), 283.
Adustus (Cocconotus), 336.
Adustus (Gryllus), 32.
Adventa (Gryllacris), 146.
 ACANTHUS, 72.
 ÆGLIA, 409.
 ÆGIPAN, 443.
Ægyptiacus (Gryllus), 30.
 ÆMASIA, 333.
 ÆMODOGRYLLUS, 125.
Ænea (Epacra), 152.
Æqualis (Achetæ), 141.
Æqualis (Cacopterus), 193.
Æqualis (Gryllacris), 141.
Æquatorialis (Amblycorypha), 463.
Æquatorialis (Isophya), 383.
Equipennis (Gryllus), 32.
 ÆTHIOMERUS, 256.
Æthiopica (Locusta), 279.
Æthiopicum (Xiphidium), 279.
Æthiops (Cocconotus), 335.
Æthiops (Gryllacris), 144.
Æthiops (Nemobius), 15.
Ater (Gryllus), 31.
Ater (Hirpinus), 66.
Aline (Anisoptera), 278.
Aline (Xiphidium), 278.
Affiliatum (Microcentrum), 482.
Affinis (Banza), 254.
Affinis (Brachymetopa), 254.
Affinis (Cædicia), 415.
Affinis (Campionotus), 151.
Affinis (Chelidoptera), 206.
Affinis (Conocephaloides), 251.
Affinis (Conocephalus), 251.
Affinis (Drymadusa), 180.
Affinis (Locusta), 244.
Affinis (Odontura), 375.
Affinis (Orocharis), 97.
Affinis (Paræanthus), 97.
Affinis (Platyteleis), 206.
Affinis (Pecilemon), 375.
Afra (Cædicia), 415.
Afra (Catoptropteryx), 415.
Africana (Curtilla), 5.
Africana (Gryllacris), 147.
Africana (Gryllotalpa), 5.
Africana (Poreuomena), 428.

- Africana (Salmania), 62.
 Africana (Scudderia), 447.
 Africanum (Anisoptera), 279.
 Africanum (Xiphidium), 279.
 Africanus (Heteropus), 7.
 Africanus (Heterotrypus), 91.
 Africanus (Platydaetylus), 62.
 Africanus (Pseudorhynchus), 237.
 Africanus (Scapsipedus), 45.
 Afzelii (Mustius), 291.
 Afzelii (Pseudophyllus), 291.
 AGANACRIS, 443.
 Agarena (Ephippigera), 162.
 Agareus (Uromenus), 162.
 Agassizii (Ceuthophilus), 133.
 Agassizii (Raphidophora), 133.
 Agassizii (Sapteriscus), 2.
 AGAURA, 462.
 AGENNIS, 470.
 Agile (Orchelimum), 273.
 Agile (Xiphidium), 272, 273.
 Agilis (Locusta), 273.
 Agitator (Apithes), 97, 98.
 Agitator (Hapithus), 97.
 Agitatrix (Apithis), 97.
 AGNAPHA, 437.
 AGNOTECOUS, 64.
 AGRÆCIA, 259.
 AGRICOLA (Acheta), 28.
 AGRÆCIA, 259.
 AGRÆCINE, 255.
 ALAMIA, 77.
 Alata (Cheroparnops), 326.
 Alata (Echinacris), 326.
 Alata (Gryllus), 31.
 Alatum (Anostostoma), 121.
 Alatus (Anabropsis), 116.
 Alatus (Butleria), 121.
 Alatus (Ectadoderus), 59.
 Alatus (Prognathogryllus), 109.
 Alatus (Schenobates), 116.
 Alatus (Spiziphilus), 121.
 Alberti (Decticus), 185.
 Albescens (Anisoptera), 278.
 Albescens (Xiphidium), 278.
 Albicans (Coryphoda), 402.
 Albicorne (Meconema), 371.
 Albicornis (Lanciana), 190.
 Albicornis (Phalangopsis), 67.
 Albicornis (Phaneroptera), 441.
 Albida (Grammadera), 469.
 Albida (Holochlora), 430.
 Albidiceps (Cedicia), 414.
 Albidiceps (Phaneroptera), 414.
 Albidicollis (Coryphoda), 402.
 Albidicollis (Phaneroptera), 402.
 Albidifer (Apereisis), 314.
 Albidonervis (Conocephaloides), 251.
 Albidonervis (Conocephalus), 251.
 Albifasciatus (Matheus), 292.
 Albifasciatus (Zabalius), 292.
 Albifrons (Adenes), 323.
 Albifrons (Decticus), 214.
 Albifrons (Gryllus), 33.
 Albifrons (Locusta), 214.
 Albifrons (Tettigonia), 214.
 Albinotata (Celidophylla), 349.
 Albipalpus (Cophogryllus), 44.
 Albipalpus (Nemobius), 19.
 Albisellata (Astralia), 298.
 Albisellatus (Aprion), 298.
 Alboatra (Cyrtomphala), 81.
 Alboatra (Encoptera), 81.
 Albotasciata (Angara), 388.
 Albotasciata (Plagiostira), 195.
 Albolineata (Turpilia), 479.
 Albolineatus (Diplophyllus), 479.
 Albomarginata (Aethodis), 332.
 Albomarginatus (Bliastes), 332.
 Albonodulosa (Anaulacomera), 467.
 Alborotata (Plagiostira), 195.
 Albopunctata (Coryphoda), 203.
 Albopunctatus (Tettigonia), 203.
 Albosignata (Tettigonia), 433.
 Albosignata (Tinzeda), 433.
 Alborittata (Leptophyes), 390.
 Alborittata (Onchotara), 390.
 Alborittatus (Barbatulus), 390.
 Alborittatus (Leptophyes), 390.
 ALBITTORIA, 413.
 Algerica (Ephippigera), 164.
 Algerica (Ephippigera), 164.
 Algerica (Locusta), 219.
 Algerica (Odontura), 387.
 Algerica (Phasgocera), 219.
 Algericus (Stereophorus), 164.
 Algerica (Sciobia), 50.
 Algericus (Gryllus), 31.
 Algericus (Platylemus), 50.
 Algerius (Gryllus), 31.
 Aliena (Albidapa), 138.
 Aliena (Gryllacris), 141.
 Aliena (Gryllus), 142.
 Aliena (Gryllemorpha), 51.
 Aliena (Ischnura), 444.
 Aliena (Pterodactylus), 51.
 Aliena (Phasgocera), 396.
 Aliena (Phasgocera), 411.
 Alienus (Cyrtomphaloides), 217.
 Alienus (Coryphoda), 238, 217.
 Alienus (Gryllus), 51.
 Alienus (Lepidoptera), 284.
 Alienus (Arota), 476.
 Alienus (Aphelion), 411.
 Alienus (Aphelion), 411.
 Alienus (Dysommia), 411.
 Alienus (Phasgocera), 411.

- Aliquantula (Anepi-
 tacta), 373.
 Alliedea (Phylloptera),
 474.
Alligatus (*Conocephalus*),
 243.
 ALLODAPA, 438.
 ALLOMENUS, 256.
 Alluaudi (Calliphona),
 219.
 Alluaudi (Odontolabis),
 268.
 ALLUAUDIA, 47.
 ALLUAUDIELLA, 47.
 ALOGOPTERA, 421.
 Alogus (Gryllus), 36.
 ALPHIOPTERYX, 262.
Alpina (*Anolota*), 183.
Alpina (*Pterolepis*), 183.
 Alpinus (Anonconotus),
 183, 184.
 Alpinus (Ceuthophilus),
 133.
Alpinus (*Platycleis*), 209.
Altera (*Ctenophlebia*),
 470.
Altera (*Viadana*), 470.
 Alternans (Gryllacris),
 140.
Alternans (*Gryllacris*),
 141.
 Alternata (Hemideina),
 114.
 Alternatum (Aniso-
 ptera), 275.
 Alternatum (Paratri-
 gonidium), 79.
 Alternatum (Xiphidium),
 275.
Altus (*Macropathus*),
 137.
 Altus (Pachyrhamma),
 137.
 Alutacens (Meronecidius),
 322.
 Amabile (Anisoptera),
 283.
Amabile (*Xiphidium*),
 283.
 AMAURA, 449.
Amazonæ (*Apoteta-
 menus*), 119.
Amazonæ (*Licodia*), 119.
Amazonica (*Subria*),
 256.
 Amazonicus (Trien-
 centrus), 323.
Ambigua (*Turpilia*), 480.
Ambiguus (*Conocephalus*),
 252.
 Ambiguus (Diplophyl-
 lus), 480.
 Ambiguus (Gryllus), 32.
 Ambitosus (Nemobius),
 18.
 AMBLYAKIS, 269.
 AMBLYCORYPHA,
 459.
 AMBLYLAKIS, 269.
 AMBLYOPUS, 97.
 AMBLYRIETHUS,
 97.
 Amboinica (Liotrachela),
 432.
 Ambulus (Apotrechus),
 152.
Ambulus (*Gryllacris*),
 152.
 Ambulator (Gryllodes),
 44.
Ambulator (*Gryllus*),
 44.
 Americana (Myrmeco-
 phila), 55.
 Americana (Polich-
 nodes), 421.
 Americanum (Cyclo-
 ptilum), 59.
 Americanus (Cyclo-
 ptilus), 59.
 Americanus (Gryllus),
 36.
Americanus (*Myrmeco-
 philus*), 55.
Americanus (*Orchesticus*),
 183.
 Americanus (Podoscir-
 tus), 104.
 Americanus (Stipator),
 183.
 AMETROSOMUS,
 153.
 AMETRUS, 152.
 Amissus (Pæcilemon),
 378.
 Amœnus (Brachyau-
 chenus), 325.
Amœnus (*Phylloscirtus*),
 86.
 Amœnus (Phylloscirtus),
 86.
 Amorii (Cocconotus),
 335.
 AMPHIACUSTA, 67.
 AMPHIACUSTES, 67.
 AMPHIESTRIS, 220.
 Amplectens (Corymeta),
 403.
Amplectens (*Phanero-
 ptera*), 403.
 Ampliatus (Pæcilemon),
 378.
 Amplifolia (Chloro-
 phylla), 353.
Amplifolia (*Phyllo-
 phora*), 368.
 Amplifolia (Sasina),
 368.
 Amplipennis (Chelido-
 ptera), 212.
 Amplipennis (Gryl-
 laeiris), 142.
 Amplipennis (Isophya),
 385.
Amplipennis (*Matæus*),
 292.
Amplipennis (*Mustius*),
 292.
 Amplipennis (Phaloria),
 69.
 Amplipennis (Platy-
 cleis), 212.
 Amplipennis (Phyllo-
 mimus), 299.
 Amplus (Conocephalo-
 loides), 251.
Amplus (*Conocephalus*),
 251.
 Amplus (Hemigyris),
 297.
Ampulla (*Matæus*),
 292.
 Ampulla (Zabalius),
 292.
Ampullacea (*Aprion*),
 304.
Ampullacea (*Locusta*),
 304.
 Ampullacea (Morsinus),
 304.
 AMURIA, 183.
 AMUSURGUS, 83.
 AMUSUS, 65.
 Amusus (Orocharis),
 99.
 Amusus (Podoscirtus),
 104.
 Amydra (Tropidophrys),
 439.
 AMYTIA, 373.
 ANABROPSIS, 116.
 ANABRUS, 191.
 ANALLOMES, 434.
 ANALOTA, 183.
 Anatolia (Paradry-
 madusa), 180.
 ANAUDUS, 103.
 ANAULACOMERA,
 465.
 ANAXIPHA, 86.
 ANAXIPHUS, 86.
 ANCHIPTOLIS, 327.
 ANCHISPORA, 447.
 Ancilla (Phylloptera),
 473.
 ANCISTROGERA, 148.
 ANCYLECIA, 422.
Andalusica (*Ephip-
 pigera*), 165.

- Andalusicus* (*Platycleis*), 205.
Andalusius (*Steropleurus*), 165.
 ANELYTRA, 257.
 ANEPISCPTUS, 157.
 ANEPISACTA, 373.
 ANEPSIA, 461.
 ANGARA, 388.
Angolensis (*Phæophilacris*), 71.
Angolensis (*Phæophyllacris*), 71.
Angulata-ocellata (*Tanussia*), 348.
Angulosa (*Arytrotteris*), 182.
Angusta (*Anaulacomera*), 467.
Angusta (*Eremus*), 151.
Angusta (*Gryllacris*), 151.
Angusta (*Hyperphrona*), 375.
Angustata (*Hyperhomala*), 368.
Angustata (*Locusta*), 308.
Angustata (*Tegra*), 308.
Angustata (*Tettigonia*), 308.
Angustatum (*Microcentrum*), 480.
Angustatus (*Cocconotus*), 336.
Angustatus (*Orophus*), 480.
Angusticauda (*Leptophyes*), 389.
Angusticollis (*Cyrtosiphia*), 82.
Angusticollis (*Cyrtosiphus*), 82.
Angusticollis (*Nemobius*), 18.
Angustifolia (*Anaulacomera*), 465.
Angustifolia (*Phaneroptera*), 445.
Angustifolia (*Phylloptera*), 465.
Angustifolia (*Scudderia*), 446.
Angustifrons (*Anisoptera*), 282.
Angustiloba (*Polichne*), 420.
Angustipennis (*Anaulacomera*), 466.
Angustipennis (*Debrona*), 420.
Angustipennis (*Hyperophora*), 403.
Angustipennis (*Ecanthus*), 74.
Angustipennis (*Otiapysa*), 420.
Angustipennis (*Oryscelus*), 303.
Angustipennis (*Tympanoptera*), 303.
Angustixiphum (*Leurophyllum*), 320.
Angustixiphum (*Lissophyllum*), 321.
Angustixiphum (*Platylphyllum*), 320.
Angustixiphum (*Platylphyllum*), 321.
Angustulus (*Gryllus*), 24.
Angustulus (*Gryllus*), 34.
Angustus (*Brachytrypus*), 23.
Angustus (*Gryllus*), 35.
Angustus (*Gymnogryllus*), 23.
Angustus (*Mormotus*), 324.
 ANIARA, 402.
 ANISOPTERA, 274.
 ANISOTOCHIRA, 397.
 ANISOTRYPUS, 102.
Anæ (*Ephippigera*), 164.
Anæ (*Steropleurus*), 164.
Annulata (*Elianea*), 305.
Annulata (*Eucoptera*), 96.
Annulata (*Gryllacris*), 141.
Annulata (*Laranda*), 64.
Annulata (*Phalangopsis*), 71.
Annulata (*Phaneroptera*), 436.
Annulata (*Phylloptera*), 472.
Annulata (*Rhacocleis*), 187.
Annulatus (*Arachnomimus*), 71.
Annulatus (*Paracanthus*), 96.
Annulatus (*Rhacocleis*), 187.
Annulicornis (*Apithis*), 98.
Annulicornis (*Clisis*), 333.
Annulicornis (*Copaphalus*), 237.
Annulicornis (*Hapithus*), 98.
Annulicornis (*Hexacentrus*), 287.
Annulicornis (*Locusta*), 237.
Annulicornis (*Stenampyx*), 303.
Annulifemur (*Pecilogramma*), 405.
Annulipes (*Amphieusta*), 68.
Annulipes (*Amphieustus*), 68.
Annulipes (*Arachnomimus*), 71.
Annulipes (*Arachnopsis*), 71.
Annulipes (*Nemobius*), 16.
Annulipes (*Ochrida*), 356.
Annulipes (*Olythoscelis*), 198.
Annulipes (*Phalangopsis*), 68.
Annulipes (*Pholidoptera*), 198.
Annulipes (*Thaenotrizon*), 198.
Anodon (*Conocephaloides*), 247.
Anodon (*Conocephalus*), 247.
 ANEODOPODA, 362.
 ANONCONOTUS, 183.
 ANONISTUS, 315.
 ANOSTOSTOMA, 116.
 ANTAXIUS, 188.
Antennalis (*Pseudorhynchus*), 238.
Antennalis (*Pseudosiphia*), 238.
Antennata (*Ephippigera*), 164.
Antennata (*Salomona*), 265.
Antennatus (*Ecanthodis*), 313.
Antennatus (*Ephippigera*), 164.
Antennatus (*Orpheophora*), 313.
Antennatus (*Steropleurus*), 164.
 ANTIRASIS, 195.
 ANTIRACHIS, 264.
Antillarum (*Anaulacomera*), 468.
Antillarum (*Anogryllus*), 24.
Antillarum (*Eucloides*), 59.
Antillarum (*Gryllus*), 24.

- Antillarum (Orocharis), 99.
 Antilope (Deracantha), 178.
 Antilope (Deracanthella), 178.
 Antinorii (Leptophyes), 391.
 Antipodum (Xiphidium), 278.
 ANUROGRYLLUS, 23.
 Apenninigera (Analota), 184.
 Apenninigera (Anonconotus), 184.
 Apenninigera (Omalota), 184.
 Apenninigerus (Anonconotus), 184.
 APEREISIS, 314.
 Aperta (Calypotrypus), 95.
 Aperta (Madasunma), 95.
 Apertus (Platydictylus), 100.
 APHASIUS, 107.
 APHIDNA, 411.
 APHIDNIA, 411.
 APHONOGRYLLUS, 105, 109.
 APHONOMORPHUS, 105.
 APHONUS, 105.
 APHRACIA, 159.
 APHRACTUS, 310.
 APHROPTERA, 407.
 Apiatus (Aphonomorphus), 105.
 Apiatus (Aphonus), 105.
 Apicalis (Cadicia), 416.
 Apicalis (Catoptropteryx), 416.
 Apicalis (Diestrammena), 124.
 Apicalis (Mataeus), 291.
 Apicalis (Mustius), 291.
 Apicalis (Tridictylus), 10.
 Apicalis (Xya), 7, 10.
 Apicalis (Zabolius), 291.
 APIOTARSUS, 20.
 APITHES, 97.
 APITHIS, 97.
 Apithoides (Diatrypa), 93.
 Apithoides (Diatrypus), 93.
 APOBALLA, 485.
 APOCERYCTA, 480.
 APOTE, 182.
 APOTETAMENUS, 119.
 APOTRECHUS, 152.
 Appendiculata (Anchispora), 447.
 Appendiculata (Elbenia), 425.
 Appendiculata (Elinæa), 396.
 Appendiculata (Gryllacris), 114.
 Appendiculata (Turpilia), 479.
 Appendiculatus (Diplophyllus), 479.
 Appendiculatus (Thamnotrizon), 197.
 APRION, 302, 304.
 APROPHANTIA, 156.
 Aptera (Acheta), 52.
 Aptera (Endacusta), 69.
 Aptera (Endacustes), 69.
 Aptera (Gryllus), 53.
 Aptera (Locusta), 201, 202.
 Aptera (Micropteryx), 203.
 Aptera (Olynthoscelis), 201.
 Aptera (Pholidoptera), 201.
 Aptera (Pterolepis), 203.
 APTEROGRYLLUS, 20.
 APTERONOMUS, 152.
 APTEROSCIRTUS, 361.
 Apterum (Odontoxiphidium), 283.
 Apterus (Anabropsis), 117.
 Apterus (Dædalus), 230.
 Apterus (Decticus), 203.
 Apterus (Gryllus), 53, 154.
 Apterus (Hetrodes), 154.
 Apterus (Phyllomimus), 300.
 Apterus (Thamnotrizon), 201.
 Apterus (Schaenobates), 117.
 Apteryx (Aphonogryllus), 109.
 Aquea (Acheta), 73.
 Aqueus (Gryllus), 73.
 Aqueus (Ecanthus), 73.
 Aquilina (Acanthodis), 318.
 Aquilina (Brisilis), 318.
 Aquilina (Gryllus), 318.
 Aquilina (Locusta), 318.
 Aquilina (Tettigonia), 318.
 Aquilinus (Gryllus), 318.
 Aquilinus (Meroncidius), 318.
 Aquilinus (Tettigonia), 318.
 ARACHNACRIS, 177.
 ARACHNOCEPHALUS, 60.
 Arachnoides (Acheta), 68.
 Arachnoides (Listroscelis), 288.
 ARACHNOMIMUS, 70.
 Arachnopsis (Endecous), 70.
 Aranea (Amphiacusta), 68.
 Aranea (Amphiacustes), 68.
 Aranea (Deracantha), 178.
 Aranea (Deracanthella), 178.
 Aranea (Deracanthella), 178.
 Aranea (Dolichopoda), 127.
 Aranea (Ephippiger), 178.
 Aranea (Phæophilacris), 71.
 Aranea (Phæophyllacris), 71.
 Araneiformis (Phalungopsis), 126.
 ARANTIA, 405.
 Aratifrons (Cocconotus), 335.
 Araucanus (Nemobius), 19.
 Arboreus (Gryllus), 371.
 Arbustorum (Plagiopleura), 452.
 Aretata (Gryllacris), 140.
 Arenata (Marsa), 129.
 Areufoia (Aprion), 302.
 Arcufoia (Locusta), 302.
 Areatus (Morsimus), 305.
 Arenaceus (Gryllus), 36.
 Arenosa (Acanthodis), 340.
 Arenosus (Semileptotettix), 340.
 Areolaria (Ephippigera), 166.
 Areolaria (Ephippigerida), 166.
 Areolaria (Ephippiger), 166.
 Areolata (Sasima), 368.
 Areolatus (Acanthodiphrus), 339.
 Areolatus (Cocconotus), 339.
 Areseus (Semiophygus), 301.
 ARETHAEA, 443.

- Argentata (Polichne), 419.
Argentatus (*Mogisoplistus*), 56.
Argentatus (*Mogoplistus*), 56.
Argentea (*Polichne*), 419.
Argentina (*Pleminia*), 316.
Argentinus (*Conocephaloides*), 246.
Argentinus (*Conocephalus*), 246.
Argentinus (*Gryllus*), 37.
Argentinus (*Ecanthus*), 74.
Argillata (*Cymatomera*), 306.
Argillatus (*Hoplido-stylus*), 324.
 ARGIZALA, 14.
Argyropterus (*Miogryllus*), 39.
 ARGYRITES, 130.
 ARIAGONA, 196.
Aridifolia (*Gryllus*), 348.
Aridifolia (*Mimetica*), 350.
Aridifolia (*Tanusia*), 348.
Aridifolia (*Tanusia*), 348.
Aridifolia (*Tettigonia*), 348.
Aridus (*Ceuthophilus*), 134.
Aridus (*Pseudophyllus*), 291, 292.
Aridus (*Zabalius*), 292.
Aries (*Conocephaloides*), 345.
Aries (*Conocephalus*), 345.
Arietulus (*Loxoblemmus*), 46.
Arizonensis (*Ceuthophilus*), 131.
Arizonensis (*Drymadusa*), 180.
Armadillo (*Locusta*), 176.
Armata (*Chlorophylla*), 353.
Armata (*Gryllacris*), 145.
Armata (*Listrosceles*), 288.
Armata (*Machamala*), 132.
Armata (*Odontolakis*), 268.
Armata (*Panoplosecelis*), 333.
Armata (*Pemba*), 342.
Armatus (*Anisoptera*), 278.
Armatus (*Xiphidium*), 278.
Armatum (*Isoplectron*), 138.
Armatus (*Bliastes*), 336.
Armatus (*Cocconotus*), 336.
Armatus (*Conocephalus*), 318.
Armatus (*Cratomelus*), 123.
Armatus (*Cratonotus*), 336.
Armatus (*Gryllus*), 36.
Armiger (*Drinocrida*), 114.
Armiger (*Hemideina*), 114.
Armillata (*Antaxius*), 189.
Armillata (*Pterolepis*), 189.
 ARNOBIA, 423.
 AROTA, 476.
Arota (*Phylloptera*), 374.
Arrogans (*Kneilia*), 361.
Arrosa (*Tanusia*), 349.
Aruana (*Phyllophora*), 368.
Aruana (*Sasima*), 368.
Arensensis (*Archeta*), 30.
Arensensis (*Gryllus*), 30.
 ARYTROPTERIS, 182.
Ascendens (*Conocephalus*), 236.
Ascendens (*Oxyprora*), 236.
Asiatica (*Acanthopanax*), 305.
Aspericauda (*Barbitistes*), 386.
Aspericauda (*Odontura*), 386.
Aspericauda (*Odonturella*), 386.
Aspersus (*Gryllus*), 29.
 ASPIDONOTUS, 355.
Assimilis (*Barbitistes*), 381.
Assimilis (*Decticus*), 214.
Assimilis (*Gryllus*), 37.
Assimilis (*Microprion*), 297.
Assimilis (*Platyelctis*), 207.
Assimilis (*Pseudophyllus*), 297.
Assimilis (*Tettigonia*), 214.
Assoi (*Gampsoleis*), 185.
 AUSTRALIA, 298.
Asturicensis (*Ephippigera*), 165.
Asturicensis (*Steropleurus*), 165.
Asymmetrica (*Pardalota*), 401.
Asynamorus (*Tachycines*), 125.
Asyrius (*Podoscirtus*), 104.
 ATELOPLUS, 195.
Ater (*Ceuthophilus*), 134.
Ater (*Gryllus*), 26, 39.
Ater (*Lisotrachelus*), 61.
Ater (*Miogryllus*), 39.
Ater (*Sclerophorus*), 77.
Ater (*Stenopelmatus*), 112.
Aterrimus (*Nemobius*), 18.
Athleta (*Gryllacris*), 145.
 ATLANTICUS, 181.
Atlanticus (*Conocephaloides*), 247.
Atlanticus (*Conocephalus*), 247.
Atomarius (*Macroxiplus*), 264.
Atomifera (*Letania*), 400.
Atomifera (*Pterochia*), 400.
Atra (*Dyscippus*), 118.
Atra (*Rhipipteryx*), 11.
Atra (*Rhipipteryx*), 11.
Atrata (*Gryllacris*), 140.
Atrata (*Gryllacris*), 141.
Atrata (*Listrosceles*), 288.
Atratus (*Gryllus*), 34.
Atratus (*Gryllus*), 25.
Atriceps (*Gryllacris*), 146.
Atriceps (*Gryllus*), 141.
Atriceps (*Orthoxiphus*), 83.
Atricula (*Gryllacris*), 147.
Atrifrons (*Archiptolis*), 328.
Atrifrons (*Bliastes*), 331.
Atrifrons (*Cocconotus*), 335.
Atrifrons (*Dasyseclus*), 315.
Atrifrons (*Ecanthus*), 188.
Atrifrons (*Idiarthron*), 328.
Atrifrons (*Hyperbaena*), 328.
Atrifrons (*Microprion*), 328.
Atroferrugineus (*Pera-trigonellum*), 79.
Auratus (*Letania*), 400.
Auratus (*Gryllacris*), 140.

- Atrogeniculata* (*Gryllacris*), 140.
Atrolineata (*Arantia*), 405.
Atrolineatum (*Cosmophyllum*), 404.
Atrosignata (*Ceraia*), 451.
Atrosignata (*Gongrocnemis*), 327.
Atrosignata (*Hyperphrona*), 375.
Atrosignatus (*Brachyuchenus*), 325.
Atrosignatus (*Diophanes*), 346.
Atrosignatus (*Microprion*), 297.
Atrosignatus (*Temnophyllus*), 297.
Atrospinosa (*Biroa*), 356.
Atrotectus (*Eremus*), 150.
Atroterminatum (*Tympanoptera*), 302.
Atroterminatus (*Aprion*), 302.
Atrum (*Trigonidium*), 77.
Attenuata (*Acanthodis*), 313.
Attenuata (*Orpachophora*), 313.
Attenuata (*Phaneroptera*), 436.
Aurantifolia (*Heterocercus*), 107.
Aurantifolia (*Gryllacris*), 145.
Aurantifolia (*Cycloptera*), 353.
Aurantifolia (*Cycloptera*), 353.
Aurantifolia (*Gryllacris*), 353.
Aurantifolia (*Pterochroza*), 353.
Aurantifolia (*Tettigonia*), 353.
Austera (*Sthenaropoda*), 365.
Australasie (*Anostostoma*), 116.
Australis (*Anurogryllus*), 24.
Australis (*Chlorobalius*), 190.
Australis (*Conocephalus*), 250.
Australis (*Curtilla*), 6.
Australis (*Endacusta*), 69.
Australis (*Endacustes*), 69.
Australis (*Ephippiger*), 190.
Australis (*Gryllotalpa*), 6.
Australis (*Hexacentrus*), 287.
Australis (*Laurepa*), 104.
Australis (*Madasumma*), 95.
Australis (*Microgryllacris*), 139.
Australis (*Myrmecophila*), 55.
Australis (*Nemobius*), 16.
Australis (*Platyductylus*), 95.
Australis (*Podoscirtus*), 104.
Australis (*Prochilus*), 355.
Austriacus (*Thamno-trizon*), 201.
Automnalis (*Locusta*), 390.
Autumnalis (*Barbitistes*), 161, 390.
Autumnalis (*Locusta*), 390.
Averni (*Anaxipha*), 86.
Averni (*Anaxiphus*), 86.
Averni (*Nemobius*), 86.
 AXYLUS, 286.
Azami (*Chelidoptera*), 210.
Azami (*Platypleis*), 210.
Azteca (*Acanthodis*), 327.
Azteca (*Amphiacusta*), 67.
Azteca (*Amphiacustes*), 67.
Azteca (*Apithis*), 98.
Azteca (*Copiophora*), 231.
Azteca (*Copiphora*), 231.
Azteca (*Ctenophlechia*), 472.
Azteca (*Cyrtoxipha*), 82.
Azteca (*Endacusta*), 69.
Azteca (*Gongrocnemis*), 327.
Azteca (*Gryllotalpa*), 3.
Azteca (*Phalangopsis*), 67.
Azteca (*Phylloptera*), 456.
Azteca (*Stilpnochloa*), 456.
Azteca (*Viadana*), 472.
Aztecum (*Glaphyrosoma*), 120.
Aztecum (*Microcentrum*), 456.
Aztecum (*Microcentrum*), 483.
Azteus (*Acanthoprion*), 305.
Azteus (*Amphiacustes*), 67.
Azteus (*Apithes*), 98.
Azteus (*Aprion*), 305.
Azteus (*Ceuthophilus*), 130.
Azteus (*Conocephaloides*), 243.
Azteus (*Conocephalus*), 243.
Azteus (*Cyrtoxiphus*), 82.
Azteus (*Ectadoderus*), 58.
Azteus (*Endacustes*), 69.
Azteus (*Gryllus*), 37.
Azteus (*Hapithus*), 98.
Azteus (*Morsimus*), 305.
Azteus (*Ornebius*), 58.
Azteus (*Orophus*), 483.
Azteus (*Paracanthus*), 96.
Azurea (*Gryllus*), 227.
Azurea (*Saga*), 227.
Azurea (*Tettigonia*), 227.
Bachmani (*Hemihetredes*), 155.
Bachmani (*Hetredes*), 155.
Baeri (*Rhapidophora*), 124.
 BÆTICA, 172.
Bætica (*Amphiestris*), 220.
Bætica (*Amphiestris*), 220.
Bætica (*Barbitistes*), 220.
Bahiensis (*Tafalica*), 108.
Bahiensis (*Metrypus*), 108.
Balearica (*Ephippiger*), 164.
Balearica (*Ephippigera*), 164.
Balearica (*Steropleurus*), 164.
Balli (*Eremopedes*), 192.
 BANZA, 254.
Baramica (*Gryllacris*), 140.
Barbara (*Sciobia*), 50.
Barbarus (*Platyblemnus*), 49, 50.
 BARBITISTES, 380.
Bardus (*Adapantus*), 325.
Barellus (*Posidippus*), 458.
Bariana (*Apoceryeta*), 480.
Barombica (*Gryllacris*), 147.
Barrettii (*Gryllus*), 37.
 BARYPROSTHA, 416.

- Basalis* (*Arytropteris*), 182.
Basalis (*Eremus*), 150.
Basalis (*Gryllaeris*), 141.
Basalis (*Gryllaeris*), 150.
Basalis (*Nemobius*), 19.
Basalis (*Thyreonotus*), 182.
Basalis (*Tinzedi*), 433.
 BASILEUS, 233.
Basinotata (*Stizosepa*), 303.
Batesii (*Phyllosecyrtus*), 86.
 BATHYSCAPHIA, 177.
Batnensis (*Platyphleminus*), 48.
Batnensis (*Sciobia*), 48.
 BATODROMUS, 312.
Belcki (*Conchotopoda*), 394.
Bellicosus (*Coeconotus*), 334.
Bellicosus (*Phrixonemis*), 134.
Bellua (*Baryprosthia*), 416.
 BELOCEPHALUS, 235.
Beresowskii (*Gymneta*), 125.
Berezovskii (*Gymneta*), 125.
Beringuieri (*Barbitistes*), 382.
Bermudensis (*Gryllus*), 36.
Berthellus (*Gryllodes*), 42.
Bertrandi (*Gryllaeris*), 145.
Bicolor (*Calypotrypys*), 95.
Bicolor (*Ceuthophilus*), 133.
Bicolor (*Chelidoptera*), 204.
Bicolor (*Decticus*), 204.
Bicolor (*Euthypoda*), 366.
Bicolor (*Gelatopœa*), 439.
Bicolor (*Gelatopœia*), 439.
Bicolor (*Gryllus*), 37.
Bicolor (*Gryllus*), 95.
Bicolor (*Homœoxiphus*), 79.
Bicolor (*Locusta*), 204, 222.
Bicolor (*Macroscyrtes*), 366.
Bicolor (*Micropteryx*), 204.
Bicolor (*Mnesibulus*), 95.
Bicolor (*Mogoplistes*), 56.
Bicolor (*Nemobius*), 16.
Bicolor (*Odonotakis*), 268.
Bicolor (*Phalangopsis*), 95.
Bicolor (*Platylepis*), 204.
Bicolor (*Platydictylus*), 90.
Bicolor (*Scaphura*), 454, 455.
Bicolor (*Stenopelmatus*), 113.
Bicolor (*Trigonidium*), 79.
Bicoloripes (*Lucera*), 364.
Bicordata (*Locusta*), 477.
Bicordata (*Phylloptera*), 477.
Bicordata (*Planigoptera*), 478.
Bicordata (*Psenopalpa*), 477.
Bicospidata (*Acanthodis*), 313.
Bicuspidata (*Orpaeophora*), 313.
Bidens (*Thyreonotus*), 188.
Bidentata (*Elimæa*), 396.
Bidentata (*Hyperphrona*), 475.
Bidentata (*Phriza*), 477.
Bifasciata (*Lobaspis*), 261.
Bifasciata (*Myrmecophila*), 54.
Bifasciata (*Niesara*), 261.
Biguttata (*Gryllaeris*), 143.
Bilineata (*Hexacentrus*), 287.
Bilineata (*Locusta*), 287.
Bilineata (*Steirosys*), 193.
Bilineatum (*Anisoptera*), 283.
Bilineatum (*Xiphilium*), 283.
Bilineatus (*Cnecophilus*), 246.
Bilineatus (*Idiotatus*), 193.
Bilineatus (*Syrapsiphus*), 45.
Bilineolata (*Molpa*), 423.
Bilineolata (*Phaneroptera*), 441.
Bilineolata (*Tylopsis*), 441.
Billinghursti (*Gryllaeris*), 146.
Biloba (*Anaulacomera*), 467.
Biloba (*Holochlora*), 430.
Biloba (*Holochlora*), 430.
Bilobata (*Steiroidonopsis*), 458.
Bilobatus (*Ceuthophilus*), 129.
Bilobatus (*Gammarettix*), 129.
Bimacala (*Allomenus*), 256.
Bimaculata (*Acheta*), 26.
Bimaculata (*Centrofera*), 412.
Bimaculata (*Lobaspis*), 261.
Bimaculata (*Niesara*), 261.
Bimaculatus (*Gryllus*), 26.
Bimaculatus (*Leogryllus*), 26.
Bimaculatus (*Podoseirtus*), 104.
Bingei (*Acrida*), 214.
Binotata (*Acheta*), 76.
Binotata (*Hyperphrona*), 475.
Binotata (*Madasumma*), 93.
Binotata (*Phylloptera*), 473.
Binotata (*Vachet*), 173.
Binotatus (*Chrysomelidæ*), 93.
Binotatus (*Chrysomelidæ*), 311.
Biolleyi (*Rhipipteryx*), 13.
Bipunctata (*Chrysomelidæ*), 259.
Bipunctata (*Neoxanthus*), 76.
Bipunctata (*Paratoponota*), 358.
Bipunctata (*Xanthus*), 76.
Bipunctatus (*Ischnotocerus*), 253.
Bipunctatus (*Phyllanthus*), 76.
Bipunctatus (*Xanthus*), 76.
Braconia (*Acrida*), 468.
Braconia (*Ischnotocerus*), 369.
Braconia (*Paratoponota*), 407.
Braconia (*Paratoponota*), 407.
Braconia (*Acrida*), 468.
BROA, 359.
Brod (*Aphroptera*), 407.

- Bisignatus (Brachytrypes), 22.
 Bisinuatum (Typophylum), 352.
 Bispina (Platyteleis), 211.
 Bispinulosa (Cadicia), 415.
 Bisulea (Exocephala), 233.
 Bisulea (Loeusta), 233.
 Biteniatus (Lebinthus), 88.
 Biteniatus (Paraenopteris), 88.
 Biterrensis (Ephippiger), 169.
 Biterrensis (Ephippigera), 169.
 Biterrensis (Ephippigerida), 169.
 Bitterensis (Ephippiger), 169.
 Bituberculata (Anaulacomera), 468.
 Bituberculata (Characta), 361.
 Bituberculatum (Anisoptera), 279.
 Bituberculatum (Xiphidium), 279.
 Bivittata (Gongrocnemis), 326.
 Bivittatum (Anisoptera), 283.
 Bivittatum (Xiphidium), 283.
 Bivittatus (Blastes), 331.
 Bivittatus (Diaphlebus), 357.
 Bivittatus (Euscirtus), 101.
 Bivittatus (Euseyrtus), 101.
 Bivittatus (Nemobius), 16.
 Blackburni (Banza), 254.
 Blackburni (Brachymetopa), 254.
 Blackburni (Conocephalus), 254.
 Blanchardi (Eumegalonodon), 289.
 Blanchardi (Megalodon), 289.
 Blandus (Conocephaloides), 248.
 Blandus (Conocephalus), 248.
 Blandus (Miltinobates), 430.
 Blatchleyi (Centrophilus), 132.
 Blennus (Grylloides), 42.
 BLIASTES, 330.
 Bloyeti (Anthracites), 263.
 Bloyeti (Enyalipsis), 156.
 Bloyeti (Eugaster), 156.
 Bocagei (Mateus), 292.
 Bocagei (Mustius), 292.
 Bocagei (Zabalus), 292.
 Bogotensis (Metrypus), 108.
 Bogotensis (Tafaliscia), 108.
 Bohlsii (Grylloides), 43.
 Bohlsii (Hyperbaenus), 148.
 Bolivari (Callicerauia), 171.
 Bolivari (Conocephaloides), 248.
 Bolivari (Conocephalus), 248.
 Bolivari (Ctenodecticus), 196.
 Bolivari (Ephippiger), 171.
 Bolivari (Ephippigera), 171.
 Bolivari (Gryllomorpha), 51.
 Bolivari (Gryllomorphus), 51.
 Bolivari (Hornilia), 443.
 Bolivari (Insara), 443.
 Bolivari (Isophya), 385.
 Bolivari (Leptotettix), 339.
 Bolivari (Oryctopus), 113.
 Bolivari (Petaloptila), 51.
 Bolivari (Pycnogaster), 174.
 Boliviana (Anaulacomera), 467.
 Bolivianus (Amusus), 65.
 BONGEIA, 428.
 Bonneti (Chelidoptera), 205.
 Bonneti (Platyteleis), 205.
 BORBOROTHIS, 118.
 Bordaensis (Apteronomus), 152.
 Bordigalensis (Gryllus), 30.
 Boreale (Cycloptilum), 59.
 Borealis (Cycloptilus), 59.
 Borealis (Ectadoderus), 59.
 Borealis (Gryllotalpa), 3.
 Borealis (Neocurtilla), 3.
 Borealis (Steiroxys), 194.
 Borellii (Anisoptera), 281.
 Borellii (Cophophora), 232.
 Borellii (Cophophora), 232.
 Borellii (Ectecous), 65.
 Borellii (Ephippigera), 169.
 Borellii (Ephippigerida), 169.
 Borellii (Isophya), 383.
 Borellii (Scapterisens), 1.
 Borellii (Xiphidium), 281.
 Bormansi (Dolichopoda), 126.
 Bormansi (Ephippigera), 170.
 Bormansi (Ephippigerida), 170.
 Bormansi (Rhacoeleis), 187.
 Borneense (Anisoptera), 278.
 Borneense (Xiphidium), 278.
 Borneensis (Chondrodora), 305.
 Borneensis (Cophogryllus), 44.
 Borneensis (Gryllacris), 139.
 Borneensis (Homalotrypus), 103.
 Borneensis (Psyras), 427.
 Borneensis (Xantia), 459.
 Borneensis (Gryllacris), 139.
 Borrei (Odontura), 387.
 Bosni (Grylloides), 41.
 Boschnakii (Onconotus), 221.
 Boschnakii (Onconotus), 221.
 Bosei (Leptophyes), 390.
 Bosei (Odontura), 391.
 Bosporicus (Pecilemon), 379.
 Brachixiphus (Conocephaloides), 249.
 Brachixiphus (Conocephalus), 249.
 BRACHYAUCHENUS, 325.
 Brachyceriformis (Eugaster), 159.
 BRACHYMETOPA, 254.
 Brachynotus (Callimenus), 176.
 BRACHYPORUS, 116.
 Brachyptera (Acanthodis), 316.
 Brachyptera (Chelidoptera), 209.

- Brachyptera* (*Gryllacris*),
140.
Brachyptera (*Locusta*),
219.
Brachyptera (*Micropter-
yx*), 209.
Brachyptera (*Platypleis*),
209.
Brachyptera (*Pleminia*),
316.
Brachypterus (*Aniso-
ptera*), 209.
Brachypterus (*Cono-
cephaloides*), 244.
Brachypterus (*Conocepha-
lus*), 244.
Brachypterus (*Decticus*),
209.
Brachypterus (*Duolan-
drevus*), 50.
Brachypterus (*Gryllus*),
50-209.
Brachypterus (*Landrevus*),
50.
Brachypterus (*Platypleis*),
209.
BRACHYTRUPES, 21.
BRACHYTRYPA, 21.
BRACHYTRYPUS, 21.
Brachyxipta (*Plaminia*),
316.
BRACHYOPISTHIUS,
160.
BRADYPORUS, 173,
175, 177.
Brahmina (*Gryllacris*),
142.
Branesiki (*Cymatomera*),
306.
Brasiliana (*Tafalisca*),
100.
Brasilianum (*Cycloptil-
lum*), 59.
Brasilianus (*Cycloptilus*),
59.
Brasilianus (*Metrypus*),
108.
Brasiliensis (*Acheta*), 90.
Brasiliensis (*Argizala*),
19.
Brasiliensis (*Ctenophle-
bia*), 471.
Brasiliensis (*Dibelona*),
148.
Brasiliensis (*Eneoptera*),
90.
Brasiliensis (*Gryllus*), 90.
Brasiliensis (*Hypero-
phora*), 402.
Brasiliensis (*Isophya*),
383.
Brasiliensis (*Lutosa*),
119.

- Brevipennis* (*Oxysethus*), 257.
Brevipennis (*Piestodactylus*), 89.
Brevipennis (*Platyteleis*), 211.
Brevipennis (*Xiphidium*), 281.
Brevipes (*Amblyopus*), 97.
Brevipes (*Amblyrhetus*), 97.
Brevipes (*Ceuthophilus*), 131.
Brevipes (*Dalibinia*), 128.
Brevipes (*Phalangopsis*), 128.
Brevipes (*Polichne*), 419.
Brevipes (*Pycnogaster*), 174.
Brevirannulosa (*Phylloptera*), 474.
Brevirostris (*Copiophora*), 233.
Brevirostris (*Lirometopum*), 233.
Brevis (*Conocephaloides*), 244.
Brevis (*Conocephalus*), 244.
Brevis (*Phaneroptera*), 436.
Brevispinia (*Gryllacris*), 140.
Brevistylus (*Lichenochrus*), 317.
Breviusculus (*Phyllozelus*), 300.
Breviusculus (*Pseudophyllus*), 300.
Brevivaginata (*Diaphlebus*), 357.
Brevixipha (*Elbenia*), 425.
Brevixipha (*Gryllacris*), 146.
Brevixiphum (*Leurophyllum*), 320.
Brevixiphum (*Platyphylum*), 320.
BRISHLIS, 318.
Brisoutii (*Pterolepis*), 187.
BROCHOPEPLUS, 297.
Brongniarti (*Salomona*), 265.
Broughi (*Deinacrida*), 115.
Broughi (*Hemideima*), 115.
Brullæi (*Pterochroza*), 347.
Brullæi (*Tanusia*), 347.
Brullei (*Chloracris*), 294.
Brullei (*Pseudophyllus*), 294.
Brullei (*Rhipipteryx*), 12.
Bruneri (*Capnobotes*), 181.
Bruneri (*Centhophilus*), 133.
Bruneri (*Conocephaloides*), 242.
Bruneri (*Conocephalus*), 242.
Bruneri (*Orechelimum*), 273.
BRUNNEA, 296.
Brunnea (*Banza*), 254.
Brunnea (*Brachymetopa*), 254.
Brunnea (*Neduba*), 194.
Brunnea (*Phyllophora*), 369.
Brunneri (*Æmodogryllus*), 125.
Brunneri (*Antaxius*), 189.
Brunneri (*Barbitistes*), 382.
Brunneri (*Borborotlus*), 118.
Brunneri (*Conocephaloides*), 248.
Brunneri (*Conocephalus*), 248.
Brunneri (*Cymatomera*), 306.
Brunneri (*Ephippiger*), 163.
Brunneri (*Ephippigera*), 163.
Brunneri (*Eurycorypha*), 462.
Brunneri (*Grylloderes*), 39.
Brunneri (*Gryllus*), 32.
Brunneri (*Isophya*), 384.
Brunneri (*Isophya*), 385.
Brunneri (*Letana*), 400.
Brunneri (*Melidia*), 457.
Brunneri (*Mimetica*), 350.
Brunneri (*Odontolakis*), 268.
Brunneri (*Odontura*), 377.
Brunneri (*Pholidoptera*), 198.
Brunneri (*Pœcilemon*), 377.
Brunneri (*Posidippus*), 459.
Brunneri (*Pterolepis*), 189.
Brunneri (*Pyrrhizia*), 400.
Brunneri (*Rhaphidophora*), 124.
Brunneri (*Saga*), 225.
Brunneri (*Steropleurus*), 163.
Brunneri (*Thamnotrizon*), 198.
Brunneriana (*Nisitra*), 87.
Brunnerianus (*Apterygillus*), 20.
Brunnerianus (*Arachmocephalus*), 60.
Brunnerianus (*Cachoplistus*), 61.
Brunnerianus (*Cacoplistes*), 61.
Brunnerianus (*Calyptotrypus*), 95.
Brunnerianus (*Mnesibulus*), 95.
Brunnerianus (*Nisitrus*), 87.
Brunnerianus (*Phylloscirtus*), 85.
Brunnerianus (*Phylloscirtus*), 85.
Brunneus (*Idionotus*), 194.
Brunneus (*Mogisoplistes*), 56.
Brunneus (*Mogoplistes*), 56.
Buechicii (*Rhaecoleis*), 187.
Buechickii (*Rhaecoleis*), 187.
Buechici (*Rhaecoleis*), 187.
Bucephalus (*Olynthoscelis*), 199.
Bucephalus (*Pholidoptera*), 199.
Bucephalus (*Thamnotrizon*), 199.
BUCRATES, 253.
Buergeri (*Decticus*), 186.
Buergeri (*Gampsocleis*), 186.
BUETTNERIA, 421.
BUGAJUS, 113.
Bulgaricus (*Pœcilemon*), 79.
Buqueti (*Gryllus*), 91.

Caraibea (*Amphiacusta*), 68.
Caraibeus (*Amphiacustes*), 68.
Caraibeus (*Grylloides*), 24.
Caraibeus (*Eriolus*), 234.
Carbonaria (*Rhipipteryx*), 12.
Carbonarium (*Anisoptera*), 283.
Carbonarium (*Xiphidium*), 283.
Carbonarius (*Conocephaloides*), 248.
Carbonarius (*Conocephalus*), 248.
Carbonarius (*Gryllus*), 34.
 CARCINOPSIS, 117.
Caribbeum (*Alogoptera*), 421.
Caricifolia (*Elimæa*), 396.
Caricifolia (*Locusta*), 396.
Caricifolia (*Phaneroptera*), 396.
Carinata (*Biroa*), 356.
Carinata (*Copiophora*), 232.
Carinata (*Ectemna*), 452.
Carinata (*Elimæa*), 395.
Carinata (*Ephippigera*), 166.
Carinata (*Ephippigerrida*), 166.
Carinata (*Locusta*), 398.
Carinata (*Mirollia*), 398.
Carinata (*Neduba*), 194.
Carinata (*Phaneroptera*), 398.
Carinatum (*Aprion*), 304.
Carinatus (*Acanthoplistus*), 60.
Carinatus (*Conocephaloides*), 211.
Carinatus (*Conocephalus*), 211.
Carinatus (*Ephippiger*), 166.
Carinatus (*Morsimus*), 304.
Carinifolia (*Cycloptera*), 373.
Carinulatus (*Scopiorus*), 342.
Carita (*Arethæa*), 441.
Carolinensis (*Camptonotus*), 151.
Carolinensis (*Gryllacris*), 151.
Carolinensis (*Neortus*), 151.

Carolinus (*Nemobius*), 19.
Carpetana (*Pholidoptera*), 205.
Carpetana (*Platycleis*), 205.
Carrascoi (*Grylloides*), 43.
 CARSIDAVA, 96.
 CASIGNETA, 424.
Cassinæfolia (*Locusta*), 174.
Cassinæfolia (*Phylloptera*), 174.
Castanea (*Diatrypa*), 93.
Castanea (*Gryllacris*), 142.
Castanea (*Mimetica*), 350.
Castanea (*Tropizaspis*), 191.
Castaneoviridis (*Olynthoscelis*), 199.
Castaneoviridis (*Pholidoptera*), 199.
Castaneoviridis (*Thamnotrizon*), 199.
Castaneum (*Paratrigouidium*), 79.
Castaneus (*Asylus*), 286.
Castaneus (*Brachyaucheinus*), 325.
Castaneus (*Ceuthophilus*), 134.
Castaneus (*Diatrypus*), 93.
Castaneus (*Lichenoehrus*), 318.
Castaneus (*Lissotracheilus*), 61.
Castaneus (*Telantias*), 341.
Castellana (*Ephippigera*), 163.
Castellanus (*Ephippiger*), 163.
Castellanus (*Grylloides*), 41.
Castellanus (*Steropleurus*), 163.
Castetsi (*Tridactylus*), 9.
Castigatus (*Ectadoderns*), 58.
Castigatus (*Ornebius*), 58.
Castus (*Coccothotus*), 336.
Catulanica (*Ephippigera*), 164.
Catalunnicus (*Steropleurus*), 164.
 CATASPARATA, 352.
 CATOPTROPTERYX, 415.

Caucasica (*Paradrymadusa*), 180.
Caucasica (*Pholidoptera*), 199.
Caucasica (*Pterolepis*), 180.
Caudata (*Anisoptera*), 280.
Caudata (*Gryllus*), 25.
Caudata (*Locusta*), 218.
Caudata (*Phasgonura*), 218.
Caudata (*Phylloptera*), 460.
Caudata (*Xiphidium*), 280.
Caudatum (*Xiphidium*), 275.
Caudatus (*Phlugis*), 285.
Caudatus (*Thysdrus*), 285.
Caudelli (*Syntectina*), 485.
 CAULOPSIS, 240.
Cavannæ (*Ephippigera*), 165.
Cavannæ (*Steropleurus*), 165.
Cavernæ (*Pleiopectron*), 138.
Cavernarum (*Hadenæcus*), 135.
Cavernarum (*Rhaphidophora*), 135.
Caviceps (*Brachytrypus*), 22.
Cavicola (*Arachnomimus*), 71.
Cavicola (*Arachnopsis*), 71.
Cavicola (*Locusta*), 127.
Cavicola (*Rhaphidophora*), 127.
Cavicola (*Troglophilus*), 127.
Cayennensis (*Orocharis*), 99.
Cazamanæ (*Matæus*), 291.
 CECENTROMENUS, 339.
Celatus (*Ceuthophilus*), 131.
Celebica (*Holochlora*), 431.
Celebica (*Locusta*), 437.
Celebica (*Phaneroptera*), 437.
 CELIDOPHYLLA, 349.
Centrifera (*Paraecidicia*), 418.
 CENTROCEPHALUS, 267.
 CENTROFERA, 412.

- CENTROPHORUS, 440.
 Cephalotes (Copiphora), 232.
Cephalotes (*Euscirtus*), 101.
 Cephalotes (*Euscirtus*), 101.
 Cephalotes (Mimmermus), 122.
 Cephalotes (Phlugis), 285.
 Cephalotes (Stenopelmatus), 112.
Cephalotes (*Thysdrus*), 285.
 CERAMIA, 450.
 Cerambycinus (Pantecphylus), 310.
 CERATINOPTERUS, 77.
 CERATOPOMPA, 408.
 CERBERODON, 288.
 Cereis (*Eurycorypha*), 462.
Cereis (*Phylloptera*), 462.
Cerispi (*Gryllus*), 29, 30.
 Cervina (Debrona), 420.
Cervina (*Hetrodes*), 159.
Cervina (*Locusta*), 159.
 Cervinus (*Acanthoprocetus*), 159.
 CESTROMÆCHA, 429.
 CESTROPHORUS, 270.
 CEUTHOPHILUS, 130.
 Ceylonica (Duertia), 399.
 Ceylonica (Psyra), 426.
 Ceylonicus (*Micropion*), 301.
 Ceylonicus (*Nemobius*), 16.
Ceylonicus (*Pyrgophylax*), 423.
Chabrieri (*Decticus*), 198.
Chabrieri (*Locusta*), 197, 201.
Chabrieri (*Olynthoscelis*), 198.
 Chabrieri (Pholidoptera), 197.
Chabrieri (*Pterolepis*), 198.
Chabrieri (*Thamno-trizon*), 198, 202.
Chalybea (*Scaphura*), 454.
Championi (*Calloxiphus*), 343.
 Championi (*Calloxiphus*), 343.
 Championi (*Cyrtoxipha*), 82.
Championi (*Cyrtoxiphus*), 82.
 Championi (*Diatrypa*), 93.
Championi (*Diatrypss*), 93.
Championi (*Microcentrua*), 482.
 Championi (*Orophus*), 482.
 Championi (*Peucestes*), 458.
 Championi (*Phoberopus*), 120.
 CHAMPIONICA, 311.
 CHARACTA, 331.
 CHARISOMA, 366.
Charpentieri (*Barbistes*), 387.
 Chelata (*Anaulacomera*), 467.
 CHELIDOPTERA, 202.
 Chichimeca (*Cyrtoxipha*), 83.
Chichimecus (*Cyrtoxiphus*), 83.
Chichimecus (*Gryllus*), 37.
Chilensis (*Stenopelmatus*), 123.
 Chiliensis (*Certilla*), 6.
Chilensis (*Gryllotalpa*), 6.
 Chinense (*Anisoptera*), 277.
Chinense (*Xiphidina*), 277.
Chinensis (*Acheta*), 29.
 Chinensis (*Gryllus*), 29.
Chinensis (*Gryllus*), 33.
 Chinensis (*Hemielumna*), 397.
 Chinensis (*Isotima*), 399.
 CHLORACRIS, 291.
 Chloris (*Elimaea*), 396.
Chloris (*Locusta*), 396.
Chloris (*Phaneroptera*), 396.
 CHLOROBALIUS, 190.
 CHLOROCCELUS, 345.
 Chloromota (*Cadinea*), 202.
 CHLOROPHYLLA, 353.
Chlorophyllum (*Tarariva*), 352.
 Chlorophyllum (*Typophyllum*), 352.
 CHLOROSCIRTUS, 453.
Chlorotica (*Ph...*), 426.
- CHLOROTRIBONIA, 298.
 CHIEROPARNOPS, 325.
 CHONDRODERA, 305.
Chrysops (*Phlegma*), 285.
 Chyzeri (*Cadinea*), 413.
Cicindeloidea (*Cer...*), 77.
Cicindeloidea (*Gryllus*), 78.
Cicindeloidea (*Phyll...*), 81.
Cicindeloidea (*Phyll...*), 81.
Cicindeloidea (*Scleropt...*), 78.
Cicindeloidea (*Thamno...*), 84.
Cicindeloidea (*Trigoni...*), 77.
 Cicur (*Podiscirtus*), 104.
Ciliata (*Acheta*), 80.
Ciliata (*Cyrtoxipha*), 80.
Ciliatus (*Cyrtoxiphus*), 80.
Cincta (*Dera...*), 477.
 Cincta (*Xestoptera*), 446.
 Cincticollis (*Brum...*), 296.
 Cincticornis (*Melobor...*), 109.
Cincticornis (*Ph...*), 478.
 Cincticornis (*Top...*), 478.
 Cinctipes (*Zan...*), 53.
 Cinctus (*Dera...*), 177.
Cinctus (*Eph...*), 177.
Cinctus (*Gryllus*), 347.
Cinctus (*Ph...*), 97.
 Cinctus (*Ph...*), 22.
 Cinctus (*Oxy...*), 202.
Cinctus (*Ph...*), 202.
Cinctus (*Ph...*), 202.
 Cinctus (*Ph...*), 276.
Cinctus (*Ph...*), 276.
 Cinctus (*Ph...*), 105.
Cinctus (*Ph...*), 276.

- Cinereus* (*Encoptera*), 105.
Cinereus (*Gryllus*), 30, 105, 202.
Cinereus (*Parocanthus*), 105.
Cinereus (*Thamnotrizon*), 202.
Cingalensis (*Scutotribonia*), 298.
Cingalensis (*Zumata*), 298.
Cinnamomeum (*Typophyllum*), 351.
Circumcincta (*Acanthodis*), 311.
Circumcincta (*Prosthacusta*), 63.
Circumcincta (*Rhipipteryx*), 12.
Circumcincta (*Tetragonomera*), 311.
Circumcinctus (*Nemobius*), 63.
Circumdata (*Gongrocnemis*), 327.
Circumdatatus (*Merocidius*), 327.
Citrifolia (*Locusta*), 457, 458, 459.
Citrifolia (*Phaneroptera*), 457.
Citrifolia (*Phyllophora*), 457.
Citrifolia (*Phylloptera*), 457.
Citrifolium (*Steirodon*), 457.
Citrifolius (*Gryllus*), 456.
Citrifolius (*Posidippus*), 458.
Citrifolius (*Steirodon*), 456, 457.
Citrifolius (*Tettigonia*), 456.
Clara (*Grammadera*), 469.
Clara (*Landreva*), 51.
Claraziana (*Gryllotalpa*), 3.
Claraziana (*Neocurtilla*), 3.
Clarazianus (*Anurogryllus*), 24.
Clarazianus (*Gryllodes*), 24.
Clarellus (*Gryllus*), 34.
Clarus (*Conocephaloides*), 249.
Clarus (*Conocephalus*), 249.
Clarus (*Gryllus*), 51.
Clarus (*Landreva*), 51.
 CLASMA, 237.
Claudicans (*Metrypus*), 107.
Claudicans (*Tafalisca*), 107.
Clausus (*Conocephaloides*), 248.
Clausus (*Conocephalus*), 248.
Clavata (*Anaulacomera*), 467.
Clavata (*Cædicia*), 414.
Clavaticercus (*Mormotus*), 324.
Clavicerum (*Idiarthron*), 328.
Clavigera (*Peronura*), 391.
 CLEANDRUS, 294.
 CLEARIDAS, 20.
 CLIMACOPTERA, 295.
 CLINOPELURA, 194.
Clipeatus (*Apotetamenus*), 119.
 CLISIS, 333.
 CLOANTHELLA, 155.
 CLONIA, 226.
Clypeata (*Cloanthella*), 155.
Clypeata (*Locusta*), 202.
Clypeatus (*Licodia*), 119.
Coarctata (*Curtilla*), 6.
Coarctata (*Gryllotalpa*), 6.
Coarctatus (*Conocephaloides*), 249.
Coarctatus (*Conocephalus*), 249.
Cocanus (*Bucrates*), 253.
Cocanus (*Conocephaloides*), 248.
Cocanus (*Conocephalus*), 248.
 COCCONOTUS, 334.
Cochlearistylus (*Opisthocercus*), 292.
Cochleata (*Casigneta*), 425.
Cochleata (*Copiophora*), 231.
Cochleata (*Copiphora*), 231.
 CELOPIHYLLUM, 437.
Cerulescens (*Hyperphrona*), 475.
Cognata (*Barbitistes*), 379.
Cognatum (*Anisoptera*), 283.
Cognatum (*Xiphidium*), 283.
Cognatus (*Pocilemon*), 379.
Coleoptrata (*Homoxiphus*), 79.
Coleoptrata (*Metioche*), 79.
Coleoptratum (*Trigondium*), 79.
Colini (*Curtilla*), 6.
Colini (*Gryllotalpa*), 6.
Collaris (*Gryllacris*), 141.
Collatatus (*Ectadoderus*), 58.
Collatatus (*Ornebius*), 58.
Colligatus (*Conocephaloides*), 244.
Colligatus (*Conocephalus*), 244.
Colliurides (*Cranistus*), 85.
Colliurides (*Phylloscirtus*), 85.
Colliurides (*Phylloscirtus*), 85, 86.
Colliurides (*Phylloscirtus*), 86.
Collocatus (*Gryllus*), 37.
Colombicus (*Podoscirtus*), 104.
Colombicus (*Platyductylus*), 104.
Coloradus (*Anabrus*), 192.
Colorata (*Pterochroza*), 348.
Colorata (*Tannisia*), 348.
Colorata (*Veria*), 262.
Colorificus (*Conocephaloides*), 242.
Colorificus (*Pseudorhynchus*), 242.
Colossium (*Microcentrum*), 483.
Colosseus (*Orophus*), 483.
 COLOSSOPUS, 270.
Columbia (*Gryllotalpa*), 3.
Columbia (*Neocurtilla*), 3.
Columbia (*Gryllotalpa*), 3.
Columbiana (*Gryllotalpa*), 3.
Columbicum (*Trypophyllum*), 351.
Comanchus (*Nemobius*), 18.
Comanchus (*Stenopelmatus*), 112.
Combinata (*Gryllacris*), 152.

- Combusta* (*Gryllacris*),
148.
Combusta (*Paragrylla-*
cris), 148, 148.
COMICUS, 153.
Commodus (*Gryllus*), 33.
Compacta (*Narea*), 356.
Compacta (*Udeopsylla*),
129.
Compactus (*Gryllus*),
33.
Comparatus (*Gryllus*),
34.
Compressa (*Euryco-*
rypha), 462.
Compressa (*Phaula*),
426.
Compressicollis (*Ephip-*
piger), 162.
Compressicollis (*Uro-*
menus), 162.
Compressus (*Orophus*),
462.
Compromittens (*Grylla-*
cris), 145.
Comptus (*Gryllus*), 38.
Comptus (*Phyllopalpus*),
85.
Comptus (*Phylloseyrtes*),
85.
Concava (*Pterophylla*),
344.
Concavum (*Platyphyll-*
lum), 344.
Concavus (*Cyrtophyllus*),
344.
CONCHIOTOPODA,
394.
Concinnum (*Orcheli-*
mum), 272.
Concinnum (*Xiphidium*),
272.
Concinuus (*Chelido-*
ptera), 212.
Concinuus (*Decticus*),
212.
Concinuus (*Encoptera*),
102.
Concinuus (*Euscirtus*),
102.
Concinuus (*Euseyrtus*),
102.
Concinuus (*Gryllus*),
102.
Concinuus (*Pocilemon*),
378.
Concisa (*Anaulacomera*),
466.
Concisa (*Anaulacomera*),
466.
Concisa (*Cadecia*), 413.
Concisum (*Microcentrum*),
482.

- Conspersus (Acanthodiphrus), 339.
Conspersus (*Calyptotrypus*), 94.
 Conspersus (Conocephaloides), 247.
Conspersus (*Conocephalus*), 247.
 Conspersus (*Gryllus*), 32.
 Conspersus (Meroneidius), 323.
 Conspersus (Orocharis), 99.
Conspersus (*Orophus*), 461.
Conspersus (*Paracanthus*), 94.
 Conspurcata (Gymnocera), 455.
Conspurcata (*Scaphura*), 455.
 Constricta (Arethæa), 443.
 Constrictus (Barbitistes), 381.
 Constrictus (Cocconotus), 334.
 Constructa (*Gryllacris*), 142.
 Constructa (Phylloptera), 174.
 Constructum (Typophyllum), 351.
 Consuetipes (Arethæa), 444.
 Contaminata (Anepitacta), 373.
 Contaminata (Cyrtoxipha), 81.
Contaminata (*Soria*), 478.
Contaminatus (*Cyrtoxiphus*), 81.
Contaminatus (*Gryllus*), 32.
Contiguus (*Platydictylus*), 104.
 Contiguus (Podoscirtus), 104.
Contingens (*Conocephalus*), 243.
Contingens (*Gryllus*), 37.
 Continua (Madasumma), 95.
Continua (*Phaneroptera*), 411.
 Continua (Tylopsis), 441.
 Continuum (Anisoptera), 279.
Continuum (*Xiphidium*), 279.
Continuus (*Platydictylus*), 95.
 Contortipes (Parablistastes), 332.
Convolutus (*Gryllodes*), 39.
Convolutus (*Gryllus*), 39.
 Convolutus (Microgryllus), 39.
Cooksoni (*Agræcia*), 329.
Cooksoni (*Liparoscelis*), 329.
 Cooksoni (Nesæcia), 329.
 COPHOGRYLLUS, 44.
 Cophta (Curtilla), 5.
Cophta (*Gryllotalpa*), 5.
Cophtus (*Gryllotalpa*), 5.
Cophtus (*Gryllus*), 5.
 COPHUS, 71.
 COPIDOPHORA, 230.
 COPIOPHORA, 230.
 COPIPHORA, 230.
 COPTASPIS, 260.
 CORA, 476.
 Cordipennis (Philoscirtus), 361.
 Cordubensis (Pterolepis), 186.
 Coriacea (Phylloptera), 174.
 Coriacea (Prosagoga), 476.
 Coriææa (Salomona), 266.
 Coriææa (Sexava), 359.
Coriææus (*Gryllus*), 61, 359.
Coriææus (*Moristus*), 359.
Coriææus (*Onconotus*), 221.
 Coriææus (Phlugis), 284.
 Coriææus (Scleropterus), 61.
Coriææus (*Tettigonia*), 359.
Coriææus (*Thysdrus*), 284.
 CORIXOGRYLLUS, 107.
 Cornea (Stihara), 432.
 Cornea (Xestoptera), 346.
 Cornucervi (Anaulacomera), 468.
 Cornuta (Ceraia), 451.
Cornuta (*Copiophora*), 231.
 Cornuta (*Copiphora*), 231.
 Cornuta (*Locusta*), 231.
 Cornuta (Niesara), 261.
 Cornuta (Phaula), 426.
 Cornuta (Sathrophyllia), 307.
 Cornutoides (Ceraia), 451.
 Cornutus (Conocephaloides), 249.
Cornutus (*Conocephalus*), 249, 307.
 Coronata (*Acanthodis*), 313.
 Coronata (*Copiophora*), 232.
 Coronata (*Copiophora*), 232.
 Coronata (*Ephippiger*), 164.
 Coronata (*Locusta*), 313.
 Coronata (Orpacophora), 313.
 Coronatum (Lirometopunn), 232.
Coronatus (*Gryllus*), 313.
 Coronatus (Peucestes), 457.
Coronatus (*Tettigonia*), 313.
 Corrodita (Phylloptera), 473.
 Corroza (Karschia), 421.
 Corrosifolium (Drepanophyllum), 421.
 Corrugata (Laurepa), 100.
Corrugatus (*Orocharis*), 100.
Corsica (*Pterolepis*), 188.
 Corsicus (Thyreconotus), 188.
 Corticicola (Centhophilus), 131.
 CORYCOMIMA, 465.
 CORYCUS, 366.
 CORYMETA, 403.
 CORYPHODES, 240.
 COSMODERUS, 156.
 COSMOPHYLLUM, 404.
 COSMOZOMA, 448.
 Costalis (Apithes), 98.
 Costalis (Hapithus), 98.
 Costata (Isophya), 384.
Costaticollis (*Ephippiger*), 162.
Costaticollis (*Ephippigera*), 162.

- Costaticollis* (Uromenus), 162.
Costatus (*Phylloscirtus*), 85.
Costatus (*Phylloscirtus*), 85.
Costulata (*Dictyota*), 416.
Costulata (Torbia), 416.
Costularius (Ctenodecticus), 196.
Costulatus (Mimnermus), 122.
Couloni (*Bugajus*), 113.
Couloni (*Licola*), 113.
Couloniana (*Phylloptera*), 455.
Coulonianus (*Lundrevus*), 50.
Coulonianus (*Paralandrevus*), 50.
Coulonii (*Podoscirtus*), 104.
Cragini (*Stipator*), 183.
Cragini (*Thyreonotus*), 183.
CRANISTUS, 85.
Crassicaudus (*Onconotus*), 221.
Crassiceps (*Conocephalus*), 238.
Crassiceps (*Euscirtus*), 102.
Crassiceps (*Locusta*), 238.
Crassiceps (*Patiscus*), 102.
Crassiceps (*Pseudorhynchus*), 238.
Crassicornis (*Gammarparnops*), 137.
Crassicornis (*Heterogryllus*), 65.
Crassicornis (*Mastiglypha*), 354.
Crassicornis (*Parysatis*), 352.
Crassicornis (*Rhaphidophora*), 123.
Crassicornis (*Roxelana*), 352.
Crassidens (*Anostostoma*), 113.
Crassidens (*Stenopelmatus*), 113.
Crassinervosa (*Coptaspis*), 260.
Crassipes (*Brachymetopa*), 254.
Crassipes (*Gryllacris*), 142.
Crassipes (*Hyperomerus*), 255.
Crassipes (*Lichenochrus*), 318.
Crassipes (*Onosandrus*), 121.
Crassipes (*Pachypodagrus*), 123.
Crassipes (*Platydaetylus*), 142.
Crassus (*Centhophilus*), 134.
Crassus (*Conocephaloides*), 242.
Crassus (*Conocephalus*), 242.
CRATOMELUS, 123.
CRATONOTUS, 336.
CRATYLUS, 293.
Crenata (*Ectemma*), 452.
Crenifolia (*Locusta*), 308.
Crenifolia (*Oleinia*), 308.
Crenulata (*Locusta*), 448.
Crenulata (*Prosagoga*), 477.
Crenulata (*Rhaphidophora*), 124.
Crenulata (*Trigonocorypha*), 448.
Crepitans (*Conocephaloides*), 246.
Crepitans (*Conocephalus*), 246.
Crepitans (*Cyrtophyllus*), 345.
Crepitans (*Paratrigonidium*), 80.
Crepitans (*Thliboseelus*), 345.
Cretaceus (*Onomarchus*), 296.
Cretaceus (*Pseudophyllus*), 296.
Cretensis (*Pocilemon*), 376.
Cribrosum (*Microcetratum*), 482.
Cribrosus (*Orophus*), 482.
Cristata (*Pterochroa*), 318.
Cristata (*Tannia*), 348.
Cristatissimus (*Pentecestes*), 458.
Cristovallensis (*Conocephaloides*), 250.
Cristovallensis (*Conocephalus*), 250.
Cristulata (*Acanthodis*), 313.
Cristulata (*Orpacophora*), 313.
Crocina (*Podocarpus*), 103.
Cruciata (*Ducula*), 399.
Crucigera (*Ephippigerida*), 169.
Crucigera (*Ephippigerida*), 169.
Crucis (*Acheta*), 75.
Crucis (*Acanthus*), 75.
Cruenta (*Ceraia*), 151.
Cruenta (*Gryllacris*), 144.
Cruenta (*Phanoptera*), 451.
Cruenta (*Scudderina*), 451.
Cruenta (*Vellea*), 451.
Crypsiphonus (*Mitopus*), 108.
Crypsiphonus (*Tafalica*), 108.
Crypterius (*Epilebus*), 388.
Csikii (*Nemobius*), 16.
CTENOECTICUS, 196.
CTENOPHLEBIA, 170.
Cubaensis (*Locusta*), 119.
Cubaensis (*Lautas*), 119.
Cubaensis (*Rhaphidophorus*), 119.
Cubensis (*Dibelma*), 148.
Cubensis (*Gryllus*), 37.
Cubensis (*Nemobius*), 18.
Cubensis (*Phocerus*), 119.
Cucullata (*Ephippiger*), 172.
Cucullata (*Euclyptus*), 262.
Cucullata (*Pyrogester*), 171.
Cucullata (*Tripod*), 424.
Cucullatus (*Pterochroa*), 174.
Cucullatus (*Ectemma*), 58.
Cucullatus (*Orophus*), 58.
Cucullatus (*Orpacophora*), 174.
Cucullatus (*Pyrogester*), 231.
Cucullatus (*Scudderina*), 446.
Cucullatus (*Stenopelmatus*), 116.
Cucullatus (*Thliboseelus*), 169.

- Cunii* (*Ephippigera*), 169.
Cunii (*Ephippigera*), 169.
Curta (*Burgilis*), 402.
Curta (*Phaneroptera*), 402.
 CURTILLA, 2, 3.
 CURTILLINÆ, 1.
Curricanda (*Locusta*), 445.
Curvicanda (*Moristus*), 324.
Curvicanda (*Phaneroptera*), 445, 446.
Curvicanda (*Scudderia*), 445.
Curvicanda (*Scudderia*), 444.
Curvicercata (*Ctenophlebia*), 471.
Curvicercata (*Elimæa*), 396.
Curvicercata (*Viadana*), 471.
Curvidens (*Acanthodis*), 319.
Curvidens (*Brisilis*), 319.
Curviferus (*Aprion*), 304.
Curviferus (*Morsimus*), 304.
Curvinervis (*Prosagoga*), 477.
Curvirostris (*Oxyprora*), 236.
Cuspidata (*Acanthodis*), 314.
Cuspidata (*Caulopsis*), 240.
Cuspidata (*Conocephalus*), 229, 240.
Cuspidata (*Eurycorypha*), 462.
Cuspidata (*Locusta*), 229.
Cuspidata (*Martinezia*), 229.
Cuspidata (*Storniza*), 229.
Cuspidatus (*Adeclus*), 314.
Cuspidatus (*Conocephalus*), 240.
Cuspidatus (*Panacanthus*), 229.
Cuticulare (*Orchelimum*), 273.
Cuticulare (*Xiphidium*), 273.
Cyanea (*Gryllacris*), 139.
Cyanipennis (*Rhipipteryx*), 12.
Cyclops (*Gryllacris*), 147.
 CYCLOPTERA, 353.
 CYCLOPTILUM, 59.
 CYCLOPTILUS, 59.
 CYLINDRACHETA, 7.
 CYLINDRODES, 7.
 CYLINDROGRYLLUS, 92.
 CYPHODERRIS, 193.
Cyprius (*Gryllus*), 30.
 CYRTASPIS, 372.
 CYRTOPHYLLUS, 343.
Cyrtoscelis (*Mecopoda*), 363.
 CYRTOXIPHA, 80.
 CYRTOXIPHUS, 80.
 DÆDALUS, 230.
 DAIHINIA, 119, 128.
Dalmatica (*Olynthoscelis*), 199.
Dalmatica (*Pholidoptera*), 199.
Dalmaticus (*Thamnotri-son*), 199.
Dalmatina (*Acheta*), 52.
Dalmatina (*Gryllomorpha*), 52.
Dalmatina (*Phaneroptera*), 393.
Dalmatinus (*Arachnocephalus*), 60.
Dalmatinus (*Gryllomorphus*), 52.
 DAPANERA, 424.
Darienica (*Anaulacomera*), 466.
Darienica (*Endacusta*), 69.
Darienicus (*Endacustes*), 69.
Darwinii (*Anaulacomera*), 466.
Darwinii (*Anaulacomera*), 466.
 DASYPHILEPS, 357.
Dasyus (*Brachyporus*), 175.
Dasyus (*Callimenus*), 175.
Dasyus (*Callimus*), 175.
Dasyus (*Dinarchus*), 176.
Dasyus (*Locusta*), 175.
 DASYSCELUS, 315.
Davidis (*Gongronemius*), 327.
Debile (*Paratriginidium*), 80.
Debilis (*Curtilla*), 6.
Debilis (*Gryllacris*), 146.
Debilis (*Gryllotalpa*), 6.
Debilis (*Gryllodes*), 43.
Debilis (*Gryllus*), 36.
 DEBRONÆ, 420.
Decisus (*Orophus*), 461.
Decolor (*Aphidnia*), 411.
Decolor (*Dysmia*), 411.
Decoloratus (*Lichenochrus*), 317.
 DECOLYA, 287.
Decolya (*Eremus*), 150.
Decora (*Xabea*), 76.
Decorata (*Chelidoptera*), 205.
Decorata (*Platyteleis*), 205.
Decorata (*Pterochroza*), 348.
Decoratum (*Microcentrum*), 481.
Decoratus (*Orophus*), 481.
Decoratus (*Platyteleis*), 205.
Decoratus (*Segestes*), 359.
Decorus (*Ecanthus*), 76.
Decorus (*Xabeus*), 76.
Decticoides (*Chlorobalius*), 190.
Decticoides (*Locusta*), 190.
 DECTICUS, 212.
Deflorata (*Gryllacris*), 142.
Deflorata (*Pterochroza*), 349.
Deflorata (*Stenophyllia*), 403.
Deflorita (*Exora*), 397.
Degeri (*Cocconotus*), 335.
Degeri (*Meroncidium*), 335.
Degeri (*Meroncidius*), 335.
Degerii (*Frontinus*), 459.
Degerii (*Posidippus*), 459.
 DEINACRIDA, 114.
Delalandi (*Cyphogryllus*), 44.
Delectus (*Gryllus*), 46.
Delectus (*Platyblemnus*), 46.
Delicatula (*Cyrtoxipha*), 82.
Delicatum (*Orchelimum*), 271.
Delicatus (*Nemobius*), 17.
Delincata (*Anaulacomera*), 467.
Demigratus (*Dasyseclis*), 315.
Deminata (*Gongronemius*), 326.
Deminata (*Gryllacris*), 142.
Dentata (*Anaulacomera*), 468.
Dentata (*Arantia*), 406.

- [illegible]

- Dilatatus (Callimenus), 176.
 Dilatatus (Dasyscelus), 315.
 Dilatatus (Ectadoderus), 58.
 Dilatatus (Ornebius), 58.
 Diluta (Anaulacomera), 466.
 Diluta (Decticus), 211.
 Diluta (Ephippigera), 170.
 Diluta (Locusta), 211.
 Dilutum (Stenamblyphyllum), 421.
 Dilutus (Ephippiger), 170.
 Dilutus (Ephippigerida), 170.
 Dimidiata (Gryllacris), 140.
 Dimidiata (Paracædicia), 417.
 Dimidiata (Procædicia), 417.
 Dimidiata (Phylloptera), 474.
 Diminuens (Gryllus), 25.
 Diminutus (Duolandrevus), 50.
 Diminutus (Gryllus), 50.
 DINDYMUS, 88.
 DIOGENA, 440.
 DIONCOMENA, 434.
 DIOPHANES, 345.
 DIPLACUSTA, 63.
 DIPLACUSTES, 63.
 DIPLOPHYLLUS, 478.
 Dirempta (Symmetropleura), 447.
 Discalis (Laurepa), 101.
 DISCERATUS, 337.
 Discoidalis (Acanthopius), 155.
 Discoidalis (Blastes), 332.
 Discoidalis (Ephippiger), 168.
 Discoidalis (Ephippigera), 168.
 Discoidalis (Gryllacris), 141.
 Discoidalis (Leptophyes), 391.
 Discoidalis (Meronicidius), 332.
 Discoidalis (Odontura), 391.
 Discolor (Brachymeropa), 254.
 Discolor (Centrophilus), 134.
 Discolor (Conocephalus), 277, 283.
 Discoloratus (Ecanthus), 74.
 Discophorus (Diyllus), 341.
 DISCOPTILA, 52.
 Discrepans (Rhacocleis), 187.
 Dispar (Endacusta), 69.
 Dispar (Endacustes), 69.
 Dissimilis (Conocephalus), 246.
 Dissimilis (Nemobius), 19.
 Distincta (Gryllacris), 140.
 Distincta (Xiphidiopsis), 284.
 Distinguendus (Nemobius), 17.
 DITHELA, 401.
 Divergens (Centrophilus), 133.
 Divergens (Mecopoda), 363.
 Diversa (Elimæa), 395.
 Diversa (Homotoicha), 449.
 Diversa (Phaneroptera), 395.
 Diversum (Pleiopectron), 138.
 Diversus (Aphonomorphus), 106.
 Diversus (Aphonus), 106.
 Diversus (Conocephaloides), 252.
 Diversus (Conocephalus), 252.
 Diversus (Miotopus), 138.
 Diversus (Platyductylus), 106.
 Dives (Oxyprorella), 410.
 Divisa (Syntechna), 485.
 Divisum (Microcentrum), 485.
 DIYLLUS, 341.
 Doenitzi (Cosmozoma), 448.
 Doenitzi (Loxoblemmus), 47.
 Dohrni (Exora), 397.
 Dohrni (Leptotettix), 340.
 Dohrni (Parascudderia), 450.
 Dohrni (Posidippus), 458.
 Dohrni (Salomona), 266.
 Dohrni (Xenica), 391.
 DOLICHOCHÆTA, 123.
 DOLICHOPODA, 126.
 Domestica (Acheta), 29.
 Domestica (Gryllus), 29.
 Domesticus (Acheta), 28, 29.
 Domesticus (Gryllus), 28.
 Domingensis (Orocharis), 99.
 Domogledi (Chelidoptera), 211.
 Domogledi (Platyteleis), 211.
 Donovanii (Acanthodis), 309.
 Donovanii (Capnoptera), 309.
 Donovanii (Gryllus), 309.
 Donovanii (Typhoptera), 309.
 Dornii (Salomona), 266.
 Doria (Vossia), 464.
 Dorsale (Anisoptera), 282.
 Dorsale (Xiphidion), 282.
 Dorsale (Xiphidium), 282.
 Dorsalis (Atlanticus), 181.
 Dorsalis (Conocephalus), 239.
 Dorsalis (Decticus), 181.
 Dorsalis (Drymadusa), 179.
 Dorsalis (Ephippiger), 167, 179.
 Dorsalis (Ephippigera), 167.
 Dorsalis (Ephippigerida), 167.
 Dorsalis (Euscirtus), 102.
 Dorsalis (Gryllus), 34.
 Dorsalis (Gryllus), 95.
 Dorsalis (Locusta), 282.
 Dorsalis (Madasumma), 95.
 Dorsalis (Patiscus), 102.
 Dorsalis (Xiphidion), 282.
 Dorsata (Rhacocleis), 195.
 Dorsata (Xiphidium), 282.
 Dorsatus (Eppia), 259.
 Dorsatus (Hexacentrus), 287.
 Dorsatus (Thamnotrixon), 195.
 DORYCORYPHUS, 240.

- Dregii (Minnermus), 122.
 Dregii (Pomatonota), 358.
 Dregii (Stenopelmatus), 122.
 DREPANOPHYLLUM, 421.
 DREPANOXIPHUS, 328.
 Driffieldi (Penthoplophora), 118.
 DRYMADUSA, 179.
 Dubia (Gryllacris), 145.
 Dubia (Myrmecophila), 55.
 Dubius (Arachnomimus), 71.
 Dubius (Arachnopsis), 71.
 Dubius (Conocephaloides), 250.
 Dubius (Conocephalus), 250.
 Dubius (Myrmecophilus), 55.
 DUCETIA, 398.
 Dunicola (Ectemna), 452.
 Dumosus (Nemobius), 15.
 Dumosus (Phisis), 286.
 Dumosus (Teuthiras), 286.
 DUCOLANDREVUS, 50.
 Durandi (Enyaliopsis), 156.
 Durandi (Eugaster), 156.
 Durienii (Ephippiger), 161.
 Durienii (Ephippigera), 161.
 DYSCAPNA, 118.
 DYSCOPHOGRYLLUS, 66.
 DYSCOPHUS, 66.
 DYSMORPHA, 486.
 DYSONIA, 411.
 Eburnata (Elephantodeta), 433.
 Eburneata (Tinzedä), 433.
 Eburneata (Tinzedä), 433.
 Eburneiguttata (Phyllophora), 369.
 Eburneiguttata (Stenacropteryx), 429.
 ECHINACRIS, 325.
 Echinata (Phisis), 286.
 Echinatus (Teuthiras), 286.
 ECTADIA, 397.
 ECTADODERUS, 58.
 ECTECOUS, 65.
 ECTEMNA, 452.
 ECTOLANDREVUS, 51.
 ECTOTRYPA, 101.
 ECTOTRYPUS, 101.
 Edwardsii (Hadenecus), 138.
 Edwardsii (Macropathus), 138.
 Edwardsii (Pachychama), 138.
 Edwardsii (Pleiopectron), 138.
 Edwardsii (Scaphura), 454.
 Egenus (Adapantus), 325.
 Egestosa (Anepitacta), 373.
 Ehrenbergii (Pterolepis), 199.
 ELEOPTERA, 358.
 ELBENTIA, 425.
 Elderi (Dictyola), 416.
 Elderi (Torbia), 416.
 Elegans (Aphidnia), 411.
 Elegans (Dysonia), 411.
 Elegans (Ephippigera), 170.
 Elegans (Ephippigerida), 170.
 Elegans (Exocephala), 234.
 Elegans (Gallienia), 264.
 Elegans (Gymnocera), 455.
 Elegans (Hexacentrus), 287.
 Elegans (Hormilia), 443.
 Elegans (Insara), 413.
 Elegans (Jimenezia), 338.
 Elegans (Labyrinth), 88.
 Elegans (Pachymyrmex), 88.
 Elegans (Phyllorhiza), 86.
 Elegans (Phyllorhiza), 86.
 Elegans (Phylloscyrtis), 85.
 Elegans (Pecileon), 378.
 Elegans (Saga), 227.
 Elegans (Scaphura), 455.
 Elegans Semideptus, 340.
 Elegantula (Paraphelene), 419.
 Elegantula (Pachymyrmex), 419.
 Elegantulus (Elegans), 159.
 ELEPHANTODETA, 433.
 Elephas (Macropathus), 483.
 Elephas (Orophus), 483.
 ELIMEA, 394.
 ELLIPES, 11.
 Elliptolia (Microphon), 297.
 Elongata (Egmontia), 409.
 Elongata (Lomaxia), 364.
 Elongata (Mastigapha), 354.
 Elongata (Mecopoda), 364.
 Elongata (Phaneroptera), 433.
 Elongatus (Conocephaloides), 243.
 Elongatus (Conocephalus), 243, 364.
 Elongatus (Cratylus), 293.
 Elongatus (Gryllus), 364.
 Elongatus (Leptogryllus), 110.
 Elongatus (Nannotettix), 337.
 Elongatus (Prognathogryllus), 109.
 Elongatus (Tettigonia), 364.
 Emarginata (Dilopeula), 388.
 Emarginata (Holocheila), 431.
 Emarginata (Molpa), 423.
 Emarginatus (Pezomachus), 457.
 Emarginatus (Pezomachus), 457.
 EMPYRA, 222.
 ENCAHYPTA, 222.
 ENCLINTRA, 369.
 ENDACUSTA, 69.
 ENDACUSTES, 69.
 ENDECOS, 70.
 ENDOLANDREVUS, 50.
 ENOPTERA, 20, 103.
 ENOPTERIN, 104.

- Eneopteroides* (*Xenogryllus*), 106.
 ENÉOPTERUS, 90.
 ENGONIA, 403.
 ENGONIASPIS, 481.
 ENOCHLECTICA, 422.
Ensifer (*Ceuthophilus*), 130.
Ensifer (*Conocephaloides*), 248.
Ensifer (*Conocephalus*), 248.
Ensifer (*Eumegalodon*), 289.
Ensifer (*Hyperbanus*), 148.
Ensifer (*Lesina*), 289.
Ensifer (*Lipuroscelis*), 329.
Ensifer (*Locusta*), 289.
Ensifer (*Megalodon*), 289, 369.
Ensifer (*Nemobius*), 17.
Ensifer (*Nesecia*), 329.
Ensifer (*Xiphidium*), 281.
Ensiferum (*Anisoptera*), 281.
Ensiferum (*Xiphidium*), 282.
Ensiferus (*Conocephalus*), 248.
Ensifolia (*Diplophyllus*), 479.
Ensifolia (*Phylloptera*), 479.
Ensifolia (*Turpilia*), 479.
Ensiger (*Conocephaloides*), 245.
Ensiger (*Conocephalus*), 245.
Ensis (*Locusta*), 427.
Ensis (*Phaneroptera*), 427.
Ensis (*Psyra*), 427.
 ENTHACANTHODES, 329.
 ENYALIOPSIS, 156.
 ENYALIUS, 159.
 EONIUS, 150.
 EPACRA, 152.
Ephippiata (*Cacopteris*), 143.
Ephippiatus (*Eugaster*), 156.
Ephippiatus (*Enyalio-opsis*), 156.
 EPHIPPIGER, 166.
Ephippiger (*Barbitistes*), 168.
Ephippiger (*Ephippigerida*), 168.
Ephippiger (*Gryllus*), 168.
Ephippiger (*Locusta*), 168.
 EPHIPPIGERA, 166, 380, 389.
Ephippigera (*Saga*), 225.
 EPHIPPIGERIDA, 166.
 EPHIPPITHYTA, 412.
 EPHIPPITHYTOLIDEA, 413.
 EPHIPPITYTHA, 412.
Ephippium (*Brachytrypus*), 20.
Ephippium (*Dysonia*), 411.
Ephippium (*Gryllus*), 411.
Ephippium (*Macrogryllus*), 20.
Ephippium (*Tettigonia*), 411.
 EPIPHLEBUS, 388.
 EPISATTUS, 256.
Episcopus (*Gryllodes*), 42.
 EPIIA, 258.
 Equatoriale (*Anisoptera*), 276.
 Equatoriale (*Xiphidium*), 246.
Equestris (*Loxoblemmus*), 46.
 ERECHTHIS, 255.
Erectistylus (*Mormotus*), 324.
 EREMOPEDES, 192.
 EREMUS, 150.
Erinacem (*Anostostoma*), 116.
Erinaceus (*Anostostoma*), 116.
Erinaceus (*Cosmoderus*), 156.
Erinaceus (*Ephippiger*), 156.
Erinaceus (*Pteroplistes*), 62.
Erinaceus (*Pteroplistus*), 62.
Erinaceus (*Stenopelmatus*), 116.
Erinifolia (*Anaulacomeria*), 466.
Erinifolia (*Phylloptera*), 466.
 ERIOLUS, 234.
Erosa (*Anædopoda*), 353.
Erosa (*Gryllus*), 352.
Erosa (*Pterochroza*), 352.
Erosa (*Tettigonia*), 352.
Erosifolia (*Mimetica*), 350.
Erosifolia (*Olecinia*), 308.
Erosifolia (*Tauusia*), 348.
Erosifolia (*Typophyllum*), 350.
Erosium (*Microcentrum*), 483.
Erosium (*Typophyllum*), 382.
Erosus (*Orophus*), 483.
Errabunda (*Apoballa*), 485.
Erraticum (*Cycloptilum*), 59.
Erythrocephalus (*Scleropterus*), 77.
Erythrocephalus (*Trigonidium*), 77.
Erythromelas (*Stenopelmatus*), 111.
Erythrosoma (*Locusta*), 251.
 Escalere (*Gryllodes*), 41.
Escalerai (*Chelidoptera*), 206.
Escalerai (*Platygleis*), 206.
Escalerai (*Troglophilus*), 128.
 ESCHATOCERUS, 259.
 EUACRIS, 341.
 EUCATOPTA, 437.
 EUCONCHOPHORA, 269.
 EUGASTER, 158, 159.
 EUMEGALODON, 289.
 EUMENYMUS, 217.
 EUPARITHENUS, 408.
 EUREPA, 89.
 EURYCORYPIA, 462.
 EURYMETOPA, 235.
 EURYPALPA, 408.
Eurypterus (*Mustius*), 290.
 EUSCIRTUS, 101.
 EUSCYRTUS, 101.
 EUSTELIA, 362.
 EUTHYTOIDA, 365.
 EUTHYRRHACHIS, 452.
Euxina (*Dolichopoda*), 127.
Euzonus (*Cophogryllus*), 44.
Eversmanni (*Decticus*), 208.
Eversmanni (*Gryllus*), 30.
Eversmanni (*Onconotus*), 221.
Exaltatus (*Conocephaloides*), 243.
Exaltatus (*Conocephalus*), 243.

- Excellens* (*Microcentrum*), 486.
Excellens (*Phæbolampta*), 486.
Exeelsa (*Gryllacris*), 144.
Exeelsior (*Anchiptolis*), 328.
Exeelsior (*Arantia*), 406.
Excisum (*Typophyllum*), 351.
Exemptum (*Anisoptera*), 277.
Exemptum (*Xiphidium*), 277.
Exigua (*Acauloplax*), 305.
Exigua (*Archeta*), 86.
Exigua (*Anaxiphia*), 86.
Exigua (*Gryllacris*), 146.
Exiguum (*Lissophyllum*), 321.
Exiguum (*Paratriginidium*), 80.
Exiguam (*Platyphyllum*), 321.
Exiguus (*Eremus*), 151.
Exiguus (*Nemobius*), 17, 19.
Exiguus (*Pedinostethus*), 236.
Exilis (*Conocephaloides*), 246.
Exiliscanorus (*Conocephaloides*), 245.
Exiliscanorus (*Conocephalus*), 245.
Eximia (*Gryllacris*), 117.
Exitiosum (*Anisoptera*), 281.
Exitiosum (*Xiphidium*), 281.
EXOCEPHALA, 233.
EXORA, 397.
Exotica (*Anaulacomera*), 468.
Exotica (*Furnia*), 468.
Exserta (*Paragryllacris*), 149.
Extensa (*Conocephaloides*), 250.
Extensa (*Conocephalus*), 250.
Extensipes (*Catoptropteryx*), 416.
Extenuata (*Cardicia*), 414.
Extenuata (*Phaneroptera*), 414.
Extraneus (*Grylloides*), 43.
Extraordinaria (*Tympanoptera*), 302.
Extraordinarius (*Aprion*), 302.
Fabricii (*Ephippigera*), 169.
Facetus (*Lagarodes*), 303.
Facialis (*Gryllus*), 23.
Facialis (*Gymnogryllus*), 23.
Facifer (*Gryllacris*), 142.
Fagifolia (*Chlorophylla*), 353.
Falcata (*Anaulacomera*), 467.
Falcata (*Gryllacris*), 142.
Falcata (*Ityocephala*), 366.
Falcata (*L. duspis*), 262.
Falcata (*Locusta*), 204, 435.
Falcata (*Niesara*), 262.
Falcata (*Phaneroptera*), 434.
Falcata (*Phaneroptera*), 435, 436.
Falcatus (*Eriolus*), 234.
Falcatus (*Gryllus*), 371, 434.
Falcifolia (*Chlorophylla*), 353.
Falcifolia (*Cycloptera*), 353.
Falconaria (*Locusta*), 332, 339.
Falconarius (*Blastes*), 332.
Falconarius (*Leptotetrix*), 339, 340.
Falconetti (*Grylloides*), 42.
Fallaciosa (*Drymadusa*), 179.
Fallaciosus (*Zarcus*), 84.
Fallax (*Myrmecophana*), 409.
Fallax (*Olyathescelis*), 201.
Fallax (*Paracanthus*), 95.
Fallax (*Pholidoptera*), 201.
Fallax (*Thaumetria*), 201, 202.
Fallax (*Xiphidiopsis*), 284.
Famula (*Phylloptera*), 474.
Farinosa (*Eliphantobola*), 433.
Fasciata (*Arantia*), 405.
Fasciata (*Encoptera*), 90.
Fasciata (*Gryllacris*), 140.
Fasciata (*Gryllacris*), 140, 147.
Fasciata (*Gryllomorpha*), 53.
Fasciata (*Gymnocer*), 455.
Fasciata (*Horadria*), 445.
Fasciata (*Lusara*), 445.
Fasciata (*Lusara*), 140.
Fasciata (*Locusta*), 275.
Fasciata (*Phylloptera*), 405.
Fasciata (*Scaphura*), 455.
Fasciata (*Scudderina*), 446.
Fasciata (*Tarpha*), 308.
Fasciata (*Tegra*), 308.
Fasciatum (*Anisoptera*), 275.
Fasciatum (*Paratriginidium*), 79.
Fasciatus (*Xiphidium*), 275, 276.
Fasciatus (*Xiphidium*), 275.
Fasciatus (*Blastes*), 332.
Fasciatus (*Cophogryllus*), 44.
Fasciatus (*Encoptera*), 104.
Fasciatus (*Gryllus*), 17, 101.
Fasciatus (*Liphoptes*), 57.
Fasciatus (*Nemobius*), 17.
Fasciatus (*Nemobius*), 31.
Fasciatus (*Leantius*), 75.
Fasciatus (*Orosandrus*), 120.
Fasciatus (*Ornebius*), 57.
Fasciatus (*Phylloptera*), 90.
Fasciatus (*Podestartus*), 104.
Fasciatus (*Stenopematus*), 111.
Fasciatus (*Telutrus*), 341.
Fasciatus (*Tridactylus*), 19.
Fasciata (*Gryllacris*), 115.
Fascifer (*Mesopoda*), 157.
Fascifer (*Pachytrachus*), 137.
Fascius (*Cyrtophylla*), 84.
Fascius (*Encoptera*), 84.
Fascius (*Pachytrachus*), 137.
Fatidica (*Arantia*), 406.
Fatidica (*Horadria*), 406.
Fausa (*Dugesi*), 110.
Fausa (*Paracanthus*), 440.
Favata (*Symptetrus*), 447.

- Feana (Himerta), 401.
 Fedtschenkoi (Chelidoptera), 208.
 Fedtschenkoi (Decticus), 208.
 Fedtschenkoi (Platyelcis), 208.
 Femoralis (Anostostoma), 116.
 Femoralis (Anthracites), 263.
 Femoralis (Carcinopsis), 117.
 Femoralis (Conocephaloides), 250.
 Femoralis (Conocephalus), 250.
 Femoralis (Cosmoderus), 156.
 Femoralis (Hexacentrus), 288.
 Femoralis (Libanasa), 117.
 Femoralis (Thamnotrizon), 201.
 Femorata (Cacopteris), 193.
 Femorata (Elimaea), 396.
 Femorata (Gryllus), 307.
 Femorata (Hemideima), 115.
 Femorata (Locusta), 307.
 Femorata (Olynthoscelis), 202.
 Femorata (Paracædicia), 418.
 Femorata (Pholidoptera), 201.
 Femorata (Sathriophyllia), 307.
 Femorata (Tettigonia), 307.
 Femoratus (Gryllus), 242.
 Femoratus (Locusta), 242.
 Femoratus (Nemobius), 16.
 Femoratus (Onosandrus), 121.
 Femoratus (Pterolepis), 201.
 Femoratus (Thamnotrizon), 201.
 Fenestrata (Ancylicha), 422.
 Fenestrata (Locusta), 293, 422.
 Fenestrata (Phylloptera), 422.
 Fenestrata (Pseudophyllus), 293.
 Fenestrata (Tetraconcha), 420.
 Fenestrata (Tetraconcha), 420.
 Fenestratus (Cratylus), 293.
 Fenestratus (Gryllus), 293.
 Fenestratus (Pseudophyllus), 307.
 Fenestratus (Tettigonia), 293.
 Ferdinandi (Gryllodes), 40.
 Ferreus (Brachytrypus), 22.
 Ferricollis (Gryllus), 34.
 Ferrotestacea (Gryllacris), 147.
 Ferruginea (Gryllacris), 146.
 Ferruginea (Gryllus), 364.
 Ferruginea (Lencira), 123.
 Ferruginea (Listrosclis), 288.
 Ferruginea (Mecopoda), 354.
 Ferruginea (Mygalopsis), 235.
 Ferruginea (Polichne), 420.
 Ferruginea (Scaphura), 454.
 Ferruginea (Tettigonia), 364.
 Ferrugineovittatus (Lisotrachelus), 61.
 Ferrugineus (Callimene), 310.
 Ferrugineus (Coeconotus), 335.
 Ferrugineus (Phanerotus), 310.
 Festæ (Acrometopa), 393.
 Festæ (Agroecia), 260.
 Festæ (Amusus), 65.
 Festæ (Anaulocomera), 467.
 Festæ (Anisoptera), 282.
 Festæ (Brachyanthenus), 325.
 Festæ (Ceraia), 451.
 Festæ (Coeconotus), 336.
 Festæ (Copiophora), 232.
 Festæ (Copiophora), 232.
 Festæ (Ctenophlebia), 471.
 Festæ (Disceratus), 337.
 Festæ (Festella), 196.
 Festæ (Hyperbanus), 148.
 Festæ (Isophya), 386.
 Festæ (Leptophyes), 389.
 Festæ (Phylloptera), 473.
 Festæ (Viadana), 471.
 Festæ (Xiphidium), 282.
 Festai (Acrometopa), 393.
 Festai (Leptophyes), 389.
 FESTEELLA, 196.
 Festiva (Ceratopompa), 408.
 Fibigii (Ephippigera), 169.
 Fieberi (Barbitistes), 376.
 Fieberi (Pacilemon), 376.
 Fieberi (Psorodonotus), 215.
 Fieberi (Pterolepis), 215.
 Fibigii (Ephippigera), 169.
 Figurata (Hemideima), 115.
 Filia (Petaloptera), 484.
 Filicma (Paratriginidium), 80.
 Filifer (Macropathus), 139.
 Filiger (Æcanthus), 73.
 Finoti (Ephippigera), 162.
 Finoti (Ephippigera), 162.
 Finoti (Gryllodes), 40.
 Finoti (Phylloptera), 474.
 Finoti (Platyblemmus), 49.
 Finoti (Pycnogaster), 174.
 Finoti (Sciobia), 49.
 Finoti (Uromenus), 162.
 Finotiana (Sciobia), 49.
 Finotianus (Platyblemmus), 49.
 Firmus (Gryllus), 36.
 Fischeri (Barbitistes), 381.
 Fischeri (Heterodes), 154.
 Fischeri (Odontura), 381, 382.
 Fissa (Gongrocnemis), 326.
 Fissipes (Tridactylus), 10.
 Fistulator (Gryllodes), 43.
 Flavescens (Barbitistes), 379.
 Flavescens (Conocephalus), 238.
 Flavescens (Corycomima), 465.
 Flavescens (Odontura), 379.
 Flavescens (Orophus), 465.
 Flavescens (Pacilemon), 379.
 Flavescens (Pseudorhynchus), 238.
 Flaviceps (Ischya), 481.

- Flavicornis* (*Oxyprora*), 236.
Flavifolium (*Typophyllum*), 351.
Flavifrons (*Aphonomorpha*), 105.
Flavifrons (*Aphonus*), 105.
Flavifrons (*Lichenochrus*), 317.
Flavipalpis (*Ectadoderus*), 58.
Flavipalpis (*Ornebius*), 58.
Flavipennis (*Leptodera*), 408.
Flavipennis (*Leptodera*), 408.
Flavipes (*Acheta*), 75.
Flavipes (*Ganoblemmus*), 47.
Flavipes (*Ecanthus*), 75.
Flavipes (*Trigonidium*), 78.
Flavirostris (*Conocephaloides*), 241.
Flavirostris (*Conorhynchus*), 241.
Flavispina (*Gryllodes*), 43.
Flavolimbata (*Prosa-goga*), 477.
Flavolimbatus (*Meroucidius*), 322.
Flavolineata (*Elimæa*), 395.
Flavolineatus (*Pseudorhynchus*), 238.
Flavomarginata (*Clinopleura*), 194.
Flavopicta (*Alluaudiella*), 47.
Flavopicta (*Alluaudia*), 47.
Flavoscripta (*Copiophora*), 232.
Flavoscripta (*Copiophora*), 232.
Flavovittata (*Ephippigera*), 165.
Flavovittatus (*Ephippiger*), 165.
Flavovittatus (*Steropleurus*), 165.
Flavum (*Anisoptera*), 277.
Flavum (*Xiphidium*), 277.
Fletcheri (*Drymadusa*), 180.
Flexuosa (*Cædicia*), 415.
Flexuosocercata (*Dia-stella*), 416.
Florezi (*Antaxius*), 189.
Floridana (*Ambly-corypha*), 460.
Floridensis (*Cyrtophyl-lus*), 344.
Floridensis (*Lea*), 344.
Focalis (*Onosandrus*), 121.
Fœda (*Rhaphidophora*), 124.
Foliata (*Eustalia*), 362.
Foliata (*Stalia*), 362.
Follicauda (*Barbitistes*), 390.
Foraminata (*Plangio-psis*), 426.
Foraminatus (*Paræcanthus*), 96.
Forbesi (*Ecanthus*), 75.
Forceps (*Calyptotrypus*), 94.
Forceps (*Chloroscirtus*), 453.
Forceps (*Madasumma*), 94.
Forceps (*Rhipipteryx*), 11.
Forcipata (*Poreuomema*), 428.
Forcipata (*Scudderia*), 446.
Forcipatus (*Gryllodes*), 43.
Forcipatus (*Thaumas-pis*), 373.
Foreli (*Ctenophlebia*), 472.
Foreli (*Thliptoblem-mus*), 47.
Foreli (*Viadana*), 472.
Forficata (*Xiphidiopsis*), 284.
Forficata (*Xyphidiopsis*), 284.
Forficularis (*Leptogryl-lus*), 110.
Forficularis (*Prognathogryllus*), 110.
Formicarum (*Myrmeco-phila*), 55.
Formidabilis (*Acantho-dis*), 314.
Formidabilis (*Dicant-hodis*), 314.
Formosum (*Anisoptera*), 283.
Formosum (*Xiphidium*), 283.
Formosus (*Ecanthus*), 76.
Forreriana (*Hemiadeo-psylla*), 130.
Forstenii (*Holochlora*), 431.
Forstenii (*Locusta*), 431.
Forstenii (*Phylloptera*), 431.
Forticeps (*Gryllus*), 38.
Fortior (*Hypocophus*), 119.
Fortipes (*Acanthogryl-lus*), 23.
Fortipes (*Gryllus*), 23.
Fortipes (*Nessa*), 108.
Fortipes (*Parametropa*), 108.
Fortis (*Acanthoproctus*), 159.
Fortis (*Cleandrus*), 295.
Fortis (*Heterodes*), 159.
Fortis (*Pseudophyllus*), 295.
Fossa (*Acheta*), 8.
Fossor (*Curtila*), 6.
Fossor (*Gryllotalpa*), 6.
Fossor (*Tridactylus*), 8.
Fossor (*Xya*), 8.
Fosteri (*Phylloptera*), 473.
Fragosoi (*Discoptila*), 52.
Fragosoi (*Gryllomorpha*), 52.
Fragosoi (*Gryllomor-phus*), 52.
Francoisi (*Ityocephalus*), 366.
Francoisi (*Salomona*), 265.
Fraserensis (*Tænioptera*), 433.
Fraserensis (*Tanzeda*), 433.
Fratellus (*Conocephaloides*), 244.
Fratellus (*Conorhynchus*), 244.
Fratellus (*Triencentrus*), 323.
Frater (*Anabropsis*), 117.
Frater (*Conorhynchus*), 244, 248.
Frater (*Eriolus*), 231.
Frater (*Eugaster*), 158.
Frater (*Pachytrachelus*), 197.
Frater (*Seleneolates*), 117.
Fraterna (*Rhipipteryx*), 12.
Fraternus (*Cocconotus*), 334.
Freycinetiæ (*Paratrigoni-dium*), 79.
Frivaldskyi (*Barbitistes*), 382.

- Friwaldskyi* (*Olynthoscelis*), 200.
Friwaldskyi (*Pholidoptera*), 200.
Friwaldskyi (*Thamno-trizon*), 200.
Friwaldskyi (*Thamno-trizon*), 200.
Froggatti (*Ephippitytha*), 413.
Frontalis (*Chlorobalius*), 190.
Frontalis (*Gryllacris*), 142.
Frontalis (*Gryllus*), 31.
Frontalis (*Laurepa*), 144.
Frontalis (*Mecopoda*), 365.
Frontalis (*Podoscirtus*), 104.
Frontalis (*Sthenaropoda*), 365.
Fruhstorferi (*Ctenophlebia*), 471.
Fruhstorferi (*Hexacentrus*), 288.
Fruhstorferi (*Trachyzulpha*), 408.
Fruhstorferi (*Viadana*), 471.
Frutetorum (*Ischyra*), 484.
Fuliginosa (*Acheta*), 22.
Fuliginosa (*Gryllus*), 22.
Fuliginosa (*Locusta*), 22.
Fuliginosa (*Madasumma*), 93.
Fuliginosa (*Sathrophylia*), 307.
Fuliginosus (*Capnobotes*), 181.
Fuliginosus (*Gryllus*), 34.
Fuliginosus (*Platyderis*), 93.
Fulva (*Cyrtoxipha*), 82.
Fulva (*Echinacris*), 326.
Fulva (*Ectadia*), 397.
Fulva (*Rhaphidophora*), 124.
Fulvescens (*Orocharis*), 99.
Fulvipennis (*Gryllus*), 36.
Fulvipes (*Curtilla*), 5.
Fulvipes (*Gryllotalpa*), 5.
Fulvus (*Amusurgus*), 83.
Fulvus (*Brachytripes*), 22.
Fulvus (*Chacroparnops*), 326.
Fulvus (*Cyrtoxiphus*), 82.
Fumatus (*Eonius*), 150.
Fumigata (*Gryllacris*), 139.
Fumosa (*Gryllacris*), 145.
Fumosa (*Xerophyllopteryx*), 311.
Fumosa (*Xeropteryx*), 311.
Funus (*Merocidius*), 332.
Funambulus (*Heterotrypus*), 91.
Funebris (*Gryllacris*), 140.
Funesta (*Phæophilacris*), 71.
Funesta (*Phæophyllacris*), 71.
Fureata (*Anaulacomera*), 466.
Fureata (*Pterophylla*), 344.
Fureata (*Scudderia*), 445.
Fureatum (*Idiarthron*), 328.
Furentus (*Anisotrypus*), 102.
Fureatus (*Dicranacrus*), 270.
Fureatus (*Pterophyllus*), 344.
Furcifer (*Dicranacrus*), 269.
Furcifer (*Dicranacrus*), 269.
Furcifera (*Ecella*), 468.
Furcifera (*Phaneroptera*), 436.
Furcifera (*Scudderia*), 445.
Furculata (*Scudderia*), 445.
FURNIA, 468.
Furva (*Cyrtoxipha*), 81.
Furvus (*Cyrtoxiphus*), 81.
Fusca (*Agnapha*), 437.
Fusca (*Capnoptera*), 309.
Fusca (*Carcinopsis*), 117.
Fusca (*Chelidoptera*), 210.
Fusca (*Locusta*), 276, 282.
Fusca (*Platyceis*), 210.
Fusca (*Typhoptera*), 309.
Fusca (*Xiphidion*), 276.
Fusca (*Xiphidion*), 277.
Fuscescens (*Aprion*), 299.
Fuscescens (*Decticus*), 215.
Fuscescens (*Locusta*), 299.
Fuscescens (*Promeca*), 299.
Fuscescens (*Sanabria*), 412.
Fuscens (*Tettigonia*), 215.
Fuscicornis (*Trigoni-dium*), 78.
Fuscicornis (*Amphicausta*), 68.
Fuscicornis (*Amphicaustes*), 68.
Fuscicornis (*Homæoxiphus*), 78.
Fuscicornis (*Metioche*), 78.
Fuscicornis (*Phalangopsis*), 68.
Fuscicornis (*Scapipedus*), 45.
Fuscifrons (*Aphidnia*), 411.
Fuscifrons (*Dysonia*), 411.
Fuscifrons (*Gryllacris*), 144.
Fuscinevis (*Calyptotrypus*), 94.
Fuscinevis (*Conocephaloides*), 248.
Fuscinevis (*Conocephalus*), 248.
Fuscinevis (*Gryllacris*), 141.
Fuscinevis (*Madasumma*), 94.
Fuscinevis (*Paræcutus*), 94.
Fuscipennis (*Diplacusta*), 63.
Fuscipennis (*Diplacustes*), 63.
Fuscipennis (*Lernece*), 63.
Fuscipes (*Conocephalus*), 250.
Fuscipes (*Ceanthus*), 74.
Fuscolatus (*Lichenocerus*), 317.
Fuscofasciatus (*Maxentius*), 114.
Fuscomarginatus (*Conocephalus*), 241.
Fusconotata (*Isophya*), 385.
Fusconotatus (*Leptogryllus*), 110.
Fuscopunctata (*Cacopterus*), 193.

Fuscopunctata (Homotoicha), 149.
 Fuscospinosa (Holochlora), 431.
 Fuscostriatus (Conocephaloides), 274.
 /4 *Fuscostriatus* (Conocephalus), 274.
 /4 *Fuscoterminalis* (Eremus), 150.
 Fuscum (Anisoptera), 276.
Fusum (Xiphidium), 276, 277.
 Fuscus (Meroncidius), 322.
 Fuscus (Segestes), 359.
 Fuscus (Stenopelmatus), 112.
 Fuscus (Teleutias), 341.
 Fusifera (Hemideina), 115.
 Fusiformis (Ceuthophilus), 132.
 Fusiformis (Hapithus), 98.
Fusiformis (Orocharis), 98.
 Fussi (Pecilemon), 377.
 Gabunensis (Arantia), 406.
 Gaimardi (Cardiodactylus), 88, 89.
Gaimardi (Platydictylus), 88.
 Galapagensis (Gryllus), 38.
 Galbana (Goetia), 428.
 Galitzini (Paradrymadusa), 180.
Galla (Tridactylus), 8.
 GALLIENIA, 264.
 Gallina (Paraphidnia), 411.
 Gamma (Salomona), 265.
 GAMMAROPARNOPS, 137.
 GAMMAROTETTIX, 129.
 GAMPSOCLEIS, 184.
 GANOBLEMMUS, 47.
 Gansuicus (Gymnaeta), 125.
 Garleppi (Chaeroparnops), 326.
 Gaudickaudi (Phalangopsis), 70.
 Gaumeri (Anchiptolis), 327.
 Gaumeri (Orocharis), 99.

Gavorniensis (Locusta), 219.
 GELATOPŒA, 439.
 GELATOPOIA, 439.
 Gemina (Gryllacris), 146.
 Geminum (Typophyl-lum), 352.
Geniculare (Xiphidium), 283.
 Genicularis (Hemideop-sylla), 129.
 Genicularis (Phyllo-zelus), 300.
 Geniculata (Dolicho-poda), 126.
 Geniculata (Holochlora), 431.
Geniculata (Raphidophora), 126.
 Geniculatus (Anthra-cites), 263.
 Geniculatus (Eremus), 150.
 Geniculatus (Oxyste-thus), 257.
 Gennalis (Gryllacris), 140.
 Genufusea (Gryllacris), 147.
 Genuteres (Dapanera), 424.
Germanica (Decticus), 186.
Germanica (Pterolepis), 186.
Germanica (Rhacocleis), 186.
 Germanus (Acantho-plus), 155.
 Gessardi (Pterolepis), 186.
 Gestri (Arantia), 407.
 Ghiliani (Anoneconotus), 184.
 Gibbosus (Atlanticus), 181.
 Gigantea (Dailimia), 128.
 Gigantea (Deinaerida), 114.
Gigantea (Hemideina), 114.
Gigantea (Saga), 225.
Gigantea (Udecopsylla), 128.
Giganteum (Platypkyl-lum), 360.
Giganteus (Gryllus), 223.
Giganteus (Tettigonia), 223.
Gigas (A helia), 21.
 Gigas (Engaster), 159.

Gigas (Pseudorhynchus), 238.
 Gigas (Trigonidium), 78.
 Gigliotosi (Lamniceps), 232.
 Gigliotosi (Leptotettix), 339.
 Gilva (Cyrtoxipha), 80.
Gileus (Cyrtoxiphus), 80.
Glaber (Decticus), 184.
Glaber (Gampsocleis), 184.
 Glaberrimum (Orcheli-mum), 272.
Glaberrimum (Xiphi-dium), 272.
 Glabra (Gampsocleis), 184.
Glabra (Gampsocleis), 185.
Glabra (Locusta), 184.
Glabratus (Acanthodis), 322.
 Glabratus (Meroncidius), 322.
Glabricauda (Barbitis-tes), 386, 390.
 Glabricauda (Odontura), 386.
 Gladiator (Conocephaloides), 247.
Gladiator (Conocephalus), 247.
 Gladiator (Gryllacris), 140.
Gladiator (Locusta), 140.
 Gladiator (Orchelinum), 271.
 Gladiatum (Anisoptera), 278.
Gladiatum (Xiphidium), 278.
Gladius (Brisilis), 321.
 Gladius (Liostethus), 235.
 Glandiatrix (Tomeo-pha), 470.
 GLAPHYRONOTUS, 262.
 GLAPHYROSOMA, 119.
Glaucescens (Orchelinum), 273.
Glaucescens (Phanero-ptero), 417.
 Glaucescens (Sym-machis), 417.
 Globifer (Conocephaloides), 245.
Globifer (Conocephalus), 245.

- Globosus* (Cocconotus), 334.
Glomerina (*Gryllacris*), 151.
Glomerinus (Eremus), 151.
 GLYPHONOTUS, 220.
 GNATHOCLITA, 330.
Godeffroyi (*Agræcia*), 265.
Godeffroyi (*Salomona*), 265.
Godeffroyi (*Salomona*), 265.
 GODMANELLA, 453.
 GOETIA, 428.
 GONATOXIA, 424.
 GONYATOPUS, 302.
Gossypii (*Gryllus*), 29.
Gracile (*Aprion*), 304.
Gracile (*Glaphyrosoma*), 120.
Gracile (*Orchelimum*), 272.
Gracile (*Orchelimum*), 271.
Gracile (*Stenoschema*), 319.
Gracile (*Trigonidium*), 81, 83.
Gracilimum (*Xiphidium*), 271.
Gracilipes (*Anisotochra*), 397.
Gracilipes (*Arethaea*), 443.
Gracilipes (*Ceuthophilus*), 131.
Gracilipes (*Conocephaloides*), 248.
Gracilipes (*Conocephalus*), 248.
Gracilipes (*Ephippitytha*), 443.
Gracilipes (*Gryllus*), 32.
Gracilipes (*Hemideina*), 397.
Gracilipes (*Nannagræcia*), 263.
Gracilipes (*Phalangopsis*), 131.
Gracilipes (*Phisis*), 286.
Gracilipes (*Phylloptera*), 473.
Gracilipes (*Teuthras*), 286.
Gracilis (*Aistus*), 127.
Gracilis (*Anaulacomera*), 467.
Gracilis (*Barbitistes*), 377.
Gracilis (*Caulopsis*), 240.
Gracilis (*Conocephaloides*), 250.
Gracilis (*Conocephalus*), 247, 250.
Gracilis (*Copiophora*), 231.
Gracilis (*Copiphora*), 231.
Gracilis (*Cyrtoxipha*), 83.
Gracilis (*Ephippigera*), 186.
Gracilis (*Ephippigerida*), 186.
Gracilis (*Euthyrrhachis*), 452.
Gracilis (*Gryllacris*), 141.
Gracilis (*Gryllus*), 74.
Gracilis (*Hyperphroua*), 475.
Gracilis (*Ischnomela*), 338.
Gracilis (*Locusta*), 441.
Gracilis (*Nemobius*), 15.
Gracilis (*Oëanthus*), 74.
Gracilis (*Pachytrachelus*), 197.
Gracilis (*Phaneroptera*), 436.
Gracilis (*Phaula*), 426.
Gracilis (*Phyllopalpus*), 81.
Gracilis (*Plagiopleura*), 452.
Gracilis (*Rhaphidophora*), 124.
Gracilis (*Silicofera*), 369.
Gracilis (*Thamnotrizon*), 197.
Gracillima (*Caulopsis*), 240.
Gracillima (*Hormilia*), 442.
Gracillima (*Insara*), 442.
Gracillimum (*Anisoptera*), 275.
Gracillimum (*Xiphidium*), 275.
Gracillimus (*Conocephalus*), 240.
Græfli (*Corycus*), 367.
Grællsii (*Pycnogaster*), 174.
Grallator (*Ægipan*), 443.
Grallatoria (*Horatosphaga*), 392.
Grallatoria (*Phaneroptera*), 392.
Grallatoria (*Plegmatoptera*), 392.
Graminea (*Phylloptera*), 464.
Graminea (*Plangia*), 464.
Gramineus (*Orophus*), 463.
 GRAMMADERA, 469.
Grande (*Paratriginidium*), 80.
Grande (*Xiphidium*), 255.
Grandidieri (*Calyptotrypus*), 93.
Grandidieri (*Colossopus*), 270.
Grandidieri (*Madussumma*), 93.
Grandidieri (*Nemobius*), 15.
Grandidieri (*Brachytrypes*), 22.
Grandifolia (*Cycloptera*), 353.
Grandioccellata (*Tanusia*), 348.
Grandis (*Amphicæusta*), 68.
Grandis (*Amphicæustes*), 68.
Grandis (*Callimenus*), 177.
Grandis (*Ceuthophilus*), 131.
Grandis (*Diplophyllus*), 480.
Grandis (*Grylloalpa*), 5.
Grandis (*Idioderus*), 177.
Grandis (*Phyllophora*), 369.
Grandis (*Stipator*), 183.
Grandis (*Subria*), 255.
Grandis (*Tarpilia*), 480.
Graniger (*Cleandrus*), 295.
Graniger (*Pseudophyllus*), 295.
Granosa (*Diacanthodis*), 315.
Granosus (*Bliastes*), 331.
Granulata (*Zichya*), 179.
Granulatus (*Ephippiger*), 179.
Granulicollis (*Mateus*), 291.
Granulosa (*Ctenophlebia*), 471.
Granulosa (*Euthypoda*), 361.
Granulosa (*Leptoscurtus*), 361.
Granulosa (*Mecopoda*), 361.
Granulosa (*Viadana*), 471.

- Granulosum (Leurophyllum), 320.
 Granulosum (Lisso-phyllum), 321.
 Granulosum (Platy-phyllum), 321.
 Granulosum (Platy-phyllum), 320.
 Granulosus (Lepto-scirtus), 361.
 Granulosus (Phyllo-minus), 209.
 Gratiola (Euparthenus), 408.
 Gratiola (Gampsocleis), 185.
 Gratiolus (Decticus), 185.
 Gratiolus (Gampsocleis), 185.
GRAVENREUTHIA, 430.
 Gravidus (Adenes), 323.
 Grioleti (Oxyseclus), 303.
 Grioleti (Tympanoptera), 303.
 Grisea (Acanthodis), 349.
 Grisea (Drymadusa), 180.
 Grisea (Locusta), 203.
 Grisea (Platygeleis), 204.
 Grisea (Tetana), 401.
 Grisea (Uchucha), 263.
 Griseoptera (Locusta), 202.
 Griseoptera (Olynthoscelis), 202.
 Griseoptera (Pholidoptera), 202.
 Griseopterus (Thamnortizon), 202.
 Griseus (Brisilis), 319.
 Griseus (Decticus), 204, 205.
 Griseus (Gryllus), 57.
 Griseus (Liphoplus), 57.
 Griseus (Mogisoplistes), 57.
 Griseus (Mogisoplistes), 57.
 Griseus (Nemobius), 17.
 Griseus (Platygeleis), 204, 205.
GRYLLACRINÆ, 139.
GRYLLACRIS, 139.
 Gryllacroides (Apio-tarsus), 20.
GRYLLACROPSIS, 118.
GRYLLODERES, 39.
GRYLLODES, 39.
 Gryllodes (Gryllus), 99.
 Gryllodes (Orocharis), 99.
 Grylloides (Piliger), 454.
GRYLLOMORPHA, 52.
GRYLLOMORPHUS, 52.
GRYLLOMYIA, 72.
GRYLLOTALPA, 3.
 Gryllotalpa (Acheta), 4.
 Gryllotalpa (Curtilla), 4.
 Gryllotalpa (Gryllotalpa), 5.
 Gryllotalpa (Gryllus), 4.
GRYLLUS, 24, 27.
GRYPORHYNCHUS, 234.
 Guadeloupensis (Acheta), 24.
 Guadeloupensis (Gryllodes), 24.
 Guanehicus (Gryllus), 28.
 Guatemalæ (Amblyco-rypha), 460.
 Guatemalæ (Paracanthus), 94.
 Guatemalæ (Stenopel-matus), 112.
 Guentheri (Naunotettix), 337.
 Guerini (Liphoplus), 57.
 Guerini (Ornebius), 57.
 Guerinianus (Liphoplus), 58.
 Guerinianus (Ornebius), 58.
 Guineense (Anisoptera), 280.
 Guineense (Xiphidium), 280.
 Guineensis (Homoxiphus), 78.
 Guineensis (Metioche), 78.
 Gundlachi (Cyrtoxipha), 82.
 Gundlachi (Cyrtoxiphus), 82.
 Gundlachi (Erechthis), 255.
 Gundlachi (Nemobio-psis), 63.
 Gundlachi (Polyancis-troides), 342.
 Gundlachi (Pseudan-cistrus), 342.
 Gundlachi (Subria), 255.
 Guttatu (Conocephalus), 242.
 Guttatipennis (Plangia), 464.
 Guttatipes (Catoptro-pteryx), 415.
 Guttatum (Leuro-phyllum), 320.
 Guttatum (Platy-phyllum), 320.
 Guttatus (Conocephal-oides), 242.
 Guttatus (Conocephalus), 242.
 Guttifrons (Apotrechus), 152.
 Guttiventris (Gryllus), 34.
 Guttulata (Philophyllia), 485.
 Guttulata (Protina), 417.
 Guttulosus (Ceutho-philus), 133.
 Guyemensis (Gryllodes), 43.
 Guyoni (Eugaster), 158.
 Guyoni (Eugaster), 159.
 Guyoni (Hetrodes), 158, 159.
 Guyonii (Eugaster), 158.
 Guyonii (Hetrodes), 159.
GYMNETA, 125.
GYMNETA, 125.
 Gymnica (Phaeophila-cris), 71.
 Gymnica (Phaeophylla-cris), 71.
GYMNOCERA, 454.
GYMNOGRYLLUS, 23.
GYMNOPLECTRON, 137.
GYMNOPROCTUS, 157.
GYMNOSCIRTUS, 366.
 Haani (Salomona), 266.
 Haanii (Cardiodactylus), 88.
 Haanii (Loxoblemmus), 46.
 Haanii (Metrypa), 108.
 Haanii (Metrypus), 108.
 Haanii (Phygela), 423.
 Haanii (Tafalisca), 108.
 Haanii (Trigonidium), 78.
 Habasqui (Hyperhomala), 368.
 Habasqui (Phyllophora), 368.
HABETIA, 260.
HABRA, 426.
HABROCOMES, 316.
HADENECUS, 135.
HADROSOMA, 374.
 Hadrus (Semiophygus), 301.

- ILÆMODIASMA**, 314.
Hageni (*Lobaspis*), 262.
Hageni (*Nicsara*), 262.
Hahneli (*Chæroparnops*), 326.
Haitensis (*Gryllacris*), 147.
Haldemanii (*Anabrus*), 183.
Haldemanii (*Stipator*), 183.
Halmaheræ (*Conocephaloides*), 250.
Halmaheræ (*Conocephalus*), 250.
Halmaturina (*Cædicia*), 414.
Halterata (*Simodera*), 354.
Hamata (*Isophya*), 383.
Hamata (*Pyrgocorypha*), 239.
Hamatus (*Conocephalus*), 239.
Hamatus (*Pœcilemon*), 376.
HAMMATOFERA, 409.
Hamuligera (*Morgenia*), 429.
HAPITHUS, 92. 97.
Harmandi (*Oxystethus*), 257.
Harpago (*Anaulacomera*), 468.
HARPOSCEPA, 442.
Harrisoni (*Pseudophyllus*), 294.
Hastata (*Ephippigera*), 162.
Hastata (*Grammadera*), 469.
Hastata (*Hemisaga*), 228.
Hastata (*Locusta*), 280.
Hastata (*Odontolakis*), 268.
Hastata (*Pyrgocorypha*), 238.
Hastatum (*Anisoptera*), 280.
Hastatum (*Xiphidium*), 280.
Hastatum (*Xyphidium*), 280.
Hastatus (*Nemobius*), 17.
Hastatus (*Peltastes*), 216.
Hastatus (*Psorodontus*), 216.
Hastatus (*Pterolepis*), 216.
Hastatus (*Pyrgocoryphus*), 238.
Hastatus (*Scapsipedus*), 45.
Hastatus (*Uromenus*), 162.
Hastifer (*Conocephalus*), 233.
Hastifer (*Pseudorhynchus*), 238.
Hastiferus (*Phrixoenemis*), 134.
Hawaiiensis (*Conocephaloides*), 250.
Hebarði (*Falcicula*), 87.
Hebes (*Conocephaloides*), 246.
Hebes (*Conocephalus*), 246.
Hebetata (*Otiophysa*), 420.
Hebræus (*Gryllodes*), 41.
Hecticum (*Anisoptera*), 280.
Hecticum (*Xiphidium*), 280.
Hector (*Landrevus*), 50.
Hector (*Paralandrevus*), 50.
HECTORIA, 413.
Hedephonus (*Ectecons*), 65.
Helleri (*Typophyllum*), 351.
Helmis (*Ametrosomus*), 153.
Helvola (*Madasumma*), 94.
Helvolus (*Calyptotrypus*), 94.
Helvolus (*Gryllus*), 91, 95.
Helvolus (*Orocharis*), 100.
Helvolus (*Phalangopsis*), 91, 95.
Helvolus (*Platyldactylus*), 94.
Hemelytrus (*Encoptera*), 102.
Hemelytrus (*Euseirtus*), 102.
Hemelytrus (*Euseyrtus*), 102.
Hemelytrus (*Gryllodes*), 42.
Hemelytrus (*Gryllus*), 102.
HEMICLONIA, 226.
HEMICOPHUS, 69.
HEMIDEINA, 114.
HEMIELIMÆA, 397.
HEMIGRYLLUS, 20.
HEMIGYRUS, 297.
HEMIHETRODES, 155.
HEMIPIHONUS, 101.
Hemiptera (*Landreva*), 51.
Hemipterus (*Conocephalus*), 279.
Hemipterus (*Landrevus*), 51.
HEMISAGA, 228.
HEMIUDEOPSYLLA, 129.
HENICUS, 122.
Henshawi (*Ceuthophilus*), 129.
Henshawi (*Marsa*), 129.
Herbaceum (*Orchelimum*), 272.
Herbstii (*Anostostoma*), 122.
Herninæus (*Polyglochis*), 312.
Heringi (*Eucatopta*), 437.
Hermannii (*Idiostatus*), 193.
Hermannii (*Steiroxys*), 193.
Hernsdorfensis (*Gryllus*), 31.
Heros (*Ceuthophilus*), 132.
Heros (*Gryllacris*), 145.
Heros (*Macrochiton*), 338.
Heros (*Metrypus*), 107.
Heros (*Tafaliscus*), 107.
HETAIRA, 478.
Heteracantha (*Anostostoma*), 114.
Heteracantha (*Deinacrida*), 114.
Heteracanthus (*Oxystethus*), 257.
HETERECOUS, 107.
HETEROGRYLLUS, 65.
HETEROMALLUS, 136.
Heteromorpha (*Pantolepta*), 394.
HETEROPUS, 8. 11.
Heteropus (*Conocephaloides*), 245.
Heteropus (*Conocephalus*), 244, 245.
Heteropus (*Nemobius*), 16.
HETEROTRYPUS, 91.
HETRODES, 153.
HETRODINÆ, 153.
Hewaniana (*Acridoxena*), 362.
HEXACENTRUS, 287.
Hexalactyla (*Gryllotalpa*), 2, 3.

- Hexadactyla* (*Neocurtilla*), 2.
Heydeni (*Eneoptera*), 89.
Heydeni (*Ligypterus*), 89.
Heydenii (*Gryllus*), 14.
Heydenii (*Nemobius*), 14.
Hieroglyphica (*Gryllacris*), 142.
Hilaris (*Lichenochrus*), 317.
Hildebrandtiana (*Pernura*), 391.
Hiloesis (*Brachymetopa*), 254.
 HIMERTA, 400.
Hippolyti (*Anepisceptus*), 157.
 IIRPINUS, 66.
Hirsuta (*Cædicia*), 415.
Hirsuta (*Curtilla*), 5.
Hirsuta (*Gryllotalpa*), 5.
Hirsutulus (*Gryllus*), 49.
Hirsutulus (*Nemobius*), 19.
Hirtellus (*Podoseirtus*), 104.
Hirticauda (*Myrmecophila*), 54.
Hirticollis (*Gryllus*), 15.
Hispanica (*Ephippiger*), 167.
Hispanica (*Ephippigerida*), 167.
Hispanica (*Locusta*), 219.
Hispanica (*Phasgonura*), 219.
Hispanicus (*Antaxius*), 189.
Hispanicus (*Ephippiger*), 167.
Hispidæ (*Chæroparnops*), 326.
Hispidæ (*Echinacris*), 326.
Histrio (*Catasparata*), 352.
Histrio (*Ellipes*), 11.
Histrio (*Gryllodes*), 42.
Histrio (*Heteropus*), 11.
Histrio (*Homæoxiphus*), 80.
Histrio (*Nemobius*), 16.
Histrio (*Stenopelmatus*), 112.
Histrio (*Tridactylus*), 11.
Histrionicus (*Ellipes*), 11.
Histrionicus (*Heteropus*), 11.
Histrionicus (*Loxoblemmus*), 46.
Histrionicus (*Tridactylus*), 11.
Hiulus (*Gryllodes*), 42.
Hœgei (*Tanusia*), 349.
Hoegii (*Phrica*), 477.
Hoehneli (*Phlegmatoptera*), 392.
Hofmanni (*Calypotrypus*), 95.
Hofmanni (*Gryllodes*), 41.
Hofmanni (*Madasumma*), 95.
 HOLOCHLORA, 430.
Holzi (*Pæcilonon*), 377.
 HOMALOBLEMMUS, 45.
 HOMALOTRYPUS, 103.
Homæacanthus (*Oxystelus*), 257.
 HOMŒOGRYLLUS, 66.
 HOMŒOXIPHA, 80.
 HOMŒOXIPHUS, 80.
 HOMOTOICHA, 449.
Honorabilis (*Rhomboptera*), 294.
Honorei (*Anisoptera*), 283.
Honori (*Xyphidium*), 283.
 HOPLIDOSTYLUS, 324.
Hoplomachus (*Conocephaloides*), 248.
Hoplomachus (*Conocephalus*), 248.
 HORATOSPILAGA, 392.
Hordifolia (*Locusta*), 437.
Hordeifolia (*Phaneroptera*), 437.
 HORMILIA, 442.
Horrida (*Heterodes*), 157.
Horrida (*Locusta*), 157.
Horridus (*Anepisceptus*), 157.
Horridus (*Heterodes*), 157.
Horridus (*Hexacentrus*), 222.
Horridus (*Pornotrips*), 157.
Horridus (*Terpandrus*), 222.
Horvathi (*Phyllophora*), 369.
Hospes (*Archæta*), 17.
Hospes (*Cædicia*), 415.
Hospodar (*Jaquetia*), 380.
Hova (*Calypotrypus*), 93.
Hova (*Euscirtus*), 101.
Hova (*Euscirtus*), 101.
Hova (*Madasumma*), 93.
Howarthæ (*Acanthopæctus*), 159.
Huasteca (*Amblycorypha*), 460.
Huasteca (*Phylloptera*), 460.
Hudsoni (*Pleioplectron*), 138.
Humbertiana (*Metioche*), 78.
Humbertiana (*Scutotribonia*), 298.
Humbertianus (*Homæoxiphus*), 78.
Humbertiellus (*Stephoblemmus*), 47.
Humeralis (*Brachytrypus*), 23.
Humeralis (*Gryllus*), 23.
Humeralis (*Gymnogryllus*), 23.
Humilis (*Acanthodis*), 313.
Humilis (*Onosandrus*), 121.
Humilis (*Orpacophora*), 313.
Haoniensis (*Polichne*), 419.
Huttoni (*Hemideina*), 114.
Huttoni (*Macropathus*), 139.
Hyalina (*Gryllacris*), 146.
Hyadina (*Nisitra*), 87.
Hyalinus (*Nisitra*), 87.
Hybrida (*Sciobia*), 50.
Hybridus (*Aprosphyllus*), 216.
Hybridus (*Platyblemmus*), 50.
Hydratinoptera (*Arantia*), 406.
Hydrocephalus (*Stenopelmatus*), 112.
Hydrodroma (*Rhipipteryx*), 12.
 HYDROPEDETIUS, 84.
Hygracantha (*Machima*), 410.
Hygrophilus (*Gryllus*), 31.
 HYPERBÆNUS, 148.
Hyperborea (*Cymatomera*), 306.
 HYPERHOMALA, 368.
Hypericifolia (*Gryllus*), 344.
Hypericifolia (*Pterophylla*), 344.
Hypericifolia (*Tettigonia*), 311.

- Hypericifolius* (*Cyrtophyllus*), 344.
 HYPEROMALA, 368.
 HYPEROMERUS, 255.
 HYPEROPHORA, 402.
 HYPERPIRONA, 475.
 HYPOCOPHUS, 119.
Hystrix (*Machima*), 410.
Hystrix (*Markia*), 410.
Hystrix (*Phaneroptera*), 410.

 Ibericus (*Gryllodes*), 40.
 Ichneumonius (*Conocephaloides*), 242.
Ichneumonius (*Conocephalus*), 242.
 Ictum (*Anisoptera*), 281.
Ictum (*Xiphidium*), 281.
 IDIARTHON, 328.
 IDODERUS, 177.
 IDIONOTUS, 194.
 IDIOSTATUS, 193.
Idomenæi (*Ephippigera*), 163.
Idomenæi (*Steropleurus*), 163.
 Ignobilis (*Cocconotus*), 336.
 Ignobilis (*Gryllus*), 32.
Ignobilis (*Gryllus*), 34.
 Illinoiensis (*Tridactylus*), 10.
Illustrata (*Pterochroza*), 348.
Illustrata (*Tæniomena*), 348.
 Imbecillus (*Gryllodes*), 43.
 Imbecillus (*Gryllacris*), 146.
Imhoffiana (*Acanthodis*), 314.
Imhoffiana (*Calamoptera*), 314.
 Imitator (*Cyrtoxipha*), 82.
Imitator (*Cyrtoxiphus*), 82.
 Immaculata (*Gonatoxia*), 424.
Immaculipennis (*Acanthodis*), 311.
Immaculipennis (*Catoptropteryx*), 415.
 Imunda (*Lacipoda*), 302.
Immanis (*Aprion*), 305.
 Immanis (*Leptotettix*), 310.
Immunis (*Meronicidius*), 340.

 Immunis (*Morsinus*), 305.
Immunis (*Tarphac*), 308.
 Immunis (*Tegra*), 308.
Imperator (*Mecopoda*), 363.
 Imperfecta (*Neobarrettia*), 182.
Imperfectus (*Campobates*), 182.
Imperialis (*Acanthodis*), 309.
Imperialis (*Locusta*), 319.
 Imperialis (*Pseudophyllanax*), 360.
 Imperialis (*Sanaa*), 309.
Imperialis (*Termera*), 309.
 Impictus (*Borborothis*), 118.
Impictus (*Onosandrus*), 118.
Inalata (*Diplacustes*), 63.
Inalata (*Larnaca*), 63.
Inalata (*Euthypoda*), 361.
Inalata (*Mecopoda*), 361.
Inalatus (*Apteroscirtus*), 361.
 Inca (*Cocconotus*), 335.
Incarnatus (*Gryllus*), 481.
Incarnatus (*Locusta*), 481.
 Incarnatus (*Orophus*), 481.
Incerta (*Anaulacomera*), 468.
 Incerta (*Chelidoptera*), 207.
 Incerta (*Furnia*), 468.
 Incerta (*Gongrocnemis*), 326.
 Incerta (*Gryllacris*), 147.
Incerta (*Platyteleis*), 207.
 Incertus (*Conocephaloides*), 251.
Incertus (*Conocephalus*), 251.
 Incertus (*Gryllodes*), 43.
 Incertus (*Pœcilemon*), 377.
 Incertus (*Tridactylus*), 10.
Incisa (*Cycloptera*), 350.
Incisa (*Libanasa*), 117.
Incisa (*Mimetica*), 350.
Incisa (*Stilpnochlora*), 456.
 Incisum (*Microcentrum*), 456.
 Inclusa (*Pachypyga*), 392.
 Incommoda (*Apoecorycta*), 480.
 Incompta (*Cyrtoxipha*), 83.

Incompta (*Encoptera*), 83.
Inconspicua (*Amytta*), 373.
 Inconspicua (*Anaulacomera*), 467.
 Inconspicua (*Anepitacta*), 373.
 Inconspicua (*Gryllacris*), 143.
 Inconspicua (*Marenestha*), 404.
 Inconspicua (*Phaula*), 426.
 Inconspicua (*Tetragonomera*), 311.
Inconstans (*Anchiptolis*), 327.
 Incurvum (*Idiarthron*), 328.
Incurvus (*Meronicidius*), 328.
 Indecora (*Madasumma*), 94.
Indecorus (*Platydyctylus*), 94.
 Indianense (*Orchelimium*), 272.
 Indica (*Emptera*), 222.
 Indica (*Holochlora*), 430.
Indica (*Locusta*), 222.
Indica (*Phaneroptera*), 436.
 Indica (*Phaula*), 426.
Indica (*Saga*), 222.
 Indicator (*Conocephaloides*), 251.
Indicator (*Conocephalus*), 251.
 Indicus (*Conocephaloides*), 249.
Indicus (*Conocephalus*), 249.
 Indicus (*Homaloblemmus*), 45.
 Indicus (*Hypocophus*), 119.
 Indicus (*Nemobius*), 16.
 Indicus (*Oecanthus*), 74.
 Indigena (*Pterolepis*), 186.
Indistincta (*Olynthoscelis*), 199.
 Indistincta (*Pholidoptera*), 199.
 Indistinctus (*Bliastes*), 332.
Indistinctus (*Meronicidius*), 332.
Indivisa (*Dictyota*), 416.
Indivisa (*Torbia*), 416.
 Indivisus (*Anisotrypus*), 102.

- Iuermæ* (*Xiphidium*), 272.
Inermis (*Amblylakis*), 269.
Inermis (*Amblylakis*), 269.
Inermis (*Anaulocomera*), 467.
Inermis (*Bradyporus*), 173.
Inermis (*Cacopteris*), 193.
Inermis (*Cædicia*), 414.
Inermis (*Hyperhomala*), 368.
Inermis (*Phyllophora*), 368.
Inermis (*Polycleptes*), 311.
Inermis (*Pycnogaster*), 173.
Inermis (*Pyrgomorpha*), 239.
Inexpectatus (*Prognathogryllus*), 109.
Infecta (*Pterochroza*), 348.
Infecta (*Tanusia*), 348.
Inferior (*Lobaspis*), 261.
Inferior (*Niesara*), 261.
Infernalis (*Gryllus*), 33.
Inficita (*Meronecidius*), 316.
Inficita (*Pleminia*), 316.
Infirmus (*Philugis*), 285.
Infirmus (*Thysdrus*), 285.
Inflata (*Letana*), 400.
Inflata (*Lobaspis*), 261.
Inflata (*Niesara*), 261.
Inflata (*Pyrrhicia*), 400.
Inflata (*Tridactylus*), 8.
Inflata (*Xya*), 8.
Inflatus (*Callimexus*), 176.
Inflatus (*Conocephalus*), 293.
Inflatus (*Cratylus*), 293.
Indatus (*Hexacentrus*), 287.
Indatus (*Pæcilemon*), 376.
Infumata (*Gryllacris*), 146.
Infumata (*Vesclia*), 69.
Infumatum (*Anisoptera*), 278.
Infumatum (*Xiphidium*), 278.
Infumatus (*Lichenochrus*), 317.
Infumatus (*Phyllozelus*), 300.
Infuscata (*Euconchophora*), 269.
Infuscata (*Gymnocera*), 455.
Infuscata (*Paragryllacris*), 149.
Infuscata (*Phylloptera*), 473.
Infuscata (*Scaphura*), 455.
Infuscatus (*Conocephaloides*), 244.
Infuscatus (*Conocephalus*), 244.
Inhabilis (*Phrixocnemis*), 134.
Inhamata (*Tylopsis*), 442.
Innocentii (*Ephippiger*), 162.
Innocentii (*Uromenus*), 162.
Innotatus (*Leptotettix*), 340.
Innotatus (*Meronecidius*), 340.
Inornata (*Eugaster*), 158.
Inornata (*Palota*), 279.
Inornatus (*Eugaster*), 158.
Inornatus (*Meronecidius*), 323.
Inquinatus (*Ceuthophilus*), 134.
Inquinatus (*Gonyatopus*), 302.
Inquinatus (*Phyllominimus*), 300.
INSARA, 442.
Insignis (*Elimæa*), 395.
Insignis (*Gryllacris*), 149.
Insignis (*Landreva*), 51.
Insignis (*Landrevus*), 51.
Insignis (*Mormotus*), 324.
Insignis (*Nisitra*), 87.
Insignis (*Nisitrus*), 87.
Insignis (*Paragryllacris*), 141.
Insignis (*Phaneroptera*), 395.
Insolita (*Gryllacris*), 152.
Insolitus (*Apotrechus*), 52.
Instabilis (*Gryllus*), 33.
Insulana (*Megatoessa*), 447.
Insulanus (*Conocephaloides*), 250.
Insulanus (*Conocephalus*), 246, 250.
Insularis (*Anaulacomera*), 468.
Insularis (*Eneoptera*), 87.
Insularis (*Furma*), 468.
Insularis (*Gryllus*), 36.
Insularis (*Homæoxiphus*), 79.
Insularis (*Metioche*), 79.
Insularis (*Podoscirtus*), 104.
Insularis (*Pseudophyllanax*), 360.
Intacta (*Phylloptera*), 462.
Intactus (*Conocephaloides*), 253.
Intactus (*Conocephalus*), 253.
Integer (*Gonyatopus*), 302.
Integer (*Gryllus*), 36.
Integer (*Phyllominus*), 302.
Integricauda (*Parableta*), 453.
Interjectum (*Phyrama*), 354.
Intermedia (*Anaulacomera*), 466.
Intermedia (*Barbitistes*), 377.
Intermedia (*Chelidoptera*), 205.
Intermedia (*Gryllotalpa*), 3.
Intermedia (*Hormilia*), 442.
Intermedia (*Insara*), 442.
Intermedia (*Neocurtilla*), 3.
Intermedia (*Platyteleis*), 206.
Intermedia (*Pterophylla*), 344.
Intermedia (*Scaphura*), 454.
Intermedium (*Lissophyllum*), 321.
Intermedium (*Platyphyllum*), 321.
Intermedius (*Cyrtophyllus*), 344.
Intermedius (*Decticus*), 205.
Intermedius (*Meronecidius*), 323.
Intermedius (*Oxystethus*), 257.
Intermedius (*Platyteleis*), 205.
Intermedius (*Pæcilemon*), 377, 378.
Interruptus (*Conocephaloides*), 251.

- Interruptus* (*Conocephalus*), 251.
Interruptus (*Gryllus*), 26.
Inusta (*Salomona*), 266.
Inversa (*Anaulacomera*), 468.
Inversa (*Ctenophlebia*), 470.
Inversa (*Elimæa*), 395.
Inversa (*Viadana*), 470.
Inversus (*Aprion*), 305.
Inversus (*Morsimus*), 305.
Inversus (*Mustius*), 290.
Inversus (*Phyllominus*), 300.
Ionicus (*Pæcilemon*), 379.
Iris (*Anisoptera*), 279.
Iris (*Xiphidion*), 279.
Iris (*Xiphidium*), 279.
Irregularis (*Dapanera*), 424.
Irregularis (*Hyperphrona*), 476.
Irregularis (*Psacadonotus*), 258.
Irregularis (*Stenopelmatus*), 111.
Irregularis (*Talitropsis*), 136.
Irregularis (*Tylopsis*), 441.
Irregulariterdentatus (*Posidippus*), 459.
Irrorata (*Endacusta*), 69.
Irrorata (*Ephippitytha*), 413.
Irrorata (*Phaneroptera*), 413.
Irroratus (*Apithes*), 98.
Irroratus (*Calyptotrypus*), 94.
Irroratus (*Conocephalus*), 243.
Irroratus (*Endacustes*), 69.
Irroratus (*Ilapithus*), 98.
ISCHINOMELA, 338.
ISCHINOPHYLLUS, 257.
ISCHINOPTERA, 444.
ISCHYRA, 484.
ISOCHYROPLECTRON, 136.
Iselyi (*Amblycoryphus*), 460.
Isenii (*Cocconotus*), 336.
Isenii (*Cratonotus*), 336.
Isolatium (*Ischyroplectron*), 136.
Isolithus (*Ceuthophilus*), 136.
ISOPHYA, 383.
ISOPECTRON, 138.
ISOPSERA, 438.
Italica (*Gryllomorpha*), 73.
Italica (*Saga*), 225.
Italicus (*Gryllus*), 73.
Italicus (*Ecanthus*), 73.
ITARA, 91.
ITARISSA, 459.
ITOKHA, 428.
ITYROCEPHALA, 366.
IVENSIA, 405.
Jallæ (*Acanthoplus*), 155.
JAMAICANA, 322.
Jamaicensis (*Camptonotus*), 152.
Jansoni (*Diatrypa*), 93.
Jansoni (*Diatrypus*), 93.
Janus (*Nemobius*), 19.
Japonica (*Ductia*), 398.
Japonica (*Holochlora*), 431.
Japonica (*Locusta*), 398.
Japonica (*Phaneroptera*), 431.
Japonica (*Tettigonia*), 215.
Japonicum (*Anisoptera*), 282.
Japonicum (*Xiphidium*), 282.
Japonicus (*Decticus*), 215.
Japonicus (*Gryllus*), 9.
Japonicus (*Homægryllus*), 67.
Japonicus (*Phalangopsis*), 67.
Japonicus (*Tridactylus*), 9.
JAQUETTA, 380.
Javana (*Locusta*), 364.
Javana (*Mecopoda*), 364.
Javanica (*Holochlora*), 431.
Javanica (*Isotima*), 99.
Javanica (*Salomona*), 267.
Javanicum (*Anisoptera*), 282.
Javanicum (*Xiphidium*), 282.
Javanicus (*Conocephalus*), 239.
Javanicus (*Timanthes*), 302.
Javanicus (*Xestophrys*), 236.
Javanus (*Gryllus*), 364.
Javanus (*Nemobius*), 16.
Javanus (*Platyxyphus*), 62.
Javanus (*Podoscirtus*), 103.
JIMENEZIA, 338.
Jocosa (*Peringueyella*), 227.
Jonicus (*Barbitistes*), 376.
Jonicus (*Pæcilemon*), 376.
Jugicola (*Pyenogaster*), 174.
Jugicola (*Pyenogaster*), 174.
Juncea (*Phaneroptera*), 420.
Juncea (*Polichne*), 420.
Junghuhn (*Promecia*), 299.
Junghuhn (*Pseudophyllus*), 299.
Junior (*Gryllacris*), 145.
Jurinei (*Corycus*), 367.
Jurinei (*Corycus*), 367.
Juvenis (*Hyperbanus*), 148.
Kabyla (*Chelidoptera*), 205.
Kabyla (*Platypleis*), 205.
Kangaroo (*Euthypoda*), 365.
Kangaroo (*Macroscirtus*), 365.
Karschi (*Charisoma*), 366.
Karschi (*Corycus*), 367.
Karschi (*Disceratus*), 337.
Karschi (*Mecopoda*), 363.
KARSCHIA, 421.
Karschiana (*Harposcepa*), 442.
Kerkennensis (*Gryllodes*), 40.
Kerkennensis (*Gryllodes*), 40.
Keyica (*Hyperhomala*), 368.
Keyica (*Phylltophora*), 368.
KHEHTA 361.

- Kingsleyæ (Cosmoderus), 156.
Kirbii (Scaphura), 454.
 Kirschianus (Amusus), 65.
Kirschii (Gryllodes), 43.
Kochii (Cylindracheta), 7.
Kochii (Cylindrodes), 7.
 Koenigi (Calliphona), 219.
Kolenatii (Conocephalus), 218.
Kollarii (Platyplemmus), 49.
 Konowi (Drymadusa), 180.
 Kraussi (Amusus), 65.
 Kraussi (Antaxius), 189.
Kraussi (Antaxius), 189.
 Kraussi (Chelidoptera), 209.
 Kraussi (Conocephaloides), 247.
Kraussi (Conocephalus), 247.
 Kraussi (Corycus), 367.
 Kraussi (Isophya), 384.
Kraussi (Paradrymadusa), 189.
Kraussi (Platyplemmus), 209.
 Kraussi (Saga), 224.
 Kriechbaumeri (Hemigryllus), 20.
Krynickyi (Decticus), 206.
 Krueperi (Discoptila), 52.
Krueperi (Gryllomorpha), 52.
Krugi (Apithes), 100.
 Krugi (Laurepa), 100.
Krugi (Orochirus), 100.
Krugii (Liphoplus), 58.
Krugii (Ornebius), 58.
Krynickyi (Decticus), 206.
 Kutahiensis (Pœcilemon), 378.

 LACIPODA, 302.
Lacteipennis (Synmachis), 417.
 Lactuæ (Sasima), 368.
 LADNEA, 400.
 Læta (Gryllacris), 141.
Læta (Gryllacris), 142.
 Læta (Homalaspis), 338.
 Læticia (Gryllacris), 142.
 Lætum (Anisoptera), 278.
Lætum (Xiphidium), 278.
 Lævicauda (Symmetropleura), 447.
 Lævifrons (Bliastes), 331.
 Lævifrons (Salomona), 266.
 Lævigata (Gryllacris), 143.
Lævigata (Turpilia), 479.
 Lævigatus (Diplophylus), 479.
 Lævis (Loja), 260.
 Lævis (Phaula), 426.
 Lævis (Phylloptera), 474.
 Lævis (Schochia), 312.
Lævisstina (Odontura), 377.
 Lævissimus (Pœcilemon), 377.
 LAGARODES, 303.
Lalandæi (Clonia), 227.
 Lalandæi (Hemiclonia), 227.
Lalandæi (Clonia), 227.
 Lamellata (Anœdopoda), 362, 363.
Lamellatus (Gryllus), 362.
Lamellatus (Tettigonia), 362.
 Lamellosa (Cassigneta), 425.
Lamellosa (Meceopoda), 363.
Lamellosus (Gryllus), 363.
Lamellosus (Tettigonia), 363.
 Laminata (Homotoicha), 449.
 Laminifera (Plangia), 464.
 LAMNICEPS, 232.
 LAMPROGASTER, 171.
 Lanceolata (Abrodiæta), 469.
 Lanceolata (Anaulacomera), 468.
 Lanceolata (Cyrtoxipha), 83.
 Lanceolata (Elimæa), 395.
Lanceolata (Encoptera), 83.
Lanceolata (Gryllus), 360.
 Lanceolata (Hyperbomala), 368.
Lanceolata (Locusta), 243.
Lanceolata (Phyllophora), 268.
Lanceolata (Phylloptera), 480.
Lanceolata (Sexava), 360.
Lanceolata (Tettigonia), 360.
Lanceolatum (Microcentrum), 480.
Lanceolatum (Steiroidon), 395.
Lanceolatus (Ceuthophilus), 121.
Lanceolatus (Conocephalus), 238, 250.
Lanceolatus (Locusta), 238.
 Lanceolatus (Onosandrus), 121.
 Lanceolatus (Orophus), 480.
 Lanceolatus (Pseudorhynchus), 238.
 LANCIANA, 190.
 Lancifer (Conocephaloides), 241.
Lancifer (Conocephalus), 241.
Lancifera (Conocephalus), 241.
Lancifera (Coptiophora), 241.
 LANDREVA, 51.
 LANDREVUS, 51.
 LANISTA, 237.
Lanosa (Pleminia), 316.
 Lanosus (Habrocomes), 316.
 Lanzti (Odontolakis), 268.
Lapidicola (Ceuthophilus), 131, 132.
Lapidicola (Phalangopsis), 131.
 Lapidicolus (Ceuthophilus), 131.
Lapidicolus (Ceuthophilus), 131.
 Laplatæ (Gryllodes), 43.
Laplatæ (Gryllus), 43.
Laqueatus (Gryllus), 32.
 Laqueatus (Heterotrypus), 91.
 LARANDA, 64.
 LARANDUS, 64.
 Larrapintæ (Nemobius), 16.
Lathrarum (Phalangopsis), 127.
 Latebricola (Ceuthophilus), 131.
Lathricola (Phalangopsis), 127.
 Latelineolata (Gryllacris), 149.

- Latens* (Ceuthophilus), 132.
Lateralis (Agræcia), 257.
Lateralis (Anelytra), 257.
Lateralis (Barbitistes), 378.
Lateralis (Cyrtoxipha), 81.
Lateralis (Eneoptera), 81.
Lateralis (Gryllodes), 40.
Lateralis (Gryllus), 40.
Lateralis (Nemobius), 15.
Lateralis (Penalva), 118.
Lateralis (Pœcilemon), 378.
Latevittatum (Phlaurocentrum), 422.
Latibuli (Ceuthophilus), 131.
Laticauda (Anaulacomera), 467.
Laticauda (Chelidoptera), 206.
Laticauda (Leptophyes), 389.
Laticauda (Odontura), 377, 389.
Laticauda (Orchelimum), 273.
Laticauda (Platygleis), 206.
Laticauda (Scudderia), 445.
Laticauda (Xiphidium), 273.
Laticeps (Conocephaloides), 247.
Laticeps (Conocephalus), 247.
Laticeps (Locusta), 266.
Laticeps (Salomona), 266.
Laticollis (Ephippiger), 162.
Laticollis (Ephippigera), 162.
Laticollis (Uromenus), 162.
Latifolia (Anaulacomera), 467.
Latifolia (Arantia), 406.
Latifolia (Chlorophylla), 353.
Latifolia (Diastella), 416.
Latifolius (Scopiorus), 343.
Latifolius (Timanthes), 302.
Latifrons (Anisoptera), 282.
Latifrons (Conocephalus), 253.
Latifrons (Gryllacris), 142.
Latifrons (Gryllus), 32.
Latifrons (Monteiroa), 464.
Latifrons (Xiphidium), 282.
Latior (Philophyllia), 485.
Latipennis (Amaura), 449.
Latipennis (Anædopoda), 363.
Latipennis (Cleandrus), 295.
Latipennis (Conocephalus), 250.
Latipennis (Ephippiger), 167.
Latipennis (Ephippigera), 167.
Latipennis (Ephippigerrida), 167.
Latipennis (Gryllacris), 141.
Latipennis (Hornilia), 443.
Latipennis (Insara), 413.
Latipennis (Ligocatus), 449.
Latipennis (Mutæus), 291.
Latipennis (Mecopoda), 363.
Latipennis (Oecanthus), 75.
Latipennis (Onomarchus), 293.
Latipennis (Peucestes), 457.
Latipennis (Phyllopalpus), 87.
Latipennis (Zabalius), 291.
Latipes (Callimenes), 177.
Latipes (Ceuthophilus), 134.
Latissulus (Ceuthophilus), 132.
Lativertex (Anaulacomera), 467.
Lativertex (Loxoblemmus), 46.
Lativittata (Jamaicana), 322.
Lativittatus (Meroncidius), 322.
 LAUREPA, 100.
Laurifolia (Gryllus), 481.
Laurifolia (Itarissa), 459.
Laurifolia (Locusta), 481.
Laurifolia (Ommatoptera), 348.
Laurifolia (Phylloptera), 481.
Laurifolia (Tanusia), 348.
Laurifolium (Microcentrum), 482.
Laurifolius (Gryllus), 457.
Laurifolius (Microcentrum), 456.
Laurifolius (Scopiorus), 343.
Laurifolius (Tettigonia), 456.
Laxmanni (Bradyporus), 221.
Laxmanni (Gryllus), 221.
Laxmanni (Oeconotus), 221.
 LEA, 344.
 LEBINTHUS, 88.
 LEBUSSA, 97.
Ledereri (Olynthoscelis), 198.
Ledereri (Pholidoptera), 198.
Ledereri (Saga), 221.
Ledereri (Thaumotrizon), 198.
Lefebvrei (Gymnocera), 455.
Legumen (Lobophyllus), 483.
Legumen (Phylloptera), 483.
Lemur (Conocephaloides), 251.
Lemur (Conocephalus), 251.
 LENCICA, 123.
 Lenzi (Phaula), 426.
Lepida (Gryllacris), 150.
Lepidula (Metioche), 78.
Lepidus (Gryllus), 35.
Lepidus (Neonias), 150.
Lepismoude (Cycloptilum), 59.
Lepismoides (Ceuthophilus), 121.
Lepismoides (Onosandrus), 121.
 LEPROSCIRTUS, 361.
Leptocerca (Horatosphaga), 392.
Leptocerca (Rhegmato-poda), 392.
Leptocnemis (Arantia), 406.
 LEPTODERA, 408.
 LEPTODERES, 408.
 LEPTOGRYLLUS, 110.
 LEPTOPHYES, 389.

- LEPTOTETTIX, 339.
 LERNECA, 63.
 LESINA, 289.
 Lessonæ (Stenopelmatus), 111.
 Lessonii (Pseudorhynchus), 238.
 LETANA, 300.
 Leuconotus (Onosandrus) 296.
Leuconotus (*Pseudophyllus*), 296.
Leucostictus (*Gryllus*), 23.
Leucostomus (*Gryllus*), 32.
Leucoviridis (*Chlorobalius*), 190.
 LEUROPHYLLUM, 320.
 LEZINA, 117.
 LIARA, 258.
 LIBANASA, 117.
 LICHENOCHIRUS, 317.
 LICODIA, 119.
 LICOLA, 113.
Licoris (*Copiphora*), 231.
Ligata (Deinaerida), 115.
Ligata (*Gryllaeris*), 146.
Ligatum (*Microcentrum*), 482.
Ligatus (Cleandrus), 295.
Ligatus (Orophus), 482.
Lignicolor (Cocconotus), 335.
 LIGOCATINUS, 449.
 LIGYPTERUS, 89.
Lilifolia (*Locusta*), 440.
Lilifolia (*Phaneroptera*), 435, 440.
Lilifolia (*Tylopsis*), 441.
Lilifolia (*Phaneroptera*), 440, 441.
Lilifolia (*Tylopsis*), 441.
Limbata (*Drymadusa*), 179.
Limbata (*Ephippigera*), 168.
Limbata (*Ephippigerida*), 168.
Limbata (*Rhipipteryx*), 12.
Limbata (*Xya*), 12.
Limbaticollis (*Gryllaeris*), 141.
Limbatus (*Ephippiger*), 168.
Limbatus (Ecanthus), 75.
Limbatus (Scapsipedus), 45.
Limosa (*Phalangopsis*), 64.
Limosus (*Paragryllus*), 64.
Lindleri (*Dolichopoda*), 126.
Lindleri (*Phalangopsis*), 126.
Linearis (*Diplophyllus*), 480.
Linearis (Letana), 400.
Linearis (*Metrypa*), 108.
Linearis (Nessa), 108.
Linearis (*Turpilia*), 480.
Lineata (Elæoptera), 358.
Lineata (*Locusta*), 252.
Lineiceps (*Gryllus*), 31, 36.
Lineicollis (*Cyrtoxiphus*), 81.
Lineatifrons (Blastes), 331.
Lineatipes (Conocephaloides), 249.
Lineatipes (Conocephalus), 249.
Lineatocolle (Trigonidium), 81.
Lineatocollis (Cyrtoxipha), 81.
Lineatus (Ectadoderus), 58.
Lineatus (*Gryllodes*), 38.
Lineatus (*Gryllus*), 38.
Lineatus (Miogryllus), 38.
Lineatus (Ecanthus), 74.
Lineatus (Posidippus), 458.
Lineiceps (*Gryllodes*), 43.
Lineiceps (*Gryllus*), 34.
Lineolata (Cyrtaspis), 372.
Lineolata (*Gryllaeris*), 143.
Lineolata (Theia), 478.
Lineolatus (Blastes), 331.
Lineolatus (*Cratylus*), 291.
Lineolatus (*Gryllus*), 15.
Lineolatus (Mnesibulius), 95.
Lineolatus (Nemobius), 15.
Lineolatus (*Pseudophyllus*), 291.
Lineolatus (Zabalius), 291.
Lineosa (*Gryllaeris*), 143.
Lineosus (Conocephaloides), 250.
Lincosus (Conocephalus), 250.
 LIOCENTRUM, 292.
 LIOGRYLLUS, 24.
 LIOSTERNUS, 255.
 LIOSTETHUS, 235.
 LIOTRACHELA, 432.
 LIPAROSCELIS, 329.
 LIPOTACTES, 283.
 LIROMETOPUM, 232.
 LISSOBLEMMUS, 47.
 LISSOTRACHELUS, 61.
 Listeri (Phisis), 286.
 LITROSCELIS, 288.
Litoralis (*Olythoscelis*), 200.
Litoralis (*Thamnotrix*), 200.
Littoralis (Pholidoptera), 200.
Littoralis (*Pterolepis*), 200.
Littoralis (*Thamnotrix*), 200.
Littoreus (*Gryllodes*), 41.
Liturata (Salomona), 267.
Lituratus (Micropion), 301.
Lituratus (*Paracanthus*), 96.
Lituratus (*Platylactylus*), 96.
Lituratus (*Pseudophyllus*), 301.
Livida (Eneoptera), 106.
Lividus (Aphanomorphus), 106.
Lividus (Aphonus), 106.
Lividus (Eneoptera), 108.
Lividus (*Gryllus*), 108.
Lixonensis (Orphana), 375.
 LOBASPIS, 261.
Lobata (*Utenophlebia*), 471.
Lobata (*Ephippigera*), 162.
Lobata (Liotrachele), 432.
Lobata (*Paragryllaeris*), 149.
Lobata (*Tæniomena*), 433.
Lobata (Tinzedæ), 433.
Lobata (Viadana), 471.
Lobatipes (Prenssia), 447.
Lobatus (Neanias), 149.

- Lobatus* (*Neanius*), 149.
Lobatus (*Oxystethus*), 257.
 LOBEDA, 83.
Lobifolia (*Aprion*), 302.
Lobifolia (*Locusta*), 302.
Lobifolia (*Timanthes*), 302.
Lobifolius (*Timanthes*), 302.
 LOBODES, 341.
Loboensis (*Locusta*), 264.
Loboensis (*Macroxiplus*), 264.
 LOBOPHYLLUS, 483.
 LOBOSCELIS, 230.
Lobulata (*Terpnistria*), 439.
Lobulipennis (*Harposcepa*), 442.
 LOJA, 260.
Loliifolia (*Casigneta*), 424.
Loliifolia (*Locusta*), 424.
Loliifolia (*Phaneroptera*), 424.
 LONCHITOPHYLLUM, 354.
Longa (*Gryllacris*), 149.
Longa (*Paragryllacris*), 149.
Longicaudatus (*Gryllus*), 31.
Longelaminata (*Psyræ*), 427.
Longelaminatus (*Bliastes*), 331.
Longepilosa (*Tarphe*), 308.
Longepilosa (*Tegra*), 308.
Longestylata (*Psyræ*), 427.
Longestylatus (*Leptotettix*), 339.
Longicauda (*Acanthodis*), 319.
Longicauda (*Acheta*), 53.
Longicauda (*Brisilis*), 319.
Longicauda (*Copiophora*), 231.
Longicauda (*Copiophora*), 231.
Longicauda (*Ephippiger*), 166.
Longicauda (*Ephippigera*), 166.
Longicauda (*Ephippigerida*), 166.
Longicauda (*Eremus*), 150.
Longicauda (*Eurepa*), 89.
Longicauda (*Gryllomorpha*), 53.
Longicauda (*Locusta*), 218.
Longicauda (*Piestodactylus*), 89.
Longicaudata (*Saga*), 224.
Longicaudus (*Ectaderus*), 58.
Longicaudus (*Ornebius*), 58.
Longiceps (*Conocephaloides*), 249.
Longiceps (*Conocephalus*), 249.
Longicercata (*Amaura*), 449.
Longicercata (*Pterophlebia*), 470.
Longicercata (*Elimæa*), 396.
Longicercata (*Viadana*), 470.
Longicercatus (*Ligocattinus*), 449.
Longicollis (*Callimenes*), 176.
Longicorne (*Anisoptera*), 278.
Longicorne (*Xiphidium*), 278.
Longicornis (*Acheta*), 66.
Longicornis (*Dolichochaeta*), 123.
Longicornis (*Gryllacris*), 147.
Longicornis (*Homæogryllus*), 67.
Longicornis (*Phalangopsis*), 67.
Longicornis (*Scytocera*), 256.
Longipenne (*Anisoptera*), 278.
Longipenne (*Orchelimum*), 272.
Longipenne (*Trigonidium*), 81.
Longipenne (*Xiphidium*), 278.
Longipennioides (*Cadicia*), 414.
Longipennis (*Cadicia*), 414.
Longipennis (*Conocephaloides*), 251.
Longipennis (*Conocephalus*), 251.
Longipennis (*Cyrtoxipha*), 81.
Longipennis (*Cyrtoxiphus*), 81.
Longipennis (*Eriolus*), 234.
Longipennis (*Gryllacris*), 143.
Longipennis (*Gryllotalpa*), 3, 5.
Longipennis (*Gryllus*), 33.
Longipennis (*Gryllus*), 5.
Longipennis (*Locusta*), 278.
Longipennis (*Mataeus*), 291.
Longipennis (*Nemobius*), 19.
Longipennis (*Orchelimum*), 272.
Longipennis (*Tylopsis*), 442.
Longipennis (*Xiphidium*), 278.
Longipes (*Acanthoplus*), 155.
Longipes (*Agnapha*), 437.
Longipes (*Anisoptera*), 275.
Longipes (*Encentra*), 360.
Longipes (*Gymnoplectron*), 137.
Longipes (*Hemideina*), 157.
Longipes (*Heterotrypus*), 91.
Longipes (*Heterodes*), 155.
Longipes (*Locusta*), 364.
Longipes (*Nannotettix*), 337.
Longipes (*Paradrymadusa*), 180.
Longipes (*Phalangopsis*), 70.
Longipes (*Poliche*), 419.
Longipes (*Sympaestria*), 432.
Longipes (*Tellidia*), 421.
Longipes (*Tetraconcha*), 421.
Longipes (*Thaumaspis*), 373.
Longipes (*Xiphidium*), 275.
Longirostris (*Dorycoryphus*), 240.
Longispina (*Listroscelis*), 288.
Longispina (*Monoceropora*), 288.

- Longispina (*Stenopelmatus*), 111.
Longiuseula (*Gryllaeris*), 89.
Longiuseulus (*Cardiodactylus*), 89.
Longixiphus (*Lichenochrus*) 317.
 LOPHASPIS, 346.
Loricata (*Phalangopsis*), 123.
Loricata (*Rhaphidophora*), 123.
Loricatus (*Eugaster*), 158.
Loricatus (*Stilpnotherax*), 358.
 LOXOBLEMMUS, 46.
Lucasi (*Ephippiger*), 164.
Lucasi (*Ephippigera*), 164.
Lucasi (*Eugaster*), 159.
Lucasi (*Steropleurus*), 164.
Lucasii (*Saga*), 224.
Lucens (*Gryllus*), 33.
 LUCERA, 363.
Lucidum (*Microcentrum*), 481, 482.
Lucidus (*Orophus*), 481.
Luctuosa (*Gryllaeris*), 144.
Luctuosa (*Sciobia*), 49.
Luctuosus (*Platyblemnus*), 49, 50.
Luctuosus (*Gryllus*), 35.
Lugubre (*Anisoptera*), 280.
Lugubre (*Xiphidium*), 280.
Lugubrina (*Strophia*), 69.
Lugubris (*Acheta*) 26.
Lugubris (*Gryllaeris*), 145.
Lugubris (*Gryllus*), 26.
Lugubris (*Pterolepis*), 201.
Lunatum (*Typophyllum*), 351.
Lunuligera (*Ancylecha*), 422.
Lurida (*Metrypa*), 107.
Lurida (*Phaneroptera*), 436.
Lurida (*Tafaliscia*), 107.
Luridum (*Leurophyllum*), 320.
Luridum (*Platyphyllum*), 320.
Luridus (*Gryllus*), 37.
Luridus (*Metrypus*), 107.
Lusitanica (*Sciobia*), 49.
Lusitanicum (*Platyblemnus*), 49.
Lusitanicus (*Platyblemnus*), 49.
Lusitanus (*Grylloles*), 41.
Lutaria (*Sembris*), 73.
Lutea (*Hemisaga*), 228.
Lutea (*Natricia*), 438.
Lutea (*Saga*), 228.
Lutea (*Xiphosaga*), 228.
Luteolus (*Nemobius*), 16.
Lutescens (*Gryllaeris*), 147.
Lutescens (*Lesina*), 289.
Lutescens (*Oica*), 357.
 LUTOSA, 119.
 LUZARA, 65.
Luzonicus (*Nemobius*), 16.
Lycoides (*Homœoxipha*), 80.
Lycoides (*Phyllopulpus*), 80.
Lycosoides (*Stenopelmatus*), 112.
Lyrata (*Gryllaeris*), 142.
Lyristes (*Conocephaloides*), 242.
Lyristes (*Conocephalus*), 242.
Macassariensis (*Locusta*), 354.
Macassariensis (*Macropoda*), 364.
 MACEDONA, 401.
Macer (*Cecanthus*), 73.
 MACHAMALA, 130.
 MACHIMA, 410.
Macilenta (*Cyrtoxipha*), 82.
Macilenta (*Gryllotalpa*), 2.
Macilenta (*Neocurtilla*), 2.
Macilentus (*Aphonus*), 106.
Macilentus (*Cyrtoxiphus*), 82.
Macilentus (*Gryllaeris*), 147.
Macilentus (*Philoscirtus*), 86.
Macilentus (*Phlugis*), 285.
Macilentus (*Phylloseyrus*), 86.
Macilentus (*Stenaphonius*), 106.
Macilentus (*Stenotettix*), 333.
Macilentus (*Thysdrus*), 285.
 MACKIA, 410.
Maera (*Elimaea*), 395.
Maera (*Phaneroptera*), 395.
Macrocephala (*Locusta*), 267.
Macrocephala (*Peringueyella*), 227.
Macrocephala (*Saga*), 227.
Macrocephala (*Salomona*), 267.
Macrocephalus (*Tettigonia*), 244.
Macrocerata (*Gryllaeris*), 146.
 MACROCHITON, 338.
Macroaster (*Callinus*), 176.
Macroaster (*Ephippiger*), 176.
 MACROGRYLLUS, 21.
 MACROLYRISTES, 362.
 MACROPATHIUS, 139.
Macropoda (*Acrometopa*), 393.
Macropoda (*Phaneroptera*), 393.
Macroptera (*Platyceles*), 211.
Macropterus (*Conocephaloides*), 245.
Macropterus (*Conocephalus*), 245.
Macropterus (*Gryllodes*), 40.
Macropus (*Ceuthophilus*), 134.
 MACROSCIRTUS, 365.
Maeroxiphus (*Conocephaloides*), 247.
Maeroxiphus (*Conocephalus*), 247.
Maerurus (*Gryllus*), 32.
Maerurus (*Hetrodes*), 154.
Macularis (*Meroneidius*), 321.
Maculata (*Agrœcia*), 260.
Maculata (*Anaulacomera*), 468.
Maculata (*Aprophantia*), 156.
Maculata (*Decticus*), 185.
Maculata (*Ephippigera*), 163.
Maculata (*Ephippitytha*), 412.

- Maculata* (Gonatoxia), 424.
Maculata (Gryllacris), 144.
Maculata (Gryllacris), 147.
Maculata (Locusta), 185.
Maculata (Mecopoda), 364.
Maculata (Peropryrhicia), 388.
Maculata (Peropryrhizia), 388.
Maculata (Phalangopsis), 132.
Maculata (Raphidophora), 132.
Maculatopennis (Rhodopteryx), 349.
Maculatum (Anisoptera), 278.
Maculatum (Xiphidium), 278, 279.
Maculatus (Cecathophilus), 132.
Maculatus (Cecthophilus), 133.
Maculatus (Cosmoderus), 156.
Maculatus (Decticus), 185.
Maculatus (Nemobius), 17.
Maculatus (Platyblemus), 49.
Maculatus (Spilacris), 136.
Maculiceps (Buettneria), 421.
Maculicollis (Gryllacris), 144.
Maculifolia (Aprion), 304.
Maculifolia (Morsimus), 304.
Maculifolius (Aprion), 304.
Maculifrons (Cocconotus), 335.
Maculifrons (Libanasa), 121.
Maculifrons (Onosandrus), 121.
Maculifrons (Salomona), 267.
Maculipenne (Leurophyllum), 320.
Maculipenne (Platyphylum), 320.
Maculipennis (Cateptropteryx), 415.
Maculipennis (Gryllacris), 143.
Maculipennis (Podoscirtus), 104.
Maculipes (Gryllacris), 144.
Maculosa (Clonia), 226.
Maculosa (Nisitrita), 87.
Maculosa (Phaneroptera), 472.
Maculosa (Phylloptera), 472.
Maculosa (Saga), 226.
Maculosus (Conocephaloides), 244.
Maculosus (Conocephalus), 244.
Maculosus (Heterotrypus), 91.
Maculosus (Lichenochrus), 317.
Maculosus (Nemobius), 16.
Madacassum (Trigoni-dium), 77.
Madacassus (Æthio-merus), 256.
Madagascariensis (Brachytrypes), 22.
Madagascariensis (Gryllus), 22.
Madagassa (Turpilia), 480.
Madagassus (Conocephalus), 251.
Madagassus (Diplophyl-lus), 480.
MADASUMMA, 93.
Madecassa (Mada-summa), 92.
Madecassus (Calypso-trypus), 93.
Madecassus (Tridaetylus), 9.
MADIGA, 160.
Maesoi (Euscirtus), 102.
Maesoi (Patiscus), 102.
Magareyi (Pachypoda-grus), 123.
Magniceps (Gryllacris), 118.
Magniceps (Gryllacropsis), 118.
Magnifica (Drymadusa), 180.
Magnifica (Gryllacris), 139.
Magnifica (Phæbolum-pta), 486.
Magnificum (Thamno-trizon), 198.
Magnifolia (Phylloptera), 455.
MAGRETTA, 120.
Major (Emasia), 333.
Major (Cædicia), 414.
Major (Chlorotribonia), 298.
Major (Ephippigera), 168.
Major (Gryllacris), 146.
Major (Gryllotalpa), 2.
Major (Hexacentrus), 287.
Major (Hyperophora), 403.
Major (Isophya), 386.
Major (Machina), 410.
Major (Markia), 410.
Major (Mateus), 291.
Major (Meroncidius), 323.
Major (Mioacris), 298.
Major (Nemobius), 39. / J
Major (Neocurtilla), 2.
Major (Phyllomimus), 300.
Major (Phylloptera), 473.
Major (Pseudophaneroptera), 398.
Major (Tridactylus), 8.
Majus (Phyrama), 354.
Malaya (Anaulacomera), 469.
Malaya (Furnia), 469.
Malgachus (Nemobius), 15.
Malivolans (Conocephaloides), 244.
Malinolans (Conocephalus), 244.
Mulleolatus (Lichenochrus), 317.
Mammisignum (Arantia), 407.
Mandarinus (Onomarchus), 296.
Mandibularis (Conocephalus), 251, 252.
Mandibularis (Gryllus), 43.
Mandibularis (Locusta), 251.
Mandibularis (Scapsipedus), 45.
MANGOMALOA, 430.
Manillensis (Elbenia), 425.
Mantispa (Phlugis), 285.
Mantispa (Thysdrus), 285.
Maori (Deinacrida), 115.
Maori (Hemideina), 115.
Maori (Onosandrus), 121.
Maoricum (Anisoptera), 278.
Maoricum (Trigonidium), 78.

- Maoricum* (*Xiphidium*), 278.
Maoricus (*Scleropterus*), 78.
Maorius (*Gryllus*), 43.
Maranana (*Anallomes*), 434.
MARENESTHA, 404.
Margaritæ (*Ariagoua*), 196.
Marginalis (*Gryllacris*), 149.
Marginalis (*Gryllus*), 28.
Marginalis (*Lutosa*), 119.
Marginalis (*Paragryllacris*), 149.
Marginalis (*Phaneroptera*), 436.
Marginata (*Acheta*), 45.
Marginata (*Cadicia*), 413.
Marginata (*Gryllacris*), 142.
Marginata (*Gymnocera*), 454.
Marginata (*Himerta*), 400.
Marginata (*Holochlora*), 431.
Marginata (*Locusta*), 219, 220.
Marginata (*Nemobius*), 17.
Marginata (*Nisitra*), 87.
Marginata (*Phygela*), 423.
Marginata (*Pleminia*), 316.
Marginata (*Rhipipteryx*), 12.
Marginata (*Tylopsis*), 441.
Marginata (*Xya*), 12.
Marginatum (*Microcentrum*), 481.
Marginatus (*Bradyporus*), 220.
Marginatus (*Eremus*), 151.
Marginatus (*Gryllus*), 30.
Marginatus (*Hetrodes*), 154.
Marginatus (*Meroncidus*), 323.
Marginatus (*Meroncidus*), 316.
Marginatus (*Mogisoplistus*), 56.
Marginatus (*Mogoplistes*), 56.
Marginatus (*Naunotetix*), 337.
Marginatus (*Onconotus*), 220.
Marginatus (*Orophus*), 481.
Marginatus (*Phlugis*), 285.
Marginatus (*Rhachidorus*), 190.
Marginatus (*Scapsipedus*), 45.
Marginatus (*Thysdrus*), 285.
Marginatus (*Tridactylus*), 12.
Marginiguttata (*Phaneroptera*), 441.
Marginella (*Phylloptera*), 455.
Marginella (*Stilpnochlora*), 455.
Marginellum (*Microcentrum*), 455.
Marginifer (*Meroncidus*), 316.
Marginifer (*Pleminia*), 316.
Marginifera (*Locusta*), 219.
Marginifera (*Phasgonura*), 219.
Marginipennis (*Acheta*), 89.
Marginipennis (*Calyptotrypus*), 94.
Marginipennis (*Eurepa*), 89.
Marginipennis (*Madasumma*), 94.
Marginipennis (*Picstodactylus*), 89.
Marginipennis (*Platy-dactylus*), 94.
Maritima (*Cyrtoxipha*), 81.
Maritimus (*Arachnocephalus*), 60.
Maritimus (*Cyrtoxiphus*), 81.
MARKIA, 410.
Marmorata (*Acanthodis*), 265, 311.
Marmorata (*Agræcia*), 266.
Marmorata (*Arantia*), 406.
Marmorata (*Chelidoptera*), 212.
Marmorata (*Hastiramena*), 124.
Marmorata (*Elimæa*), 395.
Marmorata (*Himerta*), 401.
Marmorata (*Larunda*), 64.
Marmorata (*Locusta*), 124.
Marmorata (*Madasumma*), 93.
Marmorata (*Mimetica*), 350.
Marmorata (*Platycleis*), 212.
Marmorata (*Rhaphidophora*), 124.
Marmorata (*Salomona*), 265.
Marmorata (*Salomona*), 265, 266.
Marmorata (*Sathrophyllia*), 307.
Marmorata (*Segestidia*), 359.
Marmorata (*Tetragononera*), 311.
Marmorata (*Voeltzkowia*), 70.
Marmoratum (*Drepanophyllum*), 421.
Marmoratus (*Calyptotrypus*), 93.
Marmoratus (*Centromenus*), 339.
Marmoratus (*Diaphlebus*), 357.
Marmoratus (*Episattus*), 256.
Marmoratus (*Gryllus*), 93.
Marmoratus (*Larandus*), 64.
Marmoratus (*Lichenochrus*), 317.
Marmoratus (*Phalangopsis*), 93.
Marmoratus (*Pristocentrophilus*), 135.
Marmoriceps (*Gryllacris*), 146.
Marmoriceps (*Gryllacris*), 146.
Maroccana (*Ephippigera*), 162.
Maroccana (*Locusta*), 219.
Maroccana (*Homaloblemmus*), 45.
Maroccanus (*Uromenus*), 162.
Marqueti (*Chelidoptera*), 212.
Marqueti (*Platycleis*), 212.
MARSA, 129.
Martinezii (*Ephippiger*), 173.

- Martinezii* (*Ephippigera*), 173.
Martinezii (*Platystolus*), 173.
Martini (*Cophogryllus*), 44.
Martini (*Macedna*), 401.
Martini (*Paragryllus*), 64.
Martinicum (*Microcentrum*), 481.
Martinius (*Orophus*), 481.
Martorellii (*Ephippigera*), 163.
Martorellii (*Steropleurus*), 163.
Masferrerii (*Ctenodecticus*), 196.
Massiæ (*Dichopetala*), 388.
Massiæ (*Peropyrrhicia*), 388.
MASTIGHAPHA, 354.
MATHEUS, 291.
Maura (*Rhacocleis*), 187.
Mantiensis (*Banza*), 255.
Maniensis (*Brachymetopa*), 255.
Maurelii (*Eugaster*), 157.
Maurelii (*Gymnoproctus*), 157.
Mauretanica (*Ephippigera*), 162.
Mauretanicus (*Homaloblemmus*), 45.
Mauretanicus (*Uromenus*), 162.
Mauritanica (*Myrmecophila*), 55.
Mauritanicum (*Sphærium*), 55.
Mauritiana (*Arantia*), 406.
Maurus (*Acheta*), 25.
MAXENTIUS, 113.
Maxiliaris (*Orocharis*), 99.
Maxillosa (*Locusta*), 243.
Maxillosus (*Conocephaloides*), 243.
Maxillosus (*Conocephalus*), 243.
Maxima (*Ceraia*), 459.
Maximus (*Macropathus*), 137.
Maya (*Orocharis*), 99.
Maya (*Phrixa*), 477.
Mayeti (*Nemobius*), 15.
Mazarredoi (*Lissoblemmus*), 47.
Mazzerani (*Nicephora*), 374.
MECONEMA, 370.
MECONEMINÆ, 370.
MECOPODA, 363.
MECOPODINÆ, 355.
Mecopodoides (*Phlaurocentrum*), 422.
Media (*Phyllophora*), 369.
Media (*Phyllophora*), 369.
Media (*Topana*), 478.
Megacephala (*Conocephaloides*), 268.
Megacephala (*Copio-phora*), 268.
Megacephala (*Deinacrida*), 115.
Megacephala (*Hemideina*), 115.
Megacephala (*Locusta*), 265.
Megacephala (*Odontolakis*), 268.
Megacephala (*Salomona*), 268.
Megacephalus (*Brachytrypes*), 21.
Megacephalus (*Brachytrypus*), 21.
Megacephalus (*Gryllus*), 21.
MEGALODON, 289.
Megapterus (*Macroxi-phus*), 265.
MEGOTOESSA, 447.
Melana (*Locusta*), 278.
Melana (*Xiphidium*), 278.
Melanum (*Anisoptera*), 278.
Melaleuca (*Dysonia*), 411.
Melaleuca (*Falna*), 411.
Melanoecantha (*Elimaea*), 395.
Melanoecantha (*Phaneroptera*), 395.
Melanocephalus (*Gryllus*), 34.
Melanocephalus (*Gryllus*), 32.
Melanocnemis (*Phaneroptera*), 459.
Melanocnemis (*Theudoria*), 459.
Melanocondylea (*Paraecidicia*), 118.
Melanonota (*Psyra*), 427.
Melanonotus (*Arantia*), 407.
Melanopeza (*Zeuneria*), 429.
Melanopleura (*Clino-pleura*), 194.
Melanoptera (*Clonia*), 226.
Melanoptera (*Hem-clonia*), 226.
Melanoptera (*Locusta*), 226.
Melanoptera (*Saga*), 226.
Melanopterus (*Gryllus*), 226.
Melanopterus (*Tettigonia*), 226.
Melanum (*Xiphidium*), 278.
Melas (*Acheta*), 27.
Melas (*Gryllus*), 27.
Melica (*Morgenia*), 429.
MELIDIA, 437.
Mellens (*Nemobius*), 18.
MELOIMORPHA, 109.
Membranacca (*Acheta*), 21.
Membranacca (*Gryllus*), 21.
Membranaceus (*Brachytrypes*), 21.
Membranaceus (*Brachytrypus*), 21.
Membranaceus (*Gryllus*), 21. 33.
Meridionale (*Anisoptera*), 281.
Meridionale (*Meconema*), 371.
Meridionale (*Xiphidium*), 281.
Meridionalis (*Ceuthophilus*), 132.
Meridionalis (*Conocephaloides*), 247.
Meridionalis (*Orocharis*), 100.
Meroneidioides (*Cocconotus*), 334.
MERONCIDIUM, 322.
MERONCIDIUS, 322.
MESOMEDES, 123.
METABALLUS, 190.
METIOCHE, 78.
METRYPA, 107.
METRYPUS, 107.
Mexicana (*Acanthodis*), 327.
Mexicana (*Amphicusta*), 67.
Mexicana (*Anchiptolis*), 327.
Mexicana (*Anepsia*), 461.
Mexicana (*Argyrtes*), 150.
Mexicana (*Copiophora*), 231.
Mexicana (*Daikinia*), 120.
Mexicana (*Dichopetala*), 388.

- Mexicana (Ectemni), 452.
 Mexicana (Gryllotalpa), 1.
 Mexicana (Parageus), 461.
 Mexicana (Phanoptera), 445.
 Mexicana (Phylloptera), 461.
 Mexicana (Prosthocusta), 63.
 Mexicana (Rhipipteryx), 12.
 Mexicana (Sagana), 461.
 Mexicana (Scudderia), 445.
 Mexicana (Turpilia), 479.
 Mexicanum (Anisoptera), 282.
 Mexicanum (Glyphyrosoma), 120.
 Mexicanum (Viphidium), 282.
 Mexicanus (Annulus), 65.
 Mexicanus (Anabropsis), 116.
 Mexicanus (Ceuthophilus), 133.
 Mexicanus (Conocephaloides), 243.
 Mexicanus (Conocephalus), 243.
 Mexicanus (Diplophylus), 479.
 Mexicanus (Eriolus), 234.
 Mexicanus (Euscirtus), 102.
 Mexicanus (Euscirtus), 102.
 Mexicanus (Gryllus), 37.
 Mexicanus (Liphoplus), 58.
 Mexicanus (Nemobius), 19.
 Mexicanus (Ornebius), 58.
 Mexicanus (Orocharis), 100.
 Mexicanus (Parocantus), 46.
 Mexicanus (Parocanthus), 46.
 Mexicanus (Phlugis), 282.
 Mexicanus (Prosthacustes), 63.
 Mexicanus (Scapterisus), 1.
 Mexicanus (Schnobates), 116.
 Mexicanus (Stenopelmatus), 111.
 Mexicanus (Thysdrus), 245.
 Micado (Scapsipedus), 45.
 Micans (Aganacris), 454.
 Micans (Scaphura), 454.
 MICROCENTRUM, 455, 480.
 Microcephala (Subria), 255.
 Microcephalus (Gryllodes), 42.
 Microcephalus (Gryllus), 91.
 Microcephalus (Itara), 91.
 Microcephalus (Phalangopsis), 91.
 MICROGRYLLACRIS, 139.
 MICROGRYLLUS, 57.
 Micromegas (Gryllodes), 38.
 Micromegas (Gryllus), 39.
 Micromegas (Miogryllus), 38, 39.
 MICROPION, 301.
 MICROPRION, 297, 301.
 Microptera (Acanthodis), 316.
 MICROSAGA, 254.
 MICTA, 293.
 Mictiformis (Posus), 67.
 Miegii (Callierania), 172.
 Miegii (Ephippigera), 172.
 Mikado (Gampsocleis), 185.
 Mikoi (Thamnotrizon), 201.
 Militaris (Acanthoprocetus), 159.
 Militaris (Hetrodes), 159.
 MILITITSA, 439.
 MILTINOBATES, 439.
 MIMETICA, 350.
 Mimeticus (Conocephaloides), 248.
 Mimeticus (Conocephalus), 248.
 MIMNERMUS, 122.
 Minax (Monocrotophora), 288.
 Minima (Gryllacris), 142.
 Minima (Phaneroptera), 435.
 Minimus (Dasyscelus), 315.
 Minor (Cædicia), 415.
 Minor (Conocephalus), 252.
 Minor (Elimæa), 395.
 Minor (Eugonia), 403.
 Minor (Ephippigera), 168.
 Minor (Gryllacris), 141.
 Minor (Homotochia), 449.
 Minor (Hyperophora), 403.
 Minor (Orchelimum), 271.
 Minor (Paracædicia), 418.
 Minor (Pristes), 319.
 Minor (Pseudorhynchius), 233.
 Minor (Scudderia), 449.
 Minor (Stenopelmatus), 112.
 Minor (Tæniomena), 433.
 Minor (Tinseda), 433.
 Minuscula (Gryllacris), 149.
 Minuscula (Paragryllacris), 149.
 Minusculus (Gryllus), 29, 43.
 Minuta (Curtilla), 6.
 Minuta (Cyrtoxipha), 83.
 Minuta (Cyrtoxypha), 83.
 Minuta (Ellipes), 11.
 Minuta (Gryllotalpa), 6.
 Minuta (Liotrachela), 432.
 Minutus (Acheta), 83.
 Minutus (Anobrus), 183.
 Minutus (Drepanoxiphus), 328.
 Minutus (Gryllus), 83.
 Minutus (Cecanthus), 75.
 Minutus (Stipator), 183.
 Minutus (Trilactylus), 11.
 MIOACRIS, 298.
 MIOGRYLLUS, 38.
 MIOSAGA, 228.
 MIOTOPUS, 138.
 Mirabilis (Agaura), 462.
 Mirabilis (Necphora), 374.
 MIROLLIA, 398.
 Miser (Gryllus), 34.
 Misera (Oxyprora), 410.
 Misera (Oxyprorella), 410.

- Miserabilis* (*Acanthodis*), 316.
Miserabilis (*Pleminia*), 316.
Mitrata (*Sciobia*), 49.
Mitratus (*Gryllus*), 33.
Mitratus (*Platyblemnus*), 49.
Minrus (*Brachytrypus*), 23.
Minrus (*Gymnogryllus*), 23.
Miata (*Xya*), 10.
Mixtus (*Tridactylus*), 10.
MNESIBULUS, 95.
Modesta (*Acanthodis*), 313.
Modesta (*Chelidoptera*), 208.
Modesta (*Cymatomera*), 306.
Modesta (*Elbenia*), 425.
Modesta (*Epaera*), 152.
Modesta (*Gymnocera*), 403.
Modesta (*Isophya*), 383, 384.
Modesta (*Liparoscelis*), 329.
Modesta (*Odontura*), 383.
Modesta (*Orpacophora*), 313.
Modesta (*Paragryllacris*), 149.
Modesta (*Platycelex*), 208.
Modesta (*Pleminia*), 316.
Modesta (*Pterolepis*), 187.
Modesta (*Stenophyllia*), 403.
Modesta (*Symmetropleura*), 446.
Modesta (*Tomeophora*), 470.
Modestior (*Isophya*), 384.
Modestum (*Anisoptera*), 277.
Modestum (*Viphidium*), 277, 280.
Modestus (*Cocconotus*), 335.
Modestus (*Lichenochrus*), 317.
Modestus (*Platycelex*), 208.
Modestus (*Podoscirtus*), 104.
Modulata (*Morgenia*), 129.
Modulator (*Heterotrypus*), 91.
Morta (*Gryllacris*), 143.
Mæstissima (*Gryllacris*), 143.
MOGISOPLISTES, 55.
MOGISOPLISTUS, 55.
MOGOPLISTES, 55.
Molineusiana (*Gryllacris*), 147.
Molokaiensis (*Banza*), 255.
Molokaiensis (*Brachyuctopa*), 255.
Molokaiensis (*Paratrigonidium*), 80.
MOLPA, 423.
Moluccana (*Lobaspis*), 261.
Moluccana (*Niesara*), 261.
MONCHECA, 233.
MONOCEROPHORA, 288.
Monoceros (*Conocephaloides*), 241.
Monoceros (*Copiphora*), 231.
Monoceros (*Dicranostomus*), 330.
Monoceros (*Gryllus*), 241.
Monoceros (*Locusta*), 241.
Monocerus (*Dicranostomus*), 330.
Monomorphus (*Nemobius*), 16.
Monrovia (*Mecopoda*), 365.
Monrovia (*Macroscirtus*), 365.
Monspeliensis (*Decticus*), 214.
Monstrosa (*Acheta*), 153.
Monstrosa (*Cyphoderis*), 193.
Monstrosa (*Locusta*), 122.
Monstrosa (*Saga*), 225.
Monstrosa (*Teratura*), 271.
Monstrosus (*Cyphoderis*), 193.
Monstrosus (*Gryllus*), 153.
Monstrosus (*Loxoblemmus*), 46.
Monstrosus (*Mimmermus*), 122.
Monstrosus (*Schizodactylus*), 153.
Montana (*Championica*), 311.
Montana (*Chelidoptera*), 207.
Montana (*Eurycorypha*), 463.
Montana (*Locusta*), 207.
Montana (*Thyreconotus*), 188.
Montandoni (*Callimenus*), 176.
Montanus (*Apithes*), 98.
Montanus (*Decticus*), 207, 208.
Montanus (*Hapithus*), 98.
Montanus (*Pharmaeus*), 138.
Montanus (*Platycelex*), 207, 208.
Montanus (*Thamnoscirtus*), 84.
MONTEIROA, 464.
MONTESA, 233.
Montesi (*Momotus*), 323.
Montesi (*Momotus*), 324.
Montesi (*Platyphyllum*), 323.
Monticola (*Callierania*), 171.
Monticola (*Ephippiger*), 171.
Monticola (*Mangomala*), 430.
Morbillosa (*Zaora*), 53.
Morbillosus (*Gryllomorpha*), 53.
MORGENIA, 429.
Morio (*Acheta*), 24.
Morio (*Gryllus*), 25.
Morio (*Liogryllus*), 25.
Moristoides (*Blastes*), 332.
MORISTUS, 359.
Mormonius (*Nemobius*), 18.
MORMOTUS, 323.
MORSIMUS, 304.
Mortuifolia (*Mimetica*), 350.
Mortuifolia (*Phyllogryllus*), 92.
Mortuifolia (*Psenopalpa*), 478.
Mortuifolia (*Typophyllus*), 350.
MOSSULA, 357.
Motschulskii (*Onconotus*), 221.
Mucronata (*Copiphora*), 231.
Mucronata (*Copiphora*), 231.
Mucronatus (*Scopiorus*), 312.
Muelleri (*Eremmus*), 151.
Multicolor (*Dicranopsyra*), 427.
Multiramosa (*Arcthea*), 443.

- Multiramosa* (*Ctenophlebia*), 472.
Multiramosa (*Viadana*), 472.
Multispinosa (*Lobaspis*), 261.
Multispinosa (*Niesara*), 261.
Multituberculatus (*Callimus*), 176.
MUNDA, 103.
Munda (*Gongrocnemis*), 327.
Munda (*Gryllacris*), 146.
Munda (*Hexacentrus*), 287.
Munda (*Piura*), 287.
Mundamensis (*Cestromacha*), 429.
Mundus (*Diplophyllus*), 473.
Mundus (*Gryllus*), 37.
Musica (*Cyrtoxipha*), 81.
Musica (*Laurepa*), 100.
Musicus (*Cyrtosiphus*), 81.
Musicus (*Orocharis*), 100.
MUSTIUS, 290.
Muta (*Tafalisca*), 108.
Mutabilis (*Gryllacris*), 142.
Mutica (*Eurycorypha*), 463.
Mutica (*Gongrocnemis*), 327.
Mutica (*Magrettia*), 120.
Mutica (*Pleminia*), 316.
Mutica (*Rhaphidophora*), 123.
Muticus (*Anurogryllus*), 23, 24.
Muticus (*Conocephalus*), 244.
Muticus (*Gryllodes*), 23.
Muticus (*Gryllus*), 23.
Muticus (*Lichenochrus*), 318.
Muticus (*Scopiorus*), 343.
Mutilatus (*Bronchopeplus*), 298.
Mutilatus (*Phylloimimus*), 200.
Mutilatus (*Zumala*), 298.
Mutillata (*Amytta*), 373.
Mutillatum (*Typophylum*), 351.
Mutsohito (*Gampsocleis*), 186.
Mutus (*Aphonormorphus*), 106.
Mutus (*Aphonus*), 106.
Mutus (*Metrypus*), 108.
MYGALOPSIS, 235.
Myops (*Pseudophyllus*), 293.
MYRMECOPHANA, 409.
MYRMECOPHILA, 53.
MYRMECOPHILINÆ, 53.
MYRMECOPHILUS, 54.
Myrmecophilus (*Gryllus*), 54.
Myrtifolia (*Ctenophlebia*), 471.
Myrtifolia (*Gryllus*), 471.
Myrtifolia (*Locusta*), 446, 471.
Myrtifolia (*Phylloptera*), 471.
Myrtifolia (*Tettigonia*), 471.
Myrtifolium (*Gryllus*), 446.
Myrtifolium (*Microcentrum*), 481.
Myrtifolium (*Orophus*), 481.
Myrtifolius (*Gryllus*), 471.
Myrtifolius (*Locusta*), 446.
Myrtifolius (*Tettigonia*), 471.
Myrtifolius (*Viadana*), 471.
Nana (*Gryllacris*), 147.
Nana (*Gryllus*), 371.
Nana (*Phaneroptera*), 435.
Nana (*Phaneroptera*), 435.
Nana (*Tettigonia*), 371.
NANNOFETIA, 337.
Nanus (*Gryllodes*), 43.
Nanus (*Gryllus*), 43.
Nanus (*Piestodactylus*), 43.
Nanus (*Semileptotettix*), 340.
NAREA, 356.
Nasalis (*Gryllacris*), 141.
Nasicornis (*Macrocephalus*), 264.
NASIDIUS, 121.
NASTONOTUS, 333.
Nasuta (*Phrixia*), 477.
Nasuta (*Phrixia*), 477.
Nasutus (*Conocephaloides*), 250.
Nasutus (*Conocephalus*), 250.
Nasutus (*Dicranacrus*), 270.
Natalense (*Anisoptera*), 280.
Natalense (*Xiphidium*), 280.
Natalensis (*Phylloptera*), 464.
Natalie (*Saga*), 225.
NATRICIA, 438.
Navicula (*Gryllacris*), 113.
NEANIAS, 149.
NEANIUS, 149.
Nebrascensis (*Conocephaloides*), 245.
Nebrascensis (*Conocephalus*), 245.
Nebrascensis (*Myrmecopila*), 55.
Nebulosa (*Plangia*), 464.
Necessarius (*Conocephaloides*), 245.
Necessarius (*Conocephalus*), 245.
NEDUBA, 194.
Nefandus (*Gryllus*), 34.
Neglecta (*Rhacocleis*), 187.
Neglecta (*Pterolepis*), 187.
Neglectus (*Ceuthophilus*), 132.
Neglectus (*Gryllus*), 35, 36.
Neglectus (*Troglophilus*), 127.
Nehawka (*Myrmecophila*), 55.
NEMOBIOPSIS, 63.
NEMOBIUS, 13.
Nemoptera (*Phlugis*), 284.
Nemoptera (*Thysdrus*), 284.
Nemorale (*Anisoptera*), 281.
Nemorale (*Xiphidium*), 281.
Nemoralis (*Nemobius*), 19.
NEOBARRETTIA, 182.
Nochlora (*Phaneroptera*), 398.
NEOCURTILLA, 2.
Neomexicanus (*Ceuthophilus*), 134.
Neomexicanus (*Nemobius*), 18.
NEONETUS, 125.
NEOXABEA, 76.
Nerii (*Ephippigera*), 164.
Nerii (*Steropleurus*), 164.
Neriiifolia (*Gryllus*), 295.
Neriiifolia (*Locusta*), 294.
Neriiifolia (*Pseudophyllus*), 294.

- Neriifolia* (*Tettigonia*), 295.
Neriifolius (*Cleandrus*), 295.
Neriifolius (*Cleandrus*), 295.
Neriifolius (*Pseudophyllus*), 294.
 NESCECIA, 329.
 NESOGRYLLUS, 109.
 NESSA, 108.
Neuralipennis (*Catoptropteryx*), 416.
Nevadensis (*Cacopterus*), 193.
 NICEPHORA, 374.
 NICSARA, 261.
Nieti (*Conocephaloides*), 246.
Nieti (*Conocephalus*), 246.
Nieti (*Stenopelmatus*), 112.
Nietneri (*Arachnomimus*), 70.
Nietneri (*Arachnopsis*), 70.
Nietoi (*Conocephalus*), 246.
Nietoi (*Ceuthophilus*), 128.
Niger (*Gryllus*), 33, 35.
Niger (*Gryllus*), 454.
Niger (*Odontogryllus*), 51.
Niger (*Paracanthus*), 97.
Nigerrima (*Rhaphidophora*), 124.
Nigerrinus (*Gryllus*), 35.
Nigra (*Dieranocereus*), 263.
Nigra (*Gryllus*), 35.
Nigra (*Scaphura*), 454.
Nigra (*Udeopsylla*), 128.
Nigræneus (*Tridactylus*), 9.
Nigrantennata (*Phaneroptera*), 436.
Nigrata (*Gryllacris*), 140.
Nigrescens (*Cocco-notus*), 334.
Nigricana (*Ceuthophilus*), 132.
Nigricans (*Conocephaloides*), 242.
Nigricans (*Conocephalus*), 242.
Nigricauda (*Exocephala*), 233.
Nigricauda (*Icteria*), 233.
Nigriciceps (*Clearidas*), 20.
Nigriciceps (*Gryllacris*), 147.
Nigricornis (*Oecanthus*), 75.
Nigridentis (*Conocephalus*), 239.
Nigridentis (*Pyrgomorphia*), 239.
Nigridentis (*Scopiorus*), 342.
Nigrifrons (*Agræcia*), 259.
Nigrifrons (*Anelytra*), 257.
Nigrifrons (*Eremus*), 150.
Nigrifrons (*Gryllacris*), 146.
Nigrifrons (*Gryllodes*), 42.
Nigrifrons (*Lichenochrus*), 317.
Nigrifrons (*Lobuspis*), 261.
Nigrifrons (*Macroxi-phus*), 264.
Nigrifrons (*Nicsara*), 261.
Nigrifrons (*Plastocorypha*), 237.
Nigrifrons (*Pseudorhynchus*), 237.
Nigrilabris (*Gryllacris*), 145.
Nigripalpis (*Ectaderus*), 57.
Nigripalpis (*Ornebius*), 57.
Nigripennis (*Gryllacris*), 143.
Nigripes (*Odontolakis*), 268.
Nigripes (*Xiphidium*), 273.
Nigrispina (*Liparoscelis*), 329.
Nigrispina (*Nesceia*), 329.
Nigrispinis (*Liparoscelis*), 329.
Nigritarsis (*Methocæ*), 262.
Nigritus (*Nemobius*), 16.
Nigroæneus (*Tridactylus*), 9.
Nigroantennata (*Phaneroptera*), 436.
Nigroantennatus (*Cocco-notus*), 335.
Nigroauriculata (*Phylloptera*), 474.
Nigrogeniculata (*Gryllacris*), 140.
Nigrogeniculatum (*Anisoptera*), 278.
Nigrogeniculatum (*Xiphidium*), 278.
Nigrolimbata (*Ambly-lakis*), 269.
Nigrolimbatus (*Conocephaloides*), 245.
Nigrolimbatus (*Conocephalus*), 245.
Nigrolineata (*Theudoria*), 450.
Nigrolineatus (*Leptogryllus*), 110.
Nigromaculatus (*Conocephaloides*), 242.
Nigromaculatus (*Conocephalus*), 242.
Nigromaculatus (*Leptogryllus*), 110.
Nigromarginata (*Ephippigera*), 167.
Nigromarginata (*Ephippigrida*), 167.
Nigromarginata (*Plagiopleura*), 452.
Nigromarginatus (*Ephippiger*), 167.
Nigromarginatus (*Orchesticus*), 183.
Nigromarginatus (*Supinator*), 183.
Nigronotatus (*Leptotetrix*), 339.
Nigrojecta (*Dysonia*), 412.
Nigropleura (*Xiphidium*), 275.
Nigropleurum (*Anisoptera*), 275.
Nigropleurum (*Xiphidium*), 275.
Nigropunctata (*Paracædicia*), 418.
Nigropunctatus (*Conocephaloides*), 242.
Nigropunctatus (*Conocephalus*), 242.
Nigrosculata (*Gryllacris*), 140.
Nigrosignata (*Chelidoptera*), 207.
Nigrosignata (*Elbenia*), 425.
Nigrosignata (*Elumæa*), 395.
Nigrosignata (*Platypleis*), 207.
Nigrosignatus (*Anaudus*), 103.
Nigrosignatus (*Decticus*), 207.
Nigrosignatus (*Eremus*), 150.
Nigrosignatus (*Nemobius*), 16.
Nigrosignatus (*Platypleis*), 207.
Nigrosignatus (*Rupilius*), 103.

- Nigrosparsa* (Letania), 400.
Nigrosparsa (Phaneroptera), 400.
Nigrospinosa (Acrodonta), 258.
Nigrospinosa (Cædicia), 415.
Nigrospinosa (Catoptropteryx), 415.
Nigrospinosa (Gongrocnemis), 326.
Nigrospinus (Dioptanes), 346.
Nigrospinus (Mormotus), 324.
Nigrospinulosa (Holochlora), 431.
Nigrostrigata (Ityocephala), 366.
Nigrostrigatus (Pseudophyllus), 366.
Nigrostriolatus (Scopiorus), 343.
Nigrotarsatus (Teleutias), 341.
Nigrovarius (Phyllopulpus), 85.
Nigrovarius (Phylloscirtus), 85.
Nigrovittata (Agrævia), 259.
Nigrovittata (Pyrrhicia), 400.
Nigrovittatus (Barbitistes), 382.
Nigrovittatus (Eschatocerus), 259.
Nigrovittatus (Semileptotettix), 340.
Niloticus (Gryllodes), 40.
Niponensis (Locusta), 364.
Niponensis (Mecopoda), 364.
 NISITRA, 87.
 NISITRUS, 87.
Nitens (Hemilebia), 114.
Nitida (Banza), 254.
Nitida (Brachymetopa), 254.
Nitida (Elæoptera), 358.
Nitida (Liotrichela), 432.
Nitida (Scaphura), 453.
Nitida (Sabria), 256.
Nitidifolia (Locusta), 432.
Nitidifolia (Phylloptera), 432.
Nitidifolia (Sympæstria), 432.
Nitidipennis (Hyperphrona), 475.
Nitidipennis (Plagioptera), 475.
Nitidula (Curtilla), 6.
Nitidula (Gryllotalpa), 6.
Nitidula (Phyllostachys), 315.
Nitidula (Prosagoga), 476.
Nitidulus (Conocephaloides), 251.
Nitidulus (Conocephalus), 251.
Nitidulus (Gryllodes), 39.
Nitidulus (Gryllus), 39, 251.
Nitidulus (Miogryllus), 39.
Nitidum (Orchelimum), 273.
Nitidum (Paratrigonidium), 79.
Nitidum (Xiphidium), 273.
Nitidus (Anthracites), 263.
Nitidus (Diceranostomus), 330.
Nitidus (Eremus), 151.
Nitidus (Liebenochrus), 318.
Nitidus (Nemobius), 16.
Nitidus (Tetanopus), 312.
Nivea (Acheta), 74.
Nivea (Gryllacris), 148.
Niveus (Gryllus), 74.
Niveus (Oecanthus), 74.
Nobilis (Conocephalus), 238.
Nobilis (Elephantodeta), 433.
Nobilis (Gryllacris), 145.
Nobilis (Gryllacris), 141.
Nobilis (Onomarchus), 296.
Nobilis (Phaneroptera), 433.
Nobilis (Pæcilemon), 377.
Nobilis (Pseudorhynchus), 238.
Nobrei (Ephippigera), 165.
Nobrei (Steropleurus), 165.
 NOCERA, 236.
Noctivagus (Thamnotrizon), 202.
Nodicornis (Hammatofera), 409.
Nodicornis (Phaneroptera), 409.
Nodulosa (Anaulacœmera), 466.
Nodulosus (Ceuthophilus), 133.
Nodulosus (Phyllominus), 300.
 NOLA, 344.
Nomina (Peronura), 391.
Normalis (Dasyscelus), 315.
Nossibiana (Gryllacris), 141.
Nossibianus (Prosecogryllus), 67.
Notabilis (Apote), 182.
Notabilis (Elinaea), 396.
Notabilis (Gryllus), 31.
Notabilis (Heteromallus), 136.
Notabilis (Mnesibulus), 95.
Notabilis (Phaneroptera), 396.
Notabilis (Platydictylus), 95.
Notata (Xya), 12.
Notatipes (Chondrodera), 395.
Notatipes (Mnesibulus), 95.
Notatipes (Platydictylus), 95.
Notatus (Ateloplus), 195.
Notatus (Orophus), 461.
Notatus (Paradiaphlebus), 358.
Novi (Chelidoptera), 210.
Novi (Platycteis), 210.
Novmeensis (Ornebius), 58.
Novæ-Guinæe (Dasyphleps), 337.
Novæ-Guinæe (Locusta), 357.
Novæ-Guinæe (Moristus), 359.
Novæ-Guinæe (Sexava), 359.
Novæ-Hollandiæ (Locusta), 308.
Novæ-Hollandiæ (Taphæ), 308.
Novæ-Hollandiæ (Tegra), 308.
Novæ-Seelandiæ (Pachyrhamma), 137.
Novaki (Mogoplistes), 56.
Novaræ (Homoxiphus), 79.
Novaræ (Liphoplus), 58.
Novaræ (Metioche), 79.
Novaræ (Nemobius), 16.
Novaræ (Ornebius), 58.

- Novata (Paracædicia), 418.
 Nubiger (Disceratus), 337.
 Nubila (Sexava), 359.
 Nubilus (Moristus), 359.
 Nudipes (Tettigopsis), 224.
 Nympha (Gryllus), 176.
 Nympha (Tettigonia), 176.

 Oahuensis (Prognathogryllus), 109.
 Oajacanus (Gryllus), 37.
 Oberthuri (Caulopsis), 240.
 Obesa (Dysmorpha), 486.
 Obesa (Eurymetopa), 235.
 Obesa (Paracædicia), 418.
 Obesa (Vossia), 464.
 Obesus (Adenes), 323.
 Obesus (Callimenus), 175.
 Obesus (Cratylus), 295.
 Obesus (Pœcilemon), 375.
 Obliqua (Licodia), 119.
 Obliquevenosus (Aprion), 304.
 Obliquevenosus (Morsinus), 304.
 Obliterans (Anonistus), 315.
 Oblongicollis (Chelidoptera), 212.
 Oblongicollis (Platyteleis), 212.
 Oblongifolia (Amblycorypha), 460.
 Oblongifolia (Locusta), 460.
 Oblongifolia (Phylloptera), 460, 461.
 Oblongipennis (Phaneroptera), 473.
 Oblongooculata (Turpilina), 479.
 Oblongooculata (Turpilina), 479.
 Oblongooculatus (Diplophyllus), 479.
 Obscura (Acheta), 15.
 Obscura (Agræcia), 267.
 Obscura (Encoptera), 106.
 Obscura (Gryllacris), 144.
 Obscura (Magrettia), 120.
 Obscura (Prophalangopsis), 290.
 Obscura (Salomona), 267.
 Obscura (Tarraga), 290.
 Obscura (Tridactylus), 10.
 Obscurella (Laurepa), 100.
 Obscurellus (Conocephaloides), 244.
 Obscurellus (Conocephalus), 244.
 Obscurus (Aphonomorphus), 106.
 Obscurus (Decticus), 185.
 Obscurus (Gaupsocleis), 185.
 Obscurus (Meroneidius), 322.
 Obscurus (Nemobius), 15.
 Obsoleta (Ephippigera), 163.
 Obsoletus (Steropleurus), 163.
 Obtusa (Anepsia), 462.
 Obtusa (Holochlora), 431.
 Obtusa (Isophya), 385.
 Obtusa (Isopsera), 438.
 Obtusa (Tetragonomera), 311.
 Obtusangula (Diplophyllus), 479.
 Obtusangula (Turpilina), 479.
 Obtusatus (Moristus), 323.
 Obtusatus (Teleutias), 341.
 Obtusifolia (Cædicia), 415.
 Obtusus (Anchiptolis), 328.
 Obtusus (Barbitistes), 381.
 Obtusus (Conocephalus), 246.
 Obtusus (Loxoblemmus), 46.
 Obuncus (Enyalipsis), 156.
 Obuncus (Enyalis), 156.
 Occidentale (Anisoptera), 275.
 Occidentale (Xiphidium), 275.
 Occidentalis (Amytta), 373.
 Occidentalis (Capnobotes), 182.
 Occidentalis (Conocephaloides), 247.
 Occidentalis (Conocephalus), 247.
 Occidentalis (Ectadoderus), 59.
 Occidentalis (Locusta), 182.
 Occidentalis (Mogisoplistes), 59.
 Occidentalis (Mogoplistes), 59.
 Occipitalis (Gryllus), 33.
 Occultus (Cæthophilus), 133.
 Occultus (Mogisoplistes), 57.
 Occultus (Mogoplistes), 57.
 Oceanica (Gryllacris), 145.
 Oceanica (Tympanoptera), 305.
 Oceanicus (Aprion), 305.
 Oceanicus (Gryllus), 33.
 Oceanicus (Morsinus), 305.
 Ocellaris (Aphanomorphus), 105.
 Ocellaris (Aphonus), 105.
 Ocellaris (Heterogryllus), 65.
 Ocellaris (Orocharis), 99.
 Ocellata (Gryllus), 347.
 Ocellata (Locusta), 347.
 Ocellata (Pterochroza), 347.
 Ocellata (Pterochroza), 347.
 Ocellata (Pterophylla), 347.
 Ocellata (Tettigonia), 347.
 Ocellatus (Gryllus), 347.
 Ocellatus (Tettigonia), 347.
 Ochracea (Acanthodis), 322.
 Ochracea (Gryllus), 322.
 Ochracea (Myrmecophila), 55.
 Ochracea (Natriceia), 438.
 Ochracea (Tanusia), 349.
 Ochracea (Tettigonia), 322.
 Ochraceus (Bliastes), 331.
 Ochraceus (Meroneidius), 322.

- Ochraceus* (*Myrmecophilus*), 55.
 OCHRIDA, 356.
 OCICA, 357.
Oeskayi (*Barbitistes*), 382.
Oeskayi (*Odontura*), 382.
Oetomaculata (*Calopsyra*), 426.
Oetomaculata (*Phylloptera*), 426.
Oetoseriata (*Locusta*), 427.
Oetoseriata (*Phaneroptera*), 427.
Oetoseriata (*Pæilopsyra*), 427.
Ocularis (*Diplophyllus*), 479.
Ocularis (*Turpilia*), 479.
Oculatum (*Aprion*), 304.
Oculatus (*Stenopelmatus*), 112.
 ODONTOGRYLLUS, 51.
 ODONTOLAKIS, 268.
 ODONTOXIPHIDIUM, 283.
 ODOXURA, 383.
Odonturæformis (*Himerta*), 401.
 ODONTURELLA, 386.
 ŒCANTHINE, 62, 63.
 ŒCANTHUS, 72.
 ŒCELLA, 465.
Œdemeroides (*Cyrtoxipha*), 81.
Œdemeroides (*Encoptera*), 81.
 ŒDIBLEMMUS, 46.
Œrtzeni (*Barbitistes*), 382.
Oklahomæ (*Miogryllus*), 38.
Olesii (*Homaloblemma*), 46.
Olesii (*Œdiblemmus*), 46.
 OLCINIA, 308.
Oleifolia (*Aprion*), 304.
Oleifolia (*Locusta*), 304.
Oleifolia (*Morsinus*), 304.
Oleifolius (*Pseudophyllus*), 304.
Olivacea (*Amaura*), 449.
Olivacea (*Anaulacomeræ*), 466.
Oliværa (*Cadicia*), 414.
Olivaceoviridis (*Syn-techna*), 485.
Olivaceum (*Cosmophyllum*), 404.
Olivaceus (*Ligocatinus*), 449.
Olmea (*Cyrtoxipha*), 82.
Olmea (*Ectotrypa*), 101.
Olmeus (*Cyrtoxiphus*), 82.
Olmeus (*Ectotrypus*), 101.
 OLYNTHIOSCELIS, 197.
 OMMATOPHORA, 347.
 ONCODORPUS, 270.
 ONCONOTUS, 220.
Oniscus (*Bradyporus*), 176.
Oniscus (*Callimenus*), 176.
 ONOMARCHUS, 296.
Onos (*Bradyporus*), 177.
Onos (*Deracantha*), 177.
Onos (*Ephippiger*), 177.
Onos (*Gryllus*), 177, 224, 225.
Onos (*Locusta*), 177.
Onos (*Tettigonia*), 224, 225.
 ONOSANDRUS, 120.
Onthophagus (*Dyscophogryllus*), 66.
Opaca (*Borborothis*), 118.
Opaca (*Prosagoga*), 477.
Opaca (*Turpilia*), 479.
Opacifolia (*Anaulacomeræ*), 466.
Opacum (*Anostostoma*), 116.
Opacus (*Callimenellus*), 310.
Opacus (*Micropion*), 301.
Opacus (*Onosandrus*), 121.
Opacus (*Phanerotus*), 310.
Opacus (*Tridactylus*), 9.
Ophthalmicus (*Pseudophyllus*), 292.
Opilioides (*Tabaria*), 360.
Opilionoides (*Rhammatopoda*), 360.
 OPISTHODICRUS, 292.
Oporina (*Chelidoptera*), 211.
Oporina (*Platyceis*), 211.
 ORBEGA, 105.
Orbelicus (*Pæcilemon*), 379.
 ORCHELIMUM, 271.
 ORCHESTRIDOPTERA, 324.
Oregonensis (*Myrmecophilus*), 55.
Oridiops (*Orophus*), 429.
Oridiops (*Turpilia*), 479.
Orientalis (*Acheta*), 33.
Orientalis (*Brachytrypes*), 22.
Orientalis (*Brachytrypus*), 22.
Orientalis (*Gryllotalpa*), 6.
Orientalis (*Gryllus*), 33.
Orientalis (*Gryllus*), 22.
Orientalis (*Mateus*), 292.
Orientalis (*Scapsipedus*), 45.
Orientalis (*Zabalius*), 292.
Orina (*Chelidoptera*), 207.
Orina (*Platyceis*), 207.
Ornata (*Carcinopsis*), 117.
Ornata (*Climacoptera*), 296.
Ornata (*Curtilla*), 5.
Ornata (*Diatrypa*), 93.
Ornata (*Dioncomena*), 434.
Ornata (*Ephippigera*), [168], 375.
Ornata (*Ephippigerida*), [168].
Ornata (*Gryllacris*), 149.
Ornata (*Gryllotalpa*), 5.
Ornata (*Libanasa*), 117.
Ornata (*Paragryllacris*), 149.
Ornata (*Saga*), 224.
Ornata (*Saga*), 224.
Ornata (*Salomona*), 266.
Ornaticeps (*Gryllus*), 32.
Ornatipennis (*Leptodera*), 408.
Ornatipennis (*Leptoderes*), 408.
Ornatipes (*Eurycorypha*), 463.
Ornatus (*Pæcilemon*), 375, 376.
 ORNEBIUS, 57.
 OROCHARIS, 98.
 OROCHIRUS, 100.
 OROPHILA, 374.
 OROPHUS, 480.
 ORPACOPHORA, 313.
 ORPHANIA, 374.
Ortegui (*Ephippigera*), 164.

- Ortegai (Steropleurus), 164.
 Orthocnemis (Arantia), 406.
Orthoxipha (Miosaga), 228.
 ORTHOXIPHUS, 83, 260.
 Otouii (Xemobius), 19.
 Oryetes (Curtilla), 6.
Oryetes (Gryllotalpa), 6.
 ORYCTOPUS, 113.
Osorioi (Adapantopsis), 325.
Osorioi (Lichenochrus), 318.
Osorioi (Platyphyllum), 318, [325].
 Ostentatrix (Enochlectica), 422.
 OTIAPHYSA, 420.
 Otomarius (Orophus), 483.
Otomia (Phylloptera), 483.
Otomium (Microcentrum), 483.
 Otomius (Orophus), 483.
Ondryanus (Ephippiger), 172.
 Ovalifolia (Microcentrum), 456.
 Ovalifolia (Phyllophora), 369.
 Ovalifolia (Phylloptera), 472.
Ovalifolia (Stilpnochlora), 456.
 Ovalis (Lobeda), 83.
Orata (Parageus), 461.
Orata (Sagona), 461.
Orata (Tropizaspis), 191.
Oratus (Orophus), 461.
 OXYASPIS, 293.
Oxycephala (Gryllus), 243.
Oxycephala (Tettigonia), 243.
 Oxydaetyla (Gryllotalpa), 1.
 Oxydaetyla (Scapteriscus), 1.
Oxydactylus (Scapteriscus), 1.
 OXYLAKIS, 258.
 OXYPRORA, 236, 410.
 OXYPRORELLA, 236, 410.
 OXYSCELUS, 303.
 OXYTETHUS, 257.
 Pachycephalus (Gryllus), 32.
Pachygaster (Ephippiger), 172.
Pachygaster (Ephippigera), 172.
Pachygaster (Platystolus), 172.
 Pachygaster (Præhippigerida), 172.
 Pachymerus (Atlanticus), 181.
Pachymerus (Decticus), 181.
Pachymerus (Thyreonotus), 181.
 PACHYPODAGRUS, 123.
Pachypterus (Decticus), 209.
 PACHYPYGA, 392.
 PACHYRHAMMA, 137.
 Pachyrrhynchoides (Scapastus), 96.
 PACHYSAGA, 228.
 PACHYSMOPODA, 365.
 PACHYTRACHELUS, 196.
 Pacifica (Marsa), 129.
 Pacificum (Paratrigonidium), 80.
Pacificum (Trigonidium), 80.
Pacificus (Ceuthophilus), 129.
 Pacificus (Heterotrypus), 91.
Pacificus (Platydaetylus), 91.
 Pallens (Anaxipha), 87.
Pallens (Gryllus), 46.
Pallens (Locusta), 446.
 Pallens (Loxoblemmus), 46.
 Pallens (Scudderia), 446.
Pallens (Trigonidium), 87.
 Palleseens (Ceuthophilus), 133.
 Pallicornis (Storniza), 230.
Pallida (Gryllus), 37.
 Pallida (Himerta), 401.
 Pallida (Madasumina), 94.
 Pallida (Nescecia), 329.
Pallida (Nocera), 286.
 Pallida (Orbega), 105.
 Pallidegeniculatus (Ectadoderus), 58.
Pallidemaclata (Capnoptera), 309.
 Pallidemaclata (Typhoptera), 309.
 Pallidenotatus (Blastes), 331.
 Pallidespinosa (Gongrocnemis), 326.
 Pallidevittatus (Nannotettix), 337.
Pallidicorne (Trigonidium), 78.
Pallidicornis (Homoxiphus), 78.
 Pallidicornis (Metioche), 78.
 Pallidifrons (Salomona), 266.
Pallidipalpus (Decticus), 194.
 Pallidipalpus (Steiroyx), 194.
 Pallidipes (Cymatomera), 306.
 Pallidispina (Liparoscelis), 329.
 Pallidissimus (Aphonomorphus), 106.
Pallidissimus (Gryllus), 106.
 Pallidocincta (Tafalisca), 108.
Pallidocinctus (Ecanthus), 108.
Pallidolinea (Paragryllacris), 149.
 Pallidospinosus (Macrochiton), 338.
 Pallidula (Gryllacris), 142.
 Pallidulum (Cosmophyllum), 404.
 Pallidulus (Mnesibulus), 95.
Pallidum (Microcentrum), 481.
 Palidus (Acanthoplus), 155.
 Pallidus (Ceuthophilus), 134.
Pallidus (Ceuthophilus), 131.
 Pallidus (Conocephaloides), 250.
Pallidus (Conocephalus), 250.
Pallidus (Decticus), 364.
Pallidus (Euscirtus), 102.
Pallidus (Hetrodes), 155.
Pallidus (Liparoscelis), 329.
 Pallidus (Maxentius), 113.
 Pallidus (Putiscus), 102.
 Pallidus (Phyllominius), 300.
Pallidus (Platydaetylus), 94.

- Pallidus* (*Stenopelmatus*), 113.
Pallipes (*Homoxiphus*), 79.
Pallipes (*Licodia*), 119.
Pallipes (*Metioche*), 79.
Pallipes (*Microgryllus*), 51.
Pallipes (*Mogisoplistes*), 57.
Pallipes (*Mogaplistes*), 57.
Pallipes (*Trigonidium*), 79.
Pallitarsis (*Libanasa*), 121.
Pallitarsis (*Onosandrus*), 121.
Palmeri (*Ceuthophilus*), 131.
Palmetorum (*Gryllus*), 31.
 PALOTTA, 274.
Palpata (*Dolichopoda*), 126.
Palpata (*Phalangopsis*), 126.
Palpata (*Rhaphidophora*), 126.
Palpatus (*Gryllus*), 126.
Palpatus (*Tettigonia*), 126.
Paludicola (*Alania*), 77.
Paludicola (*Liparoscelis*), 329.
Paludicola (*Nesæcia*), 329.
Paludicola (*Trigonidium*), 77.
Palustris (*Conocephaloides*), 246.
Palustris (*Conocephalus*), 246.
Palustris (*Nemobius*), 18.
 PANACANTHUS, 229.
Panamensis (*Gryllacris*), 147.
Pancici (*Callimenus*), 176.
Pancici (*Psorodonotus*), 215.
 PANOPLOSCELIS, 333.
 PANTECPHYLLUS, 310.
Panteli (*Ephippiger*), 165.
Panteli (*Gryllacris*), 145.
Panteli (*Gryllodes*), 41.
Panteli (*Steropleurus*), 165.
Pantigana (*Ephippiger*), 167.
Pantigana (*Ephippigerida*), 167.
 PANTOLEPTA, 394.
 PARABLETA, 453.
 PARABLIASITES, 332.
Paraboliens (*Loxoblemmus*), 46.
 PARABUCRATES, 254.
 PARACÆDICIÀ, 418.
 PARACOSMOPHYLLUM, 404.
 PARACYRTOPHYLLUS, 344.
 PARADIAPHILEBUS, 358.
Paradoxa (*Cymatomera*), 306.
Paradoxurus (*Bradyopisthius*), 160.
Paradoxus (*Cestrophorus*), 270.
Paradoxus (*Corycus*), 367.
Paradoxus (*Tridactylus*), 8.
 PARADRYMADUSA, 180.
 PARADRYNADOSA (= PARADRYMADUSA), 180.
 PARAGENES, 461.
 PARAGRYPHACRIS, 148, 149.
 PARAGRYLLUS, 64.
 PARALANDREVUS, 50.
Parallela (*Enthyphlebia*), 394.
Parallelinervis (*Agennis*), 470.
Parallelus (*Climacoptera*), 296.
Parallelus (*Gryllus*), 45.
Parallelus (*Pseudophyllus*), 246.
 PARALOBASPIS, 262.
 PARAMETRYPA, 108.
Parana (*Nemobius*), 19.
 PARANAUDUS, 103.
 PARANEMOBIUS, 13.
 PARAPHIDNIA, 411.
 PARAPOLICHNE, 419.
 PARAPYRRHICIA, 469.
 PARASCUDDERIA, 450.
 PARATRIGONIDIUM, 79.
 PARAXIPHIDIUM, 271.
Pardalina (*Gryllacris*), 145.
Pardalis (*Ephippitytha*), 424.
Pardalis (*Tapeina*), 424.
Pardalis (*Zaora*), 53.
 PARDALOTA, 404.
Parilis (*Gryllus*), 37.
 PAROCCANTHUS, 96.
 PAROCCANTHUS, 96.
Parona (*Scudderia*), 445.
Particularis (*Ancistrogera*), 148.
Parumpunctata (*Elimæa*), 396.
Parumpunctata (*Locusta*), 396.
Parumpunctata (*Phaneroptera*), 396.
Parva (*Drinacrida*), 115.
Parva (*Esocephala*), 234.
Parva (*Exocephala*), 234.
Parva (*Gongrocnemis*), 327.
Parva (*Hemidema*), 115.
Parvicauda (*Phaneroptera*), 419.
Parvicauda (*Polichne*), 419.
Parviceps (*Gryllodes*), 42.
Parviceps (*Gryllus*), 42.
Parvipennis (*Amblycorypha*), 400.
Parvipennis (*Gryllodes*), 43.
Parvipennis (*Gryllodes*), 42.
Parvipennis (*Scapteriscus*), 2.
Parvispinosus (*Clasma*), 237.
Parvula (*Abrodiata*), 469.
Parvula (*Banza*), 254.
Parvula (*Brachymetopa*), 254.
Parvula (*Gryllacris*), 147.
Parvula (*Gryllacris*), 142.
Parvula (*Rhacocleis*), 187.
Parvulus (*Cocconotus*), 335.
Parvulus (*Gryllodes*), 43.
Parvulus (*Gryllus*), 43.
Parvulus (*Ecanthus*), 73.
Parvus (*Conocephaloides*), 247.
Parvus (*Conocephalus*), 247.
 PARYSATIS, 352.
Patagonus (*Gryllodes*), 43.

- PATISCUS**, 102.
Pattersonii (*Acheta*), 122.
Pattersonii (*Gryllus*), 122.
Pattersonii (*Hemiscus*), 122.
Pattersonii (*Locusta*), 122.
Pattersonii (*Minnermus*), 122.
Pattersonii (*Tettigonia*), 122.
Paulinoi (*Ephippiger*), 167.
Paulinoi (*Ephippigera*), 167.
Paulinoi (*Ephippigerida*), 167.
Paulula (*Gryllacris*), 147.
Pauperculus (*Mygalopsis*), 235.
Pauperculus (*Pseudorhynchus*), 235.
PAURA, [399], 407.
Pavelii (*Isophya*), 383.
Pavonifolia (*Cycloptera*), 348.
Pectinata (*Locusta*), 286.
Pectinata (*Phasis*), 286.
Pectinatum (*Pleiopectron*), 138.
Pectinatus (*Tenthra*), 286.
Peculiaris (*Gryllacris*), 141.
Peculiaris (*Polyglochis*), 312.
Pedata (*Antaxius*), 188.
Pedata (*Pterolepis*), 188.
Pedestris (*Apterogryllus*), 20.
Pedestris (*Brachytrypes*), 20.
Pedestris (*Locusta*), 189.
Pedestris (*Pterolepis*), 189.
PEDINOSTETHUS, 236.
Pedo (*Gryllus*), 223.
Pedo (*Saga*), 223.
Pedo (*Tettigopsis*), 223.
Pedunculata (*Isopsera*), 438.
Peeli (*Rhagmatopoda*), 392.
Pellucens (*Ecanthus*), 73.
Pellucens (*Gryllus*), 72.
Pellucens (*Ecanthus*), 72.
Pellucida (*Amytta*), 373.
Pellucida (*Callierania*), 171.
Pellucida (*Casigneta*), 425.
Pellucida (*Decticus*), 211.
Pellucida (*Ephippigera*), 171.
Pellucida (*Grammadera*), 469.
Pellucida (*Tympanophora*), 229.
PEMBA, 342.
PENALVA, 118.
Pennsylvanicus (*Gryllus*), 25.
Pennsylvanicus (*Gryllus*), 35.
Pennsylvanicus (*Gryllus*), 35.
PENTACENTRUS, 62.
PENTHOPLOPHORA, 118.
Peracæ (*Ceraia*), 451.
PERANABRUS, 192.
Peregrina (*Phaula*), 426.
Perezi (*Ephippiger*), 164.
Perezi (*Ephippigera*), 164.
Perezi (*Steropleurus*), 164.
Perficia (*Torbia*), 416.
Perforata (*Ephippigera*), 169, 170.
Perforata (*Ephippigerida*), 169.
Perforata (*Locusta*), 169.
Perforatus (*Ephippiger*), 170.
Pergamicus (*Pæcilemon*), 378.
Pergandei (*Myrmecophila*), 55.
PERINGUEYELLA, 227.
Peringueyi (*Hemibetrodes*), 155.
Peringueyi (*Thorancistus*), 182.
PERINGUEYELLA, 227.
Perlaria (*Eurypalpa*), 408.
Perlaria (*Phaneroptera*), 408.
Perlari (*Zulpha*), 408.
Perloides (*Gryllacris*), 149.
Perloides (*Paragryllacris*), 149.
PERONURA, 391.
PEROPYRRHICIA, 388.
Perpulchra (*Tylopsis*), 411.
Persica (*Magrettia*), 120.
Personata (*Cocconotus*), 310.
Personata (*Gryllacris*), 146.
Personata (*Pleminia*), 316.
Personatus (*Brachyporus*), 116.
Personatus (*Callimeneilus*), 310.
Personatus (*Gryllus*), 36.
Perspicillata (*Gryllus*), 345.
Perspicillata (*Locusta*), 344.
Perspicillata (*Tettigonia*), 345.
Perspicillatum (*Platyphyllum*), 345.
Perspicillatus (*Cyrtophyllus*), 344.
Perspicillatus (*Diophanes*), 345.
Perspicillatus (*Gryllus*), 345.
Perturbans (*Gryllacropsis*), 118.
Peruviana (*Anchiptolis*), 328.
Peruviana (*Otenophlebia*), 472.
Peruviana (*Cyrtoxipha*), 83.
Peruviana (*Hormilia*), 443.
Peruviana (*Hyperophora*), 403.
Peruviana (*Iusara*), 443.
Peruviana (*Phylloptera*), 474.
Peruviana (*Rhipipteryx*), 13.
Peruviana (*Viadana*), 472.
Peruvianum (*Microcentrum*), 483.
Peruvianus (*Tytophyllum*), 351.
Peruvianus (*Aphonomorphus*), 106.
Peruvianus (*Aphonus*), 106.
Peruvianus (*Cyrtoxiphus*), 83.
Peruvianus (*Orophus*), 483.
Peruviansis (*Gryllus*), 38.
PETALOPTERA, 481.
PETALOPTILA, 51.
Petersi (*Calypotrypus*), 93.

- Petersi (Madasumma), 93.
 Petersii (Enyalipsis), 156.
 Petersii (Heterodes), 156.
 PEUCESSES, 457.
 Pfeifferæ (Capnoptera), 309.
 Pfeifferæ (Typhoptera), 309.
 PILEOPHILACRIS, 71.
 PILEOPHYLLACRIS, 71.
 Phæopsis (Agræcia), 265.
 PHALANGACRIS, 70.
 Phalangium (Egipan), 443.
 Phalangium (Amphiacusta), 68.
 Phalangium (Amphiacustes), 68.
 Phalangium (Arethæa), 443.
 Phalangium (Phæophilacris), 71.
 Phalangium (Phæophyllacris), 71.
 PHALANGOPSIS, 70, 125.
 PHALORIA, 69.
 PHANEROPTERA 434.
 Phaneroteroïdes (Phaula), 426.
 PHANISCHNOPTEA, 444.
 Phanopteroides (= Phaneroteroïdes) (Phaula), 426.
 PHARMACUS, 138.
 PHASGONURA, 216.
 PHASGONURIDE, 111.
 PHASGONURINÆ, 216.
 PHASMODES, 355.
 PHAULA, 425.
 PHERTERUS, 119.
 Philipicus (Decticus), 208.
 Philippina (Liotrachela), 432.
 Philippinensis (Microprion), 297.
 Philippinica (Hyperhomala), 368.
 Philippinica (Phyllophora), 368.
 PHILOPHYLIA, 485.
 PHILOSCIRTUS, 361.
 PHISIS, 286.
 PHILAUCENTRUM, 422.
 PHILUGIS, 284.
 PHIOBERODEMA, 356.
 PHIOBEROPUS, 120.
 PHIBOLAMPTA, 486.
 PHOILIDOPTERA, 197.
 PHORMINCTER, 91.
 PHRICTA, 355.
 PHRICTETYPUS, 356.
 PHRIXA, 477.
 PHRIXOCNEMIS, 134.
 Phryganoides (Gryllacris), 146.
 Phthisica (Hormilia), 442.
 Phthisica (Insura), 442.
 Phthisicus (Stenogryllus), 92.
 PIYGELA, 423.
 Phyllacantha (Machima), 410.
 Phyllacantha (Phaneroptera), 410.
 PHYLLOGRILLUS, 92.
 PHYLLOMIMUS, 297.
 PHYLLOPALPUS, 85.
 PHYLLOPHORA, 367, 369.
 PHYLLOPHORINÆ, 367.
 PHYLLOPTERA, 472.
 Phyllopteroides (Arnobia), 423.
 Phyllopteroides (Decticus), 423.
 Phyllopteroides (Parableta), 474.
 Phyllopteroides (Phylloptera), 474.
 PHYLLOSCIRTUS, 84.
 PHYLLOSCYRTUS, 84.
 PHYLLOSTACHYS, 315.
 PHYLLOTRIBONIA, 291.
 PHYLLOZELUS, 299.
 PHYRAMA, 354.
 PHYSOBLEMMA, 60.
 PIYSOCORYPHA, 465.
 Physomerus (Cophogryllus), 44.
 Physomerus (Gryllus), 44.
 Picca (Gryllacris), 144.
 Picca (Locusta), 124.
 Picca (Rhaphidophora), 123, 124.
 Picca (Rhaphidophorus), 124.
 Piccifrons (Gryllacris), 145.
 Piceiventris (Stenopelmatus), 112.
 Piccus (Diceranacrus), 270.
 Piccus (Diceranacrus), 270.
 Pichinchæ (Conocephaloides), 243.
 Pichinchæ (Conocephalus), 243.
 Picinus (Nemobius), 19.
 Picta (Cyrtoxipha), 82.
 Picta (Gryllacris), 147.
 Picta (Paralobaspis), 262.
 Picta (Phylloptera), 474.
 Picta (Rhytidaspis), 267.
 Picteti (Conocephaloides), 249.
 Picteti (Conocephalus), 249.
 Picteti (Gryllacris), 141.
 Picteti (Mimetica), 350.
 Picteti (Salomona), 266.
 Picticeps (Arachnomimus), 70.
 Picticeps (Phalangopsis), 70.
 Pietifolia (Pterochroza), 348.
 Pietifolia (Tanusia), 348.
 Pictipennis (Euacris), 341.
 Pictipes (Arachnopsis), 70.
 Pictipes (Cadicia), 413.
 Pictipes (Macroxiphus), 264.
 Pictum (Anisoptera), 283.
 Pictum (Xiphidium), 283.
 Picturata (Munda), 104.
 Picturata (Pterochroza), 348.
 Picturata (Tanusia), 348.
 Picturata (Tropizaspis), 191.
 Picturatus (Podoscirtus), 104.
 Pictus (Cardiodactylus), 88.
 Pictus (Cyrtoxiphus), 82.
 Pictus (Nemobius), 17.
 Pictus (Paranemobius), 13.
 Pictus (Pseudonemobius), 13.
 Pictus (Stenopelmatus), 112.
 PIESTODACTYLUS, 89.
 Pilipes (Arnobia), 423.
 Pilipes (Loboscelis), 230.
 Pilipes (Locusta), 423.
 Pilipes (Phaneroptera), 423.
 Pilosa (Ectadia), 397.
 Pilosa (Laurepa), 100.
 Pilosula (Trichotettix), 330.

- Pilosulus* (*Trichotettix*), 330.
Pilosus (*Gonyatopus*), 301.
Pilosus (*Neonetus*), 125.
Pilosus (*Orocharis*), 100.
Pilosus (*Semileptotettix*), 340.
Pilosus (*Trichotettix*), 330.
 PILUGIS, 284.
Pinguis (*Ceuthophilus*), 134.
Pinguis (*Elephantodeta*), 433.
Pinguis (*Maxentius*), 113.
Pinguis (*Phaneroptera*), 433.
Pinguis (*Stenopelmatus*), 113.
Pini (*Ecanthus*), 75.
Piperi (*Cyphoderris*), 193.
Pipiens (*Gryllodes*), 40, 41.
Pipiens (*Gryllotes*), 41.
Pipiens (*Gryllus*), 40.
Pipilans (*Phyllogryllus*), 92.
Pisifolia (*Phylloptera*), 473.
Pisifolius (*Diastellidea*), 417.
Pistacina (*Eugonia*), 403.
Pistillata (*Scudderia*), 444.
 PIURA, 287.
Plagiata (*Gryllacris*), 141.
Plagiceps (*Gryllus*), 32.
 PLAGIOPLEI R.A. 452.
 PLAGIOSTIRA, 195.
Plana (*Ischyra*), 484.
Plana (*Madasumma*), 94.
Plana (*Phaneroptera*), 441.
Plana (*Tylopsis*), 441.
 PLANGIA, 464.
 PLANGIOPSIS, 128.
Planiceps (*Calypotrypas*), 95.
Planiceps (*Euscirtus*), 104.
Planiceps (*Euscirtus*), 104.
Planiceps (*Ischyra*), 484.
Planiceps (*Madasumma*), 95.
Planiceps (*Orophus*), 484.
Planicollis (*Paracardiacia*), 418.
Planispina (*Conocephala*), 240.
Planispina (*Locusta*), 240.
Planispina (*Pyrgocorypha*), 240.
Planiscusculus (*Dasysechus*), 315.
Plantaris (*Hexacentrus*), 288.
Plantaris (*Locusta*), 288.
Platum (*Microcentrum*), 484.
Planus (*Orocharis*), 100.
Planus (*Platydictylus*), 94, 100.
 PLASTOCORYPHA, 237.
 PLATENIA, 307.
 PLATYBLEMMA, 48.
 PLATYBLEMMUS, 48.
Platyceps (*Hemiudeopsylla*), 129.
Platyceps (*Tapinopus*), 101.
 PLATYCLEIS, 203.
Platycleis (*Pteroplistes*), 62.
Platycleis (*Pteroplistus*), 62.
 PLATYDACTYLUS, 90.
 PLATYLYRA, 447.
Platyphœa (*Mecopoda*), 364.
Platyphylloides (*Blastes*), 332.
 PLATYPHYLLUM, 320, 321, 345.
 PLATYPHYLLUS, 321.
 PLATYSIAGON, 122.
 PLATYSTOLUS, 172, 173.
Platythorax (*Chceroparnops*), 326.
Platyxiphus (*Pteroplistus*), 62.
 PLATYXYPHIUS, 62.
Platyxyphus (*Gryllus*), 62.
Platyxyphus (*Pteroplistes*), 62.
Plebeia (*Gryllacris*), 141.
Plebejus (*Gryllus*), 34.
 PLEGMATOPTERA, 392.
 PLEIOPECTRON, 138.
 PLEMINIA, 316.
Plemnioides (*Anchiptalis*), 328.
Plemnioides (*Leurophyllum*), 320.
Plemnioides (*Platyphyl-lum*), 320.
Poaefolia (*Elimæa*), 395.
Poaefolia (*Locusta*), 395.
Poaefolia (*Phaneroptera*), 395.
 POASCIRTUS, 235.
Podagrosus (*Parœcanthus*), 97.
Podocausta (*Gryllacris*), 140.
 PODOGRYLLUS, 44.
 PODOSCIRTUS, 103.
Poduroides (*Hadenæus*), 136.
Poduroides (*Talitropsis*), 136.
 PŒCILEMON, 375.
 PŒCIOLOGRAMMA, 405.
 PŒCIOLOPSYRA, 427.
Pœyi (*Cyrtoxipha*), 82.
Pœyi (*Cyrtoxiphus*), 82.
Pœyi (*Gryllodes*), 42.
Pogonopoda (*Locusta*), 286.
Pogonopoda (*Phisis*), 286.
 POLICHINE, 419.
 POLICHINOSES, 421.
Polita (*Ephippigera*), 165.
Polita (*Steropleurus*), 165.
Politurata (*Physocorypha*), 465.
Politus (*Brachytrypes*), 22.
Politus (*Ceuthophilus*), 133.
Politus (*Stenopelmatus*), 113.
Politus (*Steropleurus*), 165.
Pollonerae (*Cocconotus*), 331.
Polliticornis (*Ceuthophilus*), 133.
 POLYANCISTROIDES, 342.
 POLYANCISTRUS, 341.
 POLYCLEPTIS, 311.
 POLYGLOCHIN, 312.
 POLYSARCUS, 374.
 POMATONOTA, 358.
Pomona (*Psyra*), 427.
Pœnyi (*Ephippigera*), 162.
Pœnyi (*Uromenus*), 162.
Ponderosa (*Gryllotalpa*), 3.
Ponderosa (*Neocurtilla*), 3.

- Ponderosum (Steirodon), 457.
Pontica (Olynthoscelis), 199.
Pontica (Pholidoptera), 199.
Pontica (Thamnotrizon), 199.
Pontoni (Hectoria), 412.
 Popeana (Eremopedes), 192.
 POREUOMENA, 428.
 PORNOTRIPS, 157.
 PORPHYROMMA, 349.
 Porrecta (Cædicia), 414.
Porrectum (Aprion), 302.
 Porrectus (Aprion), 302.
Porrigens (Conocephalus), 238.
Porrigens (Pseudorhynchus), 238.
Portentosa (Acheta), 22.
Portentosa (Anastostoma), 122.
Portentosa (Gryllus), 122.
 Portentosus (Brachytrypes), 22.
 Portentosus (Mimnermus), 122.
Portentosus (Stenopelmatus), 122.
Porteri (Dædaleus), 230.
Porteri (Dadalus), 230.
 POSIDIPPUS, 458.
Postica (Gryllacris), 241.
Postica (Topana), 478.
Posticum (Anisoptera), 277.
Posticum (Xiphidium), 277.
Posticus (Gryllus), 32.
 POSUS, 67.
 Powysi (Eugaster), 158.
Præcipua (Madasumma), 94.
Præcipuum (Xiphidium), 255.
Præcipuus (Platydictylus), 94.
Præditoria (Hemisaga), 227.
Præditoria (Peringueyella), 227.
Præmorsus (Coryeus), 367.
 PRÆPHIPPIGERIDA, 172.
 Præstantissima (Weisenbornia), 422.
Prætermissa (Holochlora), 431.
Præusta (Phaneroptera), 441.
Prasina (Chloracris), 294.
Prasina (Insara), 443.
Prasina (Locusta), 218.
Prasina (Olynthoscelis), 199.
Prasina (Pholidoptera), 199.
Prasina (Phylloptera), 448.
Prasinata (Eurycoreypha), 462.
Prasinus (Conocephaloides), 248.
Prasinus (Conocephalus), 248.
Prasinus (Pseudophyllus), 294.
Prasinus (Steirodon), 448.
Prasinus (Thamnotrizon), 199.
Praticola (Loxoblemmus), 47.
Prenjica (Chelidoptera), 210.
Prenjica (Platyteleis), 210.
Pretiosa (Moncheeca), 233.
 PREUSSIA, 447.
Preussiana (Sthenaropoda), 365.
Preussianus (Macroseirtus), 365.
Priapus (Podoceirtus), 104.
Prima (Locusta), 184.
 Princeps (Conocephalus), 238.
 Princeps (Gryllacris), 143.
Princeps (Pseudorhynchus), 238.
 Princeps (Segestidia), 359.
 PRIONOCNEMIS, 160.
 PRISTES, 319.
 PRISTOCEUTHOPHILUS, 134.
Privata (Phaneroptera), 399.
 PROCÆDICIA, 417.
Procera (Climacoptera), 295.
Procerus (Conocephaloides), 242.
Procerus (Conocephalus), 242.
 PROCHILANÆ, 355.
 PROCHILUS, 355.
 PROCEDICIA, 417.
Prodigiosa (Acheta), 21.
 Prodigiosus (Mimnermus), 122.
 Prodigiosus (Oryctopus), 113.
Producta (Copiocera), 231.
Producta (Copiphora), 231.
Producta (Hemideina), 115.
Productum (Aprion), 299.
Productum (Promeca), 299.
Productum (Xiphidium), 275.
 Productus (Hetrodes), 154.
 PROGATHIOGRYLUS, 109.
 PROMECA, 299.
 PRONEMOBIUS, 14.
 PROPHALANGO-P SINÆ, 290.
 PROPHALANGOPSIS, 290.
Propinquum (Anisoptera), 281.
Propinquum (Xiphidium), 281.
Propinquus (Pæcilemon), 379.
Prora (Canlopsis), 240.
Prora (Conocephalus), 240.
 PROSAGOGA, 476.
 PROSECOGRYLLUS, 67.
Proserpinæ (Eurycoreypha), 463.
 PROSMACUSTA, 63.
 PROSTHIACUSTES, 63.
 PROTINA, 417.
Provincialis (Ephippiger), 174.
Provincialis (Ephippigera), 170.
Provincialis (Ephippigerida), 170.
Proxima (Aniara), 402.
Proxima (Hornilia), 443.
Proxima (Paracædicia), 418.
Proximus (Conocephaloides), 248.
Proximus (Conocephalus), 248.
Prudhommi (Hyperphrona), 475.

- Pruinosa (Dictyota)*, 416.
 PSACADONOTUS, 258.
 PSEUDANCISTRUS, 342.
 PSEUDISOTIMA, 387.
 PSEUDOBURGILIS, 401.
Pseudola (Ephippigera), 163.
Pseudolus (Ephippiger), 163.
Pseudolus (Steropleurus), 163.
 PSEUDOMETRYPA, 108.
 PSEUDONEMOBIUS, 13.
 PSEUDOPHANEROPTERA, 398.
 PSEUDOPHYLLANAX, 360.
 PSEUDOPHYLLINÆ, 290.
 PSEUDOPHYLLUS, 294.
 PSEUDOPYRRHIZIA, 438.
 PSEUDORHYNCHIUS, 238.
 PSORODONOTUS, 215.
 PSYRA, 427.
 PTEROCHIROZA, 346.
 PTEROLEPIS, 186, 197.
 PTERONEMOBIUS, 14.
 PTEROPHYLLA, 343.
 PTEROPLISTES, 62.
 PTEROPLISTUS, 62.
Pubescens (Gryllus), 31.
Pubiventris (Leptotettix), 339.
Puella (Saga), 224.
Pugio (Liostethus), 235.
*Pugineulata (Tomeo-
phera)*, 470.
*Puiggarii (Conocephalo-
ides)*, 242.
Puiggarii (Conocephalus), 242.
Pulchella (Isophya), 383.
*Pulchellus (Phyllopal-
pus)*, 85.
*Pulchellus (Phylloscir-
tus)*, 85.
Pulchellus (Phylloscyrtus), 85.
Pulcher (Cocconotus), 336.
Pulcher (Oxyostethus), 257.
Pulcher (Phyllopalpus), 86.
Puleher (Phylloscyrtus), 86.
Puleher (Pœcilemon), 376.
Pulehra (Chelidoptera), 210.
Pulehra (Niphella), 401.
Pulehra (Platyceles), 210.
Pulchriceps (Gryllus), 33.
*Pulchripennis (Barbitis-
tes)*, 382.
*Pulchripennis (Odon-
tura)*, 382.
*Pulchripennis (Rhodo-
pteryx)*, 349.
Pulex (Nemobius), 16.
Pulex (Tridactylus), 10.
Pulicaria (Anaxipha), 86.
Pulicaria (Rhipipteryx), 13.
Pulicarius (Anaxiphus), 86.
Pulicarius (Gryllus), 86.
Pulicarus (Anaxiphus), 86.
*Pulvillatus (Brachytry-
pus)*, 23.
*Pulvillatus (Gymno-
gryllus)*, 23.
Pumila (Anaxipha), 87.
Pumilio (Brochopeplus), 298.
Pumilus (Gryllus), 87.
Punctata (Agræcia), 260.
Punctata (Agræcia), 260.
Punctata (Amaura), 449.
Punctata (Anelytra), 257.
Punctata (Eurepa), 89.
Punctata (Exocephala), 234.
Punctata (Gryllacris), 145.
Punctata (Pseudisotima), 387.
*Punctata (Pseudopyr-
rhizia)*, 438.
Punctata (Turpilia), 479.
*Punctatissima (Barbi-
tistes)*, 389.
*Punctatissima (Lepto-
phyes)*, 389.
*Punctatissima (Lepto-
phyes)*, 389, 390.
Punctatissima (Locusta), 389.
*Punctatissima (Odon-
tura)*, 389.
*Punctatus (Aphonomor-
phus)*, 105.
Punctatus (Aphonus), 105.
*Punctatus (Diphophyl-
lus)*, 479.
Punctatus (Encoptera), 105.
Punctatus (Gryllus), 105.
Punctatus (Ligocatinus), 449.
*Punctatus (Piestodacty-
lus)*, 89.
Punctatus (Scleropterus), 61.
*Puncticeps (Mimmer-
mus)*, 122.
Puncticeps (Onosandrus), 122.
Puncticollis (Bongea), 428.
Punctifera (Cædicia), 415.
Punctifera (Elimæa), 396.
*Punctifera (Phanero-
ptera)*, 396, 415.
Punctifrons (Aphidnia), 412.
Punctifrons (Bliastes), 332.
Punctifrons (Decticus), 199.
Punctifrons (Dysonia), 412.
*Punctifrons (Eschato-
cerus)*, 259.
Punctifrons (Gryllacris), 140.
*Punctifrons (Microcen-
trum)*, 482.
*Punctifrons (Olynthosce-
lis)*, 199.
Punctifrons (Orophus), 482.
*Punctifrons (Pholido-
ptera)*, 199.
*Punctifrons (Thamno-
trizon)*, 199.
Punctinervis (Ischyra), 484.
Punctinervis (Isophya), 383.
Punctinervis (Odontura), 383.
*Punctipenne (Aniso-
ptera)*, 279.
*Punctipenne (Niphid-
ium)*, 279.
Punctipennis (Ducetia), 399.
*Punctipennis (Grylla-
cris)*, 145.
Punctipennis (Oxylakis), 258.

- Punctipennis* (*Phaneroptera*), 399.
Punctipennis (*Segestidia*), 359.
Punctipes (*Conocephaloides*), 248.
Punctipes (*Conocephalus*), 248.
Punctipes (*Ladinea*), 400.
Punctipes (*Segestes*), 359.
Punctulata (*Aniara*), 402.
Punctulata (*Cælicia*), 415.
Punctulata (*Carcinopsis*), 117.
Punctulata (*Catoptropteryx*), 415.
Punctulata (*Ceraia*), 450.
Punctulata (*Hyperphrona*), 475.
Punctulata (*Isopsera*), 438.
Punctulata (*Libanasa*), 117.
Punctulata (*Phaneroptera*), 436.
Punctulata (*Scudleria*), 450, 451.
Punctulata (*Tylopsis*), 441.
Punctulatus (*Ecanthus*), 76.
Punctum-album (*Phylloptera*), 472.
Pungens (*Conocephalus*), 238.
Pungens (*Pseudorhynchus*), 238.
Punquiculata (*Tomeoptera*), 470.
Punicea (*Gryllacris*), 140.
Pupa (*Brachyporus*), 154.
Pupa (*Gryllus*), 154.
Pupa (*Locusta*), 154.
Pupa (*Tettigonia*), 154.
Pupa-spinosa (*Locusta*), 154.
Pupulus (*Neanias*), 150.
Pupus (*Agræcia*), 266.
Pupus (*Gryllus*), 154.
Pupus (*Heterodes*), 154.
Pupus (*Salomona*), 266.
Pupus (*Tettigonia*), 154.
Pupus-Europæus (*Gryllus*), 126.
Pupus-Europæus (*Tettigonia*), 126.
Purpurascens (*Anabrus*), 192.
Purpurascens (*Conocephaloides*), 242.
Purpurascens (*Conocephalus*), 242.
Pusilla (*Cyrtoxipha*), 81.
Pusilla (*Dolichopoda*), 127.
Pusillus (*Cyrtoxiphus*), 81.
Pusillus (*Gryllodes*), 38.
Pusillus (*Gryllus*), 38.
Pusillus (*Hexacentrus*), 287.
Pusillus (*Miogryllus*), 38.
Pustulata (*Gryllacris*), 145.
Pustulatum (*Aprion*), 301.
Pustulatus (*Conocephalus*), 243.
Pustulatus (*Gonyatopus*), 301.
Pustulipes (*Gryllodes*), 42.
Pustulipes (*Gryllus*), 42.
Pustulipes (*Pholidoptera*), 203.
Pustulipes (*Pterolepis*), 203.
Pustulosa (*Pterolepis*), 203.
Patrida (*Pseudometrypa*), 108.
PYCNOGASTER, 173.
PYCNOGASTRINE, 161.
PYCNOPALPA, 477.
Pygmæa (*Gryllacris*), 147.
Pygmæa (*Ruspolia*), 240.
Pygmæus (*Gryllus*), 39.
Pyreneæ (*Isophya*), 384.
Pyreneæ (*Odontura*), 387.
Pyreneæ (*Barbitistes*), 384.
Pyreneæ (*Isophya*), 384.
PYRGOCORYPHA, 239.
PYRGOPHYLLAX, 423.
Pyrifer (*Conocephaloides*), 249.
Pyrifer (*Conocephalus*), 249.
PYRRHICIA, 399.
PYRRHIZIA, 399.
Pyrrhocnemis (*Theodoria*), 470.
Quadrata (*Apithis*), 98.
Quadrata (*Madasumma*), 94.
Quadrata (*Vetralla*), 362.
Quadrata (*Vetralla*), 362.
Quadratus (*Calypotrypus*), 94.
Quadratus (*Gryllus*), 94.
Quadratus (*Hapithus*), 98.
Quadratus (*Platydictylus*), 94.
Quadridentata (*Odonatura*), 387.
Quadrigesimacuttata (*Ephippityga*), 412.
Quadrinaculatus (*Gryllus*), 34.
Quadrupunctata (*Gryllacris*), 145.
Quadrupunctata (*Phaneroptera*), 435.
Quadrupunctata (*Pro-meca*), 299.
Quadrupunctatus (*Ecanthus*), 75.
Quadrupunctatus (*Patis-cus*), 102.
Quadrisingata (*Saga*), 226.
Quadrisingatus (*Gryllus*), 31.
Quinquedentatus (*Rhynchocerus*), 230.
Quinquenervis (*Locusta*), 395.
Quinquenervis (*Phaneroptera*), 398.
Rabida (*Gryllacris*), 146.
Radiata (*Pterolepis*), 216.
Radiatus (*Poltastes*), 216.
Rafraiyi (*Salomona*), 266.
Raia (*Chelidoptera*), 210.
Raia (*Platycheilus*), 210.
Ramburi (*Ephippigera*), 171.
Ramburi (*Platycheilus*), 49.
Ramburi (*Pterolepis*), 187.
Ramburi (*Rhacocleis*), 187.
Ramburii (*Ephippiger*), 171.
Ramburii (*Steropleurus*), 171.
Ranatriformis (*Phasmodus*), 355.
Rapax (*Phisis*), 286.
Rapax (*Tenthra*), 286.
Raroramosa (*Paracædicia*), 418.
Rarospinulosus (*Posidippus*), 459.

- Rasilis* (*Ganoblemmus*), 47.
Rastricerus (*Mormotus*), 324.
Raymondi (*Anterastes*), 195.
Raymondi (*Rhacocleis*), 195.
Raymondii (*Pterolepis*), 195.
Recta (*Anaulacomera*), 466.
Rectangulata (*Engonia*), 403.
Rectangulata (*Phaneroptera*), 403.
Recticauda (*Anaulacomera*), 466.
Recticauda (*Gampsocleis*), 185.
Rectifolia (*Arantia*), 406.
Rectiloba (*Dithela*), 401.
Reclinervis (*Prosagoga*), 477.
Rectipennis (*Isophya*), 385.
Redtenbacheri (*Onchodopus*), 270.
Redtenbacheri (*Phoberodema*), 356.
Redtenbacheri (*Salomona*), 266.
Reducta (*Gryllacris*), 93.
Reducta (*Madasumma*), 93.
Reductus (*Bliastes*), 333.
Reductus (*Nastionotus*), 333.
Reflexa (*Diacanthodis*), 315.
Regalis (*Sanaa*), 309.
Regalis (*Termera*), 309.
Regia (*Paracædicia*), 417.
Regia (*Procedicia*), 417.
Regimbarti (*Leurophyllum*), 321.
Regimbarti (*Platyphyllum*), 321.
Regina (*Acanthodis*), 320.
Regina (*Arantia*), 406.
Regina (*Mecopoda*), 363.
Regulus (*Gryllus*), 35.
Regulus (*Nemobius*), 16.
Regulus (*Podoscirtus*), 104.
Remotus (*Conocephaloides*), 251.
Remotus (*Conocephalus*), 251.
Repanda (*Acanthodis*), 313.
Repanda (*Locusta*), 233.
Repanda (*Orpacophora*), 313.
Repanda (*Pleminia*), 313.
Repandus (*Basileus*), 233.
Repens (*Maxentius*), 113.
 REQUENA, 191.
Resinum (*Anisoptera*), 276.
Resinum (*Xiphidium*), 276.
Restrictus (*Callimenes*), 176.
Restrictus (*Callimus*), 176.
Restrictus (*Conocephaloides*), 245.
Restrictus (*Conocephalus*), 245.
Retiarius (*Cocconotus*), 334.
Reticulata (*Acridopeza*), 407.
Reticulata (*Acripeza*), 407.
Reticulata (*Cycloptera*), 353.
Reticulata (*Gryllacris*), 142.
Reticulata (*Gryllus*), 66.
Reticulata (*Locusta*), 332.
Reticulata (*Phaneroptera*), 436.
Reticulata (*Plegmatorptera*), 392.
Reticulatum (*Lonchitophyllum*), 354.
Reticulatus (*Acheta*), 66.
Reticulatus (*Bliastes*), 332.
Reticulatus (*Brochopeplus*), 297.
Reticulatus (*Homœogryllus*), 66.
Reticulatus (*Scopiorus*), 343.
Reticulosa (*Isotima*), 399.
Reticulosa (*Paura*), 399.
Reticulosus (*Phyllomimus*), 300.
Retinerve (*Microcentrum*), 482.
Retinervis (*Arantia*), 406.
Retinervis (*Microcentrum*), 482.
Retinervis (*Orophus*), 482.
Retinervis (*Phylloptera*), 482.
Retusus (*Conocephaloides*), 246.
Retusus (*Conocephalus*), 246.
Revoilii (*Anepisceptus*), 157.
Revoilii (*Eugaster*), 157.
Rex (*Cleandrus*), 295.
Rex (*Diophanes*), 346.
Rex (*Paragryllus*), 64.
RHACHIDORUS, 190.
RHACOCLEIS, 186.
RHAMMATOPODA, 360.
RHAPHIDOPHORA, 123, 126.
RHAPHIDOPHORINÆ, 123.
RHEGMATOPODA, 392.
Rhinoceros (*Copiophora*), 231.
Rhinoceros (*Copiophora*), 231.
RHIPIPTERYX, 11.
Rhoadsi (*Pristoceuthophilus*), 135.
Rhodei (*Aprion*), 304.
Rhodei (*Morsimus*), 304.
RHODOPTERYX, 349.
Rhombifolia (*Ctenophlebia*), 472.
Rhombifolia (*Orophus*), 482.
Rhombifolia (*Phylloptera*), 482.
Rhombifolia (*Viadana*), 472.
RHOMBOPTERA, 294.
RHYNCHOCERUS, 230.
RHYTIDASPIS, 267.
Richmondi (*Diyllus*), 341.
Richmondi (*Euacris*), 341.
Rieta (*Hemideina*), 115.
Riparius (*Tridactylus*), 9.
RIPIPTERYX, 11.
Ritsema (*Acheta*), 24.
Ritsema (*Aphasius*), 107.
Ritsema (*Cyrtoxipha*), 81.
Ritsema (*Endolandreus*), 50.
Ritsema (*Landrevus*), 50.
Ritsema (*Liogryllus*), 24.
Ritsemai (*Liogryllus*), 24.
Rivæ (*Peronura*), 391.
Rivularis (*Rhipipteryx*), 12.

- Robecchii (Anepiscepus), 158.
 Roberti (Conocephaloides), 250.
 Roberti (Conocephalus), 250.
 Robusta (Daihinia), 128.
 Robusta (Phalangopsis), 128.
 Robusta (Udeopsylla), 128.
 Robusta (Zumala), 298.
 Robustum (Orchelimum), 272.
 Robustum (Paratriginidum), 80.
 Robustum (Xiphidium), 292.
 Robustus (Aprion), 304.
 Robustus (Brachytrypes), 22.
 Robustus (Conocephaloides), 245.
 Robustus (Conocephalus), 245.
 Robustus (Paracryptophyllus), 344.
 Robustus (Prognathogryllus), 109.
 Rodriguezii (Orocharis), 99.
 Rodsjankoi (Isophya), 385.
 Roeselii (Chelidoptera), 210.
 Roeselii (Locusta), 210.
 Roeselii (Micropteryx), 211.
 Roeselii (Platyteleis), 211.
 Rogenhoferi (Cachoplis-tus), 61.
 Rogenhoferi (Cacoplites), 61.
 Rogenhoferi (Laranda), 64.
 Rogenhoferi (Larandus), 64.
 Rolphi (Apithes), 98.
 Rolphi (Hapithus), 98.
 Rosaceus (Conocephaloides), 250.
 Rosaceus (Conocephalus), 250.
 Rosalia (Meronicidius), 346.
 Rosaura (Arota), 476.
 Rosea (Elimæa), 396.
 Rosea (Grammadera), 469.
 Rosea (Pseudoburgilis), 401.
 Rosea (Vellea), 451.
 Roseata (Phaneroptera), 436.
 Roseipennis (Glaphyrotus), 262.
 Roseivitta (Gryllacris), 147.
 Roseoinflata (Phylloptera), 473.
 Roseolata (Elimæa), 396.
 Rosescens (Diophanes), 346.
 Roseum (Paratriginidum), 79.
 Rossii (Ephippigera), 170.
 Rostrata (Allodapa), 438.
 Rostrata (Oxyprora), 236.
 Rostratum (Microcentrum), 481.
 Rostratus (Endolandreus), 50.
 Rostratus (Landrevus), 50.
 Rostratus (Orophus), 481.
 Rotundifolia (Amblycorypha), 460, 461.
 Rotundifolia (Phylloptera), 460.
 ROXELANA, 352.
 Rubens (Gryllus), 36.
 Rubescens (Letana), 400.
 Rubescens (Phaneroptera), 400.
 Rubescens (Tylopsis), 441.
 Rubricollis (Acheta), 26.
 Rubricollis (Gryllus), 26.
 Rubricornis (Lobodes), 342.
 Rubrimarginata (Aprion), 305.
 Rubrimarginata (Chondrodora), 305.
 Rubrinervosa (Dibelona), 148.
 Rubrinervosa (Gryllacris), 148.
 Rubromarginata (Locusta), 305.
 Rufa (Gryllus), 364.
 Rufa (Mecopoda), 364.
 Rufa (Tettigonia), 364.
 Rufatus (Phyllomimus), 299.
 Rufescens (Conocephaloides), 246.
 Rufescens (Conocephalus), 246.
 Rufescens (Liara), 258.
 Ruficeps (Gryllacris), 143.
 Ruficornis (Meronicidius), 316.
 Ruficornis (Pleminia), 316.
 Ruficosta (Barbitistes), 359.
 Rufidulus (Cardiodactylus), 88.
 Rufidulus (Podoscirtes), 104.
 Rufipennis (Luzara), 65.
 Rufipes (Chlorophylla), 353.
 Rufipes (Gryllodes), 43.
 Rufipes (Orchestridoptera), 324.
 Rufomarginata (Isotima), 399.
 Rufonotata (Elimæa), 395.
 Rufonotata (Phaneroptera), 395.
 Rufosignata (Agnapha), 437.
 Rufovaria (Gryllacris), 145.
 Rufus (Nemobius), 19.
 Rugifrons (Agræcia), 264.
 Rugifrons (Salomona), 264.
 Rugosa (Acanthodis), 307.
 Rugosa (Deinacrida), 114.
 Rugosa (Locusta), 307.
 Rugosa (Sathrophyllia), 306, 307.
 Rugosicollis (Conocephaloides), 248.
 Rugosicollis (Conocephalus), 248.
 Rugosicollis (Ephippiger), 161.
 Rugosicollis (Ephippigera), 161.
 Rugosicollis (Uromenus), 161.
 Rugosifrons (Eremus), 150.
 Rugosus (Conocephalus), 307.
 Rugosus (Gryllus), 306.
 Rugosus (Tettigonia), 306.
 Rugulosa (Phaula), 425.
 Rugulosa (Turpilia), 479.

- Rugulosus (Diplophyl-
 lus), 479.
 RUPILIUS, 103.
 Ruspolii (Anepisceptus),
 157.
 Ruspolii (Conchotopoda),
 394.
 Ruspolii (Epiphlebus),
 388.
 Ruspolii (Pornotrips),
 157.
Sacalava (*Gryllomor-
 phus*), 53.
Sacalava (*Zaora*), 53.
 SAGA, 223.
Sagafornis (*Metaballus*),
 190.
 SAGEPHORUS, 312.
 SAGINÆ, 222.
Sagittatus (*Cocconotus*),
 334.
 SAGONA, 461.
Salicifolia (*Phylloptera*),
 482.
Sallei (*Ceuthophilus*),
 1: 2.
Sallei (*Conocephalus*),
 239.
Sallei (*Pyrgocorypha*), 3
 239.
Sallei (*Stenopelmatus*),
 112.
 SALMANIA, 62.
 SALOMONA, 264.
Salomonis (*Mossula*),
 358.
Salomonis (*Myrmeco-
 phila*), 55.
Salomonoides (*Bliastes*),
 331.
Saltans (*Anisoptera*),
 280.
Saltans (*Xiphidium*),
 280.
Saltator (*Anabropsis*),
 117.
Saltator (*Anisoptera*),
 276.
Saltator (*Dyscophog-
 gryllus*), 66.
Saltator (*Dyscophus*),
 66.
Saltator (*Gryllodes*),
 41.
Saltator (*Orocharis*), 99.
Saltator (*Orocharis*), 100.
Saltator (*Schaneobates*),
 117.
Saltator (*Trigonidium*),
 79.
Saltator (*Xiphidium*),
 276.
Saltatrix (*Orocharis*),
 99.
Salvadorii (*Semilepto-
 tettix*), 340.
Salvifolia (*Diophanes*),
 345.
Salvifolia (*Locusta*),
 345.
Salvifolia (*Phylloptera*),
 481.
Salvifolium (*Platyphyl-
 lum*), 345.
Salvini (*Gryllacris*),
 143.
 SANABRIA, 412.
Sanchez-Gomezi (*Pyeno-
 gaster*), 173.
Sanchezi (*Lebinthus*),
 88.
Sancti-Pauli (*Pæcile-
 mon*), 380.
Sanguinolenta (*Barbi-
 tistes*), 381.
Sanguinolenta (*Grylla-
 cris*), 147.
Sanguinolenta (*Phyllo-
 ptera*), 405.
Sanguinolentum (*Scam-
 bophyllum*), 405.
 SANNÄ, 309.
Sanzi (*Barbitistes*),
 382.
Sartorianus (*Stenopel-
 matus*), 113.
 SASIMA, 367.
Satellitius (*Loxoblem-
 mus*), 47.
 SATHROPHYLLIA,
 306.
Saturata (*Gravenreuthia*),
 430.
Saturatus (*Conocephal-
 oides*), 244.
Saturatus (*Conocephalus*),
 244.
Sauleyi (*Orocharis*), 98.
Sauleyi (*Platydictylus*),
 98.
Saussurea (*Platyteleis*),
 210.
Saussureana (*Platyteleis*),
 210.
Saussurei (*Calypotryp-
 pus*), 94.
Saussurei (*Cocconotus*),
 336.
Saussurei (*Gryllus*), 38.
Saussurei (*Lebinthus*),
 88.
Saussurei (*Madasumma*),
 94.
Saussurei (*Mimetica*),
 350.
Saussurei (*Miogryllus*),
 38.
Saussurei (*Nemobius*),
 15.
Saussurei (*Onosandrus*),
 121.
Saussurei (*Paræcanthus*),
 94.
Saussurei (*Salomona*),
 267.
Saussuriana (*Platyteleis*),
 210.
Savignyi (*Isophya*),
 386.
Savignyi (*Saga*), 224.
Savignyi (*Tridactylus*),
 10.
Scabra (*Zacatula*), 361.
Scabricolle (*Platyphyl-
 lum*), 346.
Scabricollis (*Diophanes*),
 346.
Scabricollis (*Ephippiger*),
 165.
Scabricollis (*Perana-
 brus*), 192.
Scabricollis (*Steropleu-
 rus*), 165.
Scabrifrons (*Bliastes*),
 331.
Scabripes (*Ceuthophilus*),
 131.
Scabripes (*Phalangopsis*),
 131.
Scabriuscula (*Lophaspis*),
 346.
Scalaris (*Cadicia*), 414.
Scalaris (*Locusta*), 364.
Scalaris (*Tetraconcha*),
 420.
 SCAMBOPHYLLUM,
 405.
 SCAPHURA, 453, 454.
 SCAPSIPEDUS, 45.
 SCAPTERISCUS, 1.
Scariosa (*Acanthodis*),
 315.
Scariosa (*Anonistus*),
 315.
Scariosa (*Phyllostachys*),
 315.
Scenicus (*Gryllodes*),
 41.
Scenicus (*Gryllus*), 41.
 SCEPASTUS, 96.
Schauinslandi (*Cacone-
 mobius*), 13.
Schauinslandi (*Parane-
 mobius*), 13.
Schaumi (*Cymatomera*),
 306.
Schereri (*Chelidoptera*),
 210.

- Schereri* (*Platyoleis*), 210.
SCHIZODACTYLUS, 153.
Schmidi (*Thamnotrizon*), 198.
Schmidtii (*Barbitistes*), 377.
Schmidtii (*Pæcilemon*), 377.
Schneideri (*Isophya*), 386.
SCHIOCHIA, 312.
Schönemauni (*Isophya*), 383.
SCHÆNOBATES, 116.
Schumannii (*Phrixa*), 477.
SCIOBIA, 48.
Scis-ifolia (*Mimetica*), 351.
Scissifolia (*Typophyllum*), 351.
Scita (*Gryllacris*), 142.
Scitula (*Metioche*), 79.
Scitulus (*Homoxiphus*), 79.
Scitulus (*Orocharis*), 97.
SCLEROPTERUS, 61.
SCOPIORUS, 342.
Scops (*Acanthodis*), 315.
Scops (*Anonistus*), 315.
Scops (*Phyllostachys*), 315.
Scripta (*Gryllacris*), 140.
Scriptus (*Ceuthophilus*), 153.
Serophilosa (*Rhipipteryx*), 13.
Seuderae (*Amblycorypha*), 460.
Seudderi (*Anisoptera*), 280.
Seudderi (*Camptonotus*), 151.
Seudderi (*Eremopedes*), 192.
Seudderi (*Stipator*), 183.
Seudderi (*Thyreonotus*), 183.
Seudderi (*Xiphidium*), 280.
SCUDDERIA, 444.
Scudderianus (*Gryllus*), 35.
Scudderii (*Conocephaloides*), 247.
Scudderii (*Conocephalus*), 247.
Scurra (*Arantia*), 416.
Scutata (*Cyrtaspis*), 372.
Scutata (*Cyrtaspis*), 372.
Scutata (*Orphanina*), 375.
Scutatus (*Barbatistes*), 372.
Scutellifera (*Polycleptis*), 311.
SCUTOTRIBONIA, 298.
SCYTOCERA, 256.
Seckellensis (*Gryllacris*), 144.
Seclusus (*Ceuthophilus*), 131.
Secretus (*Ceuthophilus*), 131.
SECSIVA, 261.
Securifera (*Anaulacomera*), 468.
Securifera (*Eurycorypha*), 463.
Securifera (*Habra*), 426.
Securiferum (*Microcentrum*), 481.
Securiferus (*Orophus*), 481.
Securigera (*Elimæa*), 355.
Sedakovii (*Decticus*), 185.
Sedakovii (*Gampsocleis*), 185.
Sediloti (*Talitropsis*), 136.
Sedilotti (*Talitropsis*), 136.
SEGESTES, 359.
SEGESTIDIA, 359.
Segonoides (*Phylloptera*), 464.
Segonoides (*Plangia*), 464.
Selenophora (*Ephippigera*), 168.
Sellata (*Pleminia*), 316.
Sellata (*Tedla*), 287.
Selliger (*Barbitistes*), 171.
Selliger (*Callierania*), 171.
Selliger (*Ephippigera*), 165.
Selligera (*Ephippigera*), 165.
Semialata (*Phæophilacris*), 71.
Semialata (*Phæophyllacris*), 71.
Semialata (*Plateria*), 307.
Semiconchata (*Plangio-opsis*), 428.
Semicrucata (*Salomona*), 266.
SEMILEPTOTETTIX, 340.
Semimuticus (*Euthæacanthodes*), 329.
SEMIOPHYGAS, 301.
Semivitreum (*Aprion*), 302.
Semivitreus (*Aprion*), 302.
Semivittatus (*Decticus*), 283.
Senegalense (*Orbelimum*), 274.
Senegalense (*Xiphidium*), 274.
Senegalensis (*Mastias*), 293.
Senegalensis (*Oxyaspis*), 293.
Senica (*Chelidoptera*), 207.
Senica (*Platyoleis*), 207.
Seoanei (*Callierania*), 171.
Seoanei (*Ephippigera*), 171.
Seoanei (*Ephippigera*), 171.
Septentrionalis (*Cædicia*), 414.
Septentrionalis (*Gryllus*), 37.
Septentrionalis (*Phaneroptera*), 446.
Septentrionalis (*Scudleria*), 446.
Serbicus (*Anterastes*), 195.
Seriatius (*Psacadonotus*), 258.
Serrata (*Callierania*), 171.
Serrata (*Ephippigera*), 171.
Serrata (*Locusta*), 223.
Serrata (*Paracædicia*), 418.
Serrata (*Saga*), 223.
Serrata (*Tettigopsis*), 224, 225.
Serraticollis (*Aprion*), 305.
Serraticollis (*Morsimus*), 305.
Serraticollis (*Strongylo-derus*), 369.
Serratum (*Pleioplectron*), 138.
Serratus (*Acanthoplus*), 155.
Serricauda (*Barbitistes*), 380.
Serricauda (*Barbitistes*), 381.

- Serricauda* (*Locusta*), 380.
Serricauda (*Odontura*), 381, 382.
Serricaudus (*Barbitistes*), 381.
Serrifera (*Horatosphaga*), 393.
Serrulata (*Locusta*), 342.
Serrulatus (*Polyanicstrus*), 342.
Serva (*Phylloptera*), 474.
Servillea (*Aerometopa*), 393.
Servillea (*Phaneroptera*), 393.
Servillei (*Anepisceptus*), 157.
Servillei (*Eugaster*), 157.
Servillei (*Gryllacris*), 144.
Servillei (*Gryllus*), 34, 90.
Servillei (*Hetrodes*), 157.
Servillei (*Onconotus*), 221.
Setosus (*Odontogryllus*), 51.
Setosus (*Phylloseirtus*), 86.
Setosus (*Phylloseyrtus*), 86.
 SEXAVA, 359.
Sexpunctata (*Conocephalus*), 268.
Scapunctata (*Copio-phora*), 268.
Sexpunctata (*Gryllacris*), 143.
Sexpunctata (*Odontolakis*), 268.
Scapunctatus (*Conocephalus*), 268.
Sharpi (*Coccothotus*), 335.
Siamensis (*Curtilla*), 5.
Siamensis (*Eurepa*), 89.
Siamensis (*Gryllotalpa*), 5.
Siamensis (*Piestodactylus*), 89.
Sibilans (*Diatrypa*), 93.
Sibilans (*Diatrypus*), 93.
Sicarius (*Miogryllus*), 38.
Sicarius (*Pseudorhynchus*), 238.
Siccifolia (*Locusta*), 347.
Siccifolia (*Mimetica*), 353.
Siccifolia (*Pterochroza*), 347.
Siccifolium (*Corycus*), 367.
Siccifolium (*Tovaria*), 352.
Siccifolium (*Typophyllum*), 352.
Siccus (*Phyllozelus*), 300.
Siccus (*Pseudophyllus*), 300.
 SICTUNA, 439.
Sicula (*Ephippigera*), 163.
Sienlus (*Steropleurus*), 163.
Sieboldii (*Decticus*), 205.
Sigillatus (*Gryllodes*), 42.
Sigillatus (*Gryllus*), 42.
Sigma (*Salomona*), 265.
Sigmoidalis (*Euscirtus*), 102.
Sigmoidalis (*Patiscus*), 102.
Signata (*Carcinopsis*), 117.
Signata (*Elimaea*), 396.
Signata (*Holochlora*), 431.
Signata (*Olynthoscelis*), 199.
Signata (*Pholidoptera*), 199.
Signatifrons (*Gryllacris*), 142.
Signatifrons (*Parablastes*), 332.
Signatipennis (*Catoptropteryx*), 416.
Signatipennis (*Mnesibulus*), 95.
Signatipennis (*Platydictylus*), 95.
Signatipennis (*Timantides*), 302.
Signatipes (*Gryllus*), 37.
Signatum (*Anisoptera*), 283.
Signatum (*Xiphidium*), 283.
Signatus (*Gryllus*), 37.
Signatus (*Gryllus*), 36.
Signatus (*Orocharis*), 97.
Signatus (*Phyllozelus*), 300.
Signatus (*Platysiagon*), 122.
Signatus (*Pseudophyllus*), 300.
Signatus (*Thanotrizon*), 199.
Signifera (*Gryllacris*), 144.
Signifera (*Gryllus*), 144.
Signifera (*Tettigonia*), 144.
Signifrons (*Gryllus*), 34.
Signigera (*Gryllacris*), 145.
Signigera (*Gryllacris*), 149.
Signipes (*Gryllus*), 34.
Sikora (*Cosmozoma*), 448.
Silens (*Aphonomorphus*), 106.
Silens (*Aphonus*), 106.
 SILIQUOIFERA, 369.
Silvarum (*Itokia*), 428.
Silvaticum (*Orchelimum*), 273.
Silvestris (*Ceuthophilus*), 133.
Sima (*Phrixia*), 477.
Similaris (*Gryllus*), 36.
Similis (*Acanthodiphrus*), 339.
Similis (*Anabrus*), 192.
Similis (*Ceraia*), 451.
Similis (*Coccothotus*), 339.
Similis (*Leptogryllus*), 110.
Similis (*Orocharis*), 99.
Similis (*Platydictylus*), 99.
Similis (*Pæcilemon*), 379.
Similis (*Thanotrizon*), 200.
Simillimus (*Heterotrypus*), 91.
Simillimus (*Leptogryllus*), 110.
Simiola (*Metioche*), 78.
Simiolus (*Piestoriphus*), 78.
 SIMODERA, 354.
Simoni (*Mimetica*), 350.
Simplex (*Anabrus*), 191.
Simplex (*Cadicia*), 414.
Simplex (*Cælophyllum*), 437.
Simplex (*Gryllacris*), 142.
Simplex (*Gryllus*), 38.
Simplex (*Phaneroptera*), 414.
Simplex (*Pleiopectron*), 138.
Simplex (*Tedla*), 287.
Simplicinervis (*Arantia*), 406.
Simplicipes (*Aphidnia*), 412.
Simplicipes (*Dysonia*), 412.
Simulator (*Conocephaloides*), 247.
Simulator (*Conocephalus*), 247.

- Sinense (Anisoptera), 278.
Sinense (*Xiphidium*), 278.
Sinensis (*Decticus*), 185.
Sinensis (*Gampsocleis*), 185.
Sinensis (*Microgryllacris*), 139.
Sinensis (*Ecanthus*), 74.
Sinensis (*Pseudophyllum*), 299.
Sinuata (*Cacopteris*), 193.
Sinuatus (*Decticus*), 211.
Sinuosa (*Pterochroza*), 349.
Sinuosa (*Tanusia*), 349.
Sloanii (*Ceuthophilus*), 130.
Slossoni (*Mogisoplistus*), 57.
Slossoni (*Mogoplistes*), 57.
Smaragdina (*Hetaira*), 478.
Smaragdina (*Tetraconcha*), 420.
Smithi (*Cyrtoxipha*), 82.
Smithi (*Cyrtoxiphus*), 82.
Smithianus (*Heterocous*), 107.
Smyrnensis (*Olythoscelis*), 198.
Smyrnensis (*Pholidoptera*), 198.
Smyrnensis (*Pæcilemon*), 379.
Smyrnensis (*Thamnotrizon*), 198.
Sobrinus (*Conocephaloides*), 249.
Sobrinus (*Conocephalus*), 249.
Socia (*Phylloptera*), 473.
Socius (*Nemobius*), 18.
Sodalis (*Gnathocrita*), 330.
Solida (*Agræcia*), 265.
Solida (*Salomona*), 265.
Somali (*Anisoptera*), 280.
Somali (*Peronura*), 391.
Somali (*Xiphidium*), 280.
Somaliensis (*Militita*), 439.
Sordida (*Hyperphrona*), 476.
Sordida (*Paradrymadusa*), 180.
Sordida (*Salmania*), 62.
Sordidus (*Ectadoderus*), 59.
Sordidus (*Ornithus*), 59.
Soror (*Gryllacris*), 144.
Soror (*Parableta*), 453.
Soror (*Tenionema*), 433.
Sororcula (*Anaulacomera*), 467.
Sororoides (*Tenionema*), 433.
Sororoides (*Tinzedæ*), 433.
Sorrezensis (*Antaxius*), 189.
Sorrezensis (*Thamnotrizon*), 189.
Spada (*Agræcia*), 260.
Spada (*Habetia*), 260.
 SPALACOMIMUS, 160.
Sparsa (*Agræcia*), 267.
Sparsa (*Ephippithy-toidea*), 413.
Sparsa (*Phaneroptera*), 435.
Sparsa (*Salomona*), 267.
Spathulata (*Molpa*), 423.
Spathulatus (*Pyrrophy-lus*), 423.
Spatulatus (*Conocephalus*), 239.
Speciosa (*Isophya*), 385.
Speciosa (*Odontura*), 385.
Speciosa (*Phyllophora*), 369.
Speciosa (*Phyllophora*), 368.
Speciosa (*Porphyromma*), 349.
Speciosus (*Temnophyl-lus*), 297.
Spectabilis (*Drymadusa*), 179.
Spectabilis (*Gampsocleis*), 179.
Spectabilis (*Holochlora*), 431.
Spectabilis (*Phylloptera*), 431.
Spectrum (*Amphiacusta*), 68.
Spectrum (*Phæophilacris*), 71.
Spectrum (*Phæophyllacris*), 71.
Spectrum (*Phalangopsis*), 68.
Specularis (*Blastes*), 332.
Specularis (*Locusta*), 332.
Specularis (*Meroneidius*), 327.
Specularis (*Peltastes*), 215.
Specularis (*Psorodontus*), 215.
Specularis (*Pterolepis*), 215.
Speculata (*Cycloptera*), 354.
Speculata (*Odontolakis*), 268.
Speculata (*Pterochroza*), 354.
Speculi (*Nemobius*), 20.
Speculifera (*Acanthodis*), 313.
Speculifera (*Orpachophora*), 313.
Speiseri (*Acanthoplus*), 155.
Speluncæ (*Hemideina*), 137.
Speluncæ (*Pachyrhanna*), 137.
Spheophila (*Ephippigera*), 168.
Sphacophila (*Ephippigerida*), 168.
Sphæophilus (*Ephippiger*), 168.
 SPHERIUM, 54.
Sphagnum (*Decticus*), 274.
Sphagnum (*Orchelinum*), 274.
Sphinx (*Gryllacris*), 151.
Sphinx (*Eremus*), 151.
Spiculata (*Acanthodis*), 314.
Spiculatus (*Adeclus*), 314.
Spiculatus (*Paramettrypus*), 108.
 SPILACRIS, 136.
Spilophora (*Cymatomera*), 306.
Spina (*Heteromallus*), 136.
Spinata (*Amaura*), 419.
Spinata (*Anaulacomera*), 465.
Spinatus (*Ligocatinus*), 449.
Spinibrachia (*Pterolepis*), 188.
Spinibrachius (*Antaxius*), 188.
Spiniger (*Conocephaloides*), 247.
Spiniger (*Conocephalus*), 247.
Spiniger (*Eriolus*), 234.
Spinigera (*Conchophora*), 269.
Spinigera (*Elimava*), 395.
Spinigera (*Euconchophora*), 269.
Spinigerus (*Conocephalus*), 227.
Spinipes (*Anisoptera*), 278.

- Spinipes* (*Locusta*), 285.
Spinipes (*Phlugis*), 285.
Spinipes (*Xiphidium*), 278, 285.
Spinosa (*Cymatomera*), 306.
Spinosa (*Despœna*), 303.
Spinosa (*Despoina*), 303.
Spinosa (*Paracædieia*), 418.
Spinosa (*Phrieta*), 355.
Spilosa (*Phyllophora*), 367.
Spinosa (*Sasima*), 367.
Spinosa (*Zichya*), 178.
Spinosolaminata (*Phanla*), 426.
Spinosum (*Anisoptera*), 275.
Spinosum (*Xiphidium*), 275.
Spinosus (*Aspidonotus*), 355.
Spinosus (*Centrophorus*), 441.
Spinosus (*Centhophilus*), 132.
Spinosus (*Ephippiger*), 179.
Spinosus (*Nannotettix*), 387.
Spinosus (*Panacanthus*), 229.
Spinosus (*Sagephorus*), 312.
Spinulicauda (*Barbitistes*), 387.
Spinulicauda (*Odontura*), 387.
Spinulosa (*Arantia*), 405.
Spinulosa (*Eurycorypha*), 463.
Spinulosa (*Gampsocleis*), 185.
Spinulosa (*Locusta*), 158.
Spinulosa (*Micta*), 293.
Spinulosa (*Phylloptera*), 474.
Spinulosa (*Polichne*), 419.
Spinulosum (*Lissophyllum*), 321.
Spinulosum (*Orchelimum*), 273.
Spinulosum (*Orchelimum*), 273.
Spinulosum (*Platyphyl- lum*), 321.
Spinulosum (*Xiphidium*), 273.
Spinulosus (*Eremus*), 151.
Spinulosus (*Eugaster*), 158.
Spinulosus (*Gryllus*), 158.
Spinulosus (*Metrodus*), 154, 157.
SPIZAPHILUS, 121.
Splendens (*Prosaëoga*), 477.
Splendidulus (*Mnesibul- lus*), 95.
Spoliata (*Pterolepis*), 186.
Sponsa (*Caulopsis*), 240.
Sponsa (*Locusta*), 240.
Sponsa (*Tettigonia*), 240.
Spurca (*Tremellia*), 68.
Spurcata (*Gryllaeris*), 144.
Spureatus (*Gryllus*), 34.
Spuria (*Gryllaeris*), 143.
Spuria (*Lobaspis*), 261.
Spuria (*Niesara*), 261.
Squamiger (*Gryllus*), 56.
Squamiger (*Mogisoplistes*), 56.
Squamiger (*Mogisoplist- us*), 56.
Squamiger (*Mogoplistes*), 56.
Squamosum (*Cyclopti- lum*), 59.
Squamosus (*Cycloptilus*), 59.
Squamosus (*Neanias*), 150.
Stali (*Hexacentrus*), 287.
Stali (*Holochlora*), 431.
Stali (*Posidippus*), 458.
Stali (*Steropleurns*), 165.
Stali (*Ephippigera*), 165.
STALIA, 362.
Stalii (*Ephippiger*), 165.
Standishi (*Acrida*), 390.
Staudingeri (*Capnoptero*), 309.
Staudingeri (*Typho- ptera*), 309.
Stekukini (*Decticus*), 214.
Stehnkini (*Tettigonia*), 214.
Steindachneri (*Arytro- pteris*), 191.
Steindachneri (*Tropizas- pis*), 191.
Steini (*Arachnocephalus*), 60.
Steini (*Calypotrypys*), 93.
Steini (*Madasumma*), 93.
STEIRODON, 456.
STEIRODONOPIS, 458.
STEIROXYX, 191.
STENACROPTERYX, 429.
STENAMBLYPHYL- LUM, 421.
STENAMPYX, 303.
STENAPHONUS, 106.
STENAROPODA, 365.
STENOGRYLLUS, 92.
STENOPELMATINÆ, 111.
STENOPELMATUS, 111.
STENOPHYLLIA, 403.
STENOPLEURUS, 161.
Stenopterus (*Tomias*), 301.
Stenorhinus (*Æthiome- rus*), 256.
STENOSCHEMA, 319.
STENOTETTIX, 333.
Stenoxipha (*Odontura*), 387.
Stenoxipha (*Barbitistes*), 387.
Stenoxipha (*Odontura*), 387.
Stephensianus (*Gymno- plectron*), 137.
STEPHOBLEMUS, 47.
STEROPELURUS, 163.
Stevensonii (*Anabrus*), 183.
Stevensonii (*Stipator*), 183.
STIBARA, 432.
Stichyrata (*Tetraconcha*), 420.
Stigmata (*Gryllaeris*), 146.
Stigmusum (*Phlanro- centrum*), 422.
STILPNOCHLORA, 455.
STILPNOTHORAX, 358.
STIPATOR, 183.
STIZOSCEPA, 303.
Stolli (*Pterochroza*), 347.
Stollii (*Hanicus*), 122.
Stolzmanni (*Cyrtoxipha*), 83.
Stolzmanni (*Cyrtoxiphus*), 83.
STORNIZA, 229.
Straminea (*Anisoptera*), 277.
Straminea (*Cyrtoxipha*), 82.
Straminea (*Gryllaeris*), 146.
Straminea (*Locusta*), 277.
Straminea (*Xiphidium*), 277.

- Straminus* (*Cyrtoxiphus*), 82.
Straminula (*Cyrtoxipha*), 82.
Straminula (*Locusta*), 284.
Straminula (*Xiphidopsis*), 284.
Straminulus (*Cyrtoxiphus*), 82.
Strangulata (*Eurycorypha*), 462.
Strangulatus (*Orophus*), 462.
Stratiotes (*Acanthoplius*), 155.
Stranbei (*Barbitistes*), 383.
Stranbei (*Isophya*), 383.
Strenua (*Cædicia*), 414.
Strenua (*Phaneroptera*), 414.
Strenuus (*Conocerphalus*), 238.
Striata (*Chelidoptera*), 210.
Striata (*Locusta*), 204.
Striatifemur (*Pæcilogramma*), 405.
Striatus (*Decticus*), 210.
Striatus (*Platyceis*), 210.
Stricta (*Chelidoptera*), 207.
Stricta (*Platyceis*), 207.
Strictum (*Anisoptera*), 280.
Strictum (*Aprion*), 304.
Strictum (*Xiphidium*), 280.
Strictus (*Decticus*), 207.
Strictus (*Platyceis*), 207.
Stridulans (*Mesogryllus*), 109.
Strigata (*Scudderia*), 445.
Strigata (*Sictuna*), 439.
Strigatipes (*Lobaspis*), 261.
Strigatipes (*Niesara*), 261.
Strigulata (*Insara*), 442.
Striolata (*Hyperphrona*), 475.
Striolata (*Hyperphrona*), 475.
Striolatus (*Bliastes*), 334.
Striolatus (*Cocconotus*), 334.
Striolatus (*Lebinthus*), 88.
Striolatus (*Pachytrachelus*), 196.
Striolatus (*Paracneopteris*), 88.
Striolatus (*Peucestes*), 458.
Striolatus (*Thamnotri-
zon*), 197.
STRONGYLODERUS, 369.
STROPIHA, 69.
Stschukini (*Decticus*), 214.
Stuhlmanni (*Conchotopoda*), 394.
Stugia (*Raphidophora*), 130.
Stygus (*Ceuthophilus*), 130.
Stylata (*Eurycorypha*), 463.
Stylata (*Isopsera*), 438.
Styliformis (*Ctenophle-
bia*), 470.
Styliformis (*Viadana*), 470.
Suakimensis (*Anepiscep-
tus*), 158.
Suakimensis (*Eugaster*), 158.
Subaequale (*Microcen-
trum*), 486.
Subaequale (*Phæbo-
lampta*), 486.
Subaptera (*Acrodonta*), 258.
Subapterus (*Belocephalus*), 275. /3
Subapterus (*Euseirtus*), 102.
Subapterus (*Oxysethus*), 257.
Subcarinata (*Elimæa*), 396.
Subcarinata (*Phanero-
ptera*), 436.
Subcarinata (*Phanero-
ptera*), 396.
Subconspersa (*Anchipto-
lis*), 327.
Subdebilis (*Gryllacris*), 146.
Subdistincta (*Homo-
toicha*), 449.
Subfoliata (*Thamnobates*), 336.
Subguttata (*Jamaicana*), 322.
Subguttatus (*Meronei-
dus*), 322.
Subinermis (*Diplophyl-
lus*), 479.
Subinermis (*Turpilia*), 479.
Subintegra (*Mimetica*), 350.
Sublitrata (*Hyper-
phrona*), 475.
Sublitratus (*Pseudo-
phyllus*), 302.
Sublitratus (*Timanthès*), 302.
Submaculata (*Anaula-
comera*), 465.
Submaculata (*Phanero-
ptera*), 465.
Submaculata (*Phyllo-
ptera*), 465.
Submarginatus (*Bliastes*), 331.
Submarginatus (*Meronei-
dus*), 331.
Submutica (*Gryllacris*), 148.
Submuticus (*Onomar-
chus*), 296.
Subnotata (*Phaneroptera*), 436.
Subnotata (*Phylloptera*), 462.
Subnotatum (*Idiarthron*), 328.
Subnotatus (*Cardiodacty-
lus*), 90.
Subnotatus (*Meroneidus*), 332.
Subnotatus (*Platydicty-
lus*), 90.
Subopaëus (*Gryllodes*), 42.
Subproductum (*Steiro-
don*), 448.
Subpunctata (*Sagana*), 462.
Subpunctatum (*Meco-
nema*), 371.
Subquadratum (*Idiar-
thron*), 328.
SUBRIA, 259.
Subroseata (*Phanero-
ptera*), 417.
Subroseata (*Symmachis*), 417.
Subroseum (*Paratrigoni-
dium*), 80.
Subsulcatus (*Arachno-
cephalus*), 60.
Subterranea (*Raphido-
phora*), 135.
Subterranea (*Hadenæus*), 135.
Subterraneus (*Haden-
ceus*), 135.
Subterraneus (*Haden-
ceus*), 135.
Subulata (*Agroëcia*), 259.
Subulata (*Conchophora*), 269.
Subulata (*Copiphora*), 232.
Subulata (*Euconcho-
phora*), 269.
Subulata (*Gryllus*), 232.

- Subulata* (Niccphora), 374.
Subulata (Pyrgomorpha), 239.
Subulata (Tettigonia), 232.
Subulatus (Conocephaloides), 241.
Subulatus (Conocephalus), 239, 241.
Subulo (Batodromeus), 312.
Subulo (Polyglochis), 312.
Subvitrea (Chondrodera), 305.
Subvittata (Conocephalus), 253.
Subvittatus (Conocephalus), 253.
Succinea (Gryllacris), 145.
Sulcata (Anaulacomera), 468.
Sulcata (Subria), 256.
Sulcatus (Parecanthus), 96.
Sumatrana (Locusta), 264.
Sumatrana (Phaula), 426.
Sumatranus (Macroxiphus), 264.
Sumatranus (Macroxiphus), 264.
Sumatranus (Mataus), 292.
Sumatranus (Zabalius), 292.
Sumichrasti (Stenopelmatus), 111.
Superba (Alectoria), 413.
Superba (Climacoptera), 296.
Superba (Despina), 303.
Superba (Despoina), 303.
Superba (Dioncomena), 434.
Superba (Gryllacris), 143.
Superba (Mecopoda), 363.
Superba (Odontura), 376.
Superba (Xenia), 391.
Superba (Xenica), 391.
Superbus (Bliastes), 331.
Supplicans (Acheta), 33.
Supplicans (Gryllus), 33.
Supremum (Microcentrum), 456.
Surcularius (Ephippiger), 173.
Surcularius (Platystolus), 173.
Surinamensis (Ceraia), 451.
Surinamensis (Eneoptera), 93.
Surinamensis (Eneopterus), 90.
Surinamensis (Gryllus), 90.
Surinamensis (Oxyprora), 236.
Surinamensis (Platydyctylus), 90.
Suspectus (Aprion), 304.
Suspectus (Morsimus), 305.
Sutorius (Scopiorus), 343.
Suturalis (Phaneroptera), 446.
Suturalis (Salomona), 265.
Sylvaticum (Orchelimum), 273.
Sylvestris (Acheta), 14.
Sylvestris (Ceuthophilus), 133.
Sylvestris (Gryllus), 14.
Sylvestris (Nemobius), 14.
SYMMACHIS, 417.
SYMMETROPLEURA, 446.
SYMPÆSTRIA, 432.
Synophrys (Saga), 225.
SYNTECHINA, 485.
Syntechnoides (Microcentrum), 481.
Syntechnoides (Orophus), 481.
Syriaca (Aerometopa), 393.
Syriaca (Paradrymadusa), 180.
Syriaca (Saga), 225.
Syriacus (Decticus), 214.
Syriacus (Gryllus), 31.
TABARIA, 360.
TACHYCINES, 125.
Taciturnus (Aphonomorphus), 106.
Taciturnus (Aphonus), 106.
Tacitus (Homæoxiphus), 79.
Tæitus (Metioche), 79.
Tacitus (Podoseirtus), 103.
Tæniata (Ephippigera), 168.
Tæniata (Ephippigerida), 168.
Tæniatifrons (Bliastes), 331.
Tæniatum (Xiphidium), 280.
TENIOMENA, 433.
TAFALISCA, 107.
Tagalius (Euscirtus), 102.
Tagalius (Nemobius), 16.
Tagalius (Patisens), 102.
Tabitense (Trigonidium), 78.
Taiconn (Loxoblemmus), 46.
Taiconn (Loxoblemmus), 46. *Talirapys* 55-13
Talitrum (Mogisoplistus), 56.
Talitrus (Mogoplistes), 56.
Talpa (Gryllus), 4.
Talpa (Stenopelmatus), 111.
Tamerlana (Gampsoceleis), 185.
Tamerlana (Platyceleis), 210.
Tamerlanus (Chelidoptera), 210.
Tamerlanus (Decticus), 210.
Tamerlanus (Platyceleis), 210.
Tanana (Chlorocælus), 345.
Tanana (Cyrtophyllus), 345.
TANUSIA, 347.
TAPEINA, 424.
Tapinomus (Agnotecous), 64.
TAPINOPUS, 101.
Taprobanense (Trigonidium), 16.
Taprobanensis (Nemobius), 16.
Tarasca (Phylloptera), 485.
Tarasca (Syntechma), 485.
Tarda (Phylloptera), 473.
TARPIIE, 308.
TARRAGA, 290.
Tarsatus (Bliastes), 333.
Tarsatus (Nastomotus), 333.
Tartara (Jaquetia), 380.
Tartara (Olynthoscelis), 200.
Tartarus (Gryllus), 29.
Tartarus (Nemobius), 15.
Tartarus (Pholidoptera), 200.
Tartarus (Thamnotrizon), 200.

- Tartarus (Tridactylus), 8.
 Taurica (Chelidoptera), 205.
 Taurica (Isophya), 385.
 Taurica (Platyteleis), 205.
 Tauricus (Pœcilemon), 379.
 Taurus (Ephippiger), 178.
 Taurus (Zichya), 178.
 Tectiformis (Acra), 486.
 TEDLA, 287.
 TEGRA, 308.
 TELEUTIAS, 341.
 Tel-kii (Aphonomorphus), 106.
 Telskii (Aphonus), 106.
 TEMNOPHYLLUS, 267.
 Temulentus (Paragryllus), 64.
 Tenebrarum (Ceuthophilus), 133.
 Tenebrosa (Acanthodis), 319.
 Tenebrosa (Brisilis), 319.
 Tenebrosa (Gongrocnemis), 327.
 Tenebrosus (Decticus), 364.
 Tenebrosus (Meroncidius), 327.
 Tenebrosus (Pseudophyllus), 296.
 Tenella (Turpilia), 479.
 Tenellum (Anisoptera), 279.
 Tenellum (Xiphidium), 279.
 Tenellus (Diplophyllus), 479.
 Tenellus (Gryllus), 33.
 Tenellus (Pentacentrus), 62.
 Tener (Cleandrus), 295.
 Tener (Pseudophyllus), 295.
 Tener (Thysdrus), 285.
 Tenera (Elbenia), 425.
 Tenera (Phylloptera), 473.
 Tenue (Anisoptera), 280.
 Tenue (Xiphidium), 280.
 Tenuicauda (Conocephaloides), 247.
 Tenuicauda (Conocephalus), 247.
 Tenuicaudus (Onconotus), 221.
 Tenuicornis (Hapithus), 98.
 Tenuicornis (Lehussa), 98.
 Tenuipes (Arachnacris), 177.
 Tenuipes (Cestromæcha), 429.
 Tenuipes (Poreuomena), 429.
 Tenuis (Ecanthus), 75.
 Tenuis (Phaneroptera), 419.
 Tenuis (Polichne), 419.
 Tenuis (Scapteriscus), 1.
 Tenuistylus (Anchiptotis), 328.
 Tepanea (Amblycorypha), 460.
 Tepperi (Paragryllacris), 149.
 TERATURA, 271.
 Terebrans (Anaodus), 103.
 Terebrans (Peranaodus), 103.
 Teres (Gryllodes), 42.
 Teres (Gryllus), 42.
 Teres (Locusta), 285.
 Teres (Phlugis), 285.
 Teres (Pilugis), 285.
 Teres (Thysdrus), 285.
 TERMERA, 309.
 Terminalis (Paracædicia), 417.
 Terminalis (Procædicia), 417.
 Terminalis (Tridactylus), 10.
 Terniensis (Odontura), 387.
 TERPANDRULUS, 228.
 TERPANDRUS, 222.
 TERPNISTRIA, 439.
 Terrenus (Stenopelmatus), 112.
 Terrestris (Ephippiger), 170.
 Terrestris (Ephippigera), 170.
 Terrestris (Ephippigerrida), 170.
 Terrestris (Gryllodes), 41.
 Terrificus (Brachytrypus), 22.
 Tessellata (Platyteleis), 206.
 Tessellatus (Decticus), 206.
 Tessellatus (Platyteleis), 206.
 Tessellata (Anepsia), 461.
 Tessellata (Chelidoptera), 206.
 Tessellata (Clonia), 227.
 Tessellata (Gryllacris), 144.
 Tessellata (Gryllacris), 144.
 Tessellata (Hemiclonia), 227.
 Tessellata (Leptotettix), 340.
 Tessellata (Locusta), 144.
 Tessellata (Locusta), 206, 208.
 Tessellata (Odontura), 376.
 Tessellata (Orophus), 461.
 Tessellata (Paragenes), 461.
 Tessellata (Phylloptera), 461.
 Tessellata (Platyteleis), 207.
 Tessellata (Sagona), 461.
 Tessellatus (Decticus), 206, 208.
 Tessellatus (Homæogryllus), 66.
 Tessellatus (Leptotettix), 340.
 Tessellatus (Lichenochrus), 318.
 Tessellatus (Meroncidius), 340.
 Tessellatus (Orophus), 461.
 Tessellatus (Phalangoipsis), 66.
 Tessellatus (Platyteleis), 208.
 Testacea (Engoniaspis), 181.
 Testacea (Noia), 394.
 Testaceus (Ceuthophilus), 133.
 Testaceus (Conocephaloides), 245.
 Testaceus (Conocephalus), 245.
 Testaceus (Gryllus), 33.
 Testaceus (Gryllus), 83.
 TETANA, 401.
 TETANOPSIS, 312.
 Teter (Pseudophyllus), 294.
 Teter (Rhomboptera), 294.
 Tetra (Agræcia), 267.
 Tetra (Salomona), 267.
 TETRACONCHA, 420.
 Tetradactyla (Gryllotalpa), 2.
 TETRAGONOMERA, 311.

- Tetrasticta* (*Phaneroptera*), 435.
TETTIGONIA, 212, 216.
TETTIGOPSIS, 223.
TEUTHRAS, 286.
Texensis (*Scudderina*), 444.
Thalassina (*Locusta*), 370.
Thalassina (*Meconema*), 370.
Thalassinum (*Meconema*), 374.
THAMNOBATES, 336.
THAMNOSCIRTUS, 84.
THAMNOTRIZON, 197.
THAUMASPIS, 373.
THAMATOGRYLUS, 110.
THEIA, 478.
Thessalicus (*Pœcilemon*), 379.
THEUDORIA, 450.
THIBOSCELUS, 345.
THLIPTOBLEMMUS, 47.
Thoracica (*Deinacrida*), 114, 115.
Thoracica (*Hemideina*), 115.
Thoracica (*Hemideina*), 115.
Thoracica (*Lobaspis*), 262.
Thoracica (*Locusta*), 220.
Thoracica (*Nicsara*), 262.
Thoracica (*Odontara*), 378.
Thoracica (*Phylloptera*), 456.
Thoracicum (*Anisoptera*), 277.
Thoracicum (*Microcentrum*), 456.
Thoracicum (*Microcentrum*), 455.
Thoracicum (*Xiphidium*), 277.
Thoracicum (*Xyphidium*), 277.
Thoracicus (*Anaudus*), 103.
Thoracicus (*Barbitistes*), 378.
Thoracicus (*Coplus*), 71.
Thoracicus (*Glyphonotus*), 220.
Thoracicus (*Pœcilemon*), 378.
Thoracicus (*Tridactylus*), 8.
Thoracicus (*Tridactylus*), 8.
THORANCISTUS, 182.
Thunbergi (*Conocephalus*), 250.
Thunbergii (*Conocephalus*), 250.
Thymifolia (*Cadicia*), 414.
Thymifolia (*Ducetia*), 398.
Thymifolia (*Locusta*), 398, 414, 440.
Thymifolia (*Tylopsis*), 440.
THYREONOTUS, 187.
THYSDRUS, 284.
Tibiale (*Trigonidium*), 78.
Tibialis (*Ametrus*), 152.
Tibialis (*Calyptotrypus*), 95.
Tibialis (*Ceraia*), 450.
Tibialis (*Chelidoptera*), 210.
Tibialis (*Cyrtoxipha*), 82.
Tibialis (*Cyrtoxiphus*), 82.
Tibialis (*Decticus*), 210.
Tibialis (*Gongrocnemis*), 326.
Tibialis (*Gryllaeris*), 140.
Tibialis (*Gryllomorpha*), 54.
Tibialis (*Hemideina*), 115.
Tibialis (*Homœoxiphus*), 78.
Tibialis (*Laranda*), 64.
Tibialis (*Larandus*), 64.
Tibialis (*Madasumma*), 95.
Tibialis (*Metioche*), 78.
Tibialis (*Odontolakis*), 268.
Tibialis (*Orocharis*), 99.
Tibialis (*Paraciedicia*), 418.
Tibialis (*Paræcanthus*), 97.
Tibialis (*Tridactylus*), 10.
Tigrina (*Psyra*), 427.
Tigrinus (*Eonius*), 150.
Tigrinus (*Nemobius*), 17.
Tiliifolia (*Chlorophylla*), 358.
TIMANTHES, 302.
Timidus (*Aphonomorphus*), 106.
Timidus (*Aphonus*), 106.
TINZEDA, 433.
Titan (*Cleandrus*), 295.
Titan (*Pseudophyllus*), 295.
Tolteca (*Acanthodis*), 320.
Tolteca (*Amphiacusta*), 67.
Tolteca (*Anostostoma*), 113.
Tolteca (*Cyrtoxipha*), 82.
Tolteca (*Diatrypa*), 92.
Tolteca (*Hornilia*), 442.
Tolteca (*Insara*), 442.
Tolteca (*Phylloptera*), 442, 456.
Tolteca (*Stilpnochlora*), 454.
Tolteeum (*Leurophyllum*), 320.
Toltecum (*Platyphyllum*), 420.
Toltecus (*Amphiacustes*), 67.
Toltecus (*Cyrtoxiphus*), 82.
Toltecus (*Diatrypas*), 92.
Toltecus (*Gryllus*), 43.
Toltecus (*Nemobius*), 18.
Toltecus (*Paræcanthus*), 96.
Toltecus (*Stenopelmatus*), 113.
Tomentosus (*Gryllus*), 31.
Tomentosus (*Gryllus*), 15.
Tomentosus (*Nemobius*), 15.
TOMEOPHERA, 470.
TOMEOPHORA, 470.
TOMIAS, 301.
TOPANA, 478.
TORBLA, 416.
Torrida (*Cynatomera*), 307.
Totonaca (*Phylloptera*), 482.
TOVARIA, 351.
TRACHYZULPHA, 408.
Transfuga (*Odontara*), 386.
Transfuga (*Odonturella*), 386.
Transiens (*Leurophyllum*), 320.
Transiens (*Typpophyllum*), 320.
Translucens (*Gryllaeris*), 142.
Transmarinus (*Adapanopsis*), 325.

- Transmarinus* (*Adapan-tus*), 325.
Transmarinus (*Meronicilius*), 325.
Transsylvanicus (*Thamnotrizon*), 200.
Transsylvanica (*Olythoscelis*), 200.
Transversa (*Madasumma*), 94.
Transversa (*Viadana*), 471.
Transversalis (*Gryllus*), 29.
Transversalis (*Miogryllus*), 38.
Transversus (*Cardiodactylus*), 94.
Transversus (*Platydaetylus*), 94.
Transvittatus (*Leptotettix*), 340.
Transvittatus (*Meronicilius*), 340.
Transylvanica (*Pholidoptera*), 200.
Transylvanica (*Thamnotrizon*), 200.
Transylvanicum (*Thamnotrizon*), 200.
Transylvanicus (*Thamnotrizon*), 200.
Trapeziforme (*Typophyllum*), 351.
Trapeziformis (*Locusta*), 351.
Trapeziformis (*Pterochroza*), 351.
Trapeziformis (*Tettigonia*), 351.
 TREMELLIA, 63.
Triangularis (*Elbenia*), 425.
Triangularis (*Isophya*), 384.
Triangularis (*Salomona*), 267.
Triangularis (*Semileptotettix*), 340.
Triangulatum (*Microcentrum*), 482.
Triangulatus (*Orophus*), 432.
 TRICALA, 410.
Tricaudatus (*Homogryllus*), 66.
Triceps (*Conocephalus*), 340.
Trichondyloides (*Condylonera*), 409.
 TRICHOPOPHORA, 118.
Trichopus (*Locusta*), 426.
Trichopus (*Phanoptera*), 426.
Trichopus (*Phaula*), 426.
 TRICHOTETTIX, 330.
Tricolor (*Rhipipteryx*), 334.
Tricornis (*Coeconotus*), 334.
Tricornis (*Conocephalus*), 334.
 TRIDACTYLUS, 7.
Tridens (*Acilacris*), 372.
Tridentatus (*Mogisoplistus*), 57.
Tridentatus (*Mogoplistes*), 57.
 TRIENCENTRUS, 323.
Trifasciatum (*Anisoptera*), 283.
Trifasciatum (*Xiphidium*), 283.
Trifidus (*Conocephalus*), 317.
Trigintiduoguttata (*Ephippitytha*), 413.
Trigintiduoguttata (*Ephippitytha*), 412.
Trigintiduoguttata (*Phaneroptera*), 412.
Trigonalis (*Niesara*), 261.
 TRIGONIDIHNE, 77.
Trigonidioides (*Nicephora*), 374.
 TRIGONIDIUM, 77.
 TRIGONOCORYPHA, 448.
Trigonurus (*Thaumaspis*), 373.
Triguttatus (*Bliastes*), 331.
Trilineata (*Ephippigera*), 381.
Trilineata (*Steiroyx*), 194.
Trilineatus (*Barbitistes*), 381.
Trilineatus (*Locusta*), 381.
Trilineatus (*Steiroyx*), 194.
Trilineatus (*Thamnotrizon*), 194.
Trilobata (*Rhipipteryx*), 12.
Trimaculata (*Hyperphrona*), 476.
Trinitatis (*Nemobius*), 18.
Trinotata (*Gryllacris*), 141.
Triops (*Conocephaloides*), 246.
Triops (*Conocephalus*), 246.
Triops (*Gryllus*), 246.
Triops (*Tettigonia*), 246.
Tripartitus (*Heterotrypus*), 91.
Triplanetata (*Gryllacris*), 142.
Triplanetata (*Parascuderia*), 450.
Triplanetata (*Phylloptera*), 450.
Tristani (*Conocephaloides*), 243.
Tristani (*Conocephalus*), 243.
Tristis (*Gryllus*), 28.
Triticifolia (*Elimæa*), 396.
Triticifolia (*Locusta*), 396.
Triticifolia (*Phaneroptera*), 396.
Trivittatum (*Anisoptera*), 283.
Trivittatum (*Xiphidium*), 283.
 TROCHALODERA, 409.
Trochii (*Decticus*), 208.
 TROGLOPHILUS, 127.
 TROPIDISCHIA, 135.
 TROPIDOPHYRUS, 439.
 TROPIZASPIS, 191.
Truculentus (*Phrixoenemis*), 134.
Truncata (*Chelidoptera*), 203.
Truncata (*Salomona*), 266.
Truncata (*Sasima*), 363.
Truncata (*Scudderia*), 446.
Truncata (*Tapeina*), 424.
Truncatifolia (*Mimetica*), 351.
Truncatifolia (*Typophyllum*), 351.
Truncatifrons (*Nasidius*), 121.
Truncatipennis (*Eppia*), 258.
Truncatipennis (*Oxylakis*), 258.
Truncatirostris (*Conocephaloides*), 242.
Truncatirostris (*Conocephalus*), 242.
Truncatistyla (*Gongroenemis*), 327.
Truncatolobata (*Sympastria*), 432.
Truncatum (*Anisoptera*), 231.

- Truncatum* (*Xiphidium*), 281.
Truncatus (*Cacoblemmus*), 46.
Truncatus (*Nemobius*), 16.
Truncatus (*Phyllomimus*), 300.
Tuberculata (*Chæroparnops*), 325.
Tuberculata (*Diatrypa*), 93.
Tuberculata (*Lobaspis*), 261.
Tuberculata (*Locusta*), 243, 252.
Tuberculata (*Nicsara*), 261.
Tuberculata (*Panoploscelis*), 325.
Tuberculata (*Plagioptera*), 478.
Tuberculata (*Storniza*), 230.
Tuberculata (*Topana*), 478.
Tuberculatus (*Conocephaloides*), 243.
Tuberculatus (*Conocephalus*), 252.
Tuberculatus (*Panacanthus*), 230.
Tuberculosa (*Chæroparnops*), 326.
Tuberculosa (*Panoploscelis*), 326.
Tuberosum (*Platyphyllum*), 319.
Tuberosus (*Pristes*), 319.
Tucumanensis (*Miogryllus*), 39.
Tuinescens (*Holochlora*), 430.
Turbata (*Phaneroptera*), 441.
Turbata (*Tylopsis*), 441.
Turbida (*Pseudophaneroptera*), 398.
 TURPILIA, 478.
Turpis (*Conocephaloides*), 250.
Turpis (*Conocephalus*), 250.
Turpis (*Dexerra*), 190.
Turpis (*Lichenochrus*), 318.
 TYLOPSIS, 410.
 TYMPANOCOMPUS, 324.
 TYMPANOPHORA, 229.
 TYMPANOPTERA, 302, 303.
Typhlops (*Stenopelmatus*), 112.
 TYPHOPTERA, 309.
Typica (*Aniara*), 402.
Typographicus (*Gryllus*), 32.
 TYPOPHYLLUM, 351.
 UCHUCHA, 263.
Uelensis (*Gryllomorpha*), 52.
 UDENUS, 136.
 UDEOPSYLLA, 128.
Uhleri (*Amblycorypha*), 460.
Uhleri (*Ceuthophilus*), 132.
Uhleri (*Ceuthophilus*), 132.
Uhleri (*Orocharis*), 100.
Umbilicata (*Chelidoptera*), 206.
Umbilicata (*Platyelcis*), 206.
Umbraclata (*Acheta*), 49.
Umbraclata (*Sciobia*), 48.
Umbraclatus (*Acheta*), 48.
Umbraclatus (*Gryllus*), 48, 49.
Umbraclatus (*Platyblemnus*), 48, 50.
Uncinata (*Ivensia*), 405.
Uncinata (*Pyrgocorypha*), 239.
Uncinatus (*Conocephalus*), 239.
Undulata (*Tanusia*), 349.
Unguiculata (*Euthypoda*), 366.
Unguiculata (*Mecopoda*), 366.
Unguiculatus (*Gymnoscirtus*), 366.
Ungulata (*Scudderia*), 445.
Unica (*Banza*), 254.
Unica (*Brachymetopa*), 254.
Unicolor (*Acanthodis*), 319.
Unicolor (*Anaulacomera*), 467.
Unicolor (*Brisilis*), 319.
Unicolor (*Capnoptera*), 309.
Unicolor (*Carcinopsis*), 117.
Unicolor (*Cyrtoxipha*), 81.
Unicolor (*Diestrammena*), 124.
Unicolor (*Eucoptera*), 81.
Unicolor (*Epaera*), 152.
Unicolor (*Eremopedes*), 192.
Unicolor (*Gongrocnemis*), 327.
Unicolor (*Gryllus*), 99, 448.
Unicolor (*Hexacentrus*), 287.
Unicolor (*Jamaicana*), 322.
Unicolor (*Laurepa*), 107.
Unicolor (*Leurophyllum*), 320.
Unicolor (*Locusta*), 287.
Unicolor (*Metrypus*), 107.
Unicolor (*Orocharis*), 99.
Unicolor (*Platyphyllum*), 320.
Unicolor (*Promecca*), 299.
Unicolor (*Psyra*), 427.
Unicolor (*Segestes*), 359.
Unicolor (*Tafalisca*), 107.
Unicolor (*Tettigonia*), 448.
Unicolor (*Theia*), 478.
Unicolor (*Trigonocorypha*), 448.
Unicolor (*Typhloptera*), 309.
Unidentatus (*Peucestes*), 457.
Uniformis (*Ceuthophilus*), 131.
Uniformis (*Diaphlebus*), 357.
Uniguttata (*Paragryllacris*), 149.
Uninotatus (*Cleandrus*), 295.
Uninotatus (*Pseudophyllus*), 295.
Unipunctata (*Anallomes*), 434.
Unispina (*Anisoptera*), 276.
Unispina (*Curtilla*), 5.
Unispina (*Gryllotalpa*), 5.
Unispina (*Xiphidium*), 276.
Unispinosa (*Acanthodis*), 312.
Unispinosa (*Orpachophora*), 313.
Unispinosus (*Ceuthophilus*), 129.

- Unispinosus (Pæcilemon), 376.
 Unispinulosum (Leurophyllum), 320.
 Unispinulosum (Platyphyllum), 320.
 Univittata (Secsiva), 261.
 UROMENUS, 161.
 Ustulata (Bætica), 172.
 Ustulata (Salomona), 265.
 Ustulatus (Brachytrypes), 22.
 Ustulatus (Conocephaloides), 249.
 Ustulatus (Conocephalus), 249.
 Ustulatus (Ephippiger), 172.
 Ustulatus (Platystolus), 172.
 Utahensis (Ceuthophilus), 132.
 Utahensis (Nemobius), 18.
 Vacca (Ephippiger), 178.
 Vacca (Zichya), 178.
 Vaga (Isopsera), 438.
 Vaginalis (Conocephaloides), 251.
 Vaginalis (Conocephalus), 251.
 Vaginalis (Godmanella), 453.
 Vaginalis (Gryllacris), 143.
 Vaginalis (Gryllus), 34.
 Vaginalis (Lichenochrus), 317.
 Vaginalis (Orocharis), 100.
 Vaginatulus (Macrocephalus), 264.
 Vagus (Nemobius), 16.
 Valentinus (Gryllodes), 41.
 Valgus (Ceuthophilus), 133.
 Valida (Cædicia), 414.
 Valida (Laurepa), 100.
 Valida (Phaneroptera), 414.
 Validum (Orchelimum), 273.
 Validum (Steirodon), 457.
 Validum (Xiphidium), 273.
 Validus (Phrixocnemis), 134.
 Validus (Posidippus), 458.
 Vandicana (Plastocorypha), 237.
 Varia (Acheta), 15.
 Varia (Conocephalus), 370.
 Varia (Eurycorypha), 463.
 Varia (Locusta), 198, 370.
 Varia (Madasumma), 95.
 Varia (Meconema), 73, 371.
 Varia (Odontolakis), 268.
 Varia (Olynthoscelis), 198.
 Varia (Topana), 478.
 Variabilis (Gryllacris), 144.
 Variabilis (Lichenochrus), 317.
 Variabilis (Tanusia), 348.
 Varians (Paratrigonidium), 80.
 Varicatus (Ceuthophilus), 131.
 Varicolor (Ectadoderus), 59.
 Varicornis (Barbitistes), 381.
 Varicornis (Ephippigera), 381.
 Varicornis (Locusta), 381.
 Varicornis (Oecanthus), 75.
 Variegata (Acanthodis), 313.
 Variegata (Gryllotalpa), 2.
 Variegata (Hyperbomala), 368.
 Variegata (Orpacophora), 313.
 Variegata (Xya), 9.
 Variegatus (Ceuthophilus), 130.
 Variegatus (Dicranacrus), 270.
 Variegatus (Dicranacrus), 270.
 Variegatus (Nemobius), 125.
 Variegatus (Scapteriscus), 2.
 Variegatus (Thaumtogryllus), 110.
 Variegatus (Tridactylus), 9.
 Variolosus (Hetrodes), 154.
 Variopicta (Coptaspis), 372.
 Varipennis (Madasumma), 94.
 Varipennis (Platydictylus), 94.
 Varipes (Diplotaxus), 63.
 Varipes (Diplotaxus), 63.
 Varipes (Lerneca), 63.
 Varium (Meconema), 371.
 Varus (Conocephaloides), 249.
 Varus (Conocephalus), 249.
 Varius (Leurophyllum), 321.
 Varius (Merocidius), 321.
 Varius (Nemobius), 15.
 Varius (Panacanthus), 229.
 Varius (Platydictylus), 95.
 Vasarensis (Ctenodecticus), 196.
 Vastator (Gryllus), 22.
 Vastatrix (Acheta), 22.
 Vaucheri (Homaloblemmus), 45.
 Vaucheriana (Ephippigera), 162.
 Vaucheriana (Locusta), 219.
 Vaucheriana (Phasgonura), 219.
 Vaucherianus (Eumeny-mus), 219.
 Vaucherianus (Uromenus), 162.
 Velata (Sciobia), 48.
 Velatus (Platythemmus), 48.
 Velicanda (Eurycorypha), 463.
 VELLEA, 451.
 Velutina (Encoptera), 92.
 Velutina (Pyrgocorypha), 238.
 Velutina (Scaphura), 454.
 Velutinus (Phyllogryllus), 92.
 Velutinus (Platydictylus), 92.
 Venata (Plangia), 464.
 Venosa (Gryllacris), 143.
 Venosa (Holocheila), 430.
 Venosa (Philophyllia), 485.
 Venosa (Pterolepis), 215.
 Venosus (Climacoptera), 295.

- Venusus* (*Homœogryllus*), 66.
Venusus (*Peltastes*), 215.
Venusus (*Pseudophyllus*), 295.
Venusus (*Psorodontus*), 215.
Venusus (*Pterolepis*), 215.
Ventralis (*Madasumma*), 94.
Venustula (*Cyrtoxipha*), 81.
Venustulus (*Cyrtoxiphus*), 81.
Venustus (*Bliastes*), 331.
 VERIA, 262.
Vermiculatus (*Parabliastes*), 332.
Vernalis (*Conocephaloides*), 248.
Vernalis (*Conocephalus*), 248.
Verrucifera (*Madiga*), 160.
Verruciferus (*Prionocnemis*), 160.
Verrucivora (*Acrida*), 214.
Verrucivora (*Gryllus*), 213.
Verrucivora (*Locusta*), 213.
Verrucivora (*Tettigonia*), 213.
Verrucivorus (*Decticus*), 213, 214.
Verrucosa (*Aphidnia*), 411.
Verrucosa (*Deracanthella*), 178.
Verrucosa (*Elinæa*), 395.
Verrucosa (*Paracædicia*), 418.
Verrucosa (*Paraphidnia*), 411.
Verrucosus (*Bliastes*), 331.
Verrucosus (*Ephippiger*), 178.
Verruculosa (*Phyllotribonia*), 291.
Verruger (*Conocephalus*), 249.
Verrugera (*Conocephalus*), 249.
Verrugera (*Locusta*), 249.
Versicolor (*Anisoptera*), 276.
Versicolor (*Pardalota*), 404.
Versicolor (*Xiphidium*), 276.
Verticalis (*Ephippigera*), 170.
Verticalis (*Ephippigerrida*), 170.
Verticalis (*Gryllaeris*), 143.
Verticalis (*Gryllus*), 36.
Verticalis (*Requena*), 191.
Vervicivorus (*Decticus*), 214.
Veruger (*Conocephaloides*), 249.
Veruger (*Conocephalus*), 249.
 VESCELLA, 69.
Vespertina (*Ephippiger*), 161.
Vestitum (*Anisoptera*), 203.
Vestitum (*Xiphidium*), 203.
Vestitus (*Arachnocephalus*), 60.
 VESTRIA, 233.
 VETRALIA, 362.
 VETRALLA, 362.
 VIADANA, 470.
Viator (*Gryllus*), 32.
Vicaria (*Phaneroptera*), 441.
Vicarius (*Gryllus*), 37.
Vicina (*Eneoptera*), 90.
Vicina (*Phylloptera*), 474.
Vicina (*Pleminia*), 316.
Vicinissimus (*Teleutias*), 341.
Vicinum (*Anisoptera*), 275.
Vicinum (*Xiphidium*), 275.
Vicinus (*Conocephalus*), 253.
Vicinus (*Platydictylus*), 90.
Vicinus (*Scapteriscus*), 2.
Vicinus (*Stenopelmatus*), 112.
Vidua (*Anaulacomera*), 467.
Viduus (*Podoscirtus*), 104.
Vinnensis (*Locusta*), 205.
Vierecki (*Udecopsylla*), 128.
Vigens (*Ischyra*), 484.
Vigens (*Orophus*), 484.
Vigentissima (*Locusta*), 222.
Vigorsii (*Scaphura*), 454.
Vinculatus (*Ceuthophilus*), 134.
Violascens (*Trochalodera*), 409.
Virens (*Conocephalus*), 285.
Virens (*Mecopoda*), 364.
Virens (*Phlugis*), 285.
Virens (*Thysdrus*), 285.
Virescens (*Aprion*), 302.
Virescens (*Ephippigera*), 390.
Virescens (*Eschatocerus*), 259.
Virescens (*Hyperhomala*), 368.
Virescens (*Hyperomala*), 368, 369.
Virescens (*Metrypus*), 107.
Virescens (*Odontolakis*), 268.
Virescens (*Tafalisca*), 107.
Virgatipes (*Ceuthophilus*), 131.
Virgo (*Hyperbænnus*), 148.
Virgulatus (*Gryllodes*), 42.
Viridator (*Conocephalus*), 244.
Viridescens (*Gryllacris*), 148.
Viridescens (*Paratriginidium*), 80.
Viridiallatus (*Cocconotus*), 335.
Viridicata (*Phylloptera*), 472.
Viridicatus (*Thamnoscirtus*), 84.
Viridifer (*Thorancistus*), 182.
Viridifer (*Thyreconotus*), 182.
Viridifolia (*Hyperphrona*), 475.
Viridifolia (*Locusta*), 321.
Viridifolia (*Mimetica*), 350.
Viridifolia (*Porphyromma*), 349.
Viridifolium (*Platyphylum*), 321.
Viridifolius (*Bliastes*), 331.
Viridifrons (*Semileptotettix*), 310.

- Viridinervis* (Lichenochrus), 317.
Viridinervis (Meronicidius), 317.
Viridinotata (Turpæ), 308.
Viridinotata (Tegra), 308.
Viridipennis (Agræcia), 259.
Viridipennis (Ischnophyllus), 257.
Viridis (Æmasia), 333.
Viridis (Centrocephalus), 267.
Viridis (Cerberodon), 288.
Viridis (Conocephaloides), 247.
Viridis (Conocephalus), 247.
Viridis (Exocephala), 234.
Viridis (Grylloides), 42.
Viridis (Listrosceles), 288.
Viridis (Locusta), 217.
Viridis (Phrietætypus), 356.
Viridis (Phrietotypus), 356.
Viridis-Cantatrix (Locusta), 217.
Viridissima (Dietyota), 416.
Viridissima (Gryllus), 217.
Viridissima (Locusta), 217.
Viridissima (Phasgonura), 217, 218.
Viridissima (Tettigonia), 217.
Viridissima (Torbia), 416.
Viridissimus (Conocephalus), 218.
Viridissimus (Tettigonia), 217.
Viridissimus - minor (Gryllus), 371.
Viridissimus - minor (Tettigonia), 371.
Viridivitta (Cymatomera), 308.
Viridivitta (Tegra), 308.
Visenda (Decolya), 287.
Vitiensis (Aphonomorphus), 105.
Vitiensis (Aphonus), 105.
Vitiensis (Hydropedeticus), 84.
Vitium (Ephippiger), 169.
Vitium (Ephippigera), 168.
Vittata (Acheta), 17, 45.
Vittata (Agræcia), 259.
Vittata (Barbitistes), 390.
Vittata (Carcinopsis), 117.
Vittata (Chelidoptera), 207.
Vittata (Clonia), 226.
Vittata (Cyrtoxipha), 82.
Vittata (Decticus), 207.
Vittata (Gryllacris), 141, 142.
Vittata (Jamaicana), 322.
Vittata (Leptophyes), 390.
Vittata (Libanasa), 117.
Vittata (Locusta), 207, 226.
Vittata (Nisitra), 87.
Vittata (Odontura), 390.
Vittata (Platyceles), 207.
Vittata (Promeca), 299.
Vittata (Saga), 225.
Vittata (Tettigopsis), 225.
Vittata (Tylopsis), 442.
Vittaticeps (Segestes), 359.
Vittaticolle (Trigoni-dium), 78.
Vittaticollis (Homoxiphus), 78.
Vittaticollis (Metioche), 78.
Vittatum (Paratrigoni-dium), 79.
Vittatum (Xiphidium), 278.
Vittatus (Acanthoproctus), 159.
Vittatus (Barbitistes), 390.
Vittatus (Cyrtoxiplus), 82.
Vittatus (Decticus), 208.
Vittatus (Diaphlebus), 358.
Vittatus (Gryllus), 87.
Vittatus (Hemiphonus), 101.
Vittatus (Hetrodes), 159.
Vittatus (Liosternus), 255.
Vittatus (Nannotettix), 337.
Vittatus (Nemobius), 17.
Vittatus (Nisitus), 87.
Vittatus (Paradiaphlebus), 358.
Vittatus (Phylloscirtus), 84.
Vittatus (Phylloscirtus), 84.
Vittatus (Platyceles), 208.
Vittatus (Platydictylus), 87.
Vittatus (Thamnoscirtus), 84.
Vitticolle (Anisoptera), 275.
Vitticolle (Xiphidium), 275.
Vitticollis (Locusta), 275.
Vitticollis (Mossula), 358.
Vittifer (Mustius), 290.
Vittifer (Pseudophyllus), 290.
Vittifrons (Agræcia), 266.
Vittifrons (Bliastes), 331.
Vittifrons (Conocephaloides), 247.
Vittifrons (Conocephalus), 247.
Vittifrons (Meronicidius), 331.
Vittifrons (Salomona), 266.
Vittipennis (Conocephaloides), 244.
Vittipennis (Conocephalus), 244.
Vittipes (Agræcia), 259.
Vittipes (Gryllacris), 141.
Vitidum (Microcentrum), 456.
Vocalis (Gryllus), 36.
Voeltzkowi (Dieranaerus), 270.
Voeltzkowi (Ectadoderus), 58.
Voeltzkowi (Podascirtus), 235.
VOELTZKOWIA, 70.
Volantum (Orchelimum), 273.
Volaticus (Nemobius), 18.
Voluptaria (Cosmozoma), 448.
Voluptaria (Gryllacris), 144.
Voluptarius (Leptotettix), 339.
Vorax (Acheta), 330.
Vorax (Anostostoma), 330.
Vorax (Gnathoclitia), 330.
Vorax (Gryllus), 330.
Vorax (Locusta), 330.
Vosseleri (Ephippiger), 161.

- Vosseleri* (*Ephippigera*), 161.
Vosseleri (*Uromenus*), 161.
 VOSSIA, 464.
Vraxi (*Brunnea*), 296.
Vulgare (*Orehelimum*), 271.
Vulgaris (*Gryllotalpa*), 4.
Vulturina (*Brisilis*), 317.
Vulturina (*Locusta*), 317.
Vulturinus (*Lichenochrus*), 317.

Wahlbergi (*Clonia*), 226.
Walkeri (*Cophogryllus*), 44.
Walkeri (*Mecopoda*), 463.
Wattenwylia (*Nannagræcia*), 263.
 WEISSENBORNIA,
 422.
Westwoodianus (*Cachoplistus*), 61.
Westwoodianus (*Cacoplistes*), 61.
W-nigrum (*Udenus*), 156.
Woodfordi (*Hyperhomala*), 368.
Woodfordi (*Phyllophora*), 368.
Woodii (*Engaster*), 158.

 XABEA, 76.
Xanthographa (*Phalangopsis*), 66.
Xanthographus (*Homœogryllus*), 66.
Xanthoneurus (*Gryllus*), 32.

Xanthopterus (*Ectadoderus*), 57.
Xanthopterus (*Ornebius*), 57.
Xanthostoma (*Raphidophora*), 135.
Xanthostoma (*Tropidischia*), 135.
 XANTIA, 459.
 XENICA, 391.
 XENOGRYLLUS, 106.
 XENOPHYLLO-
 PTERYX, 311.
 XEROPTERYX, 311.
 XESTOPHYRYS, 236.
 XESTOPTERA, 346.
Xiphias (*Conocephalus*), 241.
Xiphias (*Locusta*), 241.
 XIPHIIDINE, 271.
 XIPHIIDION, 274.
 XIPHIIDIOPSIS, 284.
 XIPHIIDIUM, 271, 274.
 XIPHOSAGA, 228.
 XYA, 8.
 XYPHIDIUM, 274.

Yersini (*Arachnocephalus*), 60.
Yersini (*Barbitistes*), 381.

 ZABALIUS, 291.
 ZACATULA, 361.
Zambesi (*Homaloblemmus*), 45.
Zanzibarica (*Letana*), 400.
Zanzibarica (*Parapyrrhicia*), 469.
Zanzibarica (*Pyrrhizia*), 400.

 ZAORA, 53.
Zapateri (*Ephippigera*), 167.
Zapaterii (*Ephippigera*), 167.
Zapaterii (*Ephippigera*), 167.
 ZARCEUS, 84.
Zarudnyi (*Magrettia*), 120.
Zebra (*Ornebius*), 58.
Zebrata (*Ceraia*), 451.
Zebrata (*Phaneroptera*), 439.
Zebrata (*Terpnistria*), 439.
Zelleri (*Ephippigera*), 170.
Zelleri (*Ephippigera*), 170.
Zendala (*Gongrocnemis*), 326.
Zendala (*Petaloptera*), 484.
Zenlala (*Phylloptera*), 484.
Zetterstedti (*Ctenophlebia*), 471.
Zetterstedti (*Phylloptera*), 471.
Zetterstedti (*Viadana*), 471.
 ZEUNERIA, 429.
 ZICHYA, 178.
Zimmermanni (*Platyphyllus*), 344.
Zonarius (*Ceuthophilus*), 133.
Zonata (*Ischyra*), 484.
Zonatus (*Oncodopus*), 270.
Zonatus (*Pœcilemon*), 378.
 ZULPIA, 408.
 ZUMALA, 298.